

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none">TORRILHON, M.	authors	<ul style="list-style-type: none">M. T. Ilhon	DUPLICATES	1133
	title	Uniqueness conditions for Riemann problems of ideal magnetohydrodynamics	title	Uniqueness conditions for Riemann problems of ideal magnetohydrodynamics		
	publication_date	2003-01-01 00:00:00	publication_date	None		
	source	SupportedSources.CROSSREF	source	SupportedSources.SEMANTIC_SCHOLAR		
	journal		journal			
	volume		volume			
	doi	10.1017/s0022377803002186	doi			
	urls	<ul style="list-style-type: none">https://www.cambridge.org/core/services/aop-cambridge-core/content/view/S0022377803002186http://dx.doi.org/10.1017/s0022377803002186	urls	<ul style="list-style-type: none">https://www.semanticscholar.org/paper/9bc8c5f3d780437d32fb649d2eee14c64aa88337		
	id	id6666183377035466110	id	id8528624105622577484		
	abstract		abstract	The equations of ideal magnetohydrodynamics (MHD) form a non-strict hyperbolic system with a non-convex flux function and admit non-regular, so-called intermediate shocks. The presence of non-regular waves in the MHD system causes the Riemann problem to be not unique in some cases. This paper investigates the uniqueness of Riemann solutions of ideal MHD. To determine uniqueness conditions we discuss the correspondence of non-regular solutions and non-uniqueness. Additionally the structure of the Hugoniot curves and its non-regular behaviour are demonstrated. It follows that the degree of freedom for solving a Riemann problem is reduced in the case of a non-regular solution. From this, we can deduce uniqueness conditions depending on the initial conditions of an MHD Riemann problem. The results also allow one to construct non-unique solutions. We give an example for the case of non-planar initial conditions.		
	versions		versions			