

cases	doc_1		doc_2		decision	id
					DUPLICATES	907
	authors	<ul style="list-style-type: none">Schroeer, Stefan	authors	<ul style="list-style-type: none">Stefan Schroeer		
	title	Topological methods for complex-analytic Brauer groups	title	Topological methods for complex-analytic Brauer groups		
	publication_date	2005-02-08 00:00:00	publication_date	2004-05-12 13:44:46+00:00		
	source	SupportedSources.CORE	source	SupportedSources.ARXIV		
	journal	None	journal	Topology 44 (2005), no. 5, 875--894		
	volume		volume			
	doi	10.1016/j.top.2005.02.005	doi			
	urls	<ul style="list-style-type: none">https://core.ac.uk/download/pdf/82149795.pdf	urls	<ul style="list-style-type: none">http://arxiv.org/pdf/math/0405223v3http://arxiv.org/abs/math/0405223v3http://arxiv.org/pdf/math/0405223v3		
	id	id-4350087543714513591	id	id1235791316867588490		
	abstract	Using methods from algebraic topology and group cohomology, I pursue Grothendieck's question on equality of geometric and cohomological Brauer groups in the context of complex-analytic spaces. The main result is that equality holds under suitable assumptions on the fundamental group and the Pontrjagin dual of the second homotopy group. I apply this to Lie groups, Hopf manifolds, and complex-analytic surfaces.Comment: 20 pages, minor corrections, to appear in Topolog	abstract	Using methods from algebraic topology and group cohomology, I pursue Grothendieck's question on equality of geometric and cohomological Brauer groups in the context of complex-analytic spaces. The main result is that equality holds under suitable assumptions on the fundamental group and the Pontrjagin dual of the second homotopy group. I apply this to Lie groups, Hopf manifolds, and complex-analytic surfaces.		
	versions		versions			