

cases	doc_1		doc_2		decision	id
					DUPLICATES	286
	authors	<ul style="list-style-type: none">Safaya, A.Abdullatif, M.Yuret, D.	authors	<ul style="list-style-type: none">Ali SafayaMoutasem AbdullatifDeniz Yuret		
	title	KUISAIL at SemEval-2020 Task 12: BERT-CNN for Offensive Speech Identification in Social Media	title	KUISAIL at SemEval-2020 Task 12: BERT-CNN for Offensive Speech Identification in Social Media		
	publication_date	2020-01-01 00:00:00	publication_date	2020-07-26 17:26:20+00:00		
	source	SupportedSources.CROSSREF	source	SupportedSources.ARXIV		
	journal		journal	None		
	volume		volume			
	doi	10.18653/v1/2020.semeval-1.271	doi			
	urls	<ul style="list-style-type: none">http://dx.doi.org/10.18653/v1/2020.semeval-1.271	urls	<ul style="list-style-type: none">http://arxiv.org/pdf/2007.13184v1http://arxiv.org/abs/2007.13184v1http://arxiv.org/pdf/2007.13184v1		
	id	id-8856303843199450665	id	id-9120582486554472633		
	abstract		abstract	In this paper, we describe our approach to utilize pre-trained BERT models with Convolutional Neural Networks for sub-task A of the Multilingual Offensive Language Identification shared task (OffensEval 2020), which is a part of the SemEval 2020. We show that combining CNN with BERT is better than using BERT on its own, and we emphasize the importance of utilizing pre-trained language models for downstream tasks. Our system, ranked 4th with macro averaged F1-Score of 0.897 in Arabic, 4th with score of 0.843 in Greek, and 3rd with score of 0.814 in Turkish. Additionally, we present ArabicBERT, a set of pre-trained transformer language models for Arabic that we share with the community.		
	versions		versions			