

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none">Martin MeyriesRoland Schnaubelt	authors	<ul style="list-style-type: none">Martin MeyriesRoland Schnaubelt	DUPLICATES	180
	title	Interpolation, embeddings and traces of anisotropic fractional Sobolev spaces with temporal weights	title	Interpolation, embeddings and traces of anisotropic fractional Sobolev spaces with temporal weights		
	publication_date	2012-02-01 00:00:00	publication_date	2012-02-17 00:00:00		
	source	SupportedSources.OPENALEX	source	SupportedSources.INTERNET_ARCHIVE		
	journal	Journal of Functional Analysis	journal			
	volume	262	volume			
	doi	10.1016/j.jfa.2011.11.001	doi			
	urls	<ul style="list-style-type: none">https://openalex.org/W2963800365https://doi.org/10.1016/j.jfa.2011.11.001https://doi.org/10.1016/j.jfa.2011.11.001	urls	<ul style="list-style-type: none">https://archive.org/download/arxiv-1202.3870/1202.3870.pdf		
	id	id8340788407173929917	id	id-5764273436851199179		
	abstract		abstract	We investigate the properties of a class of weighted vector-valued L_p -spaces and the corresponding (an)isotropic Sobolev-Slobodetskii spaces. These spaces arise naturally in the context of maximal L_p -regularity for parabolic initial-boundary value problems. Our main tools are operators with a bounded \hat{A}^\sharp -calculus, interpolation theory, and operator sums.		
	versions		versions			