doc_1		doc_2		decision	id
		authors	Tommaso Pacini		
		title	Desingularizing isolated conical singularities: Uniform estimates via weighted Sobolev spaces		
authors	Tommaso Pacini		publication_date 2012-11-12 00:00:00		
4:41		source	SupportedSources.INTERNET_ARCHIVE		
title	Desingularizing isolated conical singularities: Uniform estimates via weighted Sobolev spaces	journal			
 	e 2013-01-01 00:00:00	volume			
source	SupportedSources.INTERNET_ARCHIVE	doi			
journal	International Press of Boston	urls	https://archive.org/download/arxiv-		
volume			1005.3511/1005.3511.pdf		
doi	10.4310/cag.2013.v21.n1.a3		·		
3	• https://web.archive.org/web/20190428163938/https://www.intlpress.com/site/pub/files/_fulltext/journals/cag/2013/0021/0001/CAG-	id	id-8227055806813848420		
urls	2013-0021-0001-a003.pdf		We define a very general "parametric connect sum" construction which can be used to eliminate isolated conical singularities of		
id	id2909072353530375580		Riemannian manifolds. We then show that various important		
abstract	We define a very general "parametric connect sum" construction that can be used to eliminate isolated conical singularities of Riemannian manifolds. We then show that various important analytic and elliptic estimates, formulated in terms of weighted Sobolev spaces, can be obtained independently of the parameters used in the construction. Specifically, we prove uniform estimates related to (i) Sobolev Embedding Theorems, (ii) the invertibility of the Laplace operator and (iii) Poincaré and Gagliardo-Nirenberg-Sobolev-type inequalities. Our main tools are the well-known theories of weighted Sobolev spaces and elliptic operators on "conifolds". We provide an overview of both, together with an extension of the former to general Riemannian manifolds. For a geometric application of our results we refer the reader to our paper [15] concerning desingularizations of special Lagrangian conifolds in C m .	abstract	analytic and elliptic estimates, formulated in terms of weighted Sobolev spaces, can be obtained independently of the parameters used in the construction. Specifically, we prove uniform estimates related to (i) Sobolev Embedding Theorems, (ii) the invertibility of the Laplace operator and (iii) Poincare' and Gagliardo-Nirenberg-Sobolev type inequalities. Our main tools are the well-known theories of weighted Sobolev spaces and elliptic operators on "conifolds". We provide an overview of both, together with an extension of the former to general Riemannian manifolds. For a geometric application of our results we refer the reader to our paper "Special Lagrangian conifolds, II: Gluing constructions in C^m".		
versions					