

		doc_1				doc_2		decision		id		
cases												
	authors		<ul style="list-style-type: none">Ekhi Ajuria IllarramendiM. BauerheimB. Cuenot				authors		<ul style="list-style-type: none">Ekhi Ajuria IllarramendiMichaël BauerheimBénédicte Cuenot			
	title		Performance and accuracy assessments of an incompressible fluid solver coupled with a deep convolutional neural network				title		Performance and accuracy assessments of an incompressible fluid solver coupled with a deep Convolutional Neural Network			
	publication_date		2021-09-20 00:00:00				publication_date		2021-09-20 08:30:29+00:00			
	source		SupportedSources.SEMANTIC_SCHOLAR				source		SupportedSources.ARXIV			
	journal		Data-Centric Engineering				journal		None			
	volume		3				volume					
	doi		10.1017/dce.2022.2				doi					
	urls		<ul style="list-style-type: none">https://www.semanticscholar.org/paper/517f8f11ee266edfceac2d131738881b20a356d5				urls		<ul style="list-style-type: none">http://arxiv.org/pdf/2109.09363v2http://arxiv.org/abs/2109.09363v2http://arxiv.org/pdf/2109.09363v2			
	id		id5552997898932117839				id		id2272932565527879011			
	abstract		Abstract The resolution of the Poisson equation is usually one of the most computationally intensive steps for incompressible fluid solvers. Lately, DeepLearning, and especially convolutional neural networks (CNNs), has been introduced to solve this equation, leading to significant inference time reduction at the cost of a lack of guarantee on the accuracy of the solution.This drawback might lead to inaccuracies, potentially unstable simulations and prevent performing fair assessments of the CNN speedup for different network architectures. To circumvent this issue, a hybrid strategy is developed, which couples a CNN with a traditional iterative solver to ensure a user-defined accuracy level. The CNN hybrid method is tested on two flow cases: (a) the flow around a 2D cylinder and (b) the variable-density plumes with and without obstacles (both 2D and 3D), demonstrating remarkable generalization capabilities, ensuring both the accuracy and stability of the simulations. The error distribution of the predictions using several network architectures is further investigated in the plume test case. The introduced hybrid strategy allows a systematic evaluation of the CNN performance at the same accuracy level for various network architectures. In particular, the importance of incorporating multiple scales in the network architecture is demonstrated, since improving both the accuracy and the inference performance compared with feedforward CNN architectures. Thus, in addition to the pure networksâ€™ performance evaluation, this study has also led to numerous guidelines and results on how to build neural networks and computational strategies to predict unsteady flows with both accuracy and stability requirements.				abstract		The resolution of the Poisson equation is usually one of the most computationally intensive steps for incompressible fluid solvers. Lately, Deep Learning, and especially Convolutional Neural Networks (CNN), has been introduced to solve this equation, leading to significant inference time reduction at the cost of a lack of guarantee on the accuracy of the solution. This drawback might lead to inaccuracies and potentially unstable simulations. It also makes impossible a fair assessment of the CNN speedup, for instance, when changing the network architecture, since evaluated at different error levels. To circumvent this issue, a hybrid strategy is developed, which couples a CNN with a traditional iterative solver to ensure a user-defined accuracy level. The CNN hybrid method is tested on two flow cases, consisting of a variable-density plume with and without obstacles, demonstrating remarkable generalization capabilities, ensuring both the accuracy and stability of the simulations. The error distribution of the predictions using several network architectures is further investigated. Results show that the threshold of the hybrid strategy defined as the mean divergence of the velocity field is ensuring a consistent physical behavior of the CNN-based hybrid computational strategy. This strategy allows a systematic evaluation of the CNN performance at the same accuracy level for various network architectures. In particular, the importance of incorporating multiple scales in the network architecture is demonstrated, since improving both the accuracy and the inference performance compared with feedforward CNN architectures, as these networks can provide solutions 1 10-25 faster than traditional iterative solvers.			
	versions						versions					