cases	doc_1		doc_2		decision	id
	authors	• Bin Cheng • Qiangchang Ju • Steve Schochet	authors	• Bin Cheng • Qiangchang Ju • Steve Schochet	DUPLICATES	7
	title	Convergence rate estimates for the low Mach and Alfvén number three-scale singular limit of compressible ideal magnetohydrodynamics	title	Convergence Rate Estimates for the Low Mach and Alfvén Number Three-Scale Singular Limit of Compressible Ideal Magnetohydrodynamics		
	publication_date	2021-01-01 00:00:00	publication_date	2019-03-14 04:58:13+00:00		
	source	SupportedSources.OPENALEX	source	SupportedSources.ARXIV		
	journal	Mathematical Modelling and Numerical Analysis	journal	None		
	volume	55	volume			
	doi	10.1051/m2an/2020051	doi			
	urls	• https://openalex.org/W3045764375 • https://doi.org/10.1051/m2an/2020051 • https://www.esaim-m2an.org/articles/m2an/pdf/2021/01/m2an200046.pdf	urls	• http://arxiv.org/pdf/1903.05816v3 • http://arxiv.org/abs/1903.05816v3 • http://arxiv.org/pdf/1903.05816v3		
	id	id-2126563419212378287	id	id7860676359247038454		
	abstract		abstract	Convergence rate estimates are obtained for singular limits of the compressible ideal magnetohydrodynamics equations, in which the Mach and Alfv\'en numbers tend to zero at different rates. The proofs use a detailed analysis of exact and approximate fast, intermediate, and slow modes together with improved estimates for the solutions and their time derivatives, and the time-integration method. When the small parameters are related by a power law the convergence rates are positive powers of the Mach number, with the power varying depending on the component and the norm. Exceptionally, the convergence rate for two components involve the ratio of the two parameters, and that rate is proven to be sharp via corrector terms. Moreover, the convergence rates for the case of a power-law relation between the small parameters tend to the two-scale convergence rate as the power tends to one. These results demonstrate that the issue of convergence rates for three-scale singular limits, which was not addressed in the authors' previous paper, is much more complicated than for the classical two-scale singular limits.		
	versions		versions			