

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none">Anne LauscherIvan VuliEdoardo Maria PontiAnna KorhonenGoran Glava	authors	<ul style="list-style-type: none">Anne LauscherIvan VulicE. PontiA. KorhonenGoran Glavavs	DUPLICATES	354
	title	Specializing Unsupervised Pretraining Models for Word-Level Semantic Similarity	title	Specializing Unsupervised Pretraining Models for Word-Level Semantic Similarity		
	publication_date	2019-09-05 11:49:40+00:00	publication_date	2019-09-05 00:00:00		
	source	SupportedSources.ARXIV	source	SupportedSources.SEMANTIC_SCHOLAR		
	journal	None	journal			
	volume		volume			
	doi		doi	10.18653/V1/2020.COLING-MAIN.118		
	urls	<ul style="list-style-type: none">http://arxiv.org/pdf/1909.02339v2http://arxiv.org/abs/1909.02339v2http://arxiv.org/pdf/1909.02339v2	urls	<ul style="list-style-type: none">https://www.semanticscholar.org/paper/3af5a41e43158a75bf7a8bb3f9517edc4163b3ca		
	id	id-3847900239914390189	id	id-174404111900855418		
abstract	Unsupervised pretraining models have been shown to facilitate a wide range of downstream NLP applications. These models, however, retain some of the limitations of traditional static word embeddings. In particular, they encode only the distributional knowledge available in raw text corpora, incorporated through language modeling objectives. In this work, we complement such distributional knowledge with external lexical knowledge, that is, we integrate the discrete knowledge on word-level semantic similarity into pretraining. To this end, we generalize the standard BERT model to a multi-task learning setting where we couple BERT's masked language modeling and next sentence prediction objectives with an auxiliary task of binary word relation classification. Our experiments suggest that our "Lexically Informed" BERT (LIBERT), specialized for the word-level semantic similarity, yields better performance than the lexically blind "vanilla" BERT on several language understanding tasks. Concretely, LIBERT outperforms BERT in 9 out of 10 tasks of the GLUE benchmark and is on a par with BERT in the remaining one. Moreover, we show consistent gains on 3 benchmarks for lexical simplification, a task where knowledge about word-level semantic similarity is paramount.	abstract	Unsupervised pretraining models have been shown to facilitate a wide range of downstream NLP applications. These models, however, retain some of the limitations of traditional static word embeddings. In particular, they encode only the distributional knowledge available in raw text corpora, incorporated through language modeling objectives. In this work, we complement such distributional knowledge with external lexical knowledge, that is, we integrate the discrete knowledge on word-level semantic similarity into pretraining. To this end, we generalize the standard BERT model to a multi-task learning setting where we couple BERT's masked language modeling and next sentence prediction objectives with an auxiliary task of binary word relation classification. Our experiments suggest that our "Lexically Informed" BERT (LIBERT), specialized for the word-level semantic similarity, yields better performance than the lexically blind "vanilla" BERT on several language understanding tasks. Concretely, LIBERT outperforms BERT in 9 out of 10 tasks of the GLUE benchmark and is on a par with BERT in the remaining one. Moreover, we show consistent gains on 3 benchmarks for lexical simplification, a task where knowledge about word-level semantic similarity is paramount, as well as large gains on lexical reasoning probes.			
versions		versions				