

cases	doc_1		doc_2		decision	id
					DUPLICATES	17
	authors	<ul style="list-style-type: none">Pierre B'ejotBertrand Kibler	authors	<ul style="list-style-type: none">Pierre B'ejotB. Kibler		
	title	Quadrics for structuring space-time wavepackets	title	Quadrics for structuring space-time wavepackets		
	publication_date	2022-02-01 00:00:00	publication_date	2022-02-01 00:00:00		
	source	SupportedSources.INTERNET_ARCHIVE	source	SupportedSources.SEMANTIC_SCHOLAR		
	journal		journal			
	volume		volume			
	doi		doi	10.1051/epjconf/202226613018		
	urls	<ul style="list-style-type: none">https://web.archive.org/web/20220203065622/https://arxiv.org/ftp/arxiv/papers/2202/2202.00407.pdf	urls	<ul style="list-style-type: none">https://www.semanticscholar.org/paper/2e26d48c500781c245075aa5ba4fe71a54497d10		
	id	id7811041366070197055	id	id922695365540624649		
	abstract	Space-time light structuring has emerged as a very powerful tool for controlling the propagation dynamics of pulsed beam. The ability to manipulate and generate space-time distributions of light has been remarkably enhanced in past few years, letting envision applications across the entire spectrum of optics. Space-time optical wavepackets manipulated up to now are usually two-dimensional objects (one space dimension and time) whose mode-resolved spectra lie in a conical section. Using simple symmetry and invariance principles, we show that such wavepackets are particular cases of more general three-dimensional structures whose space-time frequencies lie on quadric surfaces. Our proposed framework allows here classifying space-time wavepackets localized in all dimensions, in any group-velocity dispersion regime, both in bulk and waveguides. Particular emphasis is placed on orbital angular momentum-carrying space-time wavepackets. This unprecedented theoretical approach opens the way for versatile synthesizing of space-time optics.	abstract	Space-time light structuring has emerged as a very powerful tool for controlling the propagation dynamics of pulsed beam. The ability to manipulate and generate space-time distributions of light has been remarkably enhanced in past few years, letting envision applications across the entire spectrum of optics. Space-time optical wavepackets manipulated up to now are usually two-dimensional objects (one space dimension and time) whose mode-resolved spectra lie in a conical section. Using simple symmetry and invariance principles, we show that such wavepackets are particular cases of more general threedimensional structures whose space-time frequencies lie on quadric surfaces. Our proposed framework allows here classifying space-time wavepackets localized in all dimensions, in any group-velocity dispersion regime, both in bulk and waveguides. Particular emphasis is placed on orbital angular momentum-carrying space-time wavepackets. This unprecedented theoretical approach opens the way for versatile synthesizing of space-time optics.		
	versions		versions			