

cases		
	authors	<ul style="list-style-type: none">Yusheng SuXu HanZhengyan ZhangYankai LinPeng LiZhiyuan LiuJie ZhouMaosong Sun
	title	CokeBERT: Contextual Knowledge Selection and Embedding towards Enhanced Pre-Trained Language Models
	publication_date	2021-01-01 00:00:00
	source	SupportedSources.INTERNET_ARCHIVE
	journal	Elsevier BV
	volume	
	doi	10.1016/j.aiopen.2021.06.004
	urls	<ul style="list-style-type: none">https://web.archive.org/web/20210715091040/https://pdf.sciencedirectassets.com/777606/AIP/1-s2.0-S2666651021000188/main.pdf?X-Amz-Security-Token=1QoJb3JpZ2luX2VjEDEaCXVzLWVhc3QtMSJIMEYCIQCxBiJAYU%2FMGI9jCCM5xvOoYuWkgHe8VsSuEhJTeZNxrAlhAKyh9nKh%2B18MJ8gQAmN%2FsyomQEUKowA%2FBjDI0LjXsct0KvoDCCoQBB0MMDU5MDAzNTQ2ODY1IlgwBbwtulteMCC%2FCwb4q1wMWwrqgxx32sxizIkT9tg59wCW2g78Ybvxe6toeVffE112hjJMgZsewJ1bjZ1K8N58vgWeDNeLjK:Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Date=20210715T091027Z&X-Amz-SignedHeaders=host&X-Amz-Expires=300&X-Amz-Credential=ASIAQ3PHCVTYZNC225YT%2F20210715%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Signature=a48d3a4631ccd5d658396cafde89a7b33ce8308ca57a3d92d186845bbe16eb9fa&hash=ff1d10d34e8827d885a7e6cadbb530a8bde6
	id	id483762373547654797
	abstract	Several recent efforts have been devoted to enhancing pre-trained language models (PLMs) by utilizing extra heterogeneous knowledge in knowledge graphs (KGs), and achieved consistent improvements on various knowledge-driven NLP tasks. However, most of these knowledge-enhanced PLMs embed static sub-graphs of KGs ("knowledge context"), regardless of that the knowledge required by PLMs may change dynamically according
	versions	