

cases	doc_1		doc_2		decision	id
	authors	<ul style="list-style-type: none">NÅ¼sken, NikolasRenger, D.R. Michiel	authors	<ul style="list-style-type: none">NÅ¼sken, N.Renger, M.	DUPLICATES	726
	title	Stein Variational Gradient Descent:many-particle and long-time asymptotics	title	Stein Variational Gradient Descent:many-particle and long-time asymptotics		
	publication_date	2021-02-26 00:00:00	publication_date	2021-01-01 00:00:00		
	source	SupportedSources.CORE	source	SupportedSources.CORE		
	journal		journal			
	volume		volume			
	doi	None	doi	10.34657/8575		
	urls	<ul style="list-style-type: none">https://core.ac.uk/download/402104856.pdf	urls	<ul style="list-style-type: none">https://core.ac.uk/download/387602047.pdf		
	id	id6693346444149903573	id	id9214043523725641388		
	abstract	Stein variational gradient descent (SVGD) refers to a class of methods for Bayesian inference based on interacting particle systems. In this paper, we consider the originally proposed deterministic dynamics as well asa stochastic variant, each of which represent one of the two main paradigms in Bayesian computational statis-tics:variational inferenceandMarkov chain Monte Carlo. As it turns out, these are tightly linked througha correspondence between gradient flow structures and large-deviation principles rooted in statistical physics.To expose this relationship, we develop the cotangent space construction for the Stein geometry, prove its ba-sic properties, and determine the large-deviation functional governing the many-particle limit for the empiricalmeasure. Moreover, we identify theStein-Fisher information(orkernelised Stein discrepancy) as its leadingorder contribution in the long-time and many-particle regime in the sense ofT-convergence, shedding some lighton the finite-particle properties of SVGD. Finally, we establish a comparison principle between the Stein-Fisherinformation and RKHS-norms that might be of independent interes	abstract	Stein variational gradient descent (SVGD) refers to a class of methods for Bayesian inference based on interacting particle systems. In this paper, we consider the originally proposed deterministic dynamics as well as a stochastic variant, each of which represent one of the two main paradigms in Bayesian computational statistics: variational inference and Markov chain Monte Carlo. As it turns out, these are tightly linked through a correspondence between gradient flow structures and large-deviation principles rooted in statistical physics. To expose this relationship, we develop the cotangent space construction for the Stein geometry, prove its basic properties, and determine the large-deviation functional governing the many-particle limit for the empirical measure. Moreover, we identify the Stein-Fisher information (or kernelised Stein discrepancy) as its leading order contribution in the long-time and many-particle regime in the sense of T-convergence, shedding some light on the finite-particle properties of SVGD. Finally, we establish a comparison principle between the Stein-Fisher information and RKHS-norms that might be of independent interest		
	versions		versions			