	doc 1		doc 2		decision	id
cases			authors	Dong, Wei		
			title	Development of Kinetic Schemes for the Numerical Solutions of the 3-D Euler and the Ideal Magnetohydrodynamics Equations		
			publication_dat	_date 2010-05-24 00:00:00		
			source	SupportedSources.CORE		
			journal			
	authors	Wei Dong	volume			
		Development of Kinetic Schemes for the Numerical Solutions of the 3-D Euler and the Ideal Magnetohydrodynamics	doi	None		
	title	Equations	urls	https://core.ac.uk/download/233208119.pdf		
	publication_date	2010-01-01 00:00:00	id	lid-8870485432487876888		
	source	SupportedSources.INTERNET_ARCHIVE		The objective of this dissertation is to develop and apply kinetic schemes for the numerical		
	journal	Washington University in St. Louis		solution of 3-D compressible Euler and ideal Magnetohydrodynamic: MHD) equations. By employing the so-called moment method strategy, kinetic schemes for the compressible Euler and ideal MHD equations are derived from the collisionless Boltzmann equation, which is upwind discretized. Then the moments of the upwind discretized collisionless Boltzmann equation are taken with a collision invariant vector and the appropriate distribution function to obtain the numerical scheme for the continuum Euler and ideal MHD equations. In this dissertation, for both the Euler and ideal MHD equations, initially the first-order accurate time-explicit KFVS and KWPS algorithms are derived, and then the first-order accurate time-implicit KFVS and KWPS		S 1093
	volume					
	doi	10.7936/k7j38qm1				
	urls	https://web.archive.org/web/20200709141121/https://openscholarship.wustl.edu/cgi/viewcontent.cgi? article=1846&context=etd				
	id	id3538979801788042676				
	abstract		abstract	algorithms are developed. The derivations are presented in the 3-D generalized coordinate system. A 3-D computational code for the solution of compressible Euler and ideal MHD equations in		
	versions			generalized curvilinear coordinate system is written and validated. The code has been written for the first-order time-explicit KWPS algorithm. However, it can be easily extended to include the time-implicit KWPS algorithm as well as both the time-explicit and time-implicit KFVS algorithms. The code is applied to calculate the inviscid Supersonic flow past an axisymmetric blunt body with and without the presence of a magnetic field. The effect of magnetic field in reducing the strength of the bow shock is analyzed. This dissertation makes a fundamental contribution to the development and application of kinetic schemes for the solution of fluid dynamics equations		
			versions			الا