Testing starray

```
— properties/sub-structures, one definition at a time —
STtest
passed: dup detected
STtestX
passed: new done!
adding struct ZX to STtest.TT
passed: defined correctly!
STtest.TT Zy=TT Zy-default
passed
STtest.TTT Zy(err) = TT Zy-default
passed: err detected
 — Extending def structure of an already instantiated starray —
    Note: it will loop if not fixed!
  — Fixing it —
    Note: STtest def \show shall appear in logs (if fixed)
    Note: STtest terms \show shall appear in logs (if fixed)
    Note: STtest.SSX (err/warning) shall be in logs:
 — testing term syntax function —
STtest.TT.ZXx (err)
passed: err detected
STtest.TT.ZX (correct)
passed
  — testing get_prop functions —
    Note: This is (default) 'X' property from ST test[hah] term:
    Note: Same with a token-list variable
X-default
    Note: Same with 'branching'
X:X-default
passed: X found correctly
Xt:
passed: Xt don't exist
    Note: (same) testing \...if in:
passed: X exists
passed: Xty don't exit
  — Testing iter functions —
Current STtest iter:
    Note: direct access:2
    Note: using a tmp var:2
    Note: reseting iter
iter:1
    Note: next iter
iter:2
    Note: next iter
```

```
iter:2
    Note: set iter->5
iter:2
    Note: set iter->0
iter:1
 — Testing iter functions with branching —
Current STtest iter:
passed: got: 1
iter from STtestY (err):
passed: syntax err OK
    Note: reseting iter
passed
iter:1
    Note: next iter
passed
iter:2
    Note: next iter
passed: 'saturated'
iter:2
    Note: set iter->5
passed: 'over'
iter:2
    Note: set iter->0
passed: 'under'
iter:1
    Note: set iter->2
passed
iter:2
 — Testing cnt functions —
Current STtest cnt:
    Note: direct access:2
    Note: using a tmp var:2
  — Testing cnt function with branching —
Current STtest cnt:
passed: got: 2
Current STtestX cnt:
passed: got: 0
Current STtestY cnt:
passed: non existant
 — Testing if in function —
passed: X found
passed: G not found
 — Testing \_term\_syntax function —
STtest[2].TT is:
passed: correct
STtest[1].TT is:
passed: wasn't instantiated
STtest[1].GG is:
passed: not correct
  — Testing (g)set_prop functions —
STtest[2].TT.Z current value: TT Z-default
STtest[2].TT.Z new value: newZ value
 — Testing (g)set_prop inside a group —
STtest[2].TT.Z inside: newZ inside group
STtest[2].TT.Z ouside: newZ value
STtest[2].TT.Z inside gset: newZ gset inside group
```

```
STtest[2].TT.Z ouside: newZ gset inside group
  — Testing (g)set_prop functions —
STtest[2].TT.Z current value: newZ gset inside group
STtest[2].TT.Z new value: newZ value
  — Testing (g)set prop inside a group —
STtest[2].TT.Z inside: newZ inside group
STtest[2].TT.Z ouside: newZ value
STtest[2].TT.Z inside gset: newZ gset inside group
STtest[2].TT.Z ouside: newZ gset inside group
  — Testing (g)set prop functions with branching —
STtest[2].TT.Z current value: newZ gset inside group
passed: new value: newZZZZ value
  — Testing (g)set prop inside a group —
passed: new value: newZ inside group
STtest[2].TT.Z ouside: newZZZZ value
passed: new value: newZ gset inside group
STtest[2].TT.Z ouside: newZ gset inside group
setting:STtest[1].TT (err, not instantiated)
passed: correct, no instance
 — set prop:nnV inserting a sequence as a property —
     Note: the 2 (equal) sequences shall be in log (\show)
 — defining/setting from keyval —
  — setting from keyval with branching —
passed: correct
student definition:
>{student} struct =>
    \{first\} => \{-first-\}
    \{last\} => \{-last-\}
    \{name\} => \{-full-name-\}
>
    \{article\} => \{o(a)\}
    \{\text{narticle}\} => \{(a)\}
    \{Article\} => \{O(A)\}
    {\text{Narticle}} => {(A)}
>
    {Nproc} => {—}
{ID} => {—}
>
    \{\text{email}\} => \{--\}
>
>
    \{advisor\}\ struct =>
      \{first\} => \{-first-\}
>
      \{last\} => \{-last-\}
>
      \{name\} => \{-full-name-\}
       \{article\} => \{o(a)\}
>
>
       \{\text{narticle}\} => \{(a)\}
>
       \{Article\} => \{O(A)\}
>
       {Narticle} => {(A)}
       \{institution\} => \{-inst-\}
       \{ \text{titleinfo} \} => \{ -\text{info} - \} 
       \{\text{email}\} => \{--\}
       \{\text{phone}\} => \{--\}
      \{\text{somedata}\}\ \text{struct}\ =>
         \{ fieldA \} => \{ field-Ax \}
         {fieldB} => {field-B}
>
         \{ fieldC \} => \{ field-C \}
         {fieldD} => {field-D}
    {reviewers} struct =>
      \{first\} => \{-first-\}
```

```
\{last\} => \{-last-\}
    >
            \{name\} => \{-full-name-\}
    >
            \{article\} => \{o(a)\}
            \{\text{narticle}\} => \{(a)\}
            \{Article\} => \{O(A)\}
            {Narticle} => {(A)}
            \{institution\} => \{-inst-\}
            \{ titleinfo \} => \{ -info - \}
            \{\text{email}\} => \{--\}
            \{phone\} => \{--\}
student current terms:
    >{student[1]} (idx: A) =>
    > \{first\} => \{first name\}
        \{last\} = \{last name\}
       \{name\} => \{-full-name-\}
    >
       \{article\} => \{o(a)\}
    >
         \{\text{narticle}\} => \{(a)\}
    >
    >
         \{Article\} => \{O(A)\}
         {\text{Narticle}} => \{(A)\}
         \{Nproc\} => \{\overline{-}\}
    >
         {ID} => {--}
    >
         \{\text{email}\} => \{\}
    >
    >
         \{advisor[1]\}\ (idx:\ A) =>
    >
           \{first\} => \{advisor first name\}
    >
           {last} => {advisor last name}
    >
           \{name\} => \{-full-name-\}
    >
            \{article\} => \{o(a)\}
    >
            {\text{narticle}} => {(a)}
    >
            \{Article\} => \{O(A)\}
            {\text{Narticle}} => {(A)}
    >
    >
            \{institution\} => \{-inst-\}
    >
            \{ \text{titleinfo} \} => \{ -\text{info} - \} 
    >
            \{\text{email}\} => \{--\}
    >
            \{\text{phone}\} => \{--\}
    >
            \{somedata[1]\}\ (idx:\ A) =>
               \{ fieldA \} => \{ field-Ax \}
    >
               \{fieldB\} => \{field-B\}
    >
>
               \left\{ \begin{array}{ll} \left\{ \mathrm{fieldC} \right\} &=> &\left\{ \mathrm{field-C} \right\} \\ \left\{ \mathrm{fieldD} \right\} &=> &\left\{ \mathrm{field-D} \right\} \end{array} \right.
    >
         \{advisor[2]\}\ (idx:\ B) =>
    >
            \{first\} => \{advisor first name\}
    >
            {last} => {advisor last name}
    >
            \{name\} => \{-full-name-\}
            \{article\} => \{o(a)\}
    >
            {\text{narticle}} => {(a)}
    >
    >
            \{Article\} => \{O(A)\}
    >
            {Narticle} => {(A)}
    >
            \{institution\} => \{-inst-\}
            \{ \text{titleinfo} \} => \{ -\text{info} - \} 
            \{\text{email}\} => \{--\}
            \{phone\} => \{--\}
            \{somedata[1]\}\ (idx:\ A) =>
               \{ fieldA \} => \{ field-Ax \}
               \{ fieldB \} => \{ field-B \}
               \{ fieldC \} => \{ field-C \}
              {fieldD} => {field-D}
           \{somedata[2]\}\ (idx:\ B) =>
               \{fieldA\} => \{field-Ax\}
              {fieldB} => {field-B}
```