



Batch Queue Organizer for ME3Tweaks

User Guide - Version 1.1.0

Organize and validate Batch Installer queues for Mass Effect Legendary Edition while keeping Creation Lists, global profiles, dependencies, compatibility patches, and install order visible.

Portable by design

No installer is required. Run the single EXE, select ME3TweaksModManager.exe once, and the Organizer locates the required mods and data folders automatically.

Global sets

Create one profile for all three games. Individual games may contain different queues or no queues at all.

Dependency awareness

List View validation and the read-only Dependency Graph View share the same known relationships.

Safe editing

Foreign ME3Tweaks queues are ignored. Queue edits and recoverable mod deletion are backed up first.

Contents

Section	What it covers
1. Installation and first launch	Portable setup, ME3Tweaks location, generated configuration files
2. Interface and Graph View	Controls, list columns, visual dependency lanes, zoom and panning
3. Daily queue workflow	Assign, review, order, save, reload
4. Global sets and Creation Lists	Viewed set versus active set, cloning, separate Creation mode
5. ASI plugin editor	Per-queue selection, Creation List ASIs, versions, developer tools
6-7. Order and validation	Mount order, manual order, requirements, patches, conflicts
8-9. Recovery and reference	Backups, stale entries, recoverable mod deletion, quick answers

1. Installation and first launch

Install the portable application

- Create a dedicated folder in a location where your Windows account can write files.
- Copy BatchQueueOrganizer.exe and this guide into that folder.
- Do not run the EXE directly from a ZIP or another archive.
- Start the EXE. No Windows installer or registry entry is required.

First-launch selection

Select ME3TweaksModManager.exe when prompted. The selected folder must also contain the mods and data subfolders. The location is remembered for later launches.

Portable ME3Tweaks installations

ME3Tweaks Mod Manager itself is normally extracted rather than installed. The Organizer therefore asks for the executable instead of searching the Windows registry.

Files created next to the EXE

File	Purpose
OrganizerSettings.json	ME3Tweaks location, window size, splitter position, and column widths
OrganizerQueues.json	Registry of queues managed by this Organizer
OrganizerSets.json	Global set names and the exclusive target active in ME3Tweaks
OrganizerRemovedMissingMods.json	Stale missing entries intentionally hidden from the All view
OrganizerCustomRules.json	User-defined dependency, load-after, conflict, and integrated-mod rules
OrganizerQueueSets	Canonical queue files for Creation Lists and every global set
OrganizerBackups	Timestamped queue backups stored outside the ME3Tweaks scan path
OrganizerDeletedMods	Mod folders removed through the Organizer and retained for recovery


Keep these files

Copy the whole Organizer folder when moving or updating the tool. It contains the canonical queue sets, backups, local rules, settings, migration archives, and any mods retained after recoverable deletion.

What the Organizer does not touch

- Batch queues created directly in ME3Tweaks Mod Manager
- Old Play, Base, or reference lists maintained outside the Organizer
- Installed mod folders, unless the user explicitly confirms Delete selected mods

2. Interface tour



The Organizer window in the All view. The screenshot shows the global Set selector, independent Active in ME3Tweaks selection, cross-game mod overview, filters, and details panel.

1 - Toolbar	2 - Global sets	3 - Mod table	4 - Details and actions
Game, search, filters, List or Dependency Graph view, reload, save, Creation mode, and ASI mode.	The viewed Set and the independently active ME3Tweaks set.	Assignment, order, Mount ID, requirements, patches, and status.	Selected mod information, assignment, ordering, backups, and restore behavior.

2. Interface tour - control reference

Area	Control	Purpose
Top row	Game	Choose All, LE1, LE2, or LE3. All is an overview and allows removal of missing stale entries.
Top row	Search and status filter	Find a mod by name or path; show All mods, Unassigned, Problems, Duplicates, or Only OK.
Top row	Assigned queue filter	Show only mods currently assigned to one selected working queue.
Top row	Sort	Sort the view by Name, actual Order, or Mount ID without changing queue data.
Top row	View	Use List for editing or Dependency Graph for read-only visual inspection of queues and relationships.
Top row	Reload / Save queues	Reload discards unsaved edits after confirmation. Save writes queue files and creates backups.
Second row	Set	Select the global set displayed and edited in the Organizer.
Second row	New / Rename / Delete	Manage global sets. The protected Default set cannot be deleted.
Second row	Active in ME3Tweaks	Expose either the three Creation Lists or one global set's working queues to ME3Tweaks.
Second row	Edit ASI Plugins	Switch the table to the ASI catalog. A specific queue or the separate Creation List can then be edited with checkboxes.
Right panel	Target queue and action buttons	Assign or delete selected mods, change order, create queues, manage backups, and configure restore-before-install.


Important list columns

Creation and assigned queue	Order and Mount ID	Requirements and status
Shows whether a mod belongs to the separate Creation List and which queue in the viewed global set currently owns it.	Order is the actual position inside a queue. Mount ID provides a useful technical pre-sort but is not the complete install order.	Required DLC, compatibility patches, missing metadata, duplicates, ordering problems, and direct incompatibilities are shown together.

View selection is not activation

Changing Set only changes what you inspect and edit. It does not move queue files. Active in ME3Tweaks publishes exactly one target: either the three Creation Lists or one global set's working queues. The read-only All game view is intended for cross-game review and removal of missing stale entries; queue assignment remains disabled there.

Dependency Graph View



Graph View arranges the base game, Creation List, and working queues as lanes. Mod cards retain their List View status colors, while lines show known relationships across queues.

Navigate Use zoom controls or the mouse wheel. Hold the left mouse button on empty graph space and drag to pan in any direction.	Focus and layers Focus on all mods or a selected relationship group. Toggle ordering, conflict, integrated-mod, and optional unassigned information.	Read-only safety Graph View cannot assign, delete, or reorder mods. Select a card for details, then return to List View for changes.
--	--	--

One dependency model	List View validation, dependency-aware auto-sort, and Graph View use the same known relationships from moddesc.ini and enabled local rules. Missing or ambiguous data still requires manual review.
-----------------------------	---

3. Daily queue workflow

Step	Action	What happens
1	Select the viewed set	Choose a global Set. This is the profile you will edit; it does not have to be active in ME3Tweaks.
2	Select a game	Choose LE1, LE2, or LE3. Use All first when you want a cross-game overview.
3	Find candidates	Use Unassigned, Problems, a specific queue filter, or Search to narrow the list.
4	Inspect details	Select a mod and review its description, required DLC, compatibility targets, incompatibilities, Mount ID, and current status.
5	Assign	Select one or more mods, choose a Target queue, and press Assign selected mods. Choose Unassigned to remove them from their working queue.
6	Set the order	Filter to one queue, then use Move up, Move down, drag and drop, Mount ID sorting, or dependency-aware Auto-sort.
7	Save	Press Save queues. The Organizer creates a timestamped backup before writing the changed BIQ2 files.
8	Publish the installation target	Choose Creation Lists to expose only those lists, then switch to the desired global set when you are ready to run its working queues. Editing stays independent.

Multi-selection Use Ctrl or Shift to select several mods, then assign them together.	Selection is preserved Move Up and Move Down retain the selected mod so repeated moves are fast.	Unsaved changes Switching games or sets and closing the application prompts before unsaved edits are discarded.
--	--	---

Create or delete a working queue

- Press New queue while viewing a specific game. The queue is added after existing queues in that game and set.
- To delete a queue, select it in the Assigned queue filter and press Delete filtered queue. Confirm the warning before deletion.
- Only Organizer-managed queues are offered for deletion. Foreign ME3Tweaks queues never appear in this management list.

Delete an installed mod

- Select one or more installed mods in List View and press Delete selected mods....
- Review the confirmation. It reports how many Organizer queue references will be removed across all sets and Creation Lists.
- Affected Organizer queues are backed up. The exact mod folders are moved out of ME3Tweaks into OrganizerDeletedMods for recovery.
- Queues created directly in ME3Tweaks are never changed. Unsaved queue edits must be saved or reloaded first.

4. Global sets and Creation Lists

Concept	Behavior
Global set	One named profile shared by LE1, LE2, and LE3. A game may have its own queues in that set or remain empty.
Viewed set	The set displayed and edited in the Organizer. Switching it is read-only at the file-visibility level.
Active in ME3Tweaks	The one published target ME3Tweaks can see: either Creation Lists or a global set's working queues.
Inactive sets	Canonical queues remain beside the Organizer under OrganizerQueueSets and outside the ME3Tweaks scan path.
Creation Lists	Separate per-game lists outside every global set. They remain editable regardless of the active target and can be published as their own target.
Foreign queues	Queues created directly in ME3Tweaks remain untouched and visible according to ME3Tweaks behavior.

Managing global sets

New set - clone Copies existing queues and assignments from the viewed set for every game where queues exist. The clone stays inactive until explicitly selected under Active in ME3Tweaks.	New set - empty Creates only the global set record. Add individual queues later for any game, or accept the optional default 1-7 queue layout when entering an empty game.	Rename or delete Rename updates the set across all games. Delete removes the set across all games after confirmation and backup. Default is protected.
---	--	--

Editing a Creation List

- Choose LE1, LE2, or LE3, then enable Edit Creation List.
- Select a mod and use the Creation List checkbox in the details panel to add or remove it.
- Filter and order controls switch to the Creation List. Move buttons and drag and drop change its real order.
- Enable Restore game before install when the Creation List should begin from a clean game state.
- Press Save queues to write the Creation List and create a backup.
- Choose Creation Lists under Active in ME3Tweaks when you want only the three Creation Lists to appear in the Batch Installer.
- Creation remains outside global sets so the same foundational installation can be shared by several alternative profiles.

5. ASI plugin editor

ME3Tweaks Batch Queue Organizer

Game: All

Search:

All ASI plugins

All assigned queues

Sort: Name

Reload

Save queues

☐ Edit Creation List

34 visible | 14/34 used

Set: Default

New set

Rename

Delete

Active in ME3Tweaks: Default

☒ Edit ASI Plugins

Viewing ASI plugins for: Default

ASI plugin	Game	Version	Assigned queues	Updat...	Author	Type	Installed name	Status
Autoload Enabler	LE1	v13	LE1 Creation List; LE1 [Default].1 - Base Mods	32	ME3Tweaks	Standard	LE1AutoloadEnabler	OK
AutoTOC	LE1	v2	LE1 Creation List; LE1 [Default].1 - Base Mods	29	SrCxytyx	Standard	AutoTOCLE	OK
Bio2DA Printer	LE1	v3	Not used	43	ME3Tweaks	Developer tool	LE1Bio2DAPrinter	Unassigned
Console Extension	LE1	v3	LE1 Creation List; LE1 [Default].1 - Base Mods	75	ME3Tweaks	Developer tool	LE1ConsoleExtension	OK
Debug Logger	LE1	v8	Not used	70	ME3Tweaks	Developer tool	LE1DebugLogger	Unassigned
Function Logger	LE1	v4	Not used	83	ME3Tweaks	Developer tool	LE1FunctionLogger	Unassigned
Kismet Logger	LE1	v4	Not used	36	ME3Tweaks	Developer tool	LE1KismetLogger	Unassigned
Linker Printer	LE1	v5	Not used	47	ME3Tweaks	Developer tool	LE1LinkerPrinter	Unassigned
PNG Screenshots	LE1	v2	LE1 Creation List; LE1 [Default].1 - Base Mods	44	ME3Tweaks	Standard	LE1PNGScreenshots	OK
SeqActLog Enabler	LE1	v5	Not used	37	ME3Tweaks	Developer tool	LE1SeqActLogEnabler	Unassigned
SSR Unlocker	LE1	v1	LE1 Creation List; LE1 [Default].1 - Base Mods	51	ME3Tweaks	Standard	LE1SSRUnlocker	OK
Streaming Levels HUD	LE1	v5	Not used	35	ME3Tweaks	Developer tool	LE1StreamingLevelsHUD	Unassigned
Texture Override	LE1	v3	LE1 Creation List; LE1 [Default].1 - Base Mods	88	ME3Tweaks	Standard	LE1TextureOverride	OK
AutoTOC	LE2	v2	LE2 Creation List; LE2 [Default].1 - Base Mods	30	SrCxytyx	Standard	AutoTOCLE	OK
Console Extension	LE2	v3	LE2 Creation List; LE2 [Default].1 - Base Mods	76	ME3Tweaks	Developer tool	LE2ConsoleExtension	OK
Debug Logger	LE2	v8	Not used	71	ME3Tweaks	Developer tool	LE2DebugLogger	Unassigned
Function Logger	LE2	v4	Not used	84	ME3Tweaks	Developer tool	LE2FunctionLogger	Unassigned
Hot Reload	LE2	v2	Not used	78	ME3Tweaks	Developer tool	LE2HotReload	Unassigned
Kismet Logger	LE2	v4	Not used	41	ME3Tweaks	Developer tool	LE2KismetLogger	Unassigned
Linker Printer	LE2	v5	Not used	48	ME3Tweaks	Developer tool	LE2LinkerPrinter	Unassigned
PNG Screenshots	LE2	v2	LE2 Creation List; LE2 [Default].1 - Base Mods	45	ME3Tweaks	Standard	LE2PNGScreenshots	OK
SeqActLog Enabler	LE2	v5	Not used	73	ME3Tweaks	Developer tool	LE2SeqActLogEnabler	Unassigned
Streaming Levels HUD	LE2	v5	Not used	38	ME3Tweaks	Developer tool	LE2StreamingLevelsHUD	Unassigned
Texture Override	LE2	v3	LE2 Creation List; LE2 [Default].1 - Base Mods	89	ME3Tweaks	Standard	LE2TextureOverride	OK
AutoTOC	LE3	v2	LE3 Creation List; LE3 [Default].1 - Base Mods	31	SrCxytyx	Standard	AutoTOCLE	OK
Console Extension	LE3	v3	LE3 Creation List; LE3 [Default].1 - Base Mods	77	ME3Tweaks	Developer tool	LE3ConsoleExtension	OK
Debug Logger	LE3	v8	Not used	72	ME3Tweaks	Developer tool	LE3DebugLogger	Unassigned
Function Logger	LE3	v4	Not used	85	ME3Tweaks	Developer tool	LE3FunctionLogger	Unassigned
Kismet Logger	LE3	v4	Not used	40	ME3Tweaks	Developer tool	LE3KismetLogger	Unassigned
Linker Printer	LE3	v5	Not used	49	ME3Tweaks	Developer tool	LE3LinkerPrinter	Unassigned
PNG Screenshots	LE3	v2	LE3 Creation List; LE3 [Default].1 - Base Mods	46	ME3Tweaks	Standard	LE3PNGScreenshots	OK
SeqActLog Enabler	LE3	v5	Not used	74	ME3Tweaks	Developer tool	LE3SeqActLogEnabler	Unassigned
Streaming Levels HUD	LE3	v5	Not used	39	ME3Tweaks	Developer tool	LE3StreamingLevelsHUD	Unassigned
Texture Override	LE3	v4	LE3 Creation List; LE3 [Default].1 - Base Mods	87	ME3Tweaks	Standard	LE3TextureOverride	OK

No mod selected

Select all ASI plugins

Clear ASI plugins

Select a specific queue above, then toggle its ASI plugins in the list.

Manage backups

☐ Restore game before install

Details

Check or uncheck ASI plugins for the selected queue. Developer tools are marked separately.

The read-only All view combines the visible ASI catalogs for LE1, LE2, and LE3. It shows catalog versions, assigned queues, update groups, authors, developer-tool labels, installed names, and status.

Local catalog

Names, current versions, descriptions, and developer flags come from the ASI manifest cached by ME3Tweaks Mod Manager.

All view

Use All for a cross-game summary. Assignment controls stay disabled until one specific game and queue are selected.

Queue membership

The Assigned queues column includes the separate Creation List and every selected queue in the currently viewed set.

ASI assignment workflow

ME3Tweaks Batch Queue Organizer

Game: LE1 Search: All ASI plugins 0 - Creation List Sort: Name Reload Save queues Edit Creation List 13 visible | 6/13 used

Set: Default New set Rename Delete Active in ME3Tweaks: Default Edit ASI Plugins Editing ASI plugins in the separate Creation List.

ASI plugin	Game	Version	Assigned queues	Update	Author	Type	Installed name	Status
☒ Autoload Enabler	LE1	v13	LE1 Creation List: LE1 [Default].1 - Base Mods	32	ME3Tweaks	Standard	LE1AutoloadEnabler	OK
☒ AutoTOC	LE1	v2	LE1 Creation List: LE1 [Default].1 - Base Mods	29	SirCxyrtyx	Standard	AutoTOCLE	OK
☐ Bio2DA Printer	LE1	v3	Not used	43	ME3Tweaks	Developer tool	LE1Bio2DAPrinter	Unassigned
☒ Console Extension	LE1	v3	LE1 Creation List: LE1 [Default].1 - Base Mods	75	ME3Tweaks	Developer tool	LE1ConsoleExtension	OK
☐ Debug Logger	LE1	v8	Not used	70	ME3Tweaks	Developer tool	LE1DebugLogger	Unassigned
☐ Function Logger	LE1	v4	Not used	83	ME3Tweaks	Developer tool	LE1FunctionLogger	Unassigned
☐ Kinnet Logger	LE1	v4	Not used	36	ME3Tweaks	Developer tool	LE1KinnetLogger	Unassigned
☐ Linker Printer	LE1	v5	Not used	47	ME3Tweaks	Developer tool	LE1LinkerPrinter	Unassigned
☒ PNG Screenshots	LE1	v2	LE1 Creation List: LE1 [Default].1 - Base Mods	44	ME3Tweaks	Standard	LE1PNGScreenshots	OK
☐ SeqActLog Enabler	LE1	v5	Not used	37	ME3Tweaks	Developer tool	LE1SeqActLogEnabler	Unassigned
☒ SSR Unlocker	LE1	v1	LE1 Creation List: LE1 [Default].1 - Base Mods	51	ME3Tweaks	Standard	LE1SSRUnlocker	OK
☐ Streaming Levels HUD	LE1	v5	Not used	35	ME3Tweaks	Developer tool	LE1StreamingLevelsHUD	Unassigned
☒ Texture Override	LE1	v3	LE1 Creation List: LE1 [Default].1 - Base Mods	88	ME3Tweaks	Standard	LE1TextureOverride	OK

AutoTOC

SirCxyrtyx | AutoTOCLE

Select all ASI plugins Clear ASI plugins

Select a specific queue above, then toggle its ASI plugins in the list.

Manage backups

☒ Restore game before install

Details

Game: LE1
Update group: 29
Catalog version: v2
Type: Standard

Assigned queues:
LE1 Creation List: LE1 [Default].1 - Base Mods
Queue 0: v2
Queue 1: v2

Status:
OK

Check or uncheck ASI plugins for the selected queue. Developer tools are marked separately.

Editing LE1 ASI plugins in the separate Creation List. AutoTOC is selected, its metadata is shown on the right, and Restore game before install is enabled for the Creation queue.

- Choose LE1, LE2, or LE3 and enable Edit ASI Plugins.
- Select 0 - Creation List or one working queue. Creation ASIs remain global and outside sets; working-queue ASIs belong to the viewed set.
- Check or uncheck individual plugins. Select all ASI plugins and Clear ASI plugins affect only the selected queue.
- Checking a plugin uses the current catalog version. A yellow version status identifies an older queue entry; selecting it again or using Select all updates it.
- Developer tools are marked separately. Multiple queue memberships are allowed and are not treated as normal mod duplicates.
- Press Save queues to write the asimods entries and create the normal timestamped backup.

6. Queue order, Mount IDs, and restore behavior

View sorting versus actual order

The Sort menu changes only the display. Sort: Name and Sort: Mount ID are useful for inspection, but they do not rewrite the Order values in a queue.

Change actual order

- Filter to one assigned queue.
- Use Move up or Move down for precise steps.
- Drag selected rows to a new location for larger moves.
- Use Sort queue order by Mount ID for an automatic baseline. A confirmation is required because all manual order values in that queue are replaced.

Mount ID auto-sort

Mods with a Mount ID are ordered by that value. Mods without a Mount ID are placed at the end and sorted by name. Mount ID is a useful technical baseline, not a substitute for dependency and compatibility review.

Restore game before install

Each Organizer queue contains a Restore game before install option that ME3Tweaks Batch Installer can honor before processing the queue.

Queue type	Recommended use
Creation List	Usually enabled so the foundational installation starts from a clean game.
First queue in a set	Often enabled when the set is intended to be installed as a complete profile.
Later queues	Normally disabled so each queue builds on earlier queues in the same installation run.

Default behavior

New Creation Lists and the first queue in a newly created layout default to restore enabled. Later queues default to disabled. Cloned sets preserve the source value for every queue.

Saving

Changing the checkbox marks the state as modified. Press Save queues before switching games, switching sets, or closing the Organizer.

Dependency-aware Auto-sort and local rules

Auto-sort scopes

- Current filtered queue changes only the real order inside one selected working queue and is the recommended default.
- Advanced cross-queue mode can move mods between every working queue in the selected game and set. Queue sizes are retained, but category names may no longer match their contents.
- The Creation List remains untouched in both modes.
- Declared requirements and compatibility targets plus enabled local Requires and Load after rules take priority over the Mount ID and name baseline.

**Manual review
remains important**

Missing, ambiguous, version-unknown, or cyclic relationships are marked yellow and listed after sorting. Auto-sort changes remain unsaved until Save queues is pressed.

Manage local rules

Select one installed mod and press Manage local rules... to supplement relationships missing from moddesc.ini.

Rule	Meaning
Requires	The target must be installed first and is reported as missing when unavailable.
Load after	When present, the target must be installed before the selected mod.
Incompatible	Both mods are highlighted as a direct conflict when used together.
Integrated into	Warns when a separate mod is selected although its content is included in the target.

Optional version conditions

A rule may apply only when the selected mod or target matches a version condition. Without a condition it applies to every version. Local rules are stored in OrganizerCustomRules.json and never edit a mod's own metadata.

7. Validation, status colors, and problem filters

Status	Color	Meaning
OK	Pale green	The mod is assigned without a detected queue-order or metadata problem.
Unassigned	White	The mod is installed but is not assigned in the viewed set. Use the Unassigned filter to review it.
Dependency / metadata warning	Light yellow	A requirement is missing or installed later, a compatibility target is later, or moddesc.ini is missing.
Duplicate	Light rose	The same mod is present in more than one Organizer working queue.
Direct incompatibility	Red	Two installed mods explicitly declare that they must not be used together. This is treated as the most important problem.

Examples from the queue list

LE3 Community Patch & Framework	LE3	No	LE3 [Default].1 - Base Mods	2	4001, 4002, ...	None	None	OK
LE3 Diversification Project	LE3	No	LE3 [Default].2 - Systems & Shared Foundations	3	5249, 5250	None	DLC_MOD_EGM, DLC_MOD_EGM_Mi...	Incompatible with: Project Variety (LE3); ...
LE3 Improved Functionality	LE3	No	LE3 [Default].1 - Base Mods	3	31902	None	None	OK
Red conflict: LE3 Diversification Project explicitly conflicts with Project Variety in the viewed set. Direct incompatibilities are checked regardless of queue order.								
Measure iconic retrostep hair	LE3	No	LE3 [Default].6 - Amors, Outfits & Appearance	12	3440	None	None	OK
Even More Hairstyles - Character Creator LE3	LE3	No	LE3 [Default].6 - Amors, Outfits & Appearance	13	6681	DLC_MOD_HIR_MORE, DLC_MOD_VanillaHair...	DLC_MOD_AFH_CC_LE3	Dependency is ordered later: Even More ...
Even More Hairs I F3	IF3	No	IF3 [Default].6 - Amors, Outfits & Appearance	14	6689	None	None	OK

Yellow order warning: a required provider exists, but is ordered later than the dependent mod. Move the provider earlier or the dependent mod later.

Requirements	Compatibility patches	Incompatibilities
A required provider may be in the same queue or any earlier queue. Later providers are flagged.	A patch target may be detected from conditional DLC declarations. Ordering is checked against the viewed set.	Explicit incompatiblecustomdlc declarations are checked anywhere inside the viewed set and Creation List, regardless of order.

8. Mods, backups, and recovery

Remove a missing mod

- Select All in the Game selector.
- Find the row whose Status says moddesc.ini is missing.
- Select one or more missing rows and press Remove selected missing mods.
- Confirm the warning. The Organizer removes the entries from every Organizer set and hides stale references.

Foreign ME3Tweaks lists are ignored


Old Play, Base, and other ME3Tweaks lists are not used to populate the Organizer. A removed mod cannot reappear merely because an old foreign list still references it.

If a hidden missing mod is installed again and its moddesc.ini returns, it automatically becomes visible again.

Delete an installed mod

- Select installed mods in List View, press Delete selected mods..., and confirm removal from ME3Tweaks and every Organizer-managed queue.
- Queue backups are created and mod folders are retained under OrganizerDeletedMods for recovery.
- All sets and Creation Lists are cleaned; foreign queues created directly in ME3Tweaks remain untouched.

Manage backups



Backup	Modified	Queue files	Size
20260825-113011-LE3-default	2026-08-25 11:30:11	8	100.2 KB
20260825-113000-LE3-default	2026-08-25 11:30:00	8	100.1 KB
20260825-112951-LE1-default	2026-08-25 11:29:51	8	86.2 KB
20260825-111956-LE1-default	2026-08-25 11:19:56	8	86.2 KB
20260825-111941-LE1-default	2026-08-25 11:19:41	8	86.2 KB
20260825-111922-LE3-default	2026-08-25 11:19:22	8	86.4 KB
20260825-111819-LE3-default	2026-08-25 11:18:19	8	100.1 KB
20260825-111805-LE3-default	2026-08-25 11:18:05	8	100.1 KB
20260825-111801-LE3-default	2026-08-25 11:18:01	8	100.2 KB
20260825-111756-LE3-default	2026-08-25 11:17:56	8	100.2 KB
20260825-111749-LE3-default	2026-08-25 11:17:49	8	99.9 KB
20260825-111423-LE1-default	2026-08-25 11:14:23	8	86.4 KB
20260825-111402-LE1-default	2026-08-25 11:14:02	8	86.4 KB
20260825-111320-LE1-default	2026-08-25 11:13:20	8	55.7 KB
20260825-102021-LE3-diversification-projects-b#3c9	2026-08-25 10:20:21	8	100.9 KB
20260825-101951-LE2-diversification-projects-b#3c9	2026-08-25 10:19:51	8	124.5 KB
20260825-101935-LE1-diversification-projects-b#3c9	2026-08-25 10:19:35	8	87.9 KB
20260825-100305-LE2-diversification-projects-b#3c9	2026-08-25 10:03:05	8	125.6 KB
20260825-100255-LE1-diversification-projects-b#3c9	2026-08-25 10:02:55	8	87.7 KB
20260825-100051-LE3-diversification-projects-b#3c9	2026-08-25 10:00:51	8	99.1 KB
20260825-095228-LE2-diversification-projects-b#3c9	2026-08-25 09:52:28	8	123.9 KB
20260825-093010-LE3-default	2026-08-25 09:30:10	8	86.2 KB

The Backup Manager lists timestamp, game, set, queue-file count, and size. Multi-select several backups when cleaning up old entries.

- Open a specific game and press Manage backups.
- Select a timestamped backup to restore it. Current matching files are backed up again before restoration.
- Delete old backup folders from the backup manager when they are no longer needed.
- Set deletion and other destructive queue operations create their own clearly named backup folders.

Backup location

Backups and canonical queues stay beside the application under OrganizerBackups and OrganizerQueueSets, outside the ME3Tweaks scan path. If ME3Tweaks saves install-group choices, the next Organizer launch backs up the canonical queue, imports the newer configuration, restores its metadata, and republishes it.

9. Quick reference and common questions

Question	Answer
Does switching the viewed Set change ME3Tweaks?	No. Active in ME3Tweaks independently publishes either Creation Lists or one global set's working queues.
Can one set contain LE3 queues but no LE1 queues?	Yes. Sets are global names, while queues inside them remain game-specific and optional.
Can one ASI plugin be used in several queues?	Yes. ASI membership is edited separately for each selected queue, including the Creation List; this is not treated as a normal duplicate-mod problem.
How are ASI plugin versions updated?	The editor uses the current ME3Tweaks ASI catalog. Selecting a plugin writes that catalog version to the chosen queue; review yellow status entries before saving.
Why is a mod shown in Creation and a working queue?	Creation membership is intentionally separate. A mod such as a shared hair tweak may belong to Creation and one working queue.
Does Sort: Mount ID rewrite order?	No. Use Sort queue order by Mount ID while filtering a specific queue to change the actual order.
Why is a mod red?	It has an explicit incompatibility with another installed mod in the same viewed set or Creation List.
Why is a mod yellow?	Review its Status and details. Typical causes are a missing moddesc.ini, a missing requirement, or a provider ordered later.
Where are my queues?	Canonical queues are beside the EXE under OrganizerQueueSets. ME3Tweaks receives either Creation Lists or one active set, never both at once.
Are choices saved by ME3Tweaks retained?	Yes. On the next launch, newer saved install-group choices are imported into the canonical queue after an automatic backup.
What does Delete selected mods do?	It backs up affected Organizer queues, removes references from every Organizer set, and moves exact mod folders to OrganizerDeletedMods. Foreign queues are untouched.
Can I move the Organizer folder?	Yes. Move the complete folder, including the EXE, Organizer*.json files, OrganizerQueueSets, OrganizerBackups, and any recovery directories.

Recommended installation sequence

1. Confirm the desired global set. 2. Review Problems and Unassigned. 3. Check requirements and direct conflicts. 4. Review queue order, ASI selections, and restore settings. 5. Save queues. 6. Activate Creation Lists and run the desired Creation installation. 7. Activate the desired global set and run its working queues in order.

Distribution contents

- BatchQueueOrganizer.exe - the self-contained application
- Readme.txt - short installation and startup instructions
- Batch_Queue_Organizer_User_Guide.pdf - this complete guide