

Email Settings

Email Content

CTFd allows administrators to configure the content sent out in emails. For example, an admin can configure the email sent out to new users to have additional registration instructions.

Email Content
Customize the email content sent out by CTFd. Inject predefined variables into email content.

Confirmation **Account Details** **Password Reset**

Account Confirmation
Email sent to users to confirm their account.

Subject

Confirm your account for {ctf_name}

Body

Please click the following link to confirm your email address for {ctf_name}: {url}

Under the email tab in the Admin Panel Settings page you can customize the content of the email subject and body of the following emails:

- New User Account Confirmation
- New User Account Details
- Password Reset
- Password Reset Confirmation

Variables are injected into the emails before sending the email allowing you to further customize the content of emails.

[Email Content](#)[Email Server](#)

- `ctf_name` - contains the configured name of your CTFd instance
- `ctf_description` - contains the configured description of your CTFd instance
- `url` - contains the target URL of the email (e.g. forgot password link, account confirmation link)

To inject a variable use the format of:

```
<code>{variable}</code>
```

For example: `<code>{ctf_name}</code>`

Email Server

! INFO

Hosted CTFd instances are automatically configured to send email through our email providers. The default configured email to send mail from is "noreply@[subdomain].ctfd.io".

CTFd allows for admins to configure what email server they'd like to send emails through. This can be accessed from the email tab in the Admin Panel Settings page.

The screenshot shows the 'Mail Server' configuration page for the Mailgun provider. It includes fields for 'Mail From Address', 'Mail Server Address', 'Mail Server Port', and checkboxes for 'Use Mail Server Username and Password', 'SSL', and 'TLS'.

Setting	Value
Mail From Address	[Redacted]
Mail Server Address	[Redacted]
Mail Server Port	[Redacted]
Use Mail Server Username and Password	<input type="checkbox"/>
SSL	<input type="checkbox"/>
TLS	<input type="checkbox"/>

Was this page helpful?



[Share your feedback](#)

Docs

[Documentation](#)

Community

[MajorLeagueCyber](#) ↗

[Twitter](#) ↗

More

[Blog](#)

[GitHub](#) ↗

Copyright © 2025 CTFd LLC. Built with Docusaurus.