

Integrations >

Scoring >

Settings >

Exports >

Plugins >

Imports >

Themes ∨

Overview

Structure

Build System

Templates

CSS

JavaScript

CTFd.js

Alpine.js

Workspaces ∨

Overview

API >

[🏠](#) > [Workspaces](#) > [Overview](#)


Overview



CAUTION

Workspaces/Webshells are currently only available in CTFd Enterprise

Workspaces provide a desktop-like environment in a browser for participants to use instead of their own computer.



Deploy


Users can click the Deploy button to create their Workspace and populate their username, password, and Workspace url.

Conversely, you can click the Destroy button to remove the Workspace.

File Management

Within the workspace, there is a `storage` folder on the user's main Desktop. This storage folder is synced between instances of workspaces. In addition this folder is accessible via the CTFd UI to upload and download files.

[Deploy](#)[File Management](#)[Authentication](#)



Authentication

Workspaces require a username and password to access to prevent unauthorized access. By default this is provided within the url so authentication happens automatically.

For example:

```
https://username:demopass@demo-randomtoken.shelld.io/
```

In some situations you may be prompted to provide the username and password so they are provided within the management UI.

Previous
« **Alpine.js**

Next
Getting Started »

Was this page helpful?



[Share your feedback](#)

Docs

[Documentation](#)

Community

[MajorLeagueCyber](#) ↗

[Twitter](#) ↗

More

[Blog](#)

[GitHub](#) ↗

