ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 32122

Study of Women's Health Across the Nation (SWAN), 2004-2006: Visit 08 Dataset

ICPSR Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Study of Women's Health Across the Nation (SWAN), 2004-2006: Visit 08 Dataset

Kim Sutton-Tyrell
University of Pittsburgh

Faith Selzer
University of Pittsburgh

MaryFran R. (Mary Francis Roy) Sowers
University of Michigan

Joel Finkelstein
Massachusetts General Hospital, Boston

Lynda Powell
Rush University. Rush-Presbyterian-St. Luke's Medical Center, Chicago

Ellen Gold
University of California-Davis

Gail Greendale
University of California-Los Angeles

Gerson Weiss
University of Medicine and Dentistry-New Jersey Medical Center

Karen Matthews
University of Pittsburgh

Maria Mori Brooks
University of Pittsburgh

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/32122/terms

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #32122

Study of Women's Health Across the Nation (SWAN), 2004-2006: Visit 08 Dataset

1. **Variable Link:** Using the variable **SWANID**, this dataset can be linked with the following Datasets:

ICPSR #	Dataset Name
ICPSR 4368	SWAN Cross-Sectional Screener Data
ICPSR 28762	Baseline Data
ICPSR 29221	Visit 1 Data
ICPSR 29401	Visit 2 Data
ICPSR 29701	Visit 3 Data
ICPSR 30142	Visit 4 Data
ICPSR 30501	Visit 5 Data
ICPSR 31181	Visit 6 Data
ICPSR 31901	Visit 7 Data
ICPSR 32721	Visit 9 Data
ICPSR 32961	Visit 10 Data

2. **Stata Limitations**: Due to Stata limitations, the following variables do not contain value labels for non-integer values within the Stata files:

ACUPSPE8	**BCOHSPE8**	**BCRES_S8**	**BONES18**	**BONES28**	**BONES38**	**BOTASPE8**
DIETSPE8	**DQUASPE8**	**EXERSPE8**	**FLAXSPE8**	**GINKSPE8**	**GINSSPE8**	**GLUSSPE8**
HTEASPE8	**HTSELFS8**	**LEAKORS8**	**MYAMSPE8**	**OTALT2S8**	**OTALT3S8**	**OTHALTS8**
PRAYSPE8	**RELAT108**	**RELAT118**	**RELAT128**	**RELAT18**	**RELAT28**	**RELAT38**
RELAT48	**RELAT58**	**RELAT68**	**RELAT78**	**RELAT88**	**RELAT98**	**SELFSPE8**
SEX108	**SEX118**	**SEX128**	**SEX18**	**SEX28**	**SEX38**	**SEX48**
SEX58	**SEX68**	**SEX78**	**SEX88**	**SEX98**	**SITESPE8**	**SOYSPE8**
SPECIAL8	**SPECIFY8**	**WHYOT2A8**	**WHYOT3A8**	**SHYOTHA8**	**WORTSPE8**	**WTSELFS8**
WVITSPE8	**YOGASPE8**					

3. **Variable Differences:**
   a. The variable **LOCATIO8** that is referenced in the P.I. Codebook is not included in the dataset released by ICPSR; no further information was provided.

   b. The variable **CAMDAY8** occurs in the data but is not included in the P.I. Codebook; no further information was provided.

   c. Some variables that are referenced in the P.I. Codebook differ in how they appear in the dataset released by ICPSR; no further information was provided. A comparison of these variable names can be referenced in the table below:

Variable Name in P.I. Codebook	Variable Name in Data Set
RELATE1	**RLATE18**
RELATI18	**RELAT18**
RELATE2	**RLATE28**
RELATI28	**RELAT28**
RELATE3	**RLATE38**
RELATI38	**RELAT38**
RELATE4	**RLATE48**
RELATI48	**RELAT48**

Variable Name in P.I. Codebook	Variable Name in Data Set
RELATE5	RLATE58
RELATI58	RELAT58
RELATE6	RLATE68
RELATI68	RELAT68
RELATE7	RLATE78
RELATI78	RELAT78
RELATE8	RLATE88
RELATI88	RELAT88
RELATE9	RLATE98
RELATI98	RELAT98
RELATE10	RLATE108
RELATI108	RELAT108
RELATE11	RLATE118
RELATI118	RELAT118
RELATE12	RLATE128
RELATI128	RELAT128

4. **Additional Information:** For additional information on the Study of Women's Health Across the Nation, please visit the SWAN website.

ICPSR 32122

Study of Women's Health Across the Nation (SWAN), 2004-2006: Visit 08 Dataset

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

SWANID: SWANID: Respondent ID

Respondent ID

Value	Label	Unweighted Frequency	%
10046	-	1	0.0 %
10056	-	1	0.0 %
10126	-	1	0.0 %
10153	-	1	0.0 %
10196	-	1	0.0 %
10245	-	1	0.0 %
10484	-	1	0.0 %
10514	-	1	0.0 %
10522	-	1	0.0 %
10532	-	1	0.0 %
10550	-	1	0.0 %
10629	-	1	0.0 %
10630	-	1	0.0 %
10694	-	1	0.0 %
10757	-	1	0.0 %
10879	-	1	0.0 %
10910	-	1	0.0 %
11007	-	1	0.0 %
11041	-	1	0.0 %
11079	-	1	0.0 %
11097	-	1	0.0 %
11126	-	1	0.0 %
11133	-	1	0.0 %
11180	-	1	0.0 %
11201	-	1	0.0 %
11208	-	1	0.0 %
11211	-	1	0.0 %
11267	-	1	0.0 %
11284	-	1	0.0 %
11286	-	1	0.0 %
11298	-	1	0.0 %
11338	-	1	0.0 %
11347	-	1	0.0 %
11430	-	1	0.0 %
11463	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11481	-	1	0.0 %
11508	-	1	0.0 %
11519	-	1	0.0 %
11600	-	1	0.0 %
11613	-	1	0.0 %
11630	-	1	0.0 %
11632	-	1	0.0 %
11642	-	1	0.0 %
11740	-	1	0.0 %
11769	-	1	0.0 %
11772	-	1	0.0 %
11781	-	1	0.0 %
11788	-	1	0.0 %
11796	-	1	0.0 %
11885	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

- Mean: 54227.86
- Minimum: 10046.00
- Maximum: 99962.00
- Standard Deviation: 25766.94

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

VISIT: Study Visit

SWAN study visit #

Value	Label	Unweighted Frequency	%
08	-	2278	100.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 6-7 (width: 2; decimal: 0)
Variable Type: character

FORMINT8: Abbreviated, mailed or regular interview

Which version of the interview was administered:

Value	Label	Unweighted Frequency	%
	-	4	0.2 %
AFUI	-	35	1.5 %
AINT	-	98	4.3 %
FUI	-	1558	68.4 %
MAIL	-	583	25.6 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 8-11 (width: 4; decimal: 0)
Variable Type: character

INTDAY8: Interview Day

Date form completed

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %
2794	-	1	0.0 %
2799	-	1	0.0 %
2808	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2824	-	1	0.0 %
2827	-	2	0.1 %
2828	-	1	0.0 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2835	-	2	0.1 %
2836	-	1	0.0 %
2839	-	1	0.0 %
2842	-	1	0.0 %
2843	-	1	0.0 %
2847	-	1	0.0 %
2848	-	2	0.1 %
2849	-	4	0.2 %
2850	-	1	0.0 %
2851	-	2	0.1 %
2852	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2853	-	2	0.1 %
2854	-	1	0.0 %
2856	-	3	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	3	0.1 %
2861	-	3	0.1 %
2862	-	4	0.2 %
2863	-	6	0.3 %
2864	-	4	0.2 %
2865	-	5	0.2 %
2866	-	3	0.1 %
2867	-	3	0.1 %
2868	-	4	0.2 %
2869	-	6	0.3 %
2870	-	10	0.4 %
2871	-	4	0.2 %
2872	-	8	0.4 %
2873	-	8	0.4 %
2874	-	6	0.3 %
2875	-	18	0.8 %
2876	-	13	0.6 %
2877	-	13	0.6 %
2878	-	11	0.5 %
2879	-	10	0.4 %
2880	-	15	0.7 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,274 valid cases out of 2,278 total cases.

- Mean: 2959.45
- Minimum: 2783.00
- Maximum: 3422.00
- Standard Deviation: 84.79

Location: 12-15 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

AGE8: Age At Current Visit (Integer)

Calculated from date of birth to when the interview from was completed, and rounded to next lowest integer

Value	Label	Unweighted Frequency	%
49	-	6	0.3 %
50	-	205	9.0 %
51	-	293	12.9 %
52	-	273	12.0 %
53	-	271	11.9 %
54	-	285	12.5 %
55	-	278	12.2 %
56	-	209	9.2 %
57	-	206	9.0 %
58	-	120	5.3 %
59	-	74	3.2 %
60	-	51	2.2 %
61	-	5	0.2 %
	Missing Data		
.	-	2	0.1 %
	Total	**2,278**	**100%**

Based upon 2,276 valid cases out of 2,278 total cases.

- Mean: 53.98
- Median: 54.00
- Mode: 51.00
- Minimum: 49.00
- Maximum: 61.00
- Standard Deviation: 2.67

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

LANGINT8: Language of Interview

Interview language

Value	Label	Unweighted Frequency	%
1	1: English	2092	91.8 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	79	3.5 %
4	4: Japanese	103	4.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNAN8: Annual Follow-Up Interview: Currently Pregnant

Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	1: No	1691	74.2 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 1,691 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO18: Anticoagulant #1

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	2205	96.8 %
2	2: Yes	68	3.0 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 22-23 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW18: Anticoagulant #1 taken two times/week for the last month

If YES to ANTICO18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	18	0.8 %
2	2: Yes	50	2.2 %
	Missing Data		
-1	-1: N/A	2206	96.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 68 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 24-25 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTICO28: Anticoagulant #2

Since your last study visit, have you taken: Any medication, pills or other medicine to thin your blood (anticoagulants)?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	2206	96.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 68 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 26-27 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACOATW28: Anticoagulant #2 taken two times/week for the last month

If YES to ANTICO28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2270	99.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 28-29 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART18: Heart medication #1

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	2179	95.7 %
2	2: Yes	93	4.1 %
	Missing Data		
-7	-7: Refused	2	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,272 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW18: Heart medication #1 taken two times/week for the last month

If YES to HEART18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	85	3.7 %
	Missing Data		
-1	-1: N/A	2181	95.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-33 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEART28: Heart medication #2

Since your last study visit, have you taken: Anything for your heart or heart beat, including pills or patches?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	29	1.3 %
	Missing Data		
-1	-1: N/A	2181	95.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-35 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTTW28: Heart medication #2 taken two times/week for the last month

If YES to HEART28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.3 %
2	2: Yes	23	1.0 %
	Missing Data		
-1	-1: N/A	2245	98.6 %

Value	Label	Unweighted Frequency	%
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 29 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-37 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST18: Cholesterol medication #1

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	1896	83.2 %
2	2: Yes	377	16.5 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-39 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW18: Cholesterol medication #1 taken two times/week for the last month

If YES to CHOLST18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	39	1.7 %
2	2: Yes	338	14.8 %
	Missing Data		
-1	-1: N/A	1897	83.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 377 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-41 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLST28: Cholesterol medication #2

Since your last study visit, have you taken: Any medications for cholesterol or fats in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	344	15.1 %
2	2: Yes	33	1.4 %
	Missing Data		
-1	-1: N/A	1897	83.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 377 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 42-43 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHOLTW28: Cholesterol medication #2 taken two times/week for the last month

If YES to CHOLST28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	28	1.2 %
	Missing Data		
-1	-1: N/A	2241	98.4 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 44-45 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP18: Blood pressure medication #1

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	1625	71.3 %
2	2: Yes	649	28.5 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 46-47 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW18: Blood pressure medication #1 taken two times/week for the last month

If YES to BP18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	30	1.3 %
2	2: Yes	616	27.0 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1625	71.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 646 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BP28: Blood pressure medication #2

Since your last study visit, have you taken: Blood pressure pills?

Value	Label	Unweighted Frequency	%
1	1: No	410	18.0 %
2	2: Yes	239	10.5 %
	Missing Data		
-1	-1: N/A	1625	71.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 649 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 50-51 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BPTW28: Blood pressure medication #2 taken two times/week for the last month

If YES to BP28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %
2	2: Yes	218	9.6 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2035	89.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 237 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 52-53 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET18: Diuretic #1

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	2067	90.7 %
2	2: Yes	207	9.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 54-55 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW18: Diuretic #1 taken two times/week for the last month

If YES to DIURET18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	27	1.2 %
2	2: Yes	178	7.8 %
	Missing Data		
-7	-7: Refused	2	0.1 %
-1	-1: N/A	2067	90.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 205 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 56-57 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURET28: Diuretic #2

Since your last study visit, have you taken: Diuretics for water retention?

Value	Label	Unweighted Frequency	%
1	1: No	199	8.7 %
2	2: Yes	8	0.4 %
	Missing Data		
-1	-1: N/A	2067	90.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 207 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 58-59 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIURTW28: Diuretic #2 taken two times/week for the last month

If YES to DIURET28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	8	0.4 %
	Missing Data		
-1	-1: N/A	2266	99.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 8 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 60-61 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI18: Thyroid medication #1

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	2020	88.7 %
2	2: Yes	253	11.1 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 62-63 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW18: Thyroid medication #1 taken two times/week for the last month

If YES to THYROI18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	7	0.3 %
2	2: Yes	245	10.8 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2021	88.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 252 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 64-65 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROI28: Thyroid medication #2

Since your last study visit, have you taken: Thyroid pills?

Value	Label	Unweighted Frequency	%
1	1: No	244	10.7 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	2021	88.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 253 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 66-67 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRTW28: Thyroid medication #2 taken two times/week for the last month

If YES to THYROI28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %
2	2: Yes	5	0.2 %
	Missing Data		
-1	-1: N/A	2265	99.4 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 9 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 68-69 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN18: Insulin medication #1

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	2092	91.8 %
2	2: Yes	181	7.9 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 70-71 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW18: Insulin medication #1 taken two times/week for the last month

If YES to INSULN18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	11	0.5 %
2	2: Yes	170	7.5 %
	Missing Data		
-1	-1: N/A	2093	91.9 %

Value	Label	Unweighted Frequency	%
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 181 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 72-73 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSULN28: Insulin medication #2

Since your last study visit, have you taken: Insulin or pills for sugar in your blood?

Value	Label	Unweighted Frequency	%
1	1: No	93	4.1 %
2	2: Yes	88	3.9 %
	Missing Data		
-1	-1: N/A	2093	91.9 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 181 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 74-75 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSUTW28: Insulin medication #2 taken two times/week for the last month

If YES to INSULN28:Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	86	3.8 %
	Missing Data		
-1	-1: N/A	2186	96.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 88 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 76-77 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS18: Nervous condition medication #1

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	1845	81.0 %
2	2: Yes	429	18.8 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 78-79 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW18: Nervous condition medication #1 taken two times/week for the last month

If YES to NERVS18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	89	3.9 %
2	2: Yes	339	14.9 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1845	81.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 428 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 80-81 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVS28: Nervous condition medication #2

Since your last study visit, have you taken: Any medications for a nervous condition such as tranquilizers, sedatives, sleeping pills, or anti-depression medication?

Value	Label	Unweighted Frequency	%
1	1: No	299	13.1 %
2	2: Yes	130	5.7 %
	Missing Data		
-1	-1: N/A	1845	81.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 429 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 82-83 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVTW28: Nervous condition medication #2 taken two times/week for the last month

If YES to NERVS28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	105	4.6 %
	Missing Data		
-1	-1: N/A	2144	94.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 130 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 84-85 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI18: Steroid #1

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	2175	95.5 %
2	2: Yes	98	4.3 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 86-87 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW18: Steroid #1 taken two times/week for the last month

If YES to STEROI18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	65	2.9 %
2	2: Yes	32	1.4 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2176	95.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 97 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STEROI28: Steroid #2

Since your last study visit, have you taken: Steroid pills such as Prednisone, or cortisone?

Value	Label	Unweighted Frequency	%
1	1: No	95	4.2 %
2	2: Yes	3	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2176	95.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 98 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STERTW28: Steroid #2 taken two times/week for the last month

If YES to STEROI28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2271	99.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT18: Arthritis medication #1

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	1984	87.1 %
2	2: Yes	192	8.4 %
	Missing Data		
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,176 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW18: Arthritis medication #1 taken two times/week for the last month

If YES to ARTHRT18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	58	2.5 %
2	2: Yes	133	5.8 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	1984	87.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 191 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 96-97 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHRT28: Arthritis medication #2

Since your last study visit, have you taken: Prescribed medications for arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	143	6.3 %
2	2: Yes	49	2.2 %
	Missing Data		
-1	-1: N/A	1984	87.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 192 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-99 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ARTHTW28: Arthritis medication #2 taken two times/week for the last month

If YES to ARTHRT28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	23	1.0 %
2	2: Yes	26	1.1 %
	Missing Data		
-1	-1: N/A	2127	93.4 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 49 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 100-101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL18: Fertility medication #1

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	1: No	1690	74.2 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 1,691 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 102-103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW18: Fertility medication #1 taken two times/week for the last month

If YES to FERTIL18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	1690	74.2 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 104-105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FERTIL28: Fertility medication #2

Since your last study visit, have you taken: Fertility medications to help you get pregnant (such as Pergonal, Clomid, Fertinex, Gonal-F, Follistim or Repronex)?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	1690	74.2 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 106-107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRTLTW28: Fertility medication #2 taken two times/week for the last month

If YES to FERTIL28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	1691	74.2 %

Value	Label	Unweighted Frequency	%
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 108-109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP18: Birth Control Pill #1

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	2255	99.0 %
2	2: Yes	19	0.8 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 110-111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI18: Birth Control Pill #1 taken two times/week for the last month

If YES to BCP18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	11	0.5 %
	Missing Data		
-1	-1: N/A	2255	99.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 19 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCP28: Birth Control Pill #2

Since your last study visit, have you taken: Birth control pills?

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2255	99.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 19 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 114-115 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCPTWI28: Birth control pills #2 taken two times/week for the last month

If YES to BCP28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2274	99.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 116-117 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCREAS8: Primary reason for taking birth control pills

For your most recent use, what was the primary reason for taking birth control pills?

Value	Label	Unweighted Frequency	%
1	1: Prevent Pregnancy	5	0.2 %

Value	Label	Unweighted Frequency	%
2	2: Help Control Pre Menstrual Symptoms	0	0.0 %
3	3: Help Control Menopausal Symptoms	3	0.1 %
4	4: Control Other Symptoms	0	0.0 %
5	5: Regulate Periods	5	0.2 %
6	6: Prevent Osteoporosis	0	0.0 %
7	7: Reduce Bleeding	5	0.2 %
8	8: Other	1	0.0 %
	Missing Data		
-1	-1: N/A	2157	94.7 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 19 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 118-119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCRES_S8: Primary reason other specify

For your most recent use, what was the primary reason for taking birth control pills? - (Specify)

Value	Label	Unweighted Frequency	%
	-	102	4.5 %
-1	-1: N/A	2175	95.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
THICKEN THE WALL BEFORE SURGERY, ENDOMETRIAL ABLATION	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 120-172 (width: 53; decimal: 0)
Variable Type: character

ESTROG18: Estrogen pills #1

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	2179	95.7 %
2	2: Yes	94	4.1 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW18: Estrogen pills #1 taken two times/week for the last month

If YES to ESTROG18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	22	1.0 %
2	2: Yes	72	3.2 %
	Missing Data		
-1	-1: N/A	2180	95.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 94 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTROG28: Estrogen pills #2

Since your last study visit, have you taken: Estrogen pills (such as Premarin, Estrace, Ogen, etc)?

Value	Label	Unweighted Frequency	%
1	1: No	89	3.9 %
2	2: Yes	5	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2180	95.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 94 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRTW28: Estrogen pills #2 taken two times/week for the last month

If YES to ESTROG28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	2269	99.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 5 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA18: Estrogen #1 prescription daily or off & on

If YES to ESTRTW18: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	76	3.3 %
2	2: Off and On	17	0.7 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2180	95.7 %
.	-	4	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRDA28: Estrogen #2 prescription daily or off & on

If YES to ESTRTW28: Does/Did your prescription have you take estrogen daily or on and off on a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	1	0.0 %
2	2: Off and On	2	0.1 %
	Missing Data		
-1	-1: N/A	1688	74.1 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ18: Estrogen injection/patch #1

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	2247	98.6 %
2	2: Yes	26	1.1 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW18: Estrogen injection/patch #1 taken two times/week for the last month

If YES to ESTRNJ18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	24	1.1 %
	Missing Data		
-1	-1: N/A	2248	98.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 26 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTRNJ28: Estrogen injection/patch #2

Since your last study visit, have you taken: Estrogen by injection or patch (such as Estraderm)?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2248	98.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 26 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EINJTW28: Estrogen injection/patch #2 taken two times/week for the last month

If YES to ESTRBJ28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2273	99.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN18: Combination estrogen/progestin #1

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	2181	95.7 %
2	2: Yes	80	3.5 %
	Missing Data		
-7	-7: Refused	13	0.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,261 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW18: Combination estrogen/progestin #1 taken two times/week for the last month

If YES to COMBIN18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	23	1.0 %
2	2: Yes	57	2.5 %
	Missing Data		
-1	-1: N/A	2194	96.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 80 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBIN28: Combination estrogen/progestin #2

Since your last study visit, have you taken: Combination estrogen/progestin (such as Premphase or Prempro)?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.4 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2194	96.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 80 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMBTW28: Combination estrogen/progestin #2 taken two times/week for the last month

If YES to COMBIN28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2272	99.7 %

Value	Label	Unweighted Frequency	%
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES18: Progestin pills #1

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	2190	96.1 %
2	2: Yes	83	3.6 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW18: Progestin pills #1 taken two times/week for the last month

If YES to PROGES18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	58	2.5 %
	Missing Data		
-1	-1: N/A	2191	96.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGES28: Progestin pills #2

Since your last study visit, have you taken: Progestin pills (such as Provera)?

Value	Label	Unweighted Frequency	%
1	1: No	83	3.6 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2191	96.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGTW28: Progestin pills #2 taken two times/week for the last month

If YES to PROGES28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2274	99.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA18: Progestin #1 prescription daily or off & on

If YES to PROGTW18: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	44	1.9 %
2	2: Off and On	38	1.7 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	2191	96.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROGDA28: Progestin #2 prescription daily or off & on

If YES to PROGTW28: Does/Did your prescription have you take progestin daily or on and off a monthly cycle?

Value	Label	Unweighted Frequency	%
1	1: Every Day	0	0.0 %
2	2: Off and On	0	0.0 %
	Missing Data		
-1	-1: N/A	1691	74.2 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_18: Other prescription hormone medication #1

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	1527	67.0 %
2	2: Yes	41	1.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	607	26.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 1,568 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO18: Other prescription hormone #1 taken during past month

If YES to OHRM_18: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	29	1.3 %
	Missing Data		
-1	-1: N/A	2135	93.7 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 41 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_28: Other prescription hormone medication #2

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	38	1.7 %
2	2: Yes	3	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2135	93.7 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 41 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO28: Other prescription hormone #2 taken during past month

If YES to OHRM_28: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2173	95.4 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_38: Other prescription hormone medication #3

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2173	95.4 %
.	-	102	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO38: Other prescription hormone #3 taken during past month

If YES to OHRM_38: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2175	95.5 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRM_48: Other prescription hormone medication #4

Since your last study visit, have you taken: Any other prescription hormones that I haven't asked you about, for example vaginal rings (such as Femring), progestin injections (such as Depo-Provera), estrogen/testosterone combinations (such as Estratest) or vaginal creams?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2175	95.5 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OHRMMO48: Other prescription hormone #4 taken during past month

If YES to OHRM_48: Have you been taking it during the past month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2175	95.5 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEIV18: Osteoporosis IV (into the vein) medication

Since your last study visit, have you taken: IV (into the vein) medication to treat osteoporosis (brittle or thinning bones) such as IV bisphosphonates?

Value	Label	Unweighted Frequency	%
1	1: No	2265	99.4 %
2	2: Yes	6	0.3 %
	Missing Data		
-7	-7: Refused	3	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,271 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTIVL18: Osteoporosis IV (into the vein) medication taken in the last year

If yes, have you taken it in the last year?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	1592	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEON18: Osteoporosis non-IV medication #1

Since your last study visit, have you taken: Non IV medications to prevent or treat osteoporosis (brittle or thinning bones) such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel, Forteo (PTH)?

Value	Label	Unweighted Frequency	%
1	1: No	2157	94.7 %
2	2: Yes	115	5.0 %
	Missing Data		
-7	-7: Refused	2	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,272 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTNTW18: Osteoporosis non-IV medication #1 taken two times/week for the last month

If YES to OSTEON18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.5 %
2	2: Yes	31	1.4 %
	Missing Data		
-7	-7: Refused	4	0.2 %
-1	-1: N/A	2159	94.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 111 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTN1W18: Osteoporosis non-IV medication #1 taken one time/week for the last month

If YES to OSTEON18: Have you been taking it once a week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.9 %
2	2: Yes	61	2.7 %
	Missing Data		
-1	-1: N/A	2095	92.0 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 81 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEON28: Osteoporosis non-IV medication #2

Since your last study visit, have you taken: Non IV medications to prevent or treat osteoporosis (brittle or thinning bones) such as Fosamax, Didronel, Evista, Miacalcin, Rocaltrol, Actonel, Forteo (PTH)?

Value	Label	Unweighted Frequency	%
1	1: No	114	5.0 %
2	2: Yes	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2159	94.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 115 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTNTW28: Osteoporosis non-IV medication #2 taken two times/week for the last month

If YES to OSTEON28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2273	99.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTN1W28: Osteoporosis non-IV medication #2 taken one time/week for the last month

If YES to OSTEON28: Have you been taking it once a week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	2175	95.5 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED18: Other prescription medication #1

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1166	51.2 %
2	2: Yes	1105	48.5 %
	Missing Data		
-7	-7: Refused	3	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,271 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW18: Other prescription medication #1 taken two times/week for the last month

If YES to OTHMED18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	408	17.9 %
2	2: Yes	691	30.3 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	1169	51.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 1,099 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED28: Other prescription medication #2

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	493	21.6 %
2	2: Yes	612	26.9 %
	Missing Data		
-1	-1: N/A	1169	51.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 1,105 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW28: Other prescription medication #2 taken two times/week for the last month

If YES to OTHMED28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	228	10.0 %
2	2: Yes	383	16.8 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	1662	73.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 611 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED38: Other prescription medication #3

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	268	11.8 %
2	2: Yes	344	15.1 %
	Missing Data		
-1	-1: N/A	1662	73.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 612 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW38: Other prescription medication #3 taken two times/week for the last month

If YES to OTHMED38: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	150	6.6 %
2	2: Yes	191	8.4 %
	Missing Data		
-7	-7: Refused	3	0.1 %
-1	-1: N/A	1930	84.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 341 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED48: Other prescription medication #4

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	132	5.8 %
2	2: Yes	211	9.3 %
	Missing Data		
-1	-1: N/A	1931	84.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 343 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW48: Other prescription medication #4 taken two times/week for the last month

If YES to OTHMED48: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	94	4.1 %
2	2: Yes	115	5.0 %
	Missing Data		
-7	-7: Refused	2	0.1 %
-1	-1: N/A	2063	90.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 209 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED58: Other prescription medication #5

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	93	4.1 %
2	2: Yes	118	5.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	2063	90.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 211 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW58: Other prescription medication #5 taken two times/week for the last month

If YES to OTHMED58: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	50	2.2 %
2	2: Yes	68	3.0 %
	Missing Data		
-1	-1: N/A	2156	94.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 118 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 263-264 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED68: Other prescription medication #6

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	41	1.8 %
2	2: Yes	77	3.4 %
	Missing Data		
-1	-1: N/A	2156	94.6 %
.	-	4	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 118 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW68: Other prescription medication #6 taken two times/week for the last month

If YES to OTHMED68: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	39	1.7 %
2	2: Yes	38	1.7 %
	Missing Data		
-1	-1: N/A	2197	96.4 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 77 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED78: Other prescription medication #7

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	26	1.1 %
2	2: Yes	51	2.2 %
	Missing Data		
-1	-1: N/A	2197	96.4 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 77 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW78: Other prescription medication #7 taken two times/week for the last month

If YES to OTHMED78: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	22	1.0 %
2	2: Yes	29	1.3 %
	Missing Data		
-1	-1: N/A	2223	97.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 51 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED88: Other prescription medication #8

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	20	0.9 %
2	2: Yes	31	1.4 %
	Missing Data		
-1	-1: N/A	2223	97.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 51 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW88: Other prescription medication #8 taken two times/week for the last month

If YES to OTHMED88: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	11	0.5 %
2	2: Yes	20	0.9 %
	Missing Data		
-1	-1: N/A	2243	98.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 31 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMED98: Other prescription medication #9

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	22	1.0 %
	Missing Data		
-1	-1: N/A	2243	98.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 31 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHRTW98: Other prescription medication #9 taken two times/week for the last month

If YES to OTHMED98: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	14	0.6 %
	Missing Data		
-1	-1: N/A	2252	98.9 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 22 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME108: Other prescription medication #10

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	14	0.6 %
	Missing Data		
-1	-1: N/A	2252	98.9 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 22 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW108: Other prescription medication #10 taken two times/week for the last month

If YES to OTHME108: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	6	0.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	2260	99.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 14 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME118: Other prescription medication #11

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	7	0.3 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	2260	99.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 14 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW118: Other prescription medication #11 taken two times/week for the last month

If YES to OTHME118: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	4	0.2 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2267	99.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 7 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME128: Other prescription medication #12

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	2267	99.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 7 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW128: Other prescription medication #12 taken two times/week for the last month

If YES to OTHME128: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	2270	99.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME138: Other prescription medication #13

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2270	99.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW138: Other prescription medication #13 taken two times/week for the last month

If YES to OTHME138: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2271	99.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME148: Other prescription medication #14

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	2271	99.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW148: Other prescription medication #14 taken two times/week for the last month

If YES to OTHME148: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2271	99.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHME158: Other prescription medication #15

Since your last study visit: Are there any other prescription pills or medications that you have taken, that I haven't asked you about? (Please list)

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %

Value	Label	Unweighted Frequency	%
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2271	99.7 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHTW158: Other prescription medication #15 taken two times/week for the last month

If YES to OTHME158: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	2273	99.8 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ESTLSTV8: Using any estrogen/progestin at time of last study visit

Were you using any prescription medications containing estrogen or progestin at the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	59	2.6 %
2	2: Yes	128	5.6 %
	Missing Data		
-1	-1: N/A	1406	61.7 %
.	-	685	30.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 187 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REDUHAR8: Reduce risk of heart disease

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of heart disease

Value	Label	Unweighted Frequency	%
1	1: No	78	3.4 %
2	2: Yes	5	0.2 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPO8: Reduce risk of osteoporosis

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To reduce the risk of osteoporosis (brittle or thinning bones)

Value	Label	Unweighted Frequency	%
1	1: No	71	3.1 %
2	2: Yes	12	0.5 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MENOSYM8: Relieve menopausal symptoms

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To relieve menopausal symptoms

Value	Label	Unweighted Frequency	%
1	1: No	30	1.3 %
2	2: Yes	53	2.3 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOUNGLK8: Stay young-looking

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To stay young-looking

Value	Label	Unweighted Frequency	%
1	1: No	79	3.5 %
2	2: Yes	4	0.2 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HCPADVI8: Health care provider advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A health care provider advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	58	2.5 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FRNADVI8: Friend/relative advised

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: A friend or relative advised me to take them

Value	Label	Unweighted Frequency	%
1	1: No	79	3.5 %
2	2: Yes	4	0.2 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPRMEM8: Improve memory

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To improve my memory

Value	Label	Unweighted Frequency	%
1	1: No	76	3.3 %
2	2: Yes	7	0.3 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGPERI8: Regulate periods

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: To regulate periods

Value	Label	Unweighted Frequency	%
1	1: No	61	2.7 %
2	2: Yes	22	1.0 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2092	91.8 %
.	-	102	4.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 83 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMOTH8: Take hormones for other reasons

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Any other? Specify

Value	Label	Unweighted Frequency	%
1	1: No	55	2.4 %
2	2: Yes	30	1.3 %
	Missing Data		
-1	-1: N/A	2091	91.8 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 85 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DONTKNO8: Don't know/remember why take hormones

I am going to read a list of some reasons why women start taking hormones, not including birth control pills. For each one, please tell me if it is a reason why you started taking hormones: Don't Know/Remember

Value	Label	Unweighted Frequency	%
1	1: No	59	2.6 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	1534	67.3 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HORMDAY8: Last Took Hormones Day

Since your last study visit, you were taking hormones and then stopped. In what month and year did you last take hormones?

Value	Label	Unweighted Frequency	%
1554	-	1	0.0 %
2531	-	1	0.0 %
2574	-	1	0.0 %
2577	-	2	0.1 %
2581	-	1	0.0 %
2588	-	1	0.0 %
2599	-	1	0.0 %
2603	-	1	0.0 %
2614	-	1	0.0 %
2638	-	1	0.0 %
2652	-	1	0.0 %
2689	-	1	0.0 %
2694	-	1	0.0 %
2698	-	1	0.0 %
2703	-	1	0.0 %
2706	-	1	0.0 %
2716	-	1	0.0 %
2717	-	1	0.0 %
2718	-	1	0.0 %
2742	-	1	0.0 %
2743	-	1	0.0 %
2749	-	1	0.0 %
2754	-	1	0.0 %
2769	-	1	0.0 %
2772	-	1	0.0 %
2792	-	1	0.0 %
2796	-	1	0.0 %
2799	-	1	0.0 %
2807	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2808	-	1	0.0 %
2811	-	2	0.1 %
2835	-	1	0.0 %
2836	-	1	0.0 %
2840	-	1	0.0 %
2846	-	1	0.0 %
2855	-	1	0.0 %
2858	-	1	0.0 %
2868	-	1	0.0 %
2874	-	1	0.0 %
2881	-	1	0.0 %
2888	-	1	0.0 %
2895	-	1	0.0 %
2910	-	1	0.0 %
2915	-	1	0.0 %
2927	-	1	0.0 %
2940	-	1	0.0 %
2967	-	1	0.0 %
2977	-	1	0.0 %
3035	-	1	0.0 %
3045	-	1	0.0 %
	Missing Data		
.	-	2224	97.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 54 valid cases out of 2,278 total cases.

- Mean: 2766.15
- Median: 2794.00
- Minimum: 1554.00
- Maximum: 3233.00
- Standard Deviation: 221.23

Location: 327-330 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

PRBBLEE8: Problems with bleeding

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Problems with bleeding

Value	Label	Unweighted Frequency	%
1	1: No	58	2.5 %
2	2: Yes	1	0.0 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAVEPER8: Did not like having periods

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like having periods

Value	Label	Unweighted Frequency	%
1	1: No	58	2.5 %
2	2: Yes	1	0.0 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIKEFEL8: Did not like how felt on them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Didn't like how I felt on them

Value	Label	Unweighted Frequency	%
1	1: No	54	2.4 %
2	2: Yes	5	0.2 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDEEFF8: Worried about possible side effects

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about possible side effects

Value	Label	Unweighted Frequency	%
1	1: No	44	1.9 %
2	2: Yes	15	0.7 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCER8: Worried about cancer

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Worried about cancer

Value	Label	Unweighted Frequency	%
1	1: No	47	2.1 %
2	2: Yes	13	0.6 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 60 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ADVISTO8: Health care provider advised to stop

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? My health care provider advised me to stop (for medical reasons)

Value	Label	Unweighted Frequency	%
1	1: No	43	1.9 %
2	2: Yes	16	0.7 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXPENSI8: Too expensive

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Too expensive

Value	Label	Unweighted Frequency	%
1	1: No	58	2.5 %
2	2: Yes	1	0.0 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOLIKE8: Do not like taking medications

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't like to take any medications

Value	Label	Unweighted Frequency	%
1	1: No	54	2.4 %
2	2: Yes	5	0.2 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREMEB8: Couldn't remember to take them

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Couldn't remember to take them

Value	Label	Unweighted Frequency	%
1	1: No	55	2.4 %
2	2: Yes	4	0.2 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DNTKNOW8: Don't know why stopped hormones

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Don't know

Value	Label	Unweighted Frequency	%
1	1: No	42	1.8 %
2	2: Yes	0	0.0 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1550	68.0 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 42 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STOPOTH8: Stopped hormones other reason

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? Other, specify

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %

Value	Label	Unweighted Frequency	%
2	2: Yes	33	1.4 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 58 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOREASO8: Stopped hormones no reason given

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? No reason given

Value	Label	Unweighted Frequency	%
1	1: No	42	1.8 %
2	2: Yes	0	0.0 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1550	68.0 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 42 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NEWSRPT8: Stopped hormones news/media reports

Since your last study visit, you were taking hormones and then stopped. What were your reasons for stopping? News/Media reports about women who took hormones as part of a research study (e.g. results of WHI)

Value	Label	Unweighted Frequency	%
1	1: No	45	2.0 %

Value	Label	Unweighted Frequency	%
2	2: Yes	14	0.6 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2110	92.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 59 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REGVITA8: Take any vitamins/minerals at least once per week

Since your last study visit, have you taken any vitamins or minerals fairly regularly, at least once a week?

Value	Label	Unweighted Frequency	%
1	1: No	493	21.6 %
2	2: Yes	1100	48.3 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONCEADA8: How often take multi-vitamin

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Regular Once-A-Day, Centrum, or Thera type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	277	12.2 %
2	2: 1-3 days/week	124	5.4 %
3	3: 4-6 days/week	139	6.1 %

Value	Label	Unweighted Frequency	%
4	4: Every day	560	24.6 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANTIOXI8: How often take antioxidant

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Antioxidant combination type

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1031	45.3 %
2	2: 1-3 days/week	15	0.7 %
3	3: 4-6 days/week	8	0.4 %
4	4: Every day	46	2.0 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITCOMB8: Other vitamin combinations

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types?

Value	Label	Unweighted Frequency	%
1	1: No	806	35.4 %

Value	Label	Unweighted Frequency	%
2	2: Yes	294	12.9 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH18: How often take other multi-vitamin #1

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	39	1.7 %
3	3: 4-6 days/week	50	2.2 %
4	4: Every day	205	9.0 %
	Missing Data		
-1	-1: N/A	1299	57.0 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 294 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH28: How often take other multi-vitamin #2

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2: 1-3 days/week	10	0.4 %
3	3: 4-6 days/week	15	0.7 %
4	4: Every day	50	2.2 %
	Missing Data		
-1	-1: N/A	1518	66.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 75 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH38: How often take other multi-vitamin #3

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMB8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	3	0.1 %
3	3: 4-6 days/week	2	0.1 %
4	4: Every day	19	0.8 %
	Missing Data		
-1	-1: N/A	1569	68.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMOTH48: How often take other multi-vitamin #4

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Multi-Vitamins, how often do you take: Any other combination types? If YES to VITCOMBE8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	1	0.0 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	11	0.5 %
	Missing Data		
-1	-1: N/A	1581	69.4 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 12 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNA8: How often take Vitamin A

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin A, not beta carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1079	47.4 %
2	2: 1-3 days/week	3	0.1 %
3	3: 4-6 days/week	3	0.1 %
4	4: Every day	15	0.7 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETACAR8: How often take Beta-carotene

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Beta-carotene

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1065	46.8 %
2	2: 1-3 days/week	11	0.5 %
3	3: 4-6 days/week	4	0.2 %
4	4: Every day	20	0.9 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNC8: How often take Vitamin C

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin C

Value	Label	Unweighted Frequency	%
1	1: Do not take any	813	35.7 %
2	2: 1-3 days/week	61	2.7 %
3	3: 4-6 days/week	43	1.9 %
4	4: Every day	183	8.0 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMND8: How often take Vitamin D

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin D

Value	Label	Unweighted Frequency	%
1	1: Do not take any	951	41.7 %
2	2: 1-3 days/week	26	1.1 %
3	3: 4-6 days/week	23	1.0 %
4	4: Every day	100	4.4 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VITAMNE8: How often take Vitamin E

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Vitamin E

Value	Label	Unweighted Frequency	%
1	1: Do not take any	765	33.6 %
2	2: 1-3 days/week	62	2.7 %
3	3: 4-6 days/week	52	2.3 %
4	4: Every day	221	9.7 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALCTUM8: How often take Calcium or Tums

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Calcium or Tums

Value	Label	Unweighted Frequency	%
1	1: Do not take any	588	25.8 %
2	2: 1-3 days/week	105	4.6 %
3	3: 4-6 days/week	77	3.4 %
4	4: Every day	330	14.5 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRON8: How often take Iron

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Iron

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1034	45.4 %
2	2: 1-3 days/week	13	0.6 %
3	3: 4-6 days/week	8	0.4 %
4	4: Every day	45	2.0 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ZINC8: How often take Zinc

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Zinc

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1068	46.9 %
2	2: 1-3 days/week	14	0.6 %
3	3: 4-6 days/week	5	0.2 %
4	4: Every day	13	0.6 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELENIU8: How often take Selenium

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Selenium

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1069	46.9 %
2	2: 1-3 days/week	8	0.4 %
3	3: 4-6 days/week	7	0.3 %
4	4: Every day	16	0.7 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FOLATE8: How often taking Folate

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Folate

Value	Label	Unweighted Frequency	%
1	1: Do not take any	1062	46.6 %
2	2: 1-3 days/week	10	0.4 %
3	3: 4-6 days/week	4	0.2 %
4	4: Every day	24	1.1 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VTMSING8: Any other single vitamins

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals?

Value	Label	Unweighted Frequency	%
1	1: No	744	32.7 %
2	2: Yes	356	15.6 %
	Missing Data		
-1	-1: N/A	493	21.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,100 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT18: How often take other vitamins or minerals #1

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	62	2.7 %
3	3: 4-6 days/week	56	2.5 %
4	4: Every day	238	10.4 %
	Missing Data		
-1	-1: N/A	1237	54.3 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 356 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT28: How often take other vitamins or minerals #2

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	22	1.0 %
3	3: 4-6 days/week	21	0.9 %
4	4: Every day	107	4.7 %
	Missing Data		
-1	-1: N/A	1443	63.3 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 150 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT38: How often take other vitamins or minerals #3

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	8	0.4 %
3	3: 4-6 days/week	10	0.4 %
4	4: Every day	46	2.0 %
	Missing Data		
-1	-1: N/A	1529	67.1 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT48: How often take other vitamins or minerals #4

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	5	0.2 %
3	3: 4-6 days/week	4	0.2 %
4	4: Every day	27	1.2 %
	Missing Data		
-1	-1: N/A	1557	68.3 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT58: How often take other vitamins or minerals #5

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	3	0.1 %
3	3: 4-6 days/week	4	0.2 %
4	4: Every day	16	0.7 %
	Missing Data		
-1	-1: N/A	1570	68.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 23 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT68: How often take other vitamins or minerals #6

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	2	0.1 %
3	3: 4-6 days/week	2	0.1 %
4	4: Every day	13	0.6 %
	Missing Data		
-1	-1: N/A	1576	69.2 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 17 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT78: How often take other vitamins or minerals #7

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	3	0.1 %
3	3: 4-6 days/week	1	0.0 %
4	4: Every day	6	0.3 %
	Missing Data		
-1	-1: N/A	1583	69.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 10 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT88: How often take other vitamins or minerals #8

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	2	0.1 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	6	0.3 %
	Missing Data		
-1	-1: N/A	1585	69.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 8 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 409-410 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMOT98: How often take other vitamins or minerals #9

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	2	0.1 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	5	0.2 %
	Missing Data		
-1	-1: N/A	1586	69.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 7 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SVTMO108: How often take other vitamins or minerals #10

If YES to REGVITA8: Since your last study visit, what vitamins and minerals have you taken fairly regularly, at least once per week? Single Vitamins or minerals, not part of multi-vitamins, how often do you take: Any other single vitamins or minerals? If YES to VTMSING8, specify

Value	Label	Unweighted Frequency	%
1	1: Do not take any	0	0.0 %
2	2: 1-3 days/week	1	0.0 %
3	3: 4-6 days/week	0	0.0 %
4	4: Every day	3	0.1 %
	Missing Data		
-1	-1: N/A	1589	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 4.00

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN18: Over-the-counter (OTC) Pain medication #1

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	1051	46.1 %
2	2: Yes	542	23.8 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 415-416 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW18: Over-the-counter (OTC) Pain medication #1 taken two times/week for the last month

If YES to PAIN18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	212	9.3 %
2	2: Yes	329	14.4 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1051	46.1 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 541 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 417-418 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAIN28: Over-the-counter (OTC) Pain medication #2

Since your last study visit, have you taken: Any over-the-counter medications for pain including headaches and arthritis?

Value	Label	Unweighted Frequency	%
1	1: No	389	17.1 %
2	2: Yes	153	6.7 %
	Missing Data		
-1	-1: N/A	1051	46.1 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 542 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTW28: Over-the-counter (OTC) Pain medication #2 taken two times/week for the last month

If YES to PAIN28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	78	3.4 %
2	2: Yes	75	3.3 %
	Missing Data		
-1	-1: N/A	1440	63.2 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 153 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 421-422 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP18: Over-the-counter (OTC) Sleep medication #1

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	1491	65.5 %
2	2: Yes	102	4.5 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 423-424 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW18: Over-the-counter (OTC) Sleep medication #1 taken two times/week for the last month

If YES to SLEEP18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	46	2.0 %
2	2: Yes	55	2.4 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-1	-1: N/A	1491	65.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 101 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 425-426 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEP28: Over-the-counter (OTC) Sleep medication #2

Since your last study visit, have you taken: Anything for problems sleeping?

Value	Label	Unweighted Frequency	%
1	1: No	97	4.3 %
2	2: Yes	5	0.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-1	-1: N/A	1491	65.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 102 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 427-428 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEPTW28: Over-the-counter (OTC) Sleep medication #2 taken two times/week for the last month

If YES to SLEEP28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	1588	69.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 5 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 429-430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC18: Other Over-the-counter (OTC) medication #1

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1043	45.8 %
2	2: Yes	550	24.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-432 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW18: Other Over-the-counter (OTC) medication #1 taken two times/week for the last month

If YES to OTC18: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	147	6.5 %
2	2: Yes	403	17.7 %
	Missing Data		
-1	-1: N/A	1043	45.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 550 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 433-434 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC28: Other Over-the-counter (OTC) medication #2

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	358	15.7 %
2	2: Yes	192	8.4 %
	Missing Data		
-1	-1: N/A	1043	45.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 550 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW28: Other Over-the-counter (OTC) medication #2 taken two times/week for the last month

If YES to OTC28: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	67	2.9 %
2	2: Yes	125	5.5 %
	Missing Data		
-1	-1: N/A	1401	61.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 192 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC38: Other Over-the-counter (OTC) medication #3

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	112	4.9 %
2	2: Yes	80	3.5 %
	Missing Data		
-1	-1: N/A	1401	61.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 192 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW38: Other Over-the-counter (OTC) medication #3 taken two times/week for the last month

If YES to OTC38: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	26	1.1 %
2	2: Yes	54	2.4 %
	Missing Data		
-1	-1: N/A	1513	66.4 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 80 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 441-442 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC48: Other Over-the-counter (OTC) medication #4

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	35	1.5 %
2	2: Yes	45	2.0 %
	Missing Data		
-1	-1: N/A	1513	66.4 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 80 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 443-444 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW48: Other Over-the-counter (OTC) medication #4 taken two times/week for the last month

If YES to OTC48: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	15	0.7 %
2	2: Yes	30	1.3 %
	Missing Data		
-1	-1: N/A	1548	68.0 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 45 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 445-446 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC58: Other Over-the-counter (OTC) medication #5

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.9 %
2	2: Yes	25	1.1 %
	Missing Data		
-1	-1: N/A	1548	68.0 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 45 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 447-448 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW58: Other Over-the-counter (OTC) medication #5 taken two times/week for the last month

If YES to OTC58: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.3 %
2	2: Yes	19	0.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1568	68.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 25 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 449-450 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC68: Other Over-the-counter (OTC) medication #6

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	17	0.7 %
	Missing Data		
-1	-1: N/A	1568	68.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 25 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 451-452 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW68: Other Over-the-counter (OTC) medication #6 taken two times/week for the last month

If YES to OTC68: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	7	0.3 %
2	2: Yes	10	0.4 %
	Missing Data		
-1	-1: N/A	1576	69.2 %

Value	Label	Unweighted Frequency	%
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 17 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC78: Other Over-the-counter (OTC) medication #7

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	8	0.4 %
2	2: Yes	9	0.4 %
	Missing Data		
-1	-1: N/A	1576	69.2 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 17 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 455-456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW78: Other Over-the-counter (OTC) medication #7 taken two times/week for the last month

If YES to OTC78: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	1584	69.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 9 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 457-458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC88: Other Over-the-counter (OTC) medication #8

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	7	0.3 %
	Missing Data		
-1	-1: N/A	1584	69.5 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 9 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 459-460 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW88: Other Over-the-counter (OTC) medication #8 taken two times/week for the last month

If YES to OTC88: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	5	0.2 %
	Missing Data		
-1	-1: N/A	1586	69.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 7 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC98: Other Over-the-counter (OTC) medication #9

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	6	0.3 %
	Missing Data		
-1	-1: N/A	1586	69.6 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 7 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 463-464 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW98: Other Over-the-counter (OTC) medication #9 taken two times/week for the last month

If YES to OTC98: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	3	0.1 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	1587	69.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 6 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 465-466 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC108: Other Over-the-counter (OTC) medication #10

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	1587	69.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 6 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 467-468 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW108: Other Over-the-counter (OTC) medication #10 taken two times/week for the last month

If YES to OTC108: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	1589	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 469-470 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC118: Other Over-the-counter (OTC) medication #11

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	4	0.2 %
	Missing Data		
-1	-1: N/A	1589	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 471-472 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW118: Other Over-the-counter (OTC) medication #11 taken two times/week for the last month

If YES to OTC118: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	1589	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC128: Other Over-the-counter (OTC) medication #12

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	3	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1589	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 475-476 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW128: Other Over-the-counter (OTC) medication #12 taken two times/week for the last month

If YES to OTC128: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	3	0.1 %
	Missing Data		
-1	-1: N/A	1590	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 477-478 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC138: Other Over-the-counter (OTC) medication #13

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	1590	69.8 %

Value	Label	Unweighted Frequency	%
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 3 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 479-480 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW138: Other Over-the-counter (OTC) medication #13 taken two times/week for the last month

If YES to OTC138: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
-1	-1: N/A	1591	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 481-482 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC148: Other Over-the-counter (OTC) medication #14

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	1591	69.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 483-484 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW148: Other Over-the-counter (OTC) medication #14 taken two times/week for the last month

If YES to OTC148: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	1592	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 485-486 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTC158: Other Over-the-counter (OTC) medication #15

Since your last study visit, have you taken: Any other over-the-counter pills or other medications (including liquids or ointments or aspirin) that I haven't talked to you about?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	1592	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTCTW158: Other Over-the-counter (OTC) medication #15 taken two times/week for the last month

If YES to OTC158: Have you been taking it at least two times per week for the last month?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
-1	-1: N/A	1592	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 489-490 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYYSNO8: Soy protein/phytoestrogen powders/pills

During the past year have you used any supplements containing soy protein or phytoestrogen powders or pills?

Value	Label	Unweighted Frequency	%
1	1: No	1897	83.3 %
2	2: Yes	271	11.9 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	7	0.3 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 491-492 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPROT8: How often take soy protein

If YES to SOYYSNO8: How many times per week?

Value	Label	Unweighted Frequency	%
1	1: Don't take any	32	1.4 %
2	2: 1-3 days/week	81	3.6 %
3	3: 4-6 days/week	45	2.0 %
4	4: Every day	110	4.8 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	2	0.1 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	1904	83.6 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 268 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CEREACA8: How many bowls high calcium cereal

How many bowls of cereal do you eat per week where the label of the cereal box says that it is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1501	65.9 %
2	2: 1/week	206	9.0 %
3	3: 2/week	148	6.5 %
4	4: 3-4/week	136	6.0 %
5	5: 5-6/week	60	2.6 %
6	6: >=7/week	29	1.3 %
	Missing Data		
-8	-8: Do not know	96	4.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,080 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BREADCA8: How many slices high calcium bread

How many slices of bread do you eat per week when the bread wrapper says the loaf is high in calcium?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1460	64.1 %
2	2: 1/week	122	5.4 %
3	3: 2/week	147	6.5 %
4	4: 3-4/week	167	7.3 %
5	5: 5-6/week	84	3.7 %
6	6: >=7/week	62	2.7 %
	Missing Data		
-8	-8: Do not know	134	5.9 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,042 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 497-498 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORANGCA8: How many glasses high calcium juice

Some brands of fortified juice have extra calcium added. How many glasses of fruit juice or fruit drink containing extra calcium do you drink per week?

Value	Label	Unweighted Frequency	%
1	1: None or <1/week	1294	56.8 %
2	2: 1/week	201	8.8 %
3	3: 2/week	193	8.5 %
4	4: 3-4/week	212	9.3 %
5	5: 5-6/week	121	5.3 %
6	6: >=7/week	126	5.5 %
	Missing Data		
-8	-8: Do not know	29	1.3 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,147 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 499-500 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CAMDAY8: Complimentary and Alternative Medicines Day

Complimentary and Alternative Medicines Day

Value	Label	Unweighted Frequency	%
2824	-	1	0.0 %
2827	-	2	0.1 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2842	-	1	0.0 %
2843	-	1	0.0 %
2848	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	2	0.1 %
2861	-	2	0.1 %
2862	-	2	0.1 %
2863	-	3	0.1 %
2865	-	3	0.1 %
2867	-	2	0.1 %
2868	-	2	0.1 %
2869	-	3	0.1 %
2870	-	9	0.4 %
2871	-	2	0.1 %
2872	-	3	0.1 %
2873	-	4	0.2 %
2874	-	4	0.2 %
2875	-	6	0.3 %
2876	-	6	0.3 %
2877	-	12	0.5 %
2878	-	8	0.4 %
2879	-	5	0.2 %
2880	-	9	0.4 %

Value	Label	Unweighted Frequency	%
2881	-	9	0.4 %
2882	-	7	0.3 %
2883	-	12	0.5 %
2884	-	20	0.9 %
2885	-	9	0.4 %
2886	-	10	0.4 %
2887	-	8	0.4 %
2888	-	6	0.3 %
2889	-	12	0.5 %
2890	-	15	0.7 %
2891	-	20	0.9 %
2892	-	11	0.5 %
2893	-	16	0.7 %
2894	-	6	0.3 %
2895	-	10	0.4 %
2896	-	14	0.6 %
2897	-	15	0.7 %
2898	-	21	0.9 %
2899	-	6	0.3 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,593 valid cases out of 2,278 total cases.

- Mean: 2956.44
- Minimum: 2824.00
- Maximum: 3422.00
- Standard Deviation: 76.14

Location: 501-504 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

ACUPUNC8: Acupuncture

During the past 12 months, have you used any of the following for your health? Acupuncture

Value	Label	Unweighted Frequency	%
1	1: No	1529	67.1 %
2	2: Yes	64	2.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 505-506 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPHAR8: Acupuncture - Heart

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 507-508 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOST8: Acupuncture - Osteoporosis

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 509-510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEN8: Acupuncture - Menopausal symptoms

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	56	2.5 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 511-512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPLOO8: Acupuncture - Young Looking

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	63	2.8 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 513-514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPMEM8: Acupuncture - Improve Memory

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	62	2.7 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 515-516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPPER8: Acupuncture - Regulate Periods

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 517-518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPGEN8: Acupuncture - General Health

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	37	1.6 %
2	2: Yes	27	1.2 %
	Missing Data		
.	-	2214	97.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 519-520 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPWGH8: Acupuncture - Weight

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 521-522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPADV8: Acupuncture - Provider advice

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	56	2.5 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPOTH8: Acupuncture - Other reason

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	52	2.3 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 525-526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACUPSPE8: Acupuncture - Other specify

If YES to ACUPUNC8: Please tell me whether or not you use acupuncture: Is there any other reason you use acupuncture? Specify

Value	Label	Unweighted Frequency	%
	-	2226	97.7 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ALLERGIES	-	1	0.0 %
ARTHRITIS	-	1	0.0 %
ARTHRITIS & BLADDER CONTROL	-	1	0.0 %
BACK AND LEG PAIN	-	1	0.0 %
BACK PAIN	-	2	0.1 %
BACK PAIN, PHYSICAL ACHES	-	1	0.0 %
BREATHING PROBLEM	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ENDOMETRIOSIS ORIGINALLY, ALLERGIES, PAIN	-	1	0.0 %
FATIGUE	-	1	0.0 %
FOOT PAIN	-	1	0.0 %
FOOT PAIN, KNEE PAIN	-	1	0.0 %
FOR JOINT PAIN IN THUMBS; TO RELIEVE THAT PAIN	-	1	0.0 %
FOR PAIN	-	1	0.0 %
FROZEN SHOULDER	-	1	0.0 %
HERNIA DISC	-	1	0.0 %
JOINT PAIN	-	3	0.1 %
LOWER BACK PAIN	-	1	0.0 %
LUNG HEALTH	-	1	0.0 %
MULTIPLE SCLEROSIS	-	1	0.0 %
MUSCELACHE IN THE BACK	-	1	0.0 %
NECK PROBLEM	-	1	0.0 %
PAIN	-	2	0.1 %
PAIN IN FEET IMMUNE SYSTEM	-	1	0.0 %
PLANTAR FASCIITIS FOR RELIEF OF PAIN	-	1	0.0 %
PLEASURE	-	1	0.0 %
PREVENTING SINUS PROBLEMS	-	1	0.0 %
RECOVERY FROM INJURY	-	1	0.0 %
RELAXATION	-	1	0.0 %
SHOULDER INJURY	-	1	0.0 %
SHOULDER PAIN	-	1	0.0 %
SHOULDERACHE; MUSCLE ACHE	-	1	0.0 %
SINUS HEADACHE	-	1	0.0 %
SKIN CONDITION	-	1	0.0 %
STIFF NECK	-	1	0.0 %

Value	Label	Unweighted Frequency	%
STIFF NECK AND SHOULDERS	-	1	0.0 %
STRESS	-	1	0.0 %
STRESS RELIEF	-	1	0.0 %
TENDINITIS	-	1	0.0 %
TENDONITIS	-	1	0.0 %
TENDONITIS & BACK PAIN	-	1	0.0 %
TO CALM ME	-	1	0.0 %
TO DEAL WITH CHRONIC ILLNESS	-	1	0.0 %
TO EASE PAIN	-	1	0.0 %
TO REDUCE PAIN	-	1	0.0 %
TO REDUCE PAIN, NECK & BACK	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 527-572 (width: 46; decimal: 0)
Variable Type: character

BCOHOSH8: Black cohosh

During the past 12 months, have you used any of the following for your health? Black cohosh

Value	Label	Unweighted Frequency	%
1	1: No	1477	64.8 %
2	2: Yes	116	5.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 573-574 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHHAR8: Black cohosh - Heart

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	114	5.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 575-576 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOST8: Black cohosh - Osteoporosis

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	114	5.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 577-578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEN8: Black cohosh - Menopausal symptoms

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	7	0.3 %
2	2: Yes	109	4.8 %
	Missing Data		
.	-	2162	94.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHLOO8: Black cohosh - Young Looking

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	112	4.9 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHMEM8: Black cohosh - Improve Memory

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	111	4.9 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHPER8: Black cohosh - Regulate Periods

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	113	5.0 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 585-586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHGEN8: Black cohosh - General Health

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	86	3.8 %
2	2: Yes	30	1.3 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 587-588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHWGH8: Black cohosh - Weight

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	113	5.0 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 589-590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHADV8: Black cohosh - Provider advice

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	99	4.3 %
2	2: Yes	17	0.7 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 591-592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHOTH8: Black cohosh - Other reason

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh?

Value	Label	Unweighted Frequency	%
1	1: No	108	4.7 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2162	94.9 %
	Total	**2,278**	**100%**

Based upon 116 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 593-594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BCOHSPE8: Black cohosh - Other specify

If YES to BCOHOSH8: Please tell me whether or not you use black cohosh: Is there any other reason you use black cohosh? Specify

Value	Label	Unweighted Frequency	%
	-	2270	99.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BACK PAIN, SPASM	-	1	0.0 %
FRIEND'S INFLUENCE	-	1	0.0 %
FRIENDS SAY THAT IT WORKS	-	1	0.0 %
HOT FLASHES	-	2	0.1 %
SOAR ON STOMACH	-	1	0.0 %
TO RELIEVE HOT FLASHES	-	1	0.0 %
TV ADVICE	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 595-619 (width: 25; decimal: 0)
Variable Type: character

DQUAI8: Dong Quai

During the past 12 months, have you used any of the following for your health? Dong Quai

Value	Label	Unweighted Frequency	%
1	1: No	1560	68.5 %
2	2: Yes	33	1.4 %
	Missing Data		
.	-	685	30.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 620-621 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAHAR8: Dong Quai - Heart

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.4 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 622-623 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOST8: Dong Quai - Osteoporosis

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.4 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEN8: Dong Quai - Menopausal symptoms

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	21	0.9 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 626-627 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUALOO8: Dong Quai - Young Looking

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.4 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 628-629 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAMEM8: Dong Quai - Improve Memory

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.4 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 630-631 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAPER8: Dong Quai - Regulate Periods

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.4 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 632-633 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAGEN8: Dong Quai - General Health

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7 %
2	2: Yes	16	0.7 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 634-635 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAWGH8: Dong Quai - Weight

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	33	1.4 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 636-637 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAADV8: Dong Quai - Provider advice

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.4 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 638-639 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUAOTH8: Dong Quai - Other reason

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2245	98.6 %
	Total	**2,278**	**100%**

Based upon 33 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 640-641 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DQUASPE8: Dong Quai - Other specify

If YES to DQUAI8: Please tell me whether or not you use Dong Quai: Is there any other reason you use Dong Quai? Specify

Value	Label	Unweighted Frequency	%
	-	2270	99.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ANEMIA	-	1	0.0 %
GOOD TASTE	-	1	0.0 %
HERBALIST	-	1	0.0 %
IN COMBINATION SOUP, FOR SPECIAL HOLIDAY	-	1	0.0 %
IN COOKING	-	1	0.0 %
JUST FEEL LIKE IT	-	1	0.0 %
TO COMBAT FATIGUE, ENERGY LIFT	-	1	0.0 %
WOMEN'S HEALTH	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 642-681 (width: 40; decimal: 0)
Variable Type: character

DIETNUT8: Nutritious diet

During the past 12 months, have you used any of the following for your health? Eating a nutritious diet

Value	Label	Unweighted Frequency	%
1	1: No	425	18.7 %
2	2: Yes	1168	51.3 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 682-683 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETHAR8: Nutritious diet - Heart

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	512	22.5 %
2	2: Yes	656	28.8 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 684-685 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOST8: Nutritious diet - Osteoporosis

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	690	30.3 %
2	2: Yes	478	21.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 686-687 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEN8: Nutritious diet - Menopausal symptoms

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	974	42.8 %
2	2: Yes	194	8.5 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 688-689 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETLOO8: Nutritious diet - Young Looking

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	777	34.1 %
2	2: Yes	391	17.2 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 690-691 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETMEM8: Nutritious diet - Improve Memory

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	902	39.6 %
2	2: Yes	266	11.7 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 692-693 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETPER8: Nutritious diet - Regulate Periods

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	1138	50.0 %
2	2: Yes	30	1.3 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 694-695 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETGEN8: Nutritious diet - General Health

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	55	2.4 %
2	2: Yes	1113	48.9 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 696-697 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETWGH8: Nutritious diet - Weight

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	282	12.4 %
2	2: Yes	886	38.9 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 698-699 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETADV8: Nutritious diet - Provider advice

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	814	35.7 %
2	2: Yes	354	15.5 %
	Missing Data		
.	-	1110	48.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 700-701 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETOTH8: Nutritious diet - Other reason

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet?

Value	Label	Unweighted Frequency	%
1	1: No	942	41.4 %
2	2: Yes	226	9.9 %
	Missing Data		
.	-	1110	48.7 %
	Total	**2,278**	**100%**

Based upon 1,168 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 702-703 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIETSPE8: Nutritious diet - Other specify

If YES to DIETNUT8: Please tell me whether or not you use eating a nutritious diet: Is there any other reason you use eating a nutritious diet? Specify

Value	Label	Unweighted Frequency	%
	-	2052	90.1 %
'EYE DOCTOR TOLD ME TO EAT MORE SPINACH.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
1. SUPPOSED TO BE VERY GOOD 2. FAMILY HX DIABETES	-	1	0.0 %
AGING	-	1	0.0 %
ALKARIAN DIET TO REDUCE DIABETES	-	1	0.0 %
ALLERGY	-	1	0.0 %
ALWAYS INTERESTED IN GOOD NUITRITION	-	1	0.0 %
AVOID CHOLESTEROL, HEART HEALTH	-	1	0.0 %
AVOID DIABETES	-	1	0.0 %
BECAUSE I'M SUPPOSED TO	-	1	0.0 %
BECAUSE IT'S THE RIGHT THING TO DO	-	1	0.0 %
BECAUSE OF DIABETES	-	1	0.0 %
BECAUSE OF GOUT-WATCH MY INTAKE OF GOUTY THINGS	-	1	0.0 %
BECAUSE OF HUSBAND	-	1	0.0 %
BECAUSE OF TYPE II DIABETES	-	1	0.0 %
BECAUSE YOU HAVE TO EAT	-	1	0.0 %
BELIEVES IN IT	-	1	0.0 %
BLOOD PRESSURE	-	1	0.0 %
BLOOD PRESSURE AND DIABETES MANAGEMENT	-	1	0.0 %
BLOOD PRESSURE, SUGAR	-	1	0.0 %
BODY SAYS I NEED IT	-	1	0.0 %
BY CHOICE CONSCIENTITOUS ABOUT INTAKE.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CALCIUM AND FIBER INTAKE	-	1	0.0 %
CANCER FIGHTING	-	1	0.0 %
CANCER PREVENTION	-	1	0.0 %
CAUSE I LIKE IT	-	1	0.0 %
CLOTHING SIZE A PROBLEM	-	1	0.0 %
CONTROL DIABETES AND HIGH BLOOD PRESSURE	-	1	0.0 %
DIABETES	-	12	0.5 %
DIABETES HIGH CHLOSTEROL	-	1	0.0 %
DIABETIC	-	2	0.1 %
DIABETIS	-	1	0.0 %
DUE TO HX FAMILY HEART DISEASE	-	1	0.0 %
EASIER IN THE SUMMER AVAILABILITY OF FOODS	-	1	0.0 %
ELIMINATION DIET TO SEE WHAT FEELS BETTER	-	1	0.0 %
ENERGY	-	1	0.0 %
EXTREMELY SENSITIVE TO FOOD ADDITIVES	-	1	0.0 %
FAMILY HISTORY	-	1	0.0 %
FAMILY HISTORY OF DIABETES	-	1	0.0 %
FAMILY NEEDS TO EAT HEALTHY	-	1	0.0 %
FEEL BETTER	-	5	0.2 %
FEEL BETTER MORE ENERGY	-	1	0.0 %
FEEL GOOD	-	2	0.1 %
FEEL VIRTUOUS	-	1	0.0 %
FEELS BETTER	-	1	0.0 %
FIBER	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 704-756 (width: 53; decimal: 0)
Variable Type: character

EXERCIS8: Exercise

During the past 12 months, have you used any of the following for your health? Exercise

Value	Label	Unweighted Frequency	%
1	1: No	430	18.9 %
2	2: Yes	1163	51.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 757-758 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERHAR8: Exercise - Heart

If YES to EXERCIS8: Please tell me whether or not you use exercise: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	512	22.5 %
2	2: Yes	651	28.6 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 759-760 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROST8: Exercise - Osteoporosis

If YES to EXERCIS8: Please tell me whether or not you use exercise: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	626	27.5 %
2	2: Yes	537	23.6 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 761-762 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEN8: Exercise - Menopausal symptoms

If YES to EXERCIS8: Please tell me whether or not you use exercise: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	960	42.1 %
2	2: Yes	203	8.9 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 763-764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERLOO8: Exercise - Young Looking

If YES to EXERCIS8: Please tell me whether or not you use exercise: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	629	27.6 %
2	2: Yes	534	23.4 %
	Missing Data		
.	-	1115	48.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 765-766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERMEM8: Exercise - Improve Memory

If YES to EXERCIS8: Please tell me whether or not you use exercise: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	863	37.9 %
2	2: Yes	300	13.2 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 767-768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERPER8: Exercise - Regulate Periods

If YES to EXERCIS8: Please tell me whether or not you use exercise: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	1124	49.3 %
2	2: Yes	39	1.7 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 769-770 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERGEN8: Exercise - General Health

If YES to EXERCIS8: Please tell me whether or not you use exercise: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	82	3.6 %
2	2: Yes	1081	47.5 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 771-772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERWGH8: Exercise - Weight

If YES to EXERCIS8: Please tell me whether or not you use exercise: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	237	10.4 %
2	2: Yes	926	40.6 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 773-774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERADV8: Exercise - Provider advice

If YES to EXERCIS8: Please tell me whether or not you use exercise: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	746	32.7 %
2	2: Yes	417	18.3 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 775-776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXEROTH8: Exercise - Other reason

If YES to EXERCIS8: Please tell me whether or not you use exercise: Is there any other reason you use exercise?

Value	Label	Unweighted Frequency	%
1	1: No	871	38.2 %
2	2: Yes	292	12.8 %
	Missing Data		
.	-	1115	48.9 %
	Total	**2,278**	**100%**

Based upon 1,163 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 777-778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXERSPE8: Exercise - Other specify

If YES to EXERCIS8: Please tell me whether or not you use exercise: Is there any other reason you use exercise? Specify

Value	Label	Unweighted Frequency	%
	-	1986	87.2 %
'TO GET TO WORK.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
A FUN ACTIVITY	-	1	0.0 %
ALEVIATES ARTHRITIS, FEELS BETTER	-	1	0.0 %
ARTHRITIS	-	2	0.1 %
BECAUSE I LOOKED IN THE MIRROR AND SAW CELLULITE	-	1	0.0 %
BECAUSE I NEED TO	-	1	0.0 %
BECAUSE IT REDUCES STIFFNESS	-	1	0.0 %
BECAUSE OF KNEE REPLACEMENT	-	1	0.0 %
BLOOD PRESSUR	-	1	0.0 %
BLOOD PRESSURE, SUGAR	-	1	0.0 %
BRING DOWN PULSE, STAY IN SHAPE	-	1	0.0 %
BROKE LEG, STREGTHEN LEG	-	1	0.0 %
BURN SUGAR	-	1	0.0 %
BURSITIS, ARTHRITIS	-	1	0.0 %
CANCER PREVENTION	-	1	0.0 %
CAUSE I LOVE ME	-	1	0.0 %
CHOLESTEROL	-	1	0.0 %
CIRCULATION BETTER DUE TO EXERCISE	-	1	0.0 %
CLIMB STAIRS ON MY JOB FOR MY HEALTH & BEC I ENJOY DOING IT	-	1	0.0 %
DAILY ROUTINE	-	1	0.0 %
DIABETES	-	5	0.2 %
DIABETIC	-	1	0.0 %
DIABETIS	-	1	0.0 %
DOG WALK	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ELBOW INJURY, BLOOD CIRCULATION	-	1	0.0 %
ELEVATED CHOLESTEROL	-	1	0.0 %
EMOTIONAL RELIEF/STRESS	-	1	0.0 %
EMOTIONAL WELL-BEING	-	1	0.0 %
ENERGIZE	-	1	0.0 %
ENERGY	-	1	0.0 %
ENJOY	-	1	0.0 %
ENJOY IT	-	2	0.1 %
ENJOYABLE	-	1	0.0 %
ENJOYING	-	1	0.0 %
ENJOYMENT	-	1	0.0 %
EXERCISE FOR DOG	-	1	0.0 %
EXERCISES WITH FATHER IN REHAB	-	1	0.0 %
FEEL BETTER	-	6	0.3 %
FEEL GOOD	-	5	0.2 %
FEEL GOOD, FUN	-	1	0.0 %
FEEL&SLEEP BETTER	-	1	0.0 %
FEELING BETTER	-	1	0.0 %
FEELING GOOD	-	1	0.0 %
FEELS BETTER	-	1	0.0 %
FEELS GOOD	-	7	0.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 779-838 (width: 60; decimal: 0)
Variable Type: character

FLAXSEE8: Flaxseed

During the past 12 months, have you used any of the following for your health? Flaxseed or flaxseed oil supplements

Value	Label	Unweighted Frequency	%
1	1: No	1365	59.9 %

Value	Label	Unweighted Frequency	%
2	2: Yes	228	10.0 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 839-840 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXHAR8: Flaxseed - Heart

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	125	5.5 %
2	2: Yes	103	4.5 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 841-842 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOST8: Flaxseed - Osteoporosis

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	201	8.8 %
2	2: Yes	27	1.2 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 843-844 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEN8: Flaxseed - Menopausal symptoms

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	181	7.9 %
2	2: Yes	47	2.1 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 845-846 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXLOO8: Flaxseed - Young Looking

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	188	8.3 %
2	2: Yes	40	1.8 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 847-848 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXMEM8: Flaxseed - Improve Memory

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	198	8.7 %
2	2: Yes	30	1.3 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 849-850 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXPER8: Flaxseed - Regulate Periods

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	220	9.7 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 851-852 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXGEN8: Flaxseed - General Health

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	51	2.2 %
2	2: Yes	177	7.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 853-854 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXWGH8: Flaxseed - Weight

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	187	8.2 %
2	2: Yes	41	1.8 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 855-856 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXADV8: Flaxseed - Provider advice

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	201	8.8 %
2	2: Yes	27	1.2 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 857-858 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXOTH8: Flaxseed - Other reason

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements?

Value	Label	Unweighted Frequency	%
1	1: No	163	7.2 %
2	2: Yes	65	2.9 %
	Missing Data		
.	-	2050	90.0 %
	Total	**2,278**	**100%**

Based upon 228 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 859-860 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAXSPE8: Flaxseed - Other specify

If YES to FLAXSEE8: Please tell me whether or not you use flaxseed or flaxseed oil supplements: Is there any other reason you use flaxseed or flaxseed oil supplements? Specify

Value	Label	Unweighted Frequency	%
	-	2213	97.1 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ANTIOXIDANT, RELIEVE ALLERGY	-	1	0.0 %
BENEFITS	-	1	0.0 %
CAN'T REMEMBER	-	1	0.0 %
CHILDREN'S ALLERGY	-	1	0.0 %
CHOLESTEROL	-	4	0.2 %

Value	Label	Unweighted Frequency	%
CLEANS SYSTEM	-	1	0.0 %
COLON HEALTH	-	1	0.0 %
CONSTIPATION	-	2	0.1 %
DRY EYE	-	1	0.0 %
DRY EYES	-	1	0.0 %
FIBER SOURCE	-	1	0.0 %
FIBER-CONSTIPATION	-	1	0.0 %
FOLLOWING PROTOCOL RECOMMENDED FOR R.	-	1	0.0 %
FOR ALLERGY	-	1	0.0 %
FOR ARTHRIIS	-	1	0.0 %
FOR ARTHRITIS	-	1	0.0 %
FOR BOWELS AND FIBS	-	1	0.0 %
FOR CHOLESTEROL	-	1	0.0 %
FOR ELEVATED CHOLESTEROL	-	1	0.0 %
FOR HEADACHE PREVENTION	-	1	0.0 %
FOR HEALTHY JOINTS	-	1	0.0 %
FOR HEART	-	1	0.0 %
FOR HIGH CHOLESTEROL	-	1	0.0 %
FOR JOINT PAIN	-	1	0.0 %
FOR SKIN RASH	-	1	0.0 %
FRIEND TOLD ME TO TAKE	-	1	0.0 %
GIRL AT WORK SAID IT'S GOOD FOR ME	-	1	0.0 %
HELP LOWER CHOLESTEROL	-	1	0.0 %
HELPS DEPRESSION; GOOD FOR ENERGY	-	1	0.0 %
HIGH CHOLESTEROL	-	1	0.0 %
HUSBAND'S ADVICE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
I HEARD IT'S GOOD, BUT DON'T REMEMBER WHY.	-	1	0.0 %
INSULIN RESISTANT	-	1	0.0 %
LUBRICATE DRY EYES	-	1	0.0 %
LUBRICATE JOINTS	-	1	0.0 %
M.S.	-	1	0.0 %
MENTAL CLEARNESS	-	1	0.0 %
MORE ENERGY, REDUCED INFLAMMATION, TASTES GOOD	-	1	0.0 %
MOTHER'S ADVICE	-	1	0.0 %
MULTIPLE SCLERIOSIS	-	1	0.0 %
MULTIPLE SCLEROSIS	-	1	0.0 %
MY CHILDREN	-	1	0.0 %
MY SISTER WAS INTO IT	-	1	0.0 %
NEUROPATHY FEET/ELBOWS	-	1	0.0 %
OSTEO ARTHRITIS	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 861-908 (width: 48; decimal: 0)
Variable Type: character

GINKGO8: Ginkgo Biloba

During the past 12 months, have you used any of the following for your health? Ginkgo Biloba

Value	Label	Unweighted Frequency	%
1	1: No	1511	66.3 %
2	2: Yes	82	3.6 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 909-910 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKHAR8: Ginkgo Biloba - Heart

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	81	3.6 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 911-912 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOST8: Ginkgo Biloba - Osteoporosis

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	82	3.6 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 913-914 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEN8: Ginkgo Biloba - Menopausal symptoms

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.5 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 915-916 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKLOO8: Ginkgo Biloba - Young Looking

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	81	3.6 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 917-918 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKMEM8: Ginkgo Biloba - Improve Memory

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	10	0.4 %
2	2: Yes	72	3.2 %
	Missing Data		
.	-	2196	96.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 919-920 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKPER8: Ginkgo Biloba - Regulate Periods

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	81	3.6 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 921-922 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKGEN8: Ginkgo Biloba - General Health

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	57	2.5 %
2	2: Yes	25	1.1 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 923-924 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKWGH8: Ginkgo Biloba - Weight

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	82	3.6 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 925-926 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKADV8: Ginkgo Biloba - Provider advice

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	79	3.5 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 927-928 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKOTH8: Ginkgo Biloba - Other reason

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba?

Value	Label	Unweighted Frequency	%
1	1: No	72	3.2 %
2	2: Yes	10	0.4 %
	Missing Data		
.	-	2196	96.4 %
	Total	**2,278**	**100%**

Based upon 82 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 929-930 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINKSPE8: Ginkgo Biloba - Other specify

If YES to GINKGO8: Please tell me whether or not you use Ginkgo Biloba: Is there any other reason you use Ginkgo Biloba? Specify

Value	Label	Unweighted Frequency	%
	-	2268	99.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ENERGY	-	1	0.0 %
HEARING, VISION	-	1	0.0 %
IN MENOPAUSAL FORMULA	-	1	0.0 %
ON ADVICE FROM A FRIEND	-	1	0.0 %
PREVENT ALZHEIMER'S	-	1	0.0 %
PREVENTING ALZHEIMER'S DISEASE	-	1	0.0 %
RECOMMENDED FOR KNEES	-	1	0.0 %
TO OXYGENATE MY BLOOD AND FOR MY MIND	-	1	0.0 %
TO TRY THE PRODUCT	-	1	0.0 %
WANTED TO TRY IT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 931-967 (width: 37; decimal: 0)
Variable Type: character

GINSENG8: Ginseng

During the past 12 months, have you used any of the following for your health? Ginseng

Value	Label	Unweighted Frequency	%
1	1: No	1500	65.8 %
2	2: Yes	93	4.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 968-969 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSHAR8: Ginseng - Heart

If YES to GINSENG8: Please tell me whether or not you use ginseng: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	89	3.9 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 970-971 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOST8: Ginseng - Osteoporosis

If YES to GINSENG8: Please tell me whether or not you use ginseng: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	93	4.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 972-973 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEN8: Ginseng - Menopausal symptoms

If YES to GINSENG8: Please tell me whether or not you use ginseng: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	86	3.8 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 974-975 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSLOO8: Ginseng - Young Looking

If YES to GINSENG8: Please tell me whether or not you use ginseng: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	85	3.7 %
2	2: Yes	8	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 976-977 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSMEM8: Ginseng - Improve Memory

If YES to GINSENG8: Please tell me whether or not you use ginseng: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	75	3.3 %
2	2: Yes	18	0.8 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 978-979 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSPER8: Ginseng - Regulate Periods

If YES to GINSENG8: Please tell me whether or not you use ginseng: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	92	4.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 980-981 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSGEN8: Ginseng - General Health

If YES to GINSENG8: Please tell me whether or not you use ginseng: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	69	3.0 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 982-983 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSWGH8: Ginseng - Weight

If YES to GINSENG8: Please tell me whether or not you use ginseng: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.9 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 984-985 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSADV8: Ginseng - Provider advice

If YES to GINSENG8: Please tell me whether or not you use ginseng: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	91	4.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 986-987 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSOTH8: Ginseng - Other reason

If YES to GINSENG8: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng?

Value	Label	Unweighted Frequency	%
1	1: No	61	2.7 %
2	2: Yes	32	1.4 %
	Missing Data		
.	-	2185	95.9 %
	Total	**2,278**	**100%**

Based upon 93 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 988-989 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GINSSPE8: Ginseng - Other specify

If YES to GINSENG8: Please tell me whether or not you use ginseng: Is there any other reason you use ginseng? Specify

Value	Label	Unweighted Frequency	%
	-	2246	98.6 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %

Value	Label	Unweighted Frequency	%
-9	-9: Missing	0	0.0 %
COLD	-	1	0.0 %
DRINKS GINSENG TEA	-	1	0.0 %
ENERGY	-	8	0.4 %
ENERGY TO EXERCISE	-	1	0.0 %
FEEL BETTER	-	1	0.0 %
FOR ANTIOXIDANT PROPERTIES	-	1	0.0 %
FOR ENERGY	-	1	0.0 %
GIFT FROM FRIEND	-	1	0.0 %
GIVE ENERGY	-	1	0.0 %
I LIKE TEA	-	1	0.0 %
I LIKE THE TEA TASTE	-	1	0.0 %
IMPROVE CHI	-	1	0.0 %
IN COOKING	-	1	0.0 %
IN MENOPAUSAL FORMULA; FOR ENERGY	-	1	0.0 %
IN SOUP, AND MULTIVITAMIN	-	1	0.0 %
LIKE IT, REGULATE YOUR CHI	-	1	0.0 %
MOM GAVE TO HER	-	1	0.0 %
MORE ENERGY	-	1	0.0 %
SAW IT AND FIGURED I'D TRY IT	-	1	0.0 %
STAMINIA	-	1	0.0 %
STAY ALERT	-	1	0.0 %
TASTE GOOD	-	1	0.0 %
TO GIVE ME ENERGY	-	1	0.0 %
TO TRY THE PRODUCT	-	1	0.0 %
WARMING UP; PHYSICAL STRENGTH	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 990-1022 (width: 33; decimal: 0)
Variable Type: character

GLUSAMI8: Glucosamine

During the past 12 months, have you used any of the following for your health? Glucosamine with or without Chondroitin

Value	Label	Unweighted Frequency	%
1	1: No	1323	58.1 %
2	2: Yes	269	11.8 %
	Missing Data		
.	-	686	30.1 %
	Total	**2,278**	**100%**

Based upon 1,592 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1023-1024 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSHAR8: Glucosamine - Heart

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	265	11.6 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1025-1026 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOST8: Glucosamine - Osteoporosis

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	191	8.4 %
2	2: Yes	78	3.4 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1027-1028 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEN8: Glucosamine - Menopausal symptoms

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	265	11.6 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1029-1030 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSLOO8: Glucosamine - Young Looking

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	254	11.2 %
2	2: Yes	15	0.7 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1031-1032 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSMEM8: Glucosamine - Improve Memory

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	266	11.7 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1033-1034 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSPER8: Glucosamine - Regulate Periods

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	269	11.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1035-1036 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSGEN8: Glucosamine - General Health

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	159	7.0 %
2	2: Yes	110	4.8 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1037-1038 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSWGH8: Glucosamine - Weight

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	264	11.6 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1039-1040 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSADV8: Glucosamine - Provider advice

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	226	9.9 %
2	2: Yes	43	1.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1041-1042 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSOTH8: Glucosamine - Other reason

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin?

Value	Label	Unweighted Frequency	%
1	1: No	80	3.5 %
2	2: Yes	189	8.3 %
	Missing Data		
.	-	2009	88.2 %
	Total	**2,278**	**100%**

Based upon 269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1043-1044 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLUSSPE8: Glucosamine - Other specify

If YES to GLUSAMI8: Please tell me whether or not you use glucosamine with or without Chondroitin: Is there any other reason you use glucosamine with or without Chondroitin? Specify

Value	Label	Unweighted Frequency	%
	-	2089	91.7 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACHY JOINTS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ADVISE FROM FRIEND	-	1	0.0 %
ARRTHRITIS	-	1	0.0 %
ARTHRITIC PAIN	-	2	0.1 %
ARTHRITIS	-	25	1.1 %
ARTHRITIS IN KNEES	-	1	0.0 %
ARTHRITIS PAIN	-	2	0.1 %
ARTHRITIS RUNS IN MY FAMILY, JOINT ISSUES	-	1	0.0 %
ARTHRITIS SYMPTOMS	-	1	0.0 %
ARTHRITIS-PREVENTIVE	-	1	0.0 %
ARTHRITIS/JOINT LUBRICATION	-	1	0.0 %
BACK AND JOINT PAIN	-	1	0.0 %
BACK PAIN	-	3	0.1 %
BONES	-	1	0.0 %
BUILD CARTILAGE	-	1	0.0 %
CARPUL TUNNEL-JOINT PAIN	-	1	0.0 %
CHONDRO-CALCINOSIS	-	1	0.0 %
FOR ARTHIRTIS OF THE BACK	-	1	0.0 %
FOR ARTHRITIS	-	4	0.2 %
FOR ARTHRITIS PAIN	-	1	0.0 %
FOR FLEXIBILITY IN THE KNEE	-	1	0.0 %
FOR JOINT HEALTH	-	1	0.0 %
FOR JOINT PAIN	-	3	0.1 %
FOR JOINTS	-	10	0.4 %
FOR JOINTS & MOVEMENT	-	1	0.0 %
FOR KNEE	-	1	0.0 %
FOR KNEE JOINT PAIN RELIEF	-	1	0.0 %
FOR KNEE PAIN	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR MY JOINTS TO FEEL BETTER.	-	1	0.0 %
FOR MY KNEES	-	2	0.1 %
FOR RELIEF OF JOINT PAIN	-	1	0.0 %
GOOD FOR CONNECTIVE TISSUE	-	1	0.0 %
HELP ARTHRITIS	-	1	0.0 %
HELP WITH ARTHRITIS	-	1	0.0 %
HELP WITH BACK PAIN, JOINTS	-	1	0.0 %
I GOT BAD KNEES	-	1	0.0 %
JOINT	-	2	0.1 %
JOINT COMFORT	-	1	0.0 %
JOINT HEALTH	-	10	0.4 %
JOINT HEALTH, REDUCE PAIN	-	1	0.0 %
JOINT HEATLH	-	1	0.0 %
JOINT PAIN	-	20	0.9 %
JOINT PAIN & HEALTH	-	1	0.0 %
JOINT PAIN ESPECIALLY KNEES	-	1	0.0 %
JOINT PROBLEM	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1045-1089 (width: 45; decimal: 0)
Variable Type: character

MYAMPRO8: Mexican yam

During the past 12 months, have you used any of the following for your health? Mexican yam or progesterone cream

Value	Label	Unweighted Frequency	%
1	1: No	1557	68.3 %
2	2: Yes	36	1.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1090-1091 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMHAR8: Mexican yam - Heart

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	34	1.5 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1092-1093 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOST8: Mexican yam - Osteoporosis

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	29	1.3 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1094-1095 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEN8: Mexican yam - Menopausal symptoms

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.3 %
2	2: Yes	30	1.3 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1096-1097 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMLOO8: Mexican yam - Young Looking

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	28	1.2 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1098-1099 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMMEM8: Mexican yam - Improve Memory

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.4 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1100-1101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMPER8: Mexican yam - Regulate Periods

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.4 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1102-1103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMGEN8: Mexican yam - General Health

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	11	0.5 %
	Missing Data		
.	-	2242	98.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1104-1105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMWGH8: Mexican yam - Weight

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	31	1.4 %
2	2: Yes	5	0.2 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1106-1107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMADV8: Mexican yam - Provider advice

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	32	1.4 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1108-1109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMOTH8: Mexican yam - Other reason

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream?

Value	Label	Unweighted Frequency	%
1	1: No	30	1.3 %
2	2: Yes	6	0.3 %
	Missing Data		
.	-	2242	98.4 %
	Total	**2,278**	**100%**

Based upon 36 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1110-1111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MYAMSPE8: Mexican yam - Other specify

If YES to MYAMPRO8: Please tell me whether or not you use Mexican yam or progesterone cream: Is there any other reason you use Mexican yam or progesterone cream? Specify

Value	Label	Unweighted Frequency	%
	-	2272	99.7 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
DIABETES	-	1	0.0 %
FOR VAGINAL INFECTIONS	-	1	0.0 %
HELPS LIBIDO	-	1	0.0 %
LIBIDO-RELATED	-	1	0.0 %
MAKES YOU FEEL GOOD	-	1	0.0 %
SLEEPLESSNESS	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1112-1133 (width: 22; decimal: 0)
Variable Type: character

PRAYER8: Prayer

During the past 12 months, have you used any of the following for your health? Prayer

Value	Label	Unweighted Frequency	%
1	1: No	765	33.6 %
2	2: Yes	828	36.3 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1134-1135 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYHAR8: Prayer - Heart

If YES to PRAYER8: Please tell me whether or not you use prayer: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	673	29.5 %
2	2: Yes	155	6.8 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1136-1137 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOST8: Prayer - Osteoporosis

If YES to PRAYER8: Please tell me whether or not you use prayer: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	717	31.5 %
2	2: Yes	111	4.9 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1138-1139 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEN8: Prayer - Menopausal symptoms

If YES to PRAYER8: Please tell me whether or not you use prayer: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	723	31.7 %
2	2: Yes	105	4.6 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1140-1141 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYLOO8: Prayer - Young Looking

If YES to PRAYER8: Please tell me whether or not you use prayer: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	714	31.3 %
2	2: Yes	114	5.0 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1142-1143 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYMEM8: Prayer - Improve Memory

If YES to PRAYER8: Please tell me whether or not you use prayer: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	675	29.6 %
2	2: Yes	153	6.7 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1144-1145 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYPER8: Prayer - Regulate Periods

If YES to PRAYER8: Please tell me whether or not you use prayer: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	779	34.2 %
2	2: Yes	49	2.2 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1146-1147 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYGEN8: Prayer - General Health

If YES to PRAYER8: Please tell me whether or not you use prayer: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	285	12.5 %
2	2: Yes	543	23.8 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1148-1149 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYWGH8: Prayer - Weight

If YES to PRAYER8: Please tell me whether or not you use prayer: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	676	29.7 %
2	2: Yes	152	6.7 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1150-1151 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYADV8: Prayer - Provider advice

If YES to PRAYER8: Please tell me whether or not you use prayer: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	767	33.7 %
2	2: Yes	61	2.7 %
	Missing Data		
.	-	1450	63.7 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1152-1153 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYOTH8: Prayer - Other reason

If YES to PRAYER8: Please tell me whether or not you use prayer: Is there any other reason you use prayer?

Value	Label	Unweighted Frequency	%
1	1: No	302	13.3 %
2	2: Yes	526	23.1 %
	Missing Data		
.	-	1450	63.7 %
	Total	**2,278**	**100%**

Based upon 828 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1154-1155 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRAYSPE8: Prayer - Other specify

If YES to PRAYER8: Please tell me whether or not you use prayer: Is there any other reason you use prayer? Specify

Value	Label	Unweighted Frequency	%
	-	1753	77.0 %
'BECASUE I THINK IF YOU DON'T-YOU WON'T HAVE ANYONE TO THANK	-	1	0.0 %
'GUIDANCE'	-	1	0.0 %
'JUST FOR GENERAL GOOD HEALTH FOR EVERYBODY&KEEP MY FAMILY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
'TO KEEP FROM GOING CRAZY'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
2. GENERAL KNOWLEDGE 2. PART OF EVERY DAY LIFE	-	1	0.0 %
A SENSE OF WELL BEING	-	1	0.0 %
A SOURCE OF GROUNDING	-	1	0.0 %
A WAY OF LIFE	-	1	0.0 %
A WAY TO TALK TO GOD	-	1	0.0 %
ALL OF THE OTHERS ONE THING THAT WORKS	-	1	0.0 %
ALL THE TIME EVERYDAY, I WAS YOUTH MINISTER, FIND PEACE	-	1	0.0 %
ALL THE TIME IT WORKS	-	1	0.0 %
ALWAYS -- IT IS MANDATORY LIKE A JOB	-	1	0.0 %
ALWAYS HAVE	-	1	0.0 %
ALWAYS PRAYING FOR EVERYTHING	-	1	0.0 %
AND EMOTIONAL HEALTH COUNTS TOO	-	1	0.0 %
ANOTHER MINDSET FOR CALMING	-	1	0.0 %
ANYTHING THAT MAY OCCUR	-	1	0.0 %
APPEAL TO MY DEAD PARENTS	-	1	0.0 %
ASK FOR SOMETHING	-	1	0.0 %
ASK LORD TO KEEP ME HEALTHY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
ASTHMA	-	1	0.0 %
BECAUSE BELIEVES IN PRAYER	-	1	0.0 %
BECAUSE I CAN'T LIVE WITHOUT IT.	-	1	0.0 %
BECAUSE I LOVE GOD	-	1	0.0 %
BECAUSE IT IS A PART OF MY LIFE	-	1	0.0 %
BECAUSE IT IS PART OF MY LIFE	-	1	0.0 %
BECAUSE OF MY FAITH	-	1	0.0 %
BECAUSE THE MASTER IS THERE	-	1	0.0 %
BELIEF	-	1	0.0 %
BELIEF IN GOD	-	1	0.0 %
BELIEVE IN FAITH HEALING	-	1	0.0 %
BELIEVE IN POWER OF PRAYER /RELIGION	-	1	0.0 %
BELIEVE IN PRAYER TO HAVE PEACE	-	1	0.0 %
BELIEVE IN THE LORD	-	1	0.0 %
BELIEVES	-	3	0.1 %
BELIEVES IN GOD FOR HIS HELP	-	1	0.0 %
BELIEVES IN IT	-	1	0.0 %
BELIEVES IN PRAY	-	1	0.0 %
BELIEVES IN PRAYER	-	1	0.0 %
BETTER, MORE PROSPERITY	-	1	0.0 %
BROUGHT UP IN CHURCH	-	1	0.0 %
CALM AND WELL BEING	-	1	0.0 %
CALM MY MIND	-	1	0.0 %
CALMING	-	2	0.1 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1156-1215 (width: 60; decimal: 0)
Variable Type: character

SELFHEL8: Self-help group

During the past 12 months, have you used any of the following for your health? Self-help group

Value	Label	Unweighted Frequency	%
1	1: No	1484	65.1 %
2	2: Yes	109	4.8 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1216-1217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFHAR8: Self-help group - Heart

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	92	4.0 %
2	2: Yes	17	0.7 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1218-1219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOST8: Self-help group - Osteoporosis

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	97	4.3 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1220-1221 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEN8: Self-help group - Menopausal symptoms

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	98	4.3 %
2	2: Yes	11	0.5 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1222-1223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFLOO8: Self-help group - Young Looking

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	88	3.9 %
2	2: Yes	21	0.9 %
	Missing Data		
.	-	2169	95.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFMEM8: Self-help group - Improve Memory

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	90	4.0 %
2	2: Yes	19	0.8 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1226-1227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFPER8: Self-help group - Regulate Periods

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	103	4.5 %
2	2: Yes	6	0.3 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1228-1229 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFGEN8: Self-help group - General Health

If YES to SELFHEL8: Please tell me whether or not you use self-help group: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	36	1.6 %
2	2: Yes	73	3.2 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1230-1231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFWGH8: Self-help group - Weight

If YES to SELFHEL8: Please tell me whether or not you use self-help group: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	68	3.0 %
2	2: Yes	41	1.8 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1232-1233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFADV8: Self-help group - Provider advice

If YES to SELFHEL8: Please tell me whether or not you use self-help group: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	83	3.6 %
2	2: Yes	26	1.1 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1234-1235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFOTH8: Self-help group - Other reason

If YES to SELFHEL8: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group?

Value	Label	Unweighted Frequency	%
1	1: No	47	2.1 %
2	2: Yes	62	2.7 %
	Missing Data		
.	-	2169	95.2 %
	Total	**2,278**	**100%**

Based upon 109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1236-1237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFSPE8: Self-help group - Other specify

If YES to SELFHEL8: Please tell me whether or not you use self-help group: Is there any other reason you use self-help group? Specify

Value	Label	Unweighted Frequency	%
	-	2216	97.3 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
ACTIVE WALKING GROUP HELPS TO WALK & VENT	-	1	0.0 %
AFTER THE DEATH OF HER BROTHER JOINED GRIEF SUPPOR	-	1	0.0 %
AUTISM SUPPORT GROUP	-	1	0.0 %
BELIEF	-	1	0.0 %
DIABETIC	-	1	0.0 %
ECZEMA	-	1	0.0 %
EMOTIONAL SUPPORT	-	1	0.0 %
ENCOURAGEMENT , SUPPORT	-	1	0.0 %
ENJOY THEM	-	1	0.0 %
EXERCISE CLUB	-	1	0.0 %
FAITH & SUPPORT	-	1	0.0 %
FAMILY SUPPORT	-	1	0.0 %
FOR MORAL SUPPORT	-	1	0.0 %
FOR PARENTS OF CHILDREN WITH SPECIAL NEEDS	-	1	0.0 %
FOR SOCIAL SUPPORT/ADVICE	-	1	0.0 %
GIVE SUPPORT TO OTHER PEOPLE	-	1	0.0 %
GIVES HER SOMETHING TO DO	-	1	0.0 %
GOING THRU DIVORCE	-	1	0.0 %
GROUP OF FRIENDS	-	1	0.0 %
I FEEL BETTER	-	1	0.0 %
INSPIRIATIONAL COMMUTE PARTNER	-	1	0.0 %
JUST TO MAKE ME FEEL BETTER	-	1	0.0 %
LIKE IT; GOOD FOR ME	-	1	0.0 %
MAINTAIN MENTAL HEALTH	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MAKE ME FEEL GOOD	-	1	0.0 %
MENTAL HEALTH	-	2	0.1 %
MENTAL HEALTH LEAD GROUPS	-	1	0.0 %
MULTIPLE SCLEROSIS	-	1	0.0 %
ON ADVICE FROM A SOCIAL WORKER FOR SELF ESTEEM	-	1	0.0 %
OVER WEIGHT	-	1	0.0 %
PRAYER GROUP FOR FAMILY	-	1	0.0 %
QUALITY OF LIFE	-	1	0.0 %
REDUC E STRESS & PAIN MGMT	-	1	0.0 %
REDUCE STRESS	-	1	0.0 %
RELIGION	-	2	0.1 %
SEEKING ANSWERS	-	1	0.0 %
SELF HELP	-	1	0.0 %
SELF-IMPROVEMENT	-	1	0.0 %
SOCIAL INTERACTION	-	1	0.0 %
SPIRITUAL SUPPORT	-	1	0.0 %
STABILITY, EMOTIONAL HEALTH	-	1	0.0 %
STRESS/ANXIETY RELIEF	-	1	0.0 %
SUPPORT	-	1	0.0 %
SUPPORT FOR THE SURGERY	-	1	0.0 %
TO CONTROL SUGAR & CHOLESTEROL LEVELS	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1238-1287 (width: 50; decimal: 0)

Variable Type: character

SOYSUPP8: Soy supplement

During the past 12 months, have you used any of the following for your health? Soy supplement

Value	Label	Unweighted Frequency	%
1	1: No	1397	61.3 %
2	2: Yes	196	8.6 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1288-1289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYHAR8: Soy supplement - Heart

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	148	6.5 %
2	2: Yes	48	2.1 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1290-1291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOST8: Soy supplement - Osteoporosis

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	158	6.9 %

Value	Label	Unweighted Frequency	%
2	2: Yes	38	1.7 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1292-1293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEN8: Soy supplement - Menopausal symptoms

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	71	3.1 %
2	2: Yes	125	5.5 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1294-1295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYLOO8: Soy supplement - Young Looking

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	171	7.5 %
2	2: Yes	25	1.1 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1296-1297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYMEM8: Soy supplement - Improve Memory

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	175	7.7 %
2	2: Yes	21	0.9 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1298-1299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYPER8: Soy supplement - Regulate Periods

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	192	8.4 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1300-1301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYGEN8: Soy supplement - General Health

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	65	2.9 %
2	2: Yes	131	5.8 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1302-1303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYWGH8: Soy supplement - Weight

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	158	6.9 %
2	2: Yes	38	1.7 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1304-1305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYADV8: Soy supplement - Provider advice

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	173	7.6 %
2	2: Yes	23	1.0 %
	Missing Data		
.	-	2082	91.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1306-1307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYOTH8: Soy supplement - Other reason

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement?

Value	Label	Unweighted Frequency	%
1	1: No	160	7.0 %
2	2: Yes	36	1.6 %
	Missing Data		
.	-	2082	91.4 %
	Total	**2,278**	**100%**

Based upon 196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1308-1309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOYSPE8: Soy supplement - Other specify

If YES to SOYSUPP8: Please tell me whether or not you use soy supplement: Is there any other reason you use soy supplement? Specify

Value	Label	Unweighted Frequency	%
	-	2242	98.4 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
AGING	-	1	0.0 %
CRAVING	-	1	0.0 %
DIETARY REASONS	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DRINKING SOY MILK	-	1	0.0 %
EASE AWAY FATIGUE	-	1	0.0 %
FOR BONES	-	1	0.0 %
FOR MY BONES	-	1	0.0 %
HAD TO DISCONTINUE PRACTICE BECAUSE HAD OPPOSITE EFFECT	-	1	0.0 %
HAVE GERD CANNOT DRINK REGULAR MILK	-	1	0.0 %
HELP LOWER ELEVATED CHOLESTEROL	-	1	0.0 %
HOT FLASHES	-	4	0.2 %
I LIKE IT	-	1	0.0 %
I LOVE SOY	-	1	0.0 %
INCREASE PROTEIN	-	1	0.0 %
INSULIN RESISTANCE	-	1	0.0 %
JUST LIKE IT	-	1	0.0 %
LACTOSE INTOLERANT	-	3	0.1 %
LEAN PROTEIN, LOW CALORIE	-	1	0.0 %
LIKE IT BETTER THAN MILK - NEEDS CALCIUM	-	1	0.0 %
PROTEIN SOURCE	-	1	0.0 %
R HAS HEALTH SHAKE EVERYDAY	-	1	0.0 %
READ THAT THEY REDUCE MENOPAUSAL SXS	-	1	0.0 %
RECOVERY FROM FATIGUE	-	1	0.0 %
REDUCE CHOLESTEROL	-	1	0.0 %
REDUCE RISK OF BREAST CANCER	-	1	0.0 %
SOY MILK	-	1	0.0 %
STOMACH	-	1	0.0 %

Value	Label	Unweighted Frequency	%
TAKES SOY MILK & NUTS FROM TIME TO TIME	-	1	0.0 %
VEGETARIAN	-	1	0.0 %
VEGETARIAN / USE AS PROTEIN SOURCE	-	1	0.0 %
WOMEN'S HEALTH; GIFT	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1310-1364 (width: 55; decimal: 0)
Variable Type: character

WORTSTJ8: St. John's wort

During the past 12 months, have you used any of the following for your health? St. John's wort

Value	Label	Unweighted Frequency	%
1	1: No	1569	68.9 %
2	2: Yes	24	1.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1365-1366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTHAR8: St. John's wort - Heart

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1367-1368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOST8: St. John's wort - Osteoporosis

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1369-1370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEN8: St. John's wort - Menopausal symptoms

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1371-1372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTLOO8: St. John's wort - Young Looking

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1373-1374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTMEM8: St. John's wort - Improve Memory

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	22	1.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1375-1376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTPER8: St. John's wort - Regulate Periods

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2254	98.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1377-1378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTGEN8: St. John's wort - General Health

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	14	0.6 %
2	2: Yes	10	0.4 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1379-1380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTWGH8: St. John's wort - Weight

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	24	1.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1381-1382 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTADV8: St. John's wort - Provider advice

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1383-1384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTOTH8: St. John's wort - Other reason

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort?

Value	Label	Unweighted Frequency	%
1	1: No	12	0.5 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2254	98.9 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1385-1386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORTSPE8: St. John's wort - Other specify

If YES to WORTSTJ8: Please tell me whether or not you use St. John's wort: Is there any other reason you use St. John's wort? Specify

Value	Label	Unweighted Frequency	%
	-	2266	99.5 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
1. GENERAL MENTAL HEALTH 2. DEPRESSED MOOD	-	1	0.0 %
CALMING ANTI STRESS TEA	-	1	0.0 %
DEPRESSION	-	2	0.1 %
FEELING DOWN	-	2	0.1 %
FOR MOOD	-	1	0.0 %
FOR RELAXATION	-	1	0.0 %
INGREDIENT IN HOME-MADE SOAP	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
MOOD ELEVATOR	-	1	0.0 %
MOOD LIFTER	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1387-1429 (width: 43; decimal: 0)
Variable Type: character

WVITAMI8: Women's vitamins

During the past 12 months, have you used any of the following for your health? Vitamin or supplement combination especially designed for women's health

Value	Label	Unweighted Frequency	%
1	1: No	1229	54.0 %
2	2: Yes	364	16.0 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1430-1431 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITHAR8: Women's vitamins - Heart

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	249	10.9 %
2	2: Yes	115	5.0 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1432-1433 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOST8: Women's vitamins - Osteoporosis

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	218	9.6 %
2	2: Yes	146	6.4 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1434-1435 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEN8: Women's vitamins - Menopausal symptoms

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	276	12.1 %
2	2: Yes	88	3.9 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1436-1437 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITLOO8: Women's vitamins - Young Looking

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	273	12.0 %
2	2: Yes	91	4.0 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1438-1439 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITMEM8: Women's vitamins - Improve Memory

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	274	12.0 %
2	2: Yes	90	4.0 %
	Missing Data		
.	-	1914	84.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1440-1441 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITPER8: Women's vitamins - Regulate Periods

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	346	15.2 %
2	2: Yes	18	0.8 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1442-1443 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITGEN8: Women's vitamins - General Health

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	28	1.2 %
2	2: Yes	336	14.7 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1444-1445 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITWGH8: Women's vitamins - Weight

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	298	13.1 %
2	2: Yes	66	2.9 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1446-1447 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITADV8: Women's vitamins - Provider advice

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	279	12.2 %
2	2: Yes	85	3.7 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1448-1449 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITOTH8: Women's vitamins - Other reason

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health?

Value	Label	Unweighted Frequency	%
1	1: No	323	14.2 %
2	2: Yes	41	1.8 %
	Missing Data		
.	-	1914	84.0 %
	Total	**2,278**	**100%**

Based upon 364 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1450-1451 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WVITSPE8: Women's vitamins - Other specify

If YES to WVITAMI8: Please tell me whether or not you use vitamin or supplement combination especially for women's health: Is there any other reason you use vitamin or supplement combination especially for women's health? Specify

Value	Label	Unweighted Frequency	%
	-	2238	98.2 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
1. CONVENIENT 2. MAINTAIN HEALTH THROUGH MENOPAUSE	-	1	0.0 %
ANTIOXIDANTS	-	1	0.0 %
ARTHRITIS, JOINTS	-	1	0.0 %
BALANCE OUT DIET	-	1	0.0 %
BECAUSE I DON'T EAT A BALANCED DIET	-	1	0.0 %
BLOOD PRESSURE, CHOLESTEROL	-	1	0.0 %
DIABETIC	-	1	0.0 %
FEEL BETTER AND MOVE BETTER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FOR BONE HEALTH	-	1	0.0 %
FOR HEALTHY HAIR AND NAILS	-	1	0.0 %
FOR IRON	-	1	0.0 %
FOR THE CALCIUM AND ZINC	-	1	0.0 %
FOR WOMEN'S HEALTH	-	1	0.0 %
GET MORE ENERGY AND FOCUS	-	1	0.0 %
HAD GASTROBYPASS SURGERY	-	1	0.0 %
HEMROIDS, HAIR, SKIN,NAILS & BLOOD CLEANER	-	1	0.0 %
KEEPS ME FROM BEING SO TIRED	-	1	0.0 %
MAYBE IT'S DOING ME SOME GOOD	-	1	0.0 %
MORE ENERGY	-	1	0.0 %
NUTRITION	-	1	0.0 %
OVERALL FEELING BETTER	-	1	0.0 %
PART OF POST-OP PROTOCOL	-	1	0.0 %
PMS	-	1	0.0 %
READ IT'S A GOOD IDEA.	-	1	0.0 %
RECOMMENDED BY HUSBAND	-	1	0.0 %
REPLENISH BODY'S NUTRIENTS	-	1	0.0 %
SEEMS TO BE A COMPREHENSIVE VITAMIN	-	1	0.0 %
SON GAVE R INITIAL VITAMINS TO BEGIN RIGHT AWAY	-	1	0.0 %
SPECIAL NEEDS	-	1	0.0 %
STAMINA	-	1	0.0 %
TASTE GOOD	-	1	0.0 %
TO BE ENERGIZED	-	1	0.0 %

Value	Label	Unweighted Frequency	%
TO FEEL GOOD	-	1	0.0 %
TO GIVE ME EXTRA ENERGY	-	1	0.0 %
TO HELP WITH BLOOD CLOT	-	1	0.0 %
TO HELP WITH WEIGHT REDUCTION	-	1	0.0 %
TO KEEP ENERGY UP	-	1	0.0 %
TO PREVENT DRYNESS OF SKIN	-	1	0.0 %
VIT B COMPLEX WITH STRESS	-	1	0.0 %
WAS FEELING EXHAUSTED ALL DAY AND COULDN'T SLEEP AT NIGHT	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1452-1508 (width: 57; decimal: 0)
Variable Type: character

YOGA8: Yoga

During the past 12 months, have you used any of the following for your health? Yoga

Value	Label	Unweighted Frequency	%
1	1: No	1399	61.4 %
2	2: Yes	193	8.5 %
	Missing Data		
.	-	686	30.1 %
	Total	**2,278**	**100%**

Based upon 1,592 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1509-1510 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAHAR8: Yoga - Heart

If YES to YOGA8: Please tell me whether or not you use yoga: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	145	6.4 %
2	2: Yes	48	2.1 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1511-1512 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOST8: Yoga - Osteoporosis

If YES to YOGA8: Please tell me whether or not you use yoga: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	130	5.7 %
2	2: Yes	63	2.8 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1513-1514 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEN8: Yoga - Menopausal symptoms

If YES to YOGA8: Please tell me whether or not you use yoga: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	166	7.3 %
2	2: Yes	27	1.2 %
	Missing Data		
.	-	2085	91.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1515-1516 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGALOO8: Yoga - Young Looking

If YES to YOGA8: Please tell me whether or not you use yoga: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	128	5.6 %
2	2: Yes	65	2.9 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1517-1518 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAMEM8: Yoga - Improve Memory

If YES to YOGA8: Please tell me whether or not you use yoga: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	159	7.0 %
2	2: Yes	34	1.5 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1519-1520 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAPER8: Yoga - Regulate Periods

If YES to YOGA8: Please tell me whether or not you use yoga: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	187	8.2 %
2	2: Yes	6	0.3 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1521-1522 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAGEN8: Yoga - General Health

If YES to YOGA8: Please tell me whether or not you use yoga: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	13	0.6 %
2	2: Yes	180	7.9 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1523-1524 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAWGH8: Yoga - Weight

If YES to YOGA8: Please tell me whether or not you use yoga: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	110	4.8 %
2	2: Yes	83	3.6 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1525-1526 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAADV8: Yoga - Provider advice

If YES to YOGA8: Please tell me whether or not you use yoga: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	170	7.5 %
2	2: Yes	23	1.0 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1527-1528 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGAOTH8: Yoga - Other reason

If YES to YOGA8: Please tell me whether or not you use yoga: Is there any other reason you use yoga?

Value	Label	Unweighted Frequency	%
1	1: No	100	4.4 %
2	2: Yes	93	4.1 %
	Missing Data		
.	-	2085	91.5 %
	Total	**2,278**	**100%**

Based upon 193 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1529-1530 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOGASPE8: Yoga - Other specify

If YES to YOGA8: Please tell me whether or not you use yoga: Is there any other reason you use yoga? Specify

Value	Label	Unweighted Frequency	%
	-	2185	95.9 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ANTISTRESS, RELAXATION, MEDITATION, HEALTHY LIFE	-	1	0.0 %
ARTHRITIS SYMPTOMS	-	1	0.0 %
BACK PAIN	-	2	0.1 %
BECAUSE I LIKE I	-	1	0.0 %
BEFORE EXERCISE FOR FLEXIBILITY AND STRETCHING	-	1	0.0 %
BLOOD PRESSURE, CHOLESTEROL, SUGAR	-	1	0.0 %
BREATHING, MEDITATION	-	1	0.0 %
EMOTIONAL BALANCE	-	1	0.0 %
ENJOY IT	-	2	0.1 %
ENJOYMENT	-	1	0.0 %
FEEL BETTER HELPS STIFFNESS	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEELS GOOD	-	1	0.0 %
FEELS GOOD, STRESS RELIEVER	-	1	0.0 %
FLEXABILITY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FLEXIBILITY	-	11	0.5 %
FLEXIBILITY, FEEL BETTER	-	1	0.0 %
FLEXIBILITY, KEEP JOINTS MOVING	-	1	0.0 %
FLEXIBILITY; HELP W/ BACK PROBLEMS	-	1	0.0 %
FOR FUN	-	1	0.0 %
FOR HIP	-	1	0.0 %
FOR THE SPORT OF IT; HELPS WITH RACQUETBALL	-	1	0.0 %
FRIENDS	-	1	0.0 %
FRIENDS WERE DOING IT	-	1	0.0 %
FUN	-	1	0.0 %
GENERAL WELL-BEING	-	1	0.0 %
GOOD FOR BODY	-	1	0.0 %
HELPS WITH FLEXIBILITY	-	1	0.0 %
I LIKE IT	-	1	0.0 %
I LIKE IT.	-	1	0.0 %
I NEED TO STRETCH	-	1	0.0 %
IT FEELS GOOD	-	1	0.0 %
JOINTS	-	1	0.0 %
JUST TRYING IT	-	1	0.0 %
KEEP FLEXIBLE	-	1	0.0 %
KEEP MOBILITY NOT STIFFEN UP	-	1	0.0 %
LIMBER	-	1	0.0 %
MAINTAIN FLEXABILITY	-	1	0.0 %
MAINTAIN FLEXIBILITY	-	1	0.0 %
MAKES ME FEEL BETTER	-	1	0.0 %
MENTAL HEALTH	-	5	0.2 %
MENTAL HEALTH AND BALANCE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
MENTAL HEALTH STRESS REDUCTION	-	1	0.0 %
PAIN MANAGEMENT	-	1	0.0 %
PEACE OF MIND	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1531-1588 (width: 58; decimal: 0)
Variable Type: character

BOTANIC8: Botanica

During the past 12 months, have you used any of the following for your health? Botanica/Curandero

Value	Label	Unweighted Frequency	%
1	1: No	1591	69.8 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1589-1590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAHAR8: Botanica - Heart

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1591-1592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOST8: Botanica - Osteoporosis

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1593-1594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEN8: Botanica - Menopausal symptoms

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1595-1596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTALOO8: Botanica - Young Looking

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1597-1598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAMEM8: Botanica - Improve Memory

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1599-1600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAPER8: Botanica - Regulate Periods

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1601-1602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAGEN8: Botanica - General Health

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1603-1604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAWGH8: Botanica - Weight

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1605-1606 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAADV8: Botanica - Provider advice

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1607-1608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTAOTH8: Botanica - Other reason

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero?

Value	Label	Unweighted Frequency	%
1	1: No	1	0.0 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1609-1610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTASPE8: Botanica - Other specify

If YES to BOTANIC8: Please tell me whether or not you use botanica/curandero: Is there any other reason you use botanica/curandero? Specify

Value	Label	Unweighted Frequency	%
	-	2277	100.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
LIFE, SPIRITUALITY	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1611-1628 (width: 18; decimal: 0)
Variable Type: character

HERBALT8: Herbal Tea

During the past 12 months, have you used any of the following for your health? Herbal Tea

Value	Label	Unweighted Frequency	%
1	1: No	1075	47.2 %
2	2: Yes	518	22.7 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1629-1630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAHAR8: Herbal Tea - Heart

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	445	19.5 %
2	2: Yes	73	3.2 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1631-1632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOST8: Herbal Tea - Osteoporosis

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	486	21.3 %
2	2: Yes	32	1.4 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1633-1634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEN8: Herbal Tea - Menopausal symptoms

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	459	20.1 %
2	2: Yes	59	2.6 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1635-1636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEALOO8: Herbal Tea - Young Looking

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	463	20.3 %
2	2: Yes	55	2.4 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1637-1638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAMEM8: Herbal Tea - Improve Memory

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	459	20.1 %
2	2: Yes	59	2.6 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1639-1640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAPER8: Herbal Tea - Regulate Periods

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	507	22.3 %
2	2: Yes	11	0.5 %
	Missing Data		
.	-	1760	77.3 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1641-1642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAGEN8: Herbal Tea - General Health

If YES to HERBALT8: Please tell me whether or not you use herbal tea: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	178	7.8 %
2	2: Yes	340	14.9 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1643-1644 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAWGH8: Herbal Tea - Weight

If YES to HERBALT8: Please tell me whether or not you use herbal tea: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	433	19.0 %
2	2: Yes	85	3.7 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1645-1646 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAADV8: Herbal Tea - Provider advice

If YES to HERBALT8: Please tell me whether or not you use herbal tea: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	494	21.7 %
2	2: Yes	24	1.1 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1647-1648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEAOTH8: Herbal Tea - Other reason

If YES to HERBALT8: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea?

Value	Label	Unweighted Frequency	%
1	1: No	245	10.8 %
2	2: Yes	273	12.0 %
	Missing Data		
.	-	1760	77.3 %
	Total	**2,278**	**100%**

Based upon 518 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1649-1650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTEASPE8: Herbal Tea - Other specify

If YES to HERBALT8: Please tell me whether or not you use herbal tea: Is there any other reason you use herbal tea? Specify

Value	Label	Unweighted Frequency	%
	-	2005	88.0 %
'I LIKE THEM.'	-	1	0.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ADVICE FROM OPRAH SHOW	-	1	0.0 %
AFTER SURGERY TO HEAL	-	1	0.0 %
ALSO RELAXING	-	1	0.0 %
ANTICARCINOGEN	-	1	0.0 %
ANTIOXIDANT	-	1	0.0 %
ANTIOXIDANT EFFECTS	-	1	0.0 %
ANTIOXIDANT NOT AS POWERFUL AS COFFEE	-	1	0.0 %
ANTIOXIDANTS	-	2	0.1 %
ARTHRITIS	-	1	0.0 %
AS AN ANTIOXIDANT	-	1	0.0 %
AVOID CAFFEIN	-	1	0.0 %
AVOID CAFFEINE	-	1	0.0 %
AVOID COFFEE	-	1	0.0 %
BECAUSE I LIKE	-	1	0.0 %
BECAUSE I LIKE IT	-	1	0.0 %
BECAUSE I LIKE TEA	-	1	0.0 %
BECAUSE I LIKE THEM & AVOIDING CAFFEINE	-	1	0.0 %
BETTER SLEEP W/O CAFFEINE	-	1	0.0 %
BLOOD PRESSURE, CHOLESTEROL, SUGAR	-	1	0.0 %
BOWELS	-	1	0.0 %
BRONCHITIS	-	1	0.0 %
CAFFEINE FREE	-	2	0.1 %
CALMING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CANCER PREVENTION	-	1	0.0 %
CANCER PREVENTION & NO CAFFEINE	-	1	0.0 %
CLEANSE BODY SYSTEM	-	1	0.0 %
COFFEE REPLACEMENT1	-	1	0.0 %
COLD/FLU	-	1	0.0 %
CUT DOWN ON COFFEE	-	1	0.0 %
DECREASE CAFFINE INTAKE	-	1	0.0 %
DECREASE INDIGESTION & LIKES IT.	-	1	0.0 %
DETOXIFICATION	-	1	0.0 %
DETOXIFIES THE BODY	-	1	0.0 %
DIGESTION	-	1	0.0 %
DIGESTIVE CANCER	-	1	0.0 %
DON'T DRINK REGULAR TEA	-	1	0.0 %
DON'T WANT TO DRINK CAFFEINE	-	1	0.0 %
DON'T WANT TO TAKE CAFFEIN, NO CALORIE	-	1	0.0 %
DRINK RASPBERRY	-	1	0.0 %
DRINK THEM OCCASSIONALLY	-	1	0.0 %
DRINKING CHAI A LOT LATELY	-	1	0.0 %
ENERGY	-	1	0.0 %
ENERGY, GENERAL HEALING	-	1	0.0 %
ENJOY THEM	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1651-1706 (width: 56; decimal: 0)
Variable Type: character

OTHALT8: Other health practice

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	1290	56.6 %
2	2: Yes	303	13.3 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1707-1708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTS8: Other - Specify

If YES to OTHALT8: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	1977	86.8 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACCUPRESSURE	-	2	0.1 %
AEROBIC EXERCISE	-	1	0.0 %
AEROBICS	-	1	0.0 %
ALOE VERA GEL	-	1	0.0 %
ALOE VERA, PROPOLIS & POLLEN	-	1	0.0 %
ALPHA-LIPOIC ACID, CO Q-10 & L-CARNITINE	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AMATEUR MUSIC PERFORMANCE GROUPS	-	1	0.0 %
ANTI-INFLAMMATORY CREAM (UNKNOWN NAME)	-	1	0.0 %
APPLE CIDER VINEGAR	-	1	0.0 %
AROMATHERAPY	-	2	0.1 %
AUYERVEDIC INTERNAL CLEANSER	-	1	0.0 %
AVOID CAFFIENE	-	1	0.0 %
AYURVEDHA	-	1	0.0 %
BALLET	-	1	0.0 %
BEHAVIOR MODIFICATION SPECIALIST	-	1	0.0 %
BELLY DANCING	-	1	0.0 %
BLACK BEAN JUICE	-	2	0.1 %
BLACK VINEGAR W/ AMONO ACID	-	1	0.0 %
BLACKSTRAP MOLASSES	-	1	0.0 %
BLEND TEA (CHINESE TEA & HERB TEA)	-	1	0.0 %
BODY MASSAGE	-	1	0.0 %
BRAIN LASER THERAPY	-	1	0.0 %
CA	-	1	0.0 %
CALCIUM	-	2	0.1 %
CALCIUM FORTIFIED SOY MILK	-	1	0.0 %
CASTOR OIL & GREEN RUBBING ALCOHOL & HEAT (TOPICAL)	-	1	0.0 %
CAUDERIZATION - CARDIAC ABLATION	-	1	0.0 %
CHANNELING ENERGY	-	1	0.0 %

Value	Label	Unweighted Frequency	%
CHINESE HERB	-	1	0.0 %
CHINESE HERB (EXTERNAL USE)	-	1	0.0 %
CHINESE HERBAL MEDICINE (POWDER FORM)	-	1	0.0 %
CHINESE HERBS	-	3	0.1 %
CHINESE MUSHROOM EXTRACT	-	1	0.0 %
CHIOPRACTOR	-	1	0.0 %
CHIROPRACTIC	-	7	0.3 %
CHIROPRACTIC MEDICINE	-	2	0.1 %
CHIROPRACTIC TREATMENTS	-	1	0.0 %
CHIROPRACTOR	-	20	0.9 %
CINNAMON	-	1	0.0 %
CLONICS	-	1	0.0 %
CO ENZYME Q	-	1	0.0 %
CO-ENZYME Q10	-	1	0.0 %
COD LIVER OIL	-	1	0.0 %
COLONIC COLON CLEANSE	-	1	0.0 %
CRANBERRY HERBAL SUPPLEMENT	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1709-1762 (width: 54; decimal: 0)
Variable Type: character

OTHHAR8: Other - Heart

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	250	11.0 %
2	2: Yes	53	2.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1763-1764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHOST8: Other - Osteoporosis

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	258	11.3 %
2	2: Yes	45	2.0 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1765-1766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEN8: Other - Menopausal symptoms

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	263	11.5 %
2	2: Yes	40	1.8 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 1767-1768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHLOO8: Other - Young Looking

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	257	11.3 %
2	2: Yes	46	2.0 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1769-1770 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHMEM8: Other - Improve Memory

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	264	11.6 %
2	2: Yes	39	1.7 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1771-1772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHPER8: Other - Regulate Periods

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	296	13.0 %
2	2: Yes	7	0.3 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1773-1774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHGEN8: Other - General Health

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	92	4.0 %
2	2: Yes	211	9.3 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1775-1776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHWGH8: Other - Weight

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	256	11.2 %
2	2: Yes	47	2.1 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1777-1778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHADV8: Other - Provider advice

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	275	12.1 %
2	2: Yes	28	1.2 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1779-1780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTHALTR8: Other - Other reason

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	132	5.8 %
2	2: Yes	171	7.5 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1781-1782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOTHA8: Other - Other specify

If YES to OTHALT8: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2107	92.5 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACHES & PAINS	-	1	0.0 %
ALLERGIES, JOINT PAIN	-	1	0.0 %
ALLERGIES, MUSCLE AND BONE HEALTH	-	1	0.0 %
ALSO RELAXATION	-	1	0.0 %
ARTHRITIS ALIGNMENT	-	1	0.0 %
AVOID CHEMICAL IN TAKE	-	1	0.0 %
AVOID COFFEE	-	1	0.0 %
BACK	-	1	0.0 %
BACK AND NECK TENSION	-	1	0.0 %
BACK HEALTH	-	1	0.0 %
BACK PAIN	-	2	0.1 %
BACK PROBLEMS	-	2	0.1 %
BIO FEED BACK	-	1	0.0 %
BONES STRENGTH	-	1	0.0 %
BOOST-UP OF FEMALE HORMONE	-	1	0.0 %
BREATHE BETTER	-	1	0.0 %
CALMING AFFECT	-	1	0.0 %
CALMS ME	-	1	0.0 %
CHOLESTEROL	-	1	0.0 %
CLEANSING	-	1	0.0 %
COLD	-	1	0.0 %
COLD/FLU	-	1	0.0 %
COLDS OR PREVENT COLDS	-	1	0.0 %
CONSTIPATION	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DECREASING FATIGUE	-	1	0.0 %
DEEP RELAXATION	-	1	0.0 %
DEPRESSION	-	1	0.0 %
EMOTIONAL & MENTAL HEALTH	-	1	0.0 %
EMOTIONAL WELL-BEING	-	1	0.0 %
ENERGY BOOSTER	-	1	0.0 %
ENJOY IT	-	1	0.0 %
ENJOYMENT	-	1	0.0 %
ENJOYMENT, RELAXATION	-	1	0.0 %
ENJOYMENT; GOOD FOR THE SOUL	-	1	0.0 %
FAMILY'S HEALTH	-	1	0.0 %
FATIGUE	-	1	0.0 %
FEEL BETTER	-	2	0.1 %
FEEL IT IS BEST WAY OF GETTING CALCIUM	-	1	0.0 %
FEELS GOOD FOR WELL-BEING	-	1	0.0 %
FEELS GOOD, MENTAL HEALTH	-	1	0.0 %
FLEXIBILITY; RELIEVE JOINT PAIN AND MUSCLE PAIN; LOWER BP	-	1	0.0 %
FOR ARTHRITIS PAIN	-	1	0.0 %
FOR BACK	-	1	0.0 %
FOR BACK ACHE	-	1	0.0 %
FOR BACK PAIN	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1783-1839 (width: 57; decimal: 0)
Variable Type: character

OTHALT28: Other health practice 2

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	239	10.5 %
2	2: Yes	64	2.8 %
	Missing Data		
.	-	1975	86.7 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1840-1841 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTALT2S8: Other 2 - Specify

If YES to OTHALT28: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	2214	97.2 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
ACIDOPHILIS	-	1	0.0 %
ALOE VERA EXTRACT	-	1	0.0 %
APPLE CIDER VENEGAR	-	1	0.0 %
AVOID NEGATIVE PEOPLE	-	1	0.0 %
AVOID STRESSFUL SITUATIONS.	-	1	0.0 %
BARLEY POWDER	-	1	0.0 %
BILBERRY	-	1	0.0 %
CALCIUM	-	1	0.0 %
CHIROPRACTOR	-	2	0.1 %
CHLORELLA	-	1	0.0 %
CO Q 10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
EAT NATTO(FERMENTED SOYBEANS), TOFU	-	1	0.0 %
EATIING CHOCOLATE	-	1	0.0 %
ECHINACEA	-	1	0.0 %
EPIDURAL SPINAL INJECTION	-	1	0.0 %
FACIAL	-	1	0.0 %
GARLIC - THYME	-	1	0.0 %
GARLIC EXTRACT	-	1	0.0 %
GARLIC POWDER	-	1	0.0 %
HARMONIOUS HUMAN RELATIONSHIPS	-	1	0.0 %
HEAT STICK TREATMENT TO HANDS	-	1	0.0 %
HERB MIXTURE	-	1	0.0 %
HOMEOPATHIC REMEDIES	-	1	0.0 %
HOMEOPATHY	-	2	0.1 %
INTEGRATIVE MANIPULATIVE THERAPY	-	1	0.0 %
LUTEIN	-	1	0.0 %
MASSAGE	-	4	0.2 %
MASSAGE THERAPIST	-	1	0.0 %
MASSAGE THERAPY	-	2	0.1 %
MEDITATION	-	1	0.0 %
MULTIVITAMINS	-	1	0.0 %
MULTIVITAMINS & MINERALS	-	2	0.1 %
MUSIC	-	1	0.0 %
PAMPER YOURSELF	-	1	0.0 %
PERSONAL RETREAT	-	1	0.0 %
PET THERAPY	-	1	0.0 %
PHYSICAL THERAPY	-	3	0.1 %

Value	Label	Unweighted Frequency	%
PLAY PIANO	-	1	0.0 %
POMEGRANATE JUICE	-	1	0.0 %
PORT WINE	-	1	0.0 %
PSYCHOTHERAPY	-	1	0.0 %
PSYLLIUM	-	1	0.0 %
READ SELF HELP 'BOOK'	-	1	0.0 %
READING SELF-HELP BOOKS	-	1	0.0 %
SAUNA	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1842-1876 (width: 35; decimal: 0)
Variable Type: character

OT2HAR8: Other 2 - Heart

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	61	2.7 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1877-1878 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2OST8: Other 2 - Osteoporosis

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	60	2.6 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1879-1880 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEN8: Other 2 - Menopausal symptoms

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	60	2.6 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1881-1882 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2LOO8: Other 2 - Young Looking

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	60	2.6 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1883-1884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2MEM8: Other 2 - Improve Memory

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	62	2.7 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1885-1886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2PER8: Other 2 - Regulate Periods

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	64	2.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1887-1888 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2GEN8: Other 2 - General Health

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	27	1.2 %
2	2: Yes	37	1.6 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1889-1890 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2WGH8: Other 2 - Weight

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	61	2.7 %
2	2: Yes	3	0.1 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1891-1892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ADV8: Other 2 - Provider advice

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	57	2.5 %
2	2: Yes	7	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1893-1894 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT2ALT8: Other 2 - Other reason

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	39	1.7 %
	Missing Data		
.	-	2214	97.2 %
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1895-1896 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT2A8: Other 2 - Other specify

If YES to OTHALT28: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2239	98.3 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
ALTERNATIVE AGAINST DOCTOR'S ADVICE	-	1	0.0 %
BACK, NECK PROBLEMS	-	1	0.0 %
BONE AND MUSCLE HEALTH	-	1	0.0 %
DETOXIFICATION; STRENGTHENING IMMUNE SYSTEM	-	1	0.0 %
DO NOT LIKE PEOPLE TO BE UPSET OR MAD WITH ME.	-	1	0.0 %
EYES	-	1	0.0 %
FEEL GOOD	-	1	0.0 %
FEELS GOOD	-	1	0.0 %
FIGHTING FATIGUE	-	1	0.0 %
FOR EYES	-	1	0.0 %
FOR JOINT STRETCHING	-	1	0.0 %
FOR KNEE PAIN	-	1	0.0 %
FOR MENTAL HEALTH REASON	-	1	0.0 %
FOR PAIN MGMT.	-	1	0.0 %
KNEES-ARTHRITIS	-	1	0.0 %
LESS STRESS.	-	1	0.0 %
LOWER CHOLESTEROL, ADD FIBER, CLEAN OUT THE COLON, FEEL FULL	-	1	0.0 %
MAINLY FOR ARTHRITIS	-	1	0.0 %
MOTHER'S ADVICE; BETTER CIRCULATION	-	1	0.0 %
NATURAL PREVENTION	-	1	0.0 %
PHYSICAL STRENGTH	-	1	0.0 %
PREVENT BACTERIA WHEN TAKE ANTIBIOTICS	-	1	0.0 %
REDUCE PAIN, GET STRONGER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
RELAXATION	-	3	0.1 %
RELIEVES TENSION	-	1	0.0 %
REVITILIZATION, FEEL BETTER	-	1	0.0 %
STRESS REDUCTION, TENDINITIS	-	1	0.0 %
STRESS RELIEVE	-	1	0.0 %
SUPPLEMENTING DIET	-	1	0.0 %
TO ALLEVIATE ARTHRITIS	-	1	0.0 %
TO REDUCE SHOULDER, NECK PAIN	-	1	0.0 %
TO RELAX & TONE MY FACIAL, ARM & NECK MUSCLES	-	1	0.0 %
TO RELIEVE BODY TENSION	-	1	0.0 %
TO RELIEVE JOINT OF MUSCLE PAIN	-	1	0.0 %
TO RELIEVE MUSCLE AND JOINT PAIN	-	1	0.0 %
TO TREAT PAIN IN BOTH THUMBS	-	1	0.0 %
TREATMENT FOR ALS	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1897-1956 (width: 60; decimal: 0)
Variable Type: character

OTHALT38: Other health practice 3

During the past 12 months, have you used any of the following for your health? Any other health practice or remedy

Value	Label	Unweighted Frequency	%
1	1: No	43	1.9 %
2	2: Yes	21	0.9 %
	Missing Data		
.	-	2214	97.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 64 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1957-1958 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OTALT3S8: Other 3 - Specify

If YES to OTHALT38: During the past 12 months, have you used any of the following for your health? Any other health practice or remedy - Specify

Value	Label	Unweighted Frequency	%
	-	2257	99.1 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BACK STABILIZATION EXERCISE CLASS	-	1	0.0 %
BARLEY POWDER DRINK	-	1	0.0 %
CHINESE HERB	-	1	0.0 %
CHIROPRACTOR	-	1	0.0 %
CINAMON PILLS	-	1	0.0 %
CROSS COUNTY SKIING	-	1	0.0 %
EAT NUTS	-	1	0.0 %
ENERGY HEALING	-	1	0.0 %
FACIALS	-	1	0.0 %
JAPANESE MULTIVITAMINS CUPI-GOLD	-	1	0.0 %
LISTEN TO MUSIC & READING	-	1	0.0 %
MASSAGE	-	1	0.0 %
MEDITATION	-	1	0.0 %
MULTIVITAMINS, MINERALS & COENZYME Q10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
PHYSICAL THERAPIST	-	2	0.1 %
PURE PLANTAGO HUSKS	-	1	0.0 %
QUIET TIME	-	1	0.0 %
SING, CRAFTS, UTILIZE SUPPORT NETWORK	-	1	0.0 %
SOY & TURMERIC POWDER	-	1	0.0 %
VEGITABLE-RICH DIET	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 1959-1996 (width: 38; decimal: 0)
Variable Type: character

OT3HAR8: Other 3 - Heart

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of heart disease?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.9 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1997-1998 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3OST8: Other 3 - Osteoporosis

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To reduce the risk of osteoporosis?

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %

Value	Label	Unweighted Frequency	%
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1999-2000 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEN8: Other 3 - Menopausal symptoms

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To relieve menopausal symptoms?

Value	Label	Unweighted Frequency	%
1	1: No	20	0.9 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2001-2002 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3LOO8: Other 3 - Young Looking

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To stay young-looking?

Value	Label	Unweighted Frequency	%
1	1: No	19	0.8 %
2	2: Yes	2	0.1 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2003-2004 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3MEM8: Other 3 - Improve Memory

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To improve memory?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2005-2006 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3PER8: Other 3 - Regulate Periods

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To regulate periods?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2007-2008 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3GEN8: Other 3 - General Health

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: For general health?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	12	0.5 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2009-2010 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3WGH8: Other 3 - Weight

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: To lose weight or to stay the same weight?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2011-2012 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ADV8: Other 3 - Provider advice

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: On advice from health care provider?

Value	Label	Unweighted Frequency	%
1	1: No	21	0.9 %
2	2: Yes	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2013-2014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OT3ALT8: Other 3 - Other reason

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy?

Value	Label	Unweighted Frequency	%
1	1: No	6	0.3 %
2	2: Yes	15	0.7 %
	Missing Data		
.	-	2257	99.1 %
	Total	**2,278**	**100%**

Based upon 21 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2015-2016 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WHYOT3A8: Other 3 - Other specify

If YES to OTHALT38: Please tell me whether or not you use any other health practice or remedy: Is there any other reason you use any other health practice or remedy? Specify

Value	Label	Unweighted Frequency	%
	-	2263	99.3 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %

Value	Label	Unweighted Frequency	%
AVOIDING ADDITIVES; LOWERING CALORIES IN FOOD	-	1	0.0 %
BONE AND MUSCLE HEALTH	-	1	0.0 %
CHOLESTEROL & DIABETES	-	1	0.0 %
DIGESTION	-	1	0.0 %
FEEL BETTER	-	1	0.0 %
GAIN STRENGTH, REDUCE PHYSICAL PAIN, GET CONTROL	-	1	0.0 %
GI HEALTH	-	1	0.0 %
HEADACHES, FATIGUE	-	1	0.0 %
JOINT STRETCHING	-	1	0.0 %
MENTAL HEALTH	-	1	0.0 %
MUSCLE AND JOINT	-	1	0.0 %
RELAXATION & PERSONAL ENTERTAINMENT.	-	1	0.0 %
TO RECOVER FROM FATIGUE	-	1	0.0 %
TO RELAX	-	1	0.0 %
TO RELIEVE NECK PAIN	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2017-2064 (width: 48; decimal: 0)
Variable Type: character

ANEMIA8: Anemia since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Anemia?

Value	Label	Unweighted Frequency	%
1	1: No	2035	89.3 %
2	2: Yes	138	6.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,173 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2065-2066 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIABETE8: Diabetes since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Diabetes?

Value	Label	Unweighted Frequency	%
1	1: No	2045	89.8 %
2	2: Yes	226	9.9 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	2	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,271 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2067-2068 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIGHBP8: Hypertension since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High blood pressure or hypertension?

Value	Label	Unweighted Frequency	%
1	1: No	1614	70.9 %
2	2: Yes	654	28.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	5	0.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,268 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2069-2070 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HBCHOLE8: High cholesterol since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? High cholesterol?

Value	Label	Unweighted Frequency	%
1	1: No	1561	68.5 %
2	2: Yes	610	26.8 %
	Missing Data		
-8	-8: Do not know	5	0.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,171 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2071-2072 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MIGRAIN8: Migraines since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Migraines?

Value	Label	Unweighted Frequency	%
1	1: No	2041	89.6 %
2	2: Yes	132	5.8 %
	Missing Data		
-8	-8: Do not know	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,173 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2073-2074 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROKE8: Stroke since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Stroke?

Value	Label	Unweighted Frequency	%
1	1: No	2160	94.8 %
2	2: Yes	15	0.7 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,175 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2075-2076 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOAR8: Arthritis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Arthritis or osteoarthritis (degenerative joint disease)?

Value	Label	Unweighted Frequency	%
1	1: No	1801	79.1 %
2	2: Yes	468	20.5 %
	Missing Data		
-8	-8: Do not know	5	0.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,269 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2077-2078 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYROID8: Over/underactive Thyroid since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Overactive or underactive thyroid?

Value	Label	Unweighted Frequency	%
1	1: No	2028	89.0 %
2	2: Yes	238	10.4 %
	Missing Data		
-8	-8: Do not know	7	0.3 %
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,266 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2079-2080 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEARTAT8: Heart attack since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Heart attack?

Value	Label	Unweighted Frequency	%
1	1: No	2259	99.2 %
2	2: Yes	12	0.5 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,271 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 2081-2082 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ANGINA8: Angina since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Angina?

Value	Label	Unweighted Frequency	%
1	1: No	2246	98.6 %
2	2: Yes	25	1.1 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-7	-7: Refused	2	0.1 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,271 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2083-2084 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OSTEOPR8: Osteoporosis since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Osteoporosis (brittle or thinning bones)?

Value	Label	Unweighted Frequency	%
1	1: No	2155	94.6 %
2	2: Yes	113	5.0 %
	Missing Data		
-8	-8: Do not know	6	0.3 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,268 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2085-2086 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SKCNCER8: Skin cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	2139	93.9 %
2	2: Yes	31	1.4 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
-7	-7: Refused	3	0.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,170 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2087-2088 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MECNCER8: Melanoma since last visit

If YES to SKCNCER8: What type of cancer were you told you had? Melanoma?

Value	Label	Unweighted Frequency	%
1	1: No	25	1.1 %
2	2: Yes	4	0.2 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	2145	94.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 29 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2089-2090 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NMECNCR8: Non melanoma skin cancer since last visit

If YES to SKCNCER8: What type of cancer were you told you had? Non melanoma skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	5	0.2 %
2	2: Yes	25	1.1 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2145	94.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 30 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2091-2092 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CANCERS8: Cancer since last visit

Since your last study visit, has a doctor, nurse practitioner or other health care provider told you that you had any of the following conditions or treated you for them? Cancer, or other skin cancer?

Value	Label	Unweighted Frequency	%
1	1: No	2239	98.3 %
2	2: Yes	31	1.4 %
	Missing Data		
-8	-8: Do not know	4	0.2 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,270 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2093-2094 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PSITECA8: Primary site of cancer

If YES to CANCERS8: What is/was the primary site of the cancer?

Value	Label	Unweighted Frequency	%
1	1: One Breast	13	0.6 %
2	2: Both Breasts	2	0.1 %
3	3: Ovary	2	0.1 %
4	4: Uterus	3	0.1 %
5	5: Cervix	2	0.1 %
6	6: Leukemia	1	0.0 %
7	7: Lung	0	0.0 %
8	8: Colon	0	0.0 %
9	9: Rectum	0	0.0 %
10	10: Throat	1	0.0 %
11	11: Other cancer	7	0.3 %
	Missing Data		
-1	-1: N/A	2243	98.5 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 31 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2095-2096 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SITESPE8: Other site of cancer-specify

If YES to CANCERS8: What is the primary site of the cancer? Specify.

Value	Label	Unweighted Frequency	%
	-	4	0.2 %
-1	-1: N/A	2267	99.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
APPENDIX	-	1	0.0 %
LYMPHOMA ON NECK	-	1	0.0 %
MARGINAL B-CELL LYMPHOMA	-	1	0.0 %
NOSE	-	1	0.0 %
PANCREAS	-	1	0.0 %
THYROID	-	1	0.0 %

Value	Label	Unweighted Frequency	%
THYROID CANCER	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2097-2120 (width: 24; decimal: 0)
Variable Type: character

TAMOXIF8: Taken Tamoxifen since last visit

If BREAST CANCER: Have you taken Tamoxifen since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	9	0.4 %
2	2: Yes	5	0.2 %
	Missing Data		
-1	-1: N/A	2162	94.9 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 14 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2121-2122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHEMOTH8: Chemotherapy/radiation for cancer

Since your last study visit, have you received chemotherapy or radiation treatment for this cancer?

Value	Label	Unweighted Frequency	%
1	1: No	17	0.7 %
2	2: Yes	13	0.6 %
	Missing Data		
-1	-1: N/A	2146	94.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 30 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2123-2124 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BROKEBO8: Number events where bone(s) broken since last visit

How many times have you broken or fractured one or more bones since your last study visit? # of events where bone(s) were broken or fractured

Value	Label	Unweighted Frequency	%
0	0 times	2228	97.8 %
1	1 times	44	1.9 %
2	2 times	1	0.0 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 2125-2126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES18: Bone #1 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2233	98.0 %
-1	-1: N/A	0	0.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	7	0.3 %
-9	-9: Missing	0	0.0 %
2ND TO THE SMALLEST TOE ON THE LEFT FOOT	-	1	0.0 %
BIG TOE	-	1	0.0 %
BOTH ANKLE	-	1	0.0 %
FINGER	-	1	0.0 %
FOOT	-	1	0.0 %
LAST DIGIT ON RT FOOT	-	1	0.0 %
LEFT ANKLE	-	3	0.1 %

Value	Label	Unweighted Frequency	%
LEFT ANKLE (FIBULA)	-	1	0.0 %
LEFT FEMUR	-	1	0.0 %
LEFT FOOT	-	1	0.0 %
LEFT GREAT TOE AND NEXT TO	-	1	0.0 %
LEFT KNEE	-	2	0.1 %
LEFT PINKY	-	1	0.0 %
LEFT TIBIA, FIBULA	-	1	0.0 %
LEFT TOE METATARSEL	-	1	0.0 %
LEFT WRIST	-	1	0.0 %
RIGHT 5TH METATARSAL	-	1	0.0 %
RIGHT ANKLE	-	4	0.2 %
RIGHT BIG TOE	-	1	0.0 %
RIGHT ELBOW/RADIAL HEAD	-	1	0.0 %
RIGHT FIBIA	-	1	0.0 %
RIGHT FINGER	-	1	0.0 %
RIGHT FOOT	-	2	0.1 %
RIGHT FOOT (SIDE)	-	1	0.0 %
RIGHT FOOT, NEAR ANKLE	-	1	0.0 %
RIGHT LEG - TIBIA	-	1	0.0 %
RIGHT RIBS	-	1	0.0 %
RIGHT THIN BONE ON OUTSIDE ABOVE ANKLE	-	1	0.0 %
RIGHT WRIST	-	1	0.0 %
RIGHT, ABOVE ELBOW	-	1	0.0 %
TOE	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2127-2166 (width: 40; decimal: 0)
Variable Type: character

HAPPEN18: How happened #1

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	16	0.7 %
2	2: Yes	22	1.0 %
	Missing Data		
-8	-8: Do not know	7	0.3 %
.	-	2233	98.0 %
	Total	**2,278**	**100%**

Based upon 38 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2167-2168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES28: Bone #2 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2233	98.0 %
-1	-1: N/A	42	1.8 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
KNEE SHATTERED	-	1	0.0 %
LEG (TIBULA)	-	1	0.0 %
SMALL TOE	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2169-2182 (width: 14; decimal: 0)
Variable Type: character

HAPPEN28: How happened #2

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-9	-9: Missing	3	0.1 %
-1	-1: N/A	42	1.8 %
.	-	2233	98.0 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2183-2184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BONES38: Bone #3 broken

Which bones did you break or fracture?

Value	Label	Unweighted Frequency	%
	-	2233	98.0 %
-1	-1: N/A	45	2.0 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2185-2186 (width: 2; decimal: 0)
Variable Type: character

HAPPEN38: How happened #3

How did it happen? Was it for any of the following reasons?: After a fall from a height above the ground greater than six inches; in a motor vehicle accident; while moving fast, like running, bicycling or skating; while playing sports; or because something heavy fell on you or struck you.

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	45	2.0 %
.	-	2233	98.0 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2187-2188 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DANDC8: Dilation and Curettage (D & C) since last visit

Since your last study visit, have you had any of the following surgeries or procedures? D and C, a scraping of the uterus for any reason, including abortion?

Value	Label	Unweighted Frequency	%
1	1: No	2146	94.2 %
2	2: Yes	30	1.3 %
	Missing Data		
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,176 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2189-2190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMDAND8: Dilation and Curettage (D & C) number of times

Since your last study visit, how many times have you had a D and C? Number of times

Value	Label	Unweighted Frequency	%
1	Had a D & C one time	29	1.3 %
2	Had a D & C two times	1	0.0 %
	Missing Data		
-1	-1: N/A	2146	94.2 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 30 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2191-2192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTERE8: Hysterectomy since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2251	98.8 %
2	2: Yes	23	1.0 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2193-2194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HYSTDAY8: Day of hysterectomy

Since your last study visit, have you had any of the following surgeries or procedures? Hysterectomy (an operation to remove your uterus or womb)? When was this performed?

Value	Label	Unweighted Frequency	%
1427	-	1	0.0 %
1447	-	1	0.0 %
1485	-	1	0.0 %
1523	-	1	0.0 %
1940	-	1	0.0 %
2070	-	1	0.0 %
2568	-	1	0.0 %
2573	-	1	0.0 %
2603	-	1	0.0 %
2615	-	1	0.0 %
2637	-	1	0.0 %
2702	-	1	0.0 %
2739	-	1	0.0 %
2761	-	1	0.0 %
2801	-	1	0.0 %
2842	-	1	0.0 %
2873	-	1	0.0 %
2881	-	1	0.0 %
2883	-	1	0.0 %
2888	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2898	-	1	0.0 %
2944	-	1	0.0 %
2998	-	1	0.0 %
	Missing Data		
.	-	2255	99.0 %
	Total	**2,278**	**100%**

Based upon 23 valid cases out of 2,278 total cases.

- Mean: 2482.52
- Median: 2702.00
- Minimum: 1427.00
- Maximum: 2998.00
- Standard Deviation: 537.15

Location: 2195-2198 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

OOPHORE8: Ovaries removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have one or both ovaries removed (an oophorectomy)?

Value	Label	Unweighted Frequency	%
1	1: No	2247	98.6 %
2	2: Yes	26	1.1 %
	Missing Data		
-9	-9: Missing	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2199-2200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONEOVAR8: One or both ovaries removed

Since your last study visit, have you had any of the following surgeries or procedures? Was one ovary removed or were both ovaries removed?

Value	Label	Unweighted Frequency	%
1	1: One Ovary Removed	3	0.1 %
2	2: Both Ovaries Removed	22	1.0 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	2247	98.6 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 25 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2201-2202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLATIN8: Endometrial ablation since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Did you have an endometrial ablation (a procedure to reduce or eliminate menstrual periods by partially or completely destroying the lining of the uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2165	95.0 %
2	2: Yes	10	0.4 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,175 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2203-2204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UTERPRO8: Uterine procedure since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Any other procedures, other than D and C, for example: cesarean section, IUD insertion, fibroid removal or endometrial biopsy?

Value	Label	Unweighted Frequency	%
1	1: No	2107	92.5 %
2	2: Yes	67	2.9 %
	Missing Data		
-8	-8: Do not know	2	0.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,174 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2205-2206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

THYRREM8: Thyroid gland removed since last visit

Since your last study visit, have you had any of the following surgeries or procedures? Thyroid gland removed?

Value	Label	Unweighted Frequency	%
1	1: No	2172	95.3 %
2	2: Yes	4	0.2 %
	Missing Data		
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,176 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2207-2208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENDO8: Endometriosis since last visit

Since your last study visit, have you had any of the following conditions? Endometriosis diagnosed by a physician (abnormal growths in lining of uterus)?

Value	Label	Unweighted Frequency	%
1	1: No	2161	94.9 %
2	2: Yes	12	0.5 %
	Missing Data		
-8	-8: Do not know	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,173 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2209-2210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVCPN8: Pelvic pain since last visit

Since your last study visit, have you had any of the following conditions? Pelvic pain (pain in the lowest part of the abdomen)?

Value	Label	Unweighted Frequency	%
1	1: No	2061	90.5 %
2	2: Yes	113	5.0 %
	Missing Data		
-8	-8: Do not know	2	0.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,174 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2211-2212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROLAPS8: Pelvic prolapse since last visit

Since your last study visit, have you had any of the following conditions? Pelvic prolapse or relaxation (the uterus, bladder, or rectum drops, sometimes bulging out of vagina)?

Value	Label	Unweighted Frequency	%
1	1: No	2146	94.2 %
2	2: Yes	27	1.2 %
	Missing Data		
-8	-8: Do not know	3	0.1 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,173 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2213-2214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABBLEED8: Abnormal vaginal bleeding since last visit

Since your last study visit, have you had any of the following conditions? Abnormal vaginal bleeding (bleeding from the vagina that is different enough from your normal pattern to be a concern: irregular, heavy, or long in duration)?

Value	Label	Unweighted Frequency	%
1	1: No	2083	91.4 %
2	2: Yes	92	4.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	102	4.5 %
	Total	**2,278**	**100%**

Based upon 2,175 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2215-2216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FIBRUTR8: Fibroids since last visit

Since your last study visit, have you had any of the following conditions? Fibroids (benign growths in the uterus or womb)?

Value	Label	Unweighted Frequency	%
1	1: No	2069	90.8 %
2	2: Yes	198	8.7 %
	Missing Data		
-8	-8: Do not know	6	0.3 %
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,267 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2217-2218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRVIDER8: Health care provider for women's health

Do you have a health care provider from whom you primarily get your care for women's health conditions? (If you have an obstetrician or gynecologist (ob/gyn) refer to him or her. If you don't, refer to the person from whom you get care for women's health).

Value	Label	Unweighted Frequency	%
1	1: No	199	8.7 %
2	2: Yes	1394	61.2 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2219-2220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROFDEG8: Professional degree of health care provider

What professional degree does this health care provider have? If you are not sure, please make your best guess.

Value	Label	Unweighted Frequency	%
1	1: Medical Doctor (MD)	1232	54.1 %
2	2: Dr. of Osteopathy (DO)	24	1.1 %
3	3: Chiropractor (DC)	1	0.0 %
4	4: Registered Nurse (RN)	4	0.2 %
5	5: Nurse Practitioner (NP)	116	5.1 %
6	6: Physician Assistant (PA)	8	0.4 %
7	7: Other: Specify	3	0.1 %
	Missing Data		
-8	-8: Do not know	6	0.3 %
-1	-1: N/A	199	8.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,388 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 2221-2222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIFY8: Professional degree - other specify

What professional degree does this health care provider have? If you are not sure, please make your best guess - Specify

Value	Label	Unweighted Frequency	%
	-	685	30.1 %
-1	-1: N/A	1590	69.8 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
DOCTOR OF CHINESE MEDICINE	-	1	0.0 %
IRIDOLOGIST	-	1	0.0 %
NO CERTAIN M.D.	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2223-2248 (width: 26; decimal: 0)
Variable Type: character

PROVSPC8: Provider's specialty

Which of the following best describes this provider's speciality?

Value	Label	Unweighted Frequency	%
1	1: Family Practitioner	319	14.0 %
2	2: Internist	231	10.1 %
3	3: Gynecologist	675	29.6 %
4	4: Naturopath	1	0.0 %
5	5: Other	10	0.4 %
6	6: No specialty	1	0.0 %
	Missing Data		
-8	-8: Do not know	22	1.0 %
-1	-1: N/A	334	14.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,237 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2249-2250 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPECIAL8: Health care provider specialty - other specify

Which of the following best describes this provider's speciality? - Specify

Value	Label	Unweighted Frequency	%
	-	685	30.1 %
-1	-1: N/A	1583	69.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHINESE MEDICINE	-	1	0.0 %
ENDOCRINOLOGIST AND GENERAL PRACTITIONER	-	1	0.0 %
FAMILY PRACTICE/SURGEON	-	1	0.0 %
GYNECOLOGIST ONCOLOGY	-	1	0.0 %
INFECTIOUS DISEASE	-	1	0.0 %
INTERNIST + OB-GYN	-	1	0.0 %
OSTEOPATHY	-	1	0.0 %
PRIMARY CARE PHYSICIAN	-	1	0.0 %
WOMEN'S HEALTH	-	1	0.0 %
WOMENS' HEALTH	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2251-2290 (width: 40; decimal: 0)
Variable Type: character

PROVTIM8: Time spent by health care provider each visit on average

On average, how much time does this health care provider spend with you at each visit?

Value	Label	Unweighted Frequency	%
1	1: 0-5 minutes	39	1.7 %
2	2: 6-10 minutes	154	6.8 %
3	3: 11-15 minutes	304	13.3 %
4	4: 16-20 minutes	315	13.8 %
5	5: 21-30 minutes	365	16.0 %
6	6: > 30 minutes	205	9.0 %
	Missing Data		
-8	-8: Do not know	12	0.5 %
-1	-1: N/A	199	8.7 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,382 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2291-2292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEEDNG8: Menstrual bleeding since last visit

Did you have any menstrual bleeding since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	1305	57.3 %
2	2: Yes	741	32.5 %
	Missing Data		
-1	-1: N/A	228	10.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,046 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2293-2294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLD3MON8: Menstrual bleeding in last 3 months

Did you have any menstrual bleeding in the last 3 months?

Value	Label	Unweighted Frequency	%
1	1: No	199	8.7 %
2	2: Yes	532	23.4 %
	Missing Data		
-1	-1: N/A	960	42.1 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 731 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2295-2296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LMPDAY8: Last Menstrual Period Day

What was the date that you started your most recent menstrual bleeding?

Value	Label	Unweighted Frequency	%
2382	-	1	0.0 %
2504	-	1	0.0 %
2510	-	1	0.0 %
2552	-	1	0.0 %
2558	-	1	0.0 %
2561	-	1	0.0 %
2572	-	1	0.0 %
2573	-	1	0.0 %
2575	-	1	0.0 %
2578	-	1	0.0 %
2581	-	2	0.1 %
2585	-	1	0.0 %
2586	-	1	0.0 %
2591	-	1	0.0 %
2593	-	1	0.0 %
2604	-	1	0.0 %
2610	-	1	0.0 %
2619	-	1	0.0 %
2621	-	1	0.0 %
2629	-	1	0.0 %
2630	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2631	-	1	0.0 %
2634	-	1	0.0 %
2635	-	2	0.1 %
2637	-	2	0.1 %
2645	-	1	0.0 %
2646	-	1	0.0 %
2648	-	1	0.0 %
2653	-	1	0.0 %
2656	-	1	0.0 %
2658	-	2	0.1 %
2664	-	1	0.0 %
2665	-	1	0.0 %
2668	-	1	0.0 %
2669	-	1	0.0 %
2670	-	2	0.1 %
2673	-	1	0.0 %
2674	-	1	0.0 %
2680	-	1	0.0 %
2683	-	2	0.1 %
2686	-	1	0.0 %
2689	-	1	0.0 %
2691	-	1	0.0 %
2692	-	1	0.0 %
2698	-	2	0.1 %
2699	-	1	0.0 %
2700	-	1	0.0 %
2703	-	1	0.0 %
2704	-	2	0.1 %
2708	-	1	0.0 %
	Missing Data		
.	-	1541	67.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 737 valid cases out of 2,278 total cases.

- Mean: 2883.19
- Minimum: 2382.00
- Maximum: 3404.00
- Standard Deviation: 112.33

Location: 2297-2300 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DESCPER8: Describe your menstrual periods

During times when you were not using birth control pills or other hormone medications: Which of the following best describes your menstrual periods since your last study visit? Have they:

Value	Label	Unweighted Frequency	%
1	1: Become Farther Apart	309	13.6 %
2	2: Become Closer Together	54	2.4 %
3	3: Occurred At More Variable Intervals	195	8.6 %
4	4: Stayed The Same	116	5.1 %
5	5: Become More Regular	11	0.5 %
	Missing Data		
-8	-8: Do not know	7	0.3 %
-1	-1: N/A	999	43.9 %
.	-	587	25.8 %
	Total	**2,278**	**100%**

Based upon 685 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2301-2302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LENGCYL8: Length of menstrual cycle

During times when you were not using birth control pills or other hormone medications: A menstrual cycle is the period of time from the beginning of bleeding from one menstrual period to the beginning of bleeding of the next menstrual period. Since your last study visit, what was the usual length of your menstrual cycles?

Value	Label	Unweighted Frequency	%
1	1: < 24 days	46	2.0 %
2	2: 24-35 days	250	11.0 %
3	3: > 35 days	90	4.0 %
4	4: Too variable to say	276	12.1 %
	Missing Data		
-8	-8: Do not know	2	0.1 %
-1	-1: N/A	929	40.8 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 662 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2303-2304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRGNANT8: Pregnant since last visit

Since your last study visit, have you been pregnant? Please include live births, stillbirths, abortions, miscarriages, tubal or ectopic pregnancies.

Value	Label	Unweighted Frequency	%
1	1: No	1592	69.9 %
2	2: Yes	1	0.0 %
	Missing Data		
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1,593 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2305-2306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OUTCOME8: Outcome of pregnancy

If YES to PRGNANT8: What was the outcome of the pregnancy?

Value	Label	Unweighted Frequency	%
1	1: Live Birth	0	0.0 %
2	2: Still Birth	0	0.0 %
3	3: Miscarriage	1	0.0 %
4	4: Abortion	0	0.0 %
5	5: Tubal (Ectopic) Pregnancy	0	0.0 %
6	6: Still Pregnant	0	0.0 %
	Missing Data		
-1	-1: N/A	1592	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 1 valid cases out of 2,278 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 2307-2308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTFEE8: Currently breastfeeding

FOR LIVE BIRTHS ONLY: Are you currently breastfeeding?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	0	0.0 %
	Missing Data		
-1	-1: N/A	1593	69.9 %
.	-	685	30.1 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2309-2310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QLTYLIF8: Quality of life

Thinking about your quality of life at the present time, I'd like you to give it a rating where 0 represents the worst possible quality for you and 10 represents the best possible quality for you. Looking at this line, how would you rate your overall quality of life at the present time? Choose a number between 0 and 10.

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	4	0.2 %
2	-	14	0.6 %
3	-	31	1.4 %
4	-	55	2.4 %
5	-	151	6.6 %
6	-	193	8.5 %
7	-	463	20.3 %
8	-	750	32.9 %
9	-	401	17.6 %
10	-	209	9.2 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Mean: 7.57
- Median: 8.00
- Mode: 8.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.61

Location: 2311-2312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSERL8: How many close friends

About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Unweighted Frequency	%
0	-	17	0.7 %
1	-	54	2.4 %
2	-	186	8.2 %
3	-	324	14.2 %
4	-	304	13.3 %
5	-	372	16.3 %
6	-	234	10.3 %
7	-	86	3.8 %
8	-	106	4.7 %
9	-	29	1.3 %
10	-	250	11.0 %
11	-	3	0.1 %
12	-	49	2.2 %
13	-	2	0.1 %
14	-	2	0.1 %
15	-	40	1.8 %
16	-	2	0.1 %
18	-	2	0.1 %
20	-	48	2.1 %
23	-	1	0.0 %
25	-	5	0.2 %
30	-	8	0.4 %
40	-	3	0.1 %

Value	Label	Unweighted Frequency	%
55	-	1	0.0 %
99	-	1	0.0 %
	Missing Data		
-8	-8: Do not know	9	0.4 %
-7	-7: Refused	3	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 2,129 valid cases out of 2,278 total cases.

- Mean: 6.13
- Median: 5.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 4.88

Location: 2313-2314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LISTEN8: Support - someone to listen

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available if you need it? Someone you can count on to listen to you when you talk?

Value	Label	Unweighted Frequency	%
1	1: None Of The Time	17	0.7 %
2	2: A Little Of The Time	43	1.9 %
3	3: Some Of The Time	167	7.3 %
4	4: Most Of The Time	768	33.7 %
5	5: All Of The Time	1146	50.3 %
	Missing Data		
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 2,141 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2315-2316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TAKETOM8: Support - take to doctor

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available if you need it? Someone to take you to the doctor if you needed it?

Value	Label	Unweighted Frequency	%
1	1: None Of The Time	34	1.5 %
2	2: A Little Of The Time	71	3.1 %
3	3: Some Of The Time	195	8.6 %
4	4: Most Of The Time	577	25.3 %
5	5: All Of The Time	1263	55.4 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 2,140 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2317-2318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONFIDE8: Support - confide in

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available if you need it? Someone to confide in or talk to about yourself or your problems?

Value	Label	Unweighted Frequency	%
1	1: None Of The Time	21	0.9 %
2	2: A Little Of The Time	47	2.1 %
3	3: Some Of The Time	208	9.1 %
4	4: Most Of The Time	749	32.9 %
5	5: All Of The Time	1115	48.9 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 2,140 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2319-2320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HELPSIC8: Support - help with chores when sick

People sometimes look to others for companionship, assistance, or other types of support. How often is each of the following kinds of support available if you need it? Someone to help with daily chores if you were sick?

Value	Label	Unweighted Frequency	%
1	1: None Of The Time	94	4.1 %
2	2: A Little Of The Time	189	8.3 %
3	3: Some Of The Time	376	16.5 %
4	4: Most Of The Time	625	27.4 %
5	5: All Of The Time	854	37.5 %
	Missing Data		
-7	-7: Refused	3	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 2,138 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2321-2322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONTROL8: Unable to control important things in your life

In the past two weeks you have: Felt unable to control important things in your life?

Value	Label	Unweighted Frequency	%
1	1: Never	930	40.8 %
2	2: Almost Never	700	30.7 %
3	3: Sometimes	494	21.7 %
4	4: Fairly Often	103	4.5 %
5	5: Very Often	46	2.0 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2323-2324 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABILITY8: Confident in ability to handle problems

In the past two weeks you have: Felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
1	1: Never	26	1.1 %
2	2: Almost Never	60	2.6 %
3	3: Sometimes	348	15.3 %
4	4: Fairly Often	785	34.5 %
5	5: Very Often	1055	46.3 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2325-2326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

YOURWAY8: Things were going your way

In the past two weeks you have: Felt that things were going your way?

Value	Label	Unweighted Frequency	%
1	1: Never	26	1.1 %
2	2: Almost Never	96	4.2 %
3	3: Sometimes	567	24.9 %
4	4: Fairly Often	994	43.6 %
5	5: Very Often	591	25.9 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2327-2328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PILING8: Difficulties piling up

In the past two weeks you have: Felt difficulties piling so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
1	1: Never	1036	45.5 %
2	2: Almost Never	769	33.8 %
3	3: Sometimes	363	15.9 %
4	4: Fairly Often	78	3.4 %
5	5: Very Often	28	1.2 %
	Missing Data		
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,274 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2329-2330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTHER8: Bothered past week

During the past week: I was bothered by things that usually don't bother me.

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1024	45.0 %
2	2: Some/A Little Of The Time (1-2 Days)	360	15.8 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	139	6.1 %
4	4: Most/All Of The Time (5-7 Days)	35	1.5 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2331-2332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

APPETIT8: Lost appetite past week

During the past week: I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1305	57.3 %
2	2: Some/A Little Of The Time (1-2 Days)	194	8.5 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	46	2.0 %
4	4: Most/All Of The Time (5-7 Days)	13	0.6 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2333-2334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUES8: Had blues past week

During the past week: I felt that I could not shake off the blues even with help from my friends

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1210	53.1 %
2	2: Some/A Little Of The Time (1-2 Days)	248	10.9 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	71	3.1 %
4	4: Most/All Of The Time (5-7 Days)	29	1.3 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2335-2336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GOOD8: As good as others past week

During the past week: I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	27	1.2 %
2	2: Some/A Little Of The Time (1-2 Days)	71	3.1 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	164	7.2 %
4	4: Most/All Of The Time (5-7 Days)	1295	56.8 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,557 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2337-2338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KEEPMIN8: Mind on what doing past week

During the past week: I had trouble keeping my mind in what I was doing

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	706	31.0 %
2	2: Some/A Little Of The Time (1-2 Days)	508	22.3 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	292	12.8 %
4	4: Most/All Of The Time (5-7 Days)	52	2.3 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2339-2340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DEPRESS8: Felt depressed past week

During the past week: I felt depressed

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1060	46.5 %

Value	Label	Unweighted Frequency	%
2	2: Some/A Little Of The Time (1-2 Days)	341	15.0 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	101	4.4 %
4	4: Most/All Of The Time (5-7 Days)	56	2.5 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2341-2342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EFFORT8: Everything an effort past week

During the past week: I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	947	41.6 %
2	2: Some/A Little Of The Time (1-2 Days)	390	17.1 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	132	5.8 %
4	4: Most/All Of The Time (5-7 Days)	89	3.9 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2343-2344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOPEFUL8: Hopeful about future past week

During the past week: I felt hopeful about the future

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	46	2.0 %
2	2: Some/A Little Of The Time (1-2 Days)	149	6.5 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	327	14.4 %

Value	Label	Unweighted Frequency	%
4	4: Most/All Of The Time (5-7 Days)	1036	45.5 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2345-2346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILURE8: Life has been failure past week

During the past week: I thought my life had been a failure

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1354	59.4 %
2	2: Some/A Little Of The Time (1-2 Days)	141	6.2 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	53	2.3 %
4	4: Most/All Of The Time (5-7 Days)	9	0.4 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,557 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2347-2348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFUL8: Felt fearful past week

During the past week: I felt fearful

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1263	55.4 %
2	2: Some/A Little Of The Time (1-2 Days)	234	10.3 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	47	2.1 %
4	4: Most/All Of The Time (5-7 Days)	14	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2349-2350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESTLES8: Sleep was restless past week

During the past week: My sleep was restless

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	654	28.7 %
2	2: Some/A Little Of The Time (1-2 Days)	488	21.4 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	227	10.0 %
4	4: Most/All Of The Time (5-7 Days)	189	8.3 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2351-2352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPPY8: Happy past week

During the past week: I was happy

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	36	1.6 %
2	2: Some/A Little Of The Time (1-2 Days)	181	7.9 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	423	18.6 %
4	4: Most/All Of The Time (5-7 Days)	918	40.3 %
	Missing Data		
.	-	720	31.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2353-2354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TALKLES8: Talked less than usual past week

During the past week: I talked less than usual

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1110	48.7 %
2	2: Some/A Little Of The Time (1-2 Days)	292	12.8 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	121	5.3 %
4	4: Most/All Of The Time (5-7 Days)	33	1.4 %
	Missing Data		
-9	-9: Missing	1	0.0 %
-7	-7: Refused	1	0.0 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,556 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2355-2356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LONELY8: Felt lonely past week

During the past week: I felt lonely

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1149	50.4 %
2	2: Some/A Little Of The Time (1-2 Days)	293	12.9 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	93	4.1 %
4	4: Most/All Of The Time (5-7 Days)	23	1.0 %
	Missing Data		
.	-	720	31.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2357-2358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UNFRNDL8: People unfriendly past week

During the past week: People were unfriendly

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1352	59.4 %
2	2: Some/A Little Of The Time (1-2 Days)	148	6.5 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	47	2.1 %
4	4: Most/All Of The Time (5-7 Days)	11	0.5 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2359-2360 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENJOY8: Enjoyed life past week

During the past week: I enjoyed life

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	31	1.4 %
2	2: Some/A Little Of The Time (1-2 Days)	137	6.0 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	282	12.4 %
4	4: Most/All Of The Time (5-7 Days)	1108	48.6 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2361-2362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRYING8: Crying spells past week

During the past week: I had crying spells

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1299	57.0 %
2	2: Some/A Little Of The Time (1-2 Days)	173	7.6 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	57	2.5 %
4	4: Most/All Of The Time (5-7 Days)	29	1.3 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2363-2364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SAD8: Felt sad past week

During the past week: I felt sad

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1016	44.6 %
2	2: Some/A Little Of The Time (1-2 Days)	400	17.6 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	104	4.6 %
4	4: Most/All Of The Time (5-7 Days)	38	1.7 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2365-2366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISLIKE8: People disliked me past week

During the past week: I felt that people disliked me

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1396	61.3 %
2	2: Some/A Little Of The Time (1-2 Days)	138	6.1 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	15	0.7 %
4	4: Most/All Of The Time (5-7 Days)	9	0.4 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2367-2368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GETGOIN8: Could not get going past week

During the past week: I could not get going

Value	Label	Unweighted Frequency	%
1	1: Rarely/None Of The Time (< 1 Day)	1005	44.1 %
2	2: Some/A Little Of The Time (1-2 Days)	375	16.5 %
3	3: Occasionally/Mod Amt Of The Time (3-4 Days)	126	5.5 %
4	4: Most/All Of The Time (5-7 Days)	51	2.2 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,557 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2369-2370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHNGJOB8: Change in job since last visit

Since your last study visit, has there been a change in any of your jobs, that is: your place of employment, your job title, or your usual job tasks?

Value	Label	Unweighted Frequency	%
1	1: No	867	38.1 %
2	2: Yes	460	20.2 %
	Missing Data		
-1	-1: N/A	231	10.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,327 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2371-2372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JOB8: Work for pay past 2 weeks

During the past 2 weeks, did you work at any time at a job or business, (Including work for pay performed at home? Include unpaid work in the family farm or business. If you were on vacation, or scheduled leave or sick leave, please answer as though you were at your usual job.)

Value	Label	Unweighted Frequency	%
1	1: No	90	4.0 %
2	2: Yes	370	16.2 %
	Missing Data		
-1	-1: N/A	1098	48.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 460 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2373-2374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHANGHR8: Change in usual hours of work

Since your last study visit, has there been a change in your usual hours of work of any of your jobs?

Value	Label	Unweighted Frequency	%
1	1: No	934	41.0 %
2	2: Yes	303	13.3 %
	Missing Data		
-1	-1: N/A	321	14.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,237 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2375-2376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ROTAT18: Work rotating/alternating

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	225	9.9 %
2	2: Yes	78	3.4 %
	Missing Data		
-1	-1: N/A	1255	55.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 303 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2377-2378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM18: Work start time

Work start time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
10:00:00	-	16	0.7 %
10:30:00	-	1	0.0 %
11:00:00	-	6	0.3 %

Value	Label	Unweighted Frequency	%
12:00:00	-	2	0.1 %
13:00:00	-	4	0.2 %
14:00:00	-	1	0.0 %
14:45:00	-	1	0.0 %
15:00:00	-	3	0.1 %
16:00:00	-	4	0.2 %
16:30:00	-	1	0.0 %
17:00:00	-	1	0.0 %
18:00:00	-	2	0.1 %
18:30:00	-	1	0.0 %
19:00:00	-	1	0.0 %
23:00:00	-	5	0.2 %
3:00:00	-	1	0.0 %
4:30:00	-	1	0.0 %
6:00:00	-	4	0.2 %
6:30:00	-	3	0.1 %
7:00:00	-	28	1.2 %
7:15:00	-	2	0.1 %
7:20:00	-	1	0.0 %
7:30:00	-	14	0.6 %
7:45:00	-	3	0.1 %
7:50:00	-	1	0.0 %
8:00:00	-	44	1.9 %
8:05:00	-	1	0.0 %
8:15:00	-	2	0.1 %
8:30:00	-	26	1.1 %
9:00:00	-	37	1.6 %
9:15:00	-	1	0.0 %
9:30:00	-	5	0.2 %
	Missing Data		
.	-	2053	90.1 %
	Total	**2,278**	**100%**

Based upon 225 valid cases out of 2,278 total cases.

Location: 2379-2390 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM18: Work stop time

Work stop time

Value	Label	Unweighted Frequency	%
0:00:00	-	2	0.1 %
10:00:00	-	1	0.0 %
11:00:00	-	1	0.0 %
11:30:00	-	1	0.0 %
12:00:00	-	2	0.1 %
13:00:00	-	7	0.3 %
13:15:00	-	1	0.0 %
13:30:00	-	1	0.0 %
14:00:00	-	11	0.5 %
14:15:00	-	1	0.0 %
14:30:00	-	4	0.2 %
15:00:00	-	13	0.6 %
15:12:00	-	1	0.0 %
15:30:00	-	8	0.4 %
15:45:00	-	1	0.0 %
16:00:00	-	21	0.9 %
16:30:00	-	14	0.6 %
16:45:00	-	2	0.1 %
17:00:00	-	33	1.4 %
17:15:00	-	1	0.0 %
17:30:00	-	15	0.7 %
18:00:00	-	27	1.2 %
18:30:00	-	7	0.3 %
19:00:00	-	12	0.5 %
19:30:00	-	4	0.2 %
1:30:00	-	3	0.1 %
20:00:00	-	6	0.3 %
20:30:00	-	1	0.0 %
21:00:00	-	6	0.3 %
21:30:00	-	1	0.0 %
22:00:00	-	1	0.0 %
22:30:00	-	1	0.0 %
23:00:00	-	5	0.2 %
23:30:00	-	1	0.0 %
7:00:00	-	2	0.1 %
7:30:00	-	2	0.1 %
8:30:00	-	1	0.0 %
9:00:00	-	3	0.1 %

Value	Label	Unweighted Frequency	%
9:30:00	-	1	0.0 %
	Missing Data		
.	-	2053	90.1 %
	Total	**2,278**	**100%**

Based upon 225 valid cases out of 2,278 total cases.

Location: 2391-2402 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

ROTAT28: Work rotating/alternating (2)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	26	1.1 %
2	2: Yes	32	1.4 %
	Missing Data		
-1	-1: N/A	1500	65.8 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 58 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2403-2404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM28: Work start time (2)

Work start time (2)

Value	Label	Unweighted Frequency	%
10:00:00	-	2	0.1 %
11:00:00	-	3	0.1 %
13:00:00	-	1	0.0 %
15:00:00	-	2	0.1 %
15:15:00	-	1	0.0 %
17:00:00	-	1	0.0 %
18:00:00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
19:00:00	-	1	0.0 %
23:00:00	-	1	0.0 %
7:00:00	-	2	0.1 %
7:15:00	-	1	0.0 %
7:30:00	-	2	0.1 %
8:00:00	-	5	0.2 %
9:00:00	-	2	0.1 %
9:30:00	-	1	0.0 %
	Missing Data		
.	-	2252	98.9 %
	Total	**2,278**	**100%**

Based upon 26 valid cases out of 2,278 total cases.

Location: 2405-2416 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM28: Work stop time (2)

Work stop time (2)

Value	Label	Unweighted Frequency	%
13:30:00	-	1	0.0 %
14:00:00	-	1	0.0 %
15:00:00	-	2	0.1 %
15:30:00	-	1	0.0 %
15:45:00	-	1	0.0 %
16:00:00	-	5	0.2 %
16:15:00	-	1	0.0 %
16:30:00	-	1	0.0 %
17:00:00	-	3	0.1 %
17:30:00	-	2	0.1 %
18:00:00	-	1	0.0 %
19:30:00	-	1	0.0 %
21:00:00	-	2	0.1 %
23:00:00	-	1	0.0 %
7:00:00	-	2	0.1 %
9:00:00	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2252	98.9 %
	Total	**2,278**	**100%**

Based upon 26 valid cases out of 2,278 total cases.

Location: 2417-2428 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

ROTAT38: Work rotating/alternating (3)

What are your usual hours of work each day for each job? Rotating/Alternating (Alternating weekly/monthly?)

Value	Label	Unweighted Frequency	%
1	1: No	2	0.1 %
2	2: Yes	11	0.5 %
	Missing Data		
-1	-1: N/A	1545	67.8 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 13 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2429-2430 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTIM38: Work start time (3)

Work start time (3)

Value	Label	Unweighted Frequency	%
12:00:00	-	1	0.0 %
9:00:00	-	1	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

Location: 2431-2442 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

STPTIM38: Work stop time (3)

Work stop time (3)

Value	Label	Unweighted Frequency	%
0:30:00	-	1	0.0 %
13:00:00	-	1	0.0 %
	Missing Data		
.	-	2276	99.9 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

Location: 2443-2454 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

HOURSPA8: How many hrs/wk work for pay

On average, how many total hours a week do you work, for pay?

Value	Label	Unweighted Frequency	%
1	1: <= 10 hrs	81	3.6 %
2	2: 11-19 hrs	62	2.7 %
3	3: 20-34 hrs	228	10.0 %
4	4: 35-40 hrs	548	24.1 %
5	5: 41-60 hrs	294	12.9 %
6	6: >60 hrs	23	1.0 %
	Missing Data		
-7	-7: Refused	1	0.0 %
-1	-1: N/A	321	14.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,236 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 2455-2456 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VOLUNTE8: Do volunteer work

Do you do volunteer work?

Value	Label	Unweighted Frequency	%
1	1: No	932	40.9 %
2	2: Yes	626	27.5 %
	Missing Data		
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,558 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2457-2458 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VLNTHR18: Volunteer (1) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.02	-	1	0.0 %
0.07	-	1	0.0 %
0.10	-	1	0.0 %
0.11	-	2	0.1 %
0.15	-	1	0.0 %
0.25	-	6	0.3 %
0.45	-	1	0.0 %
0.47	-	1	0.0 %
0.48	-	1	0.0 %
0.50	-	35	1.5 %
0.60	-	1	0.0 %
0.63	-	1	0.0 %
0.64	-	1	0.0 %
0.75	-	5	0.2 %
0.88	-	1	0.0 %
1.00	-	126	5.5 %
1.20	-	1	0.0 %
1.25	-	1	0.0 %
1.30	-	1	0.0 %
1.50	-	14	0.6 %
1.60	-	1	0.0 %
2.00	-	113	5.0 %

Value	Label	Unweighted Frequency	%
2.10	-	1	0.0 %
2.50	-	16	0.7 %
3.00	-	92	4.0 %
3.50	-	6	0.3 %
3.77	-	1	0.0 %
4.00	-	53	2.3 %
4.50	-	3	0.1 %
5.00	-	45	2.0 %
6.00	-	16	0.7 %
6.50	-	1	0.0 %
7.00	-	2	0.1 %
7.50	-	1	0.0 %
7.70	-	1	0.0 %
8.00	-	13	0.6 %
9.00	-	3	0.1 %
10.00	-	19	0.8 %
12.00	-	4	0.2 %
12.50	-	1	0.0 %
13.00	-	1	0.0 %
15.00	-	8	0.4 %
16.00	-	2	0.1 %
17.50	-	1	0.0 %
20.00	-	6	0.3 %
25.00	-	3	0.1 %
30.00	-	3	0.1 %
40.00	-	3	0.1 %
45.00	-	1	0.0 %
48.00	-	2	0.1 %
	Missing Data		
-9.00	-9: Missing	1	0.0 %
-8.00	-8: Do not know	1	0.0 %
-1.00	-1: N/A	932	40.9 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 624 valid cases out of 2,278 total cases.

- Mean: 3.91

- Median: 2.00
- Mode: 1.00
- Minimum: 0.02
- Maximum: 48.00
- Standard Deviation: 5.65

Location: 2459-2463 (width: 5; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR28: Volunteer (2) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.10	-	2	0.1 %
0.15	-	1	0.0 %
0.20	-	1	0.0 %
0.25	-	7	0.3 %
0.30	-	1	0.0 %
0.38	-	1	0.0 %
0.40	-	1	0.0 %
0.50	-	18	0.8 %
0.75	-	1	0.0 %
0.76	-	1	0.0 %
1.00	-	65	2.9 %
1.25	-	1	0.0 %
1.50	-	7	0.3 %
1.69	-	1	0.0 %
2.00	-	35	1.5 %
2.30	-	1	0.0 %
2.50	-	1	0.0 %
3.00	-	20	0.9 %
3.75	-	1	0.0 %
4.00	-	8	0.4 %
5.00	-	9	0.4 %
6.00	-	5	0.2 %
7.00	-	2	0.1 %
8.00	-	7	0.3 %
10.00	-	3	0.1 %
15.00	-	2	0.1 %
18.00	-	2	0.1 %
20.00	-	1	0.0 %
24.00	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-8.00	-8: Do not know	3	0.1 %
-1.00	-1: N/A	1349	59.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 206 valid cases out of 2,278 total cases.

- Mean: 2.66
- Median: 1.50
- Mode: 1.00
- Minimum: 0.10
- Maximum: 24.00
- Standard Deviation: 3.45

Location: 2464-2468 (width: 5; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

VLNTHR38: Volunteer (3) hours/week

What type of volunteer work do you do? How many hours a week do you spend doing it?

Value	Label	Unweighted Frequency	%
0.05	-	1	0.0 %
0.10	-	1	0.0 %
0.19	-	1	0.0 %
0.25	-	5	0.2 %
0.50	-	5	0.2 %
0.75	-	1	0.0 %
1.00	-	17	0.7 %
1.25	-	1	0.0 %
2.00	-	19	0.8 %
2.50	-	1	0.0 %
3.00	-	2	0.1 %
5.00	-	10	0.4 %
6.00	-	1	0.0 %
8.00	-	1	0.0 %
10.00	-	4	0.2 %
20.00	-	2	0.1 %
24.00	-	1	0.0 %
	Missing Data		
-8.00	-8: Do not know	1	0.0 %

Value	Label	Unweighted Frequency	%
-1.00	-1: N/A	1484	65.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 73 valid cases out of 2,278 total cases.

- Mean: 3.25
- Median: 2.00
- Mode: 2.00
- Minimum: 0.05
- Maximum: 24.00
- Standard Deviation: 4.52

Location: 2469-2473 (width: 5; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: -9.00 , -8.00 , -7.00 , -1.00 , .

MARITAL8: Marital status

What is your current marital status? Would you say ...

Value	Label	Unweighted Frequency	%
1	1: Single/Never Married	262	11.5 %
2	2: Currently Married/Living as Married	1492	65.5 %
3	3: Separated	67	2.9 %
4	4: Widowed	91	4.0 %
5	5: Divorced	361	15.8 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,273 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2474-2475 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHGHHLD8: Change in anyone living in house

Since your last study visit, has there been any change in who is living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	1147	50.4 %

Value	Label	Unweighted Frequency	%
2	2: Yes	410	18.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 1,557 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2476-2477 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOUSEHL8: Anyone living in your household

Other than yourself, is there anyone living in your household?

Value	Label	Unweighted Frequency	%
1	1: No	40	1.8 %
2	2: Yes	371	16.3 %
	Missing Data		
-1	-1: N/A	1147	50.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 411 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2478-2479 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE18: Relationship to yourself (1)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	202	8.9 %
2	2: Partner (not married)	11	0.5 %
3	3: Parent	10	0.4 %
4	4: Parent-in-law	1	0.0 %
5	5: Child (biol/adopt/step)	103	4.5 %

Value	Label	Unweighted Frequency	%
6	6: Grandchild	7	0.3 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	8	0.4 %
9	9: Niece/nephew	5	0.2 %
10	10: Friend	9	0.4 %
11	11: Tenant/boarder	4	0.2 %
12	12: Other relation	11	0.5 %
	Missing Data		
-1	-1: N/A	1187	52.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 371 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2480-2481 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT18: Relationship to yourself (1)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1187	52.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	103	4.5 %
CO-WORKER	-	1	0.0 %
FIANCE	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FOSTER/GREAT NIECE	-	1	0.0 %
FRIEND	-	9	0.4 %
GRANDCHILD	-	7	0.3 %
LIVE IN MOTHER HOUSE OF	-	1	0.0 %

Value	Label	Unweighted Frequency	%
RELIGIOUG ORDER = 90+			
MOTHER IN LAW	-	1	0.0 %
NIECE/NEPHEW	-	5	0.2 %
PARENT	-	10	0.4 %
PARENT-IN-LAW	-	1	0.0 %
PARTNER (NOT MARRIED)	-	11	0.5 %
RENTER	-	1	0.0 %
ROOMATE	-	1	0.0 %
ROOMMATE	-	2	0.1 %
SIBLING	-	8	0.4 %
SON OF A FRIEND	-	1	0.0 %
SPOUSE	-	202	8.9 %
TENANT/BOARDER	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2482-2526 (width: 45; decimal: 0)
Variable Type: character

SEX18: Gender (1)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1187	52.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	76	3.3 %
M	-	295	12.9 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2527-2528 (width: 2; decimal: 0)
Variable Type: character

AGE18: Age (1)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	1	0.0 %
3	-	2	0.1 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.1 %
13	-	5	0.2 %
14	-	3	0.1 %
15	-	4	0.2 %
16	-	3	0.1 %
17	-	9	0.4 %
18	-	2	0.1 %
19	-	6	0.3 %
20	-	3	0.1 %
21	-	4	0.2 %
22	-	8	0.4 %
23	-	9	0.4 %
24	-	7	0.3 %
25	-	5	0.2 %
26	-	5	0.2 %
27	-	3	0.1 %
28	-	3	0.1 %
29	-	4	0.2 %
30	-	2	0.1 %
31	-	2	0.1 %
32	-	2	0.1 %
33	-	5	0.2 %
34	-	6	0.3 %
35	-	2	0.1 %
36	-	3	0.1 %
37	-	2	0.1 %
38	-	2	0.1 %
41	-	2	0.1 %
43	-	2	0.1 %
44	-	1	0.0 %
45	-	2	0.1 %
46	-	3	0.1 %

Value	Label	Unweighted Frequency	%
47	-	3	0.1 %
48	-	4	0.2 %
49	-	10	0.4 %
50	-	8	0.4 %
51	-	14	0.6 %
52	-	19	0.8 %
53	-	24	1.1 %
54	-	22	1.0 %
55	-	36	1.6 %
56	-	14	0.6 %
57	-	15	0.7 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1187	52.1 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 370 valid cases out of 2,278 total cases.

- Mean: 45.27
- Median: 52.00
- Mode: 55.00
- Minimum: 1.00
- Maximum: 102.00
- Standard Deviation: 18.21

Location: 2529-2531 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE28: Relationship to yourself (2)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	20	0.9 %
2	2: Partner (not married)	1	0.0 %
3	3: Parent	8	0.4 %
4	4: Parent-in-law	1	0.0 %
5	5: Child (biol/adopt/step)	173	7.6 %
6	6: Grandchild	16	0.7 %

Value	Label	Unweighted Frequency	%
7	7: Son/Daughter-in-law	2	0.1 %
8	8: Sibling	5	0.2 %
9	9: Niece/nephew	3	0.1 %
10	10: Friend	3	0.1 %
11	11: Tenant/boarder	4	0.2 %
12	12: Other relation	13	0.6 %
	Missing Data		
-1	-1: N/A	1309	57.5 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 249 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2532-2533 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT28: Relationship to yourself (2)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1309	57.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BOYFRIEND	-	2	0.1 %
BROTHER-IN-LAW	-	2	0.1 %
CAREGIVER	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	173	7.6 %
COUSIN	-	1	0.0 %
DTR BOYFRIEND	-	1	0.0 %
EX-HUSBAND	-	1	0.0 %
EXCHANGE STUDENT	-	1	0.0 %
FOSTER/GREAT NEPHEW	-	1	0.0 %

Value	Label	Unweighted Frequency	%
FRENCH EXCHANGE STUDENT	-	1	0.0 %
FRIEND	-	3	0.1 %
GRANDCHILD	-	16	0.7 %
MAN-PARTNER	-	1	0.0 %
NIECE/NEPHEW	-	3	0.1 %
PARENT	-	8	0.4 %
PARENT-IN-LAW	-	1	0.0 %
PARTNER (NOT MARRIED)	-	1	0.0 %
SIBLING	-	5	0.2 %
SON'S GIRL FRIEND	-	1	0.0 %
SON-IN-LAW/DAUGHTER-IN-LAW	-	2	0.1 %
SPOUSE	-	20	0.9 %
TENANT/BOARDER	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2534-2574 (width: 41; decimal: 0)
Variable Type: character

SEX28: Gender (2)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1309	57.5 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	106	4.7 %
M	-	143	6.3 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2575-2576 (width: 2; decimal: 0)
Variable Type: character

AGE28: Age (2)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	3	0.1 %
10	-	1	0.0 %
11	-	4	0.2 %
12	-	7	0.3 %
13	-	3	0.1 %
14	-	7	0.3 %
15	-	6	0.3 %
16	-	13	0.6 %
17	-	14	0.6 %
18	-	9	0.4 %
19	-	10	0.4 %
20	-	9	0.4 %
21	-	9	0.4 %
22	-	10	0.4 %
23	-	15	0.7 %
24	-	10	0.4 %
25	-	11	0.5 %
26	-	15	0.7 %
27	-	7	0.3 %
28	-	7	0.3 %
29	-	4	0.2 %
30	-	6	0.3 %
31	-	3	0.1 %
32	-	4	0.2 %
33	-	3	0.1 %
34	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
42	-	2	0.1 %

Value	Label	Unweighted Frequency	%
44	-	1	0.0 %
45	-	3	0.1 %
50	-	1	0.0 %
52	-	2	0.1 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	1	0.0 %
56	-	3	0.1 %
57	-	4	0.2 %
58	-	2	0.1 %
60	-	3	0.1 %
61	-	2	0.1 %
62	-	1	0.0 %
63	-	2	0.1 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1309	57.5 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 248 valid cases out of 2,278 total cases.

- Mean: 27.89
- Median: 23.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 17.49

Location: 2577-2578 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE38: Relationship to yourself (3)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	8	0.4 %
2	2: Partner (not married)	2	0.1 %
3	3: Parent	2	0.1 %
4	4: Parent-in-law	0	0.0 %

Value	Label	Unweighted Frequency	%
5	5: Child (biol/adopt/step)	73	3.2 %
6	6: Grandchild	13	0.6 %
7	7: Son/Daughter-in-law	5	0.2 %
8	8: Sibling	2	0.1 %
9	9: Niece/nephew	4	0.2 %
10	10: Friend	3	0.1 %
11	11: Tenant/boarder	3	0.1 %
12	12: Other relation	11	0.5 %
	Missing Data		
-1	-1: N/A	1432	62.9 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2579-2580 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT38: Relationship to yourself (3)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1432	62.9 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	73	3.2 %
COUSIN (HUSBAND'S)	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER'S FINANCE	-	1	0.0 %
DAUGHTER'S FRIEND	-	2	0.1 %

Value	Label	Unweighted Frequency	%
DTR. BOYFRIEND	-	1	0.0 %
EX-HUSBAND'S ADULT SON	-	1	0.0 %
FRIEND	-	3	0.1 %
GRANDCHILD	-	13	0.6 %
GRANDSON'S FATHER	-	1	0.0 %
NIECE/NEPHEW	-	4	0.2 %
PARENT	-	2	0.1 %
PARTNER (NOT MARRIED)	-	2	0.1 %
SIBLING	-	2	0.1 %
SISTER-IN-LAW	-	1	0.0 %
SON'S FRIEND	-	2	0.1 %
SON-IN-LAW/DAUGHTER-IN-LAW	-	5	0.2 %
SPOUSE	-	8	0.4 %
TENANT/BOARDER	-	3	0.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2581-2621 (width: 41; decimal: 0)
Variable Type: character

SEX38: Gender (3)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1432	62.9 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	53	2.3 %
M	-	73	3.2 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2622-2623 (width: 2; decimal: 0)
Variable Type: character

AGE38: Age (3)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
2	-	2	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	2	0.1 %
8	-	2	0.1 %
11	-	3	0.1 %
12	-	2	0.1 %
14	-	4	0.2 %
15	-	4	0.2 %
16	-	5	0.2 %
17	-	4	0.2 %
18	-	5	0.2 %
19	-	11	0.5 %
20	-	7	0.3 %
21	-	8	0.4 %
22	-	6	0.3 %
23	-	8	0.4 %
24	-	5	0.2 %
25	-	5	0.2 %
26	-	2	0.1 %
27	-	3	0.1 %
28	-	1	0.0 %
29	-	3	0.1 %
30	-	1	0.0 %
31	-	2	0.1 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	3	0.1 %
37	-	2	0.1 %
40	-	1	0.0 %
45	-	2	0.1 %
49	-	1	0.0 %
50	-	2	0.1 %
52	-	2	0.1 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
54	-	1	0.0 %
55	-	1	0.0 %
57	-	1	0.0 %
59	-	2	0.1 %
68	-	1	0.0 %
82	-	1	0.0 %
84	-	1	0.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1432	62.9 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 125 valid cases out of 2,278 total cases.

- Mean: 24.62
- Median: 21.00
- Mode: 19.00
- Minimum: 1.00
- Maximum: 84.00
- Standard Deviation: 15.15

Location: 2624-2625 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE48: Relationship to yourself (4)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	1	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	1	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	22	1.0 %
6	6: Grandchild	10	0.4 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	1	0.0 %
9	9: Niece/nephew	2	0.1 %
10	10: Friend	1	0.0 %
11	11: Tenant/boarder	2	0.1 %
12	12: Other relation	11	0.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1507	66.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 51 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2626-2627 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT48: Relationship to yourself (4)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1507	66.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BROTHER OF BOYFRIEND	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	22	1.0 %
CHILD'S FRIEND	-	1	0.0 %
DAUGHTER'S BOYFRIEND	-	1	0.0 %
DAUGHTER'S FRIEND	-	1	0.0 %
FOSTER CHILD	-	1	0.0 %
FRIEND	-	1	0.0 %
FRIEND (DAUGHTER'S)	-	1	0.0 %
FRIEND'S SON	-	1	0.0 %
GRANDCHILD	-	10	0.4 %
NEPHEW'S GIRLFRIEND	-	1	0.0 %
NIECE/NEPHEW	-	2	0.1 %
PARENT	-	1	0.0 %

Value	Label	Unweighted Frequency	%
PERSON I TAKE CARE OF	-	1	0.0 %
SIBLING	-	1	0.0 %
SON'S FRIEND	-	1	0.0 %
SON'S GIRLFRIEND	-	1	0.0 %
SPOUSE	-	1	0.0 %
TENANT/BOARDER	-	2	0.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2628-2668 (width: 41; decimal: 0)
Variable Type: character

SEX48: Gender (4)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1507	66.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	25	1.1 %
M	-	26	1.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2669-2670 (width: 2; decimal: 0)
Variable Type: character

AGE48: Age (4)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	1	0.0 %
11	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12	-	2	0.1 %
14	-	4	0.2 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	3	0.1 %
18	-	2	0.1 %
19	-	3	0.1 %
20	-	4	0.2 %
21	-	3	0.1 %
22	-	4	0.2 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
26	-	1	0.0 %
28	-	2	0.1 %
30	-	1	0.0 %
33	-	1	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
60	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1507	66.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 50 valid cases out of 2,278 total cases.

- Mean: 21.12
- Median: 20.00
- Minimum: 1.00
- Maximum: 80.00
- Standard Deviation: 14.18

Location: 2671-2672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE58: Relationship to yourself (5)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	2	0.1 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	7	0.3 %
6	6: Grandchild	10	0.4 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	1	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	3	0.1 %
	Missing Data		
-1	-1: N/A	1534	67.3 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 24 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 2673-2674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT58: Relationship to yourself (5)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1534	67.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
BOYFRIEND'S NEPHEW	-	1	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	7	0.3 %

Value	Label	Unweighted Frequency	%
GRANDCHILD	-	10	0.4 %
GREAT-GRANDSON	-	1	0.0 %
NIECE/NEPHEW	-	1	0.0 %
PERSON I TAKE CARE OF	-	1	0.0 %
SPOUSE	-	2	0.1 %
TENANT/BOARDER	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2675-2715 (width: 41; decimal: 0)
Variable Type: character

SEX58: Gender (5)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1534	67.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	10	0.4 %
M	-	14	0.6 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2716-2717 (width: 2; decimal: 0)
Variable Type: character

AGE58: Age (5)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	4	0.2 %
4	-	2	0.1 %
5	-	2	0.1 %
8	-	1	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11	-	2	0.1 %
12	-	1	0.0 %
14	-	2	0.1 %
16	-	3	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
53	-	1	0.0 %
61	-	1	0.0 %
77	-	1	0.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1534	67.3 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 23 valid cases out of 2,278 total cases.

- Mean: 16.30
- Median: 11.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 77.00
- Standard Deviation: 19.93

Location: 2718-2719 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE68: Relationship to yourself (6)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	2	0.1 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	3	0.1 %
6	6: Grandchild	5	0.2 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	1	0.0 %
10	10: Friend	0	0.0 %

Value	Label	Unweighted Frequency	%
11	11: Tenant/boarder	1	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1546	67.9 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 12 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2720-2721 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT68: Relationship to yourself (6)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1546	67.9 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	3	0.1 %
GRANDCHILD	-	5	0.2 %
NIECE/NEPHEW	-	1	0.0 %
SPOUSE	-	2	0.1 %
TENANT/BOARDER	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2722-2762 (width: 41; decimal: 0)
Variable Type: character

SEX68: Gender (6)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1546	67.9 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	2	0.1 %
M	-	10	0.4 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2763-2764 (width: 2; decimal: 0)
Variable Type: character

AGE68: Age (6)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	1	0.0 %
8	-	1	0.0 %
9	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
25	-	1	0.0 %
55	-	1	0.0 %
63	-	1	0.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
-1	-1: N/A	1546	67.9 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 11 valid cases out of 2,278 total cases.

- Mean: 17.55
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 63.00
- Standard Deviation: 21.87

Location: 2765-2766 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE78: Relationship to yourself (7)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	2	0.1 %
6	6: Grandchild	2	0.1 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1554	68.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Minimum: 5.00
- Maximum: 6.00

Location: 2767-2768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT78: Relationship to yourself (7)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1554	68.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL,	-	2	0.1 %

Value	Label	Unweighted Frequency	%
ADOPTED, STEP, FOSTER)			
GRANDCHILD	-	2	0.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2769-2809 (width: 41; decimal: 0)
Variable Type: character

SEX78: Gender (7)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1554	68.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	2	0.1 %
M	-	2	0.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2810-2811 (width: 2; decimal: 0)
Variable Type: character

AGE78: Age (7)

Please tell me their age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
5	-	2	0.1 %
18	-	1	0.0 %
	Missing Data		
-1	-1: N/A	1554	68.2 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 4 valid cases out of 2,278 total cases.

- Mean: 7.25

- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 7.41

Location: 2812-2813 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE88: Relationship to yourself (8)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	2	0.1 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1556	68.3 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 2814-2815 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT88: Relationship to yourself (8)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %

Value	Label	Unweighted Frequency	%
-1	-1: N/A	1556	68.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
CHILD (BIOLOGICAL, ADOPTED, STEP, FOSTER)	-	2	0.1 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2816-2856 (width: 41; decimal: 0)
Variable Type: character

SEX88: Gender (8)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1556	68.3 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
F	-	1	0.0 %
M	-	1	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2857-2858 (width: 2; decimal: 0)
Variable Type: character

AGE88: Age (8)

Please tell me their age

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
21	-	1	0.0 %
	Missing Data		
-1	-1: N/A	1556	68.3 %
.	-	720	31.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2 valid cases out of 2,278 total cases.

- Mean: 12.00
- Median: 12.00
- Minimum: 3.00
- Maximum: 21.00
- Standard Deviation: 12.73

Location: 2859-2860 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE98: Relationship to yourself (9)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2861-2862 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT98: Relationship to yourself (9)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2863-2864 (width: 2; decimal: 0)
Variable Type: character

SEX98: Gender (9)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2865-2866 (width: 2; decimal: 0)
Variable Type: character

AGE98: Age (9)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2867-2868 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE108: Relationship to yourself (10)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2869-2870 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT108: Relationship to yourself (10)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2871-2872 (width: 2; decimal: 0)
Variable Type: character

SEX108: Gender (10)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2873-2874 (width: 2; decimal: 0)
Variable Type: character

AGE108: Age (10)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2875-2876 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE118: Relationship to yourself (11)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %

Value	Label	Unweighted Frequency	%
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2877-2878 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT118: Relationship to yourself (11)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2879-2880 (width: 2; decimal: 0)
Variable Type: character

SEX118: Gender (11)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2881-2882 (width: 2; decimal: 0)
Variable Type: character

AGE118: Age (11)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2883-2884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RLATE128: Relationship to yourself (12)-enumeration

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
1	1: Spouse	0	0.0 %
2	2: Partner (not married)	0	0.0 %
3	3: Parent	0	0.0 %
4	4: Parent-in-law	0	0.0 %
5	5: Child (biol/adopt/step)	0	0.0 %
6	6: Grandchild	0	0.0 %
7	7: Son/Daughter-in-law	0	0.0 %
8	8: Sibling	0	0.0 %
9	9: Niece/nephew	0	0.0 %
10	10: Friend	0	0.0 %
11	11: Tenant/boarder	0	0.0 %
12	12: Other relation	0	0.0 %
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2885-2886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELAT128: Relationship to yourself (12)

Please tell me their relationship to you

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2887-2888 (width: 2; decimal: 0)
Variable Type: character

SEX128: Gender (12)

Please tell me their gender

Value	Label	Unweighted Frequency	%
	-	720	31.6 %
-1	-1: N/A	1558	68.4 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2889-2890 (width: 2; decimal: 0)
Variable Type: character

AGE128: Age (12)

Please tell me their age

Value	Label	Unweighted Frequency	%
	Missing Data		
-1	-1: N/A	1558	68.4 %
.	-	720	31.6 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 2891-2892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTEST8: MAIL: Start using estrogen/progestin since last visit

Did you start using any prescription medications containing estrogen or progestin since the time of your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	557	24.5 %
2	2: Yes	25	1.1 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	1695	74.4 %
	Total	**2,278**	**100%**

Based upon 582 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2893-2894 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STPESTR8: MAIL: Stopped using estrogen/progestin since last visit

Have you stopped taking any prescription medications containing estrogen or progestin since your last study visit?

Value	Label	Unweighted Frequency	%
1	1: No	555	24.4 %
2	2: Yes	18	0.8 %
	Missing Data		
-9	-9: Missing	5	0.2 %
-8	-8: Do not know	5	0.2 %
.	-	1695	74.4 %
	Total	**2,278**	**100%**

Based upon 573 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2895-2896 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SINGVTM8: MAIL: Single vitamin, mostly calcium during past year

During the past year have you used any single vitamin (not part of a multi-vitamin) that is mostly calcium or taken Tums pills?

Value	Label	Unweighted Frequency	%
1	1: No	254	11.2 %
2	2: Yes	322	14.1 %
	Missing Data		
-9	-9: Missing	4	0.2 %
-8	-8: Do not know	3	0.1 %
.	-	1695	74.4 %
	Total	**2,278**	**100%**

Based upon 576 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2897-2898 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SINGVTN8: MAIL: Single vitamin, times/week

During the past year have you used any single vitamin (not part of a multi-vitamin) that is mostly calcium or taken Tums pills? If yes, how many time per week?

Value	Label	Unweighted Frequency	%
1	1: Do not take any	35	1.5 %
2	2: 1-3 days/week	50	2.2 %
3	3: 4-6 days/week	45	2.0 %
4	4: Every day	188	8.3 %
	Missing Data		
-9	-9: Missing	4	0.2 %
-8	-8: Do not know	2	0.1 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	257	11.3 %
.	-	1695	74.4 %
	Total	**2,278**	**100%**

Based upon 318 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2899-2900 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMSAA8: Full form (SAA), Abbreviated (AIN) or Phone Interview (PAT)

Which form/questionnaire completed:

Value	Label	Unweighted Frequency	%
	-	34	1.5 %
AFU	-	35	1.5 %
AIN	-	78	3.4 %
MAI	-	583	25.6 %
PAT	-	4	0.2 %
SAA	-	1544	67.8 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 2901-2903 (width: 3; decimal: 0)
Variable Type: character

SAADAY8: Self-administered Part A Day

Date form completed

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %
2794	-	1	0.0 %
2799	-	1	0.0 %
2808	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2821	-	1	0.0 %
2823	-	1	0.0 %
2825	-	1	0.0 %
2827	-	2	0.1 %
2828	-	1	0.0 %
2829	-	1	0.0 %
2833	-	1	0.0 %
2835	-	2	0.1 %
2836	-	1	0.0 %
2839	-	1	0.0 %
2843	-	1	0.0 %
2847	-	1	0.0 %
2848	-	2	0.1 %
2849	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2851	-	2	0.1 %
2852	-	2	0.1 %
2853	-	1	0.0 %
2854	-	1	0.0 %
2855	-	1	0.0 %
2856	-	3	0.1 %
2857	-	1	0.0 %
2858	-	2	0.1 %
2859	-	2	0.1 %
2860	-	2	0.1 %
2861	-	5	0.2 %
2862	-	4	0.2 %
2863	-	6	0.3 %
2864	-	4	0.2 %
2865	-	5	0.2 %
2866	-	5	0.2 %
2867	-	4	0.2 %
2868	-	8	0.4 %
2869	-	6	0.3 %
2870	-	11	0.5 %
2871	-	2	0.1 %
2872	-	9	0.4 %
2873	-	10	0.4 %
2874	-	7	0.3 %
2875	-	15	0.7 %
2876	-	13	0.6 %
2877	-	8	0.4 %
2878	-	17	0.7 %
	Missing Data		
.	-	34	1.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,244 valid cases out of 2,278 total cases.

- Mean: 2958.55
- Minimum: 2783.00
- Maximum: 3407.00
- Standard Deviation: 85.33

Location: 2904-2907 (width: 4; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: .

LANGSAA8: Language of Self-A

Interview language

Value	Label	Unweighted Frequency	%
1	1: English	2061	90.5 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	80	3.5 %
4	4: Japanese	103	4.5 %
	Missing Data		
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,244 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2908-2909 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

OVERHLT8: Overall health

In general, would you say your health is excellent, very good, good, fair or poor?

Value	Label	Unweighted Frequency	%
1	1: Excellent	333	14.6 %
2	2: Very good	816	35.8 %
3	3: Good	745	32.7 %
4	4: Fair	296	13.0 %
5	5: Poor	44	1.9 %
	Missing Data		
-8	-8: Do not know	4	0.2 %
-7	-7: Refused	6	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,234 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2910-2911 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSPSTA8: Hospital stays since last visit

Since your last study visit, how many different times did you stay in the hospital overnight or longer?

Value	Label	Unweighted Frequency	%
0	-	1399	61.4 %
1	-	101	4.4 %
2	-	22	1.0 %
3	-	6	0.3 %
4	-	6	0.3 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	1	0.0 %
29	-	1	0.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,540 valid cases out of 2,278 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 29.00
- Standard Deviation: 0.94

Location: 2912-2913 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MDTALK8: Number times talk to health professional

Since your last study visit, about how many times did you see or talk to a doctor, nurse practitioner or other health care provider, regarding your own health? (Do not count hospitalizations or visits for this study).

Value	Label	Unweighted Frequency	%
0	-	129	5.7 %
1	-	192	8.4 %
2	-	274	12.0 %
3	-	232	10.2 %
4	-	187	8.2 %

Value	Label	Unweighted Frequency	%
5	-	99	4.3 %
6	-	114	5.0 %
7	-	27	1.2 %
8	-	39	1.7 %
9	-	12	0.5 %
10	-	74	3.2 %
11	-	5	0.2 %
12	-	42	1.8 %
13	-	2	0.1 %
14	-	7	0.3 %
15	-	35	1.5 %
16	-	1	0.0 %
18	-	5	0.2 %
19	-	1	0.0 %
20	-	18	0.8 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	5	0.2 %
25	-	5	0.2 %
26	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	7	0.3 %
32	-	1	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	5	0.2 %
46	-	1	0.0 %
50	-	4	0.2 %
52	-	1	0.0 %
60	>=60 times	8	0.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-8	-8: Do not know	1	0.0 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,540 valid cases out of 2,278 total cases.

- Mean: 5.26
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 7.22

Location: 2914-2915 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVES8: Talk to professional for nerves

Since your last study visit, about how many times did you see or talk to a health care provider or other professional for problems with emotions, "nerves", or mental health?

Value	Label	Unweighted Frequency	%
0	-	1221	53.6 %
1	-	92	4.0 %
2	-	44	1.9 %
3	-	28	1.2 %
4	-	16	0.7 %
5	-	16	0.7 %
6	-	22	1.0 %
7	-	4	0.2 %
8	-	15	0.7 %
9	-	2	0.1 %
10	-	17	0.7 %
12	-	14	0.6 %
13	-	2	0.1 %
14	-	4	0.2 %
15	-	3	0.1 %
16	-	1	0.0 %
20	-	11	0.5 %
24	-	4	0.2 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	7	0.3 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	1	0.0 %
50	-	1	0.0 %
52	-	3	0.1 %
60	>=60 times	5	0.2 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,540 valid cases out of 2,278 total cases.

- Mean: 1.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 6.02

Location: 2916-2917 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAPSMEA8: Pap smear since last visit

Since your last study visit, have you had: A Pap Smear (a routine medical test in which the doctor examines the cervix)?

Value	Label	Unweighted Frequency	%
1	1: No	449	19.7 %
2	2: Yes	1094	48.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,543 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2918-2919 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTEXA8: Breast exam since last visit

Since your last study visit, have you had: A breast physical examination (a doctor or medical assistant feels for lumps in the breast)?

Value	Label	Unweighted Frequency	%
1	1: No	389	17.1 %
2	2: Yes	1153	50.6 %
	Missing Data		
-9	-9: Missing	701	30.8 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,542 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2920-2921 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAMOGRA8: Mammogram since last visit

Since your last study visit, have you had: A mammogram (an x-ray taken only of the breast by a machine that presses the breast against a glass plate)?

Value	Label	Unweighted Frequency	%
1	1: No	492	21.6 %
2	2: Yes	1051	46.1 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,543 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2922-2923 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHSER8: Health services needed but did not receive

Since your last study visit, are there any health services that you needed but did not receive?

Value	Label	Unweighted Frequency	%
1	1: No	1268	55.7 %
2	2: Yes	222	9.7 %
	Missing Data		
-9	-9: Missing	753	33.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,490 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2924-2925 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSURAN8: Insurance doesn't cover

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Insurance or health plan does not cover

Value	Label	Unweighted Frequency	%
1	1: No	135	5.9 %
2	2: Yes	73	3.2 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	14	0.6 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 208 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2926-2927 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTAFFR8: Cannot afford

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Cannot afford

Value	Label	Unweighted Frequency	%
1	1: No	131	5.8 %
2	2: Yes	79	3.5 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	12	0.5 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 210 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2928-2929 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRANS8: Travel distance/no transportation

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Travel distance / lack of transportation

Value	Label	Unweighted Frequency	%
1	1: No	190	8.3 %
2	2: Yes	20	0.9 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	12	0.5 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 210 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2930-2931 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPROVI8: No health care provider

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - No health care provider

Value	Label	Unweighted Frequency	%
1	1: No	174	7.6 %
2	2: Yes	35	1.5 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	13	0.6 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 209 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2932-2933 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOOBUSY8: Too busy

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Too busy / didn't have the time

Value	Label	Unweighted Frequency	%
1	1: No	114	5.0 %
2	2: Yes	101	4.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 215 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2934-2935 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOTRUST8: Don't trust doctors

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Don't trust doctors

Value	Label	Unweighted Frequency	%
1	1: No	193	8.5 %
2	2: Yes	16	0.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	13	0.6 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 209 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2936-2937 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BETTROF8: Better off not knowing

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - I'm better off not knowing

Value	Label	Unweighted Frequency	%
1	1: No	203	8.9 %
2	2: Yes	6	0.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	13	0.6 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 209 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2938-2939 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAILOTH8: No health care - other reason

People fail to get health care for a variety of reasons. Have any of the following reasons prevented you from getting health care? - Other, Specify

Value	Label	Unweighted Frequency	%
1	1: No	145	6.4 %
2	2: Yes	61	2.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	16	0.7 %
-1	-1: N/A	1322	58.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 206 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2940-2941 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SMOKERE8: Smoked regularly since last visit

Since your last study visit, have you smoked cigarettes regularly (at least one cigarette a day)?

Value	Label	Unweighted Frequency	%
1	1: No	1958	86.0 %
2	2: Yes	285	12.5 %
	Missing Data		
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,243 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2942-2943 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AVCIGDA8: Average cigarettes/day since last visit

If YES to SMOKERE8: How many cigarettes, on average, do you smoke per day now?

Value	Label	Unweighted Frequency	%
0	-	24	1.1 %
1	-	7	0.3 %

Value	Label	Unweighted Frequency	%
2	-	11	0.5 %
3	-	9	0.4 %
4	-	16	0.7 %
5	-	21	0.9 %
6	-	14	0.6 %
7	-	7	0.3 %
8	-	14	0.6 %
9	-	1	0.0 %
10	-	45	2.0 %
11	-	1	0.0 %
12	-	9	0.4 %
15	-	24	1.1 %
16	-	1	0.0 %
17	-	4	0.2 %
18	-	1	0.0 %
19	-	2	0.1 %
20	-	48	2.1 %
21	-	1	0.0 %
25	-	7	0.3 %
30	-	7	0.3 %
35	-	1	0.0 %
40	-	4	0.2 %
48	-	1	0.0 %
	Missing Data		
-7	-7: Refused	5	0.2 %
-1	-1: N/A	1959	86.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 280 valid cases out of 2,278 total cases.

- Mean: 11.28
- Median: 10.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 48.00
- Standard Deviation: 8.71

Location: 2944-2945 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HHMEMSM8: Household members who smoke

How many members of your household smoke tobacco in the house (at least 1 cigarette, cigar or pipe bowl per day)?

Value	Label	Unweighted Frequency	%
0	-	1276	56.0 %
1	-	196	8.6 %
2	-	48	2.1 %
3	-	9	0.4 %
4	-	3	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	10	0.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,534 valid cases out of 2,278 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.59

Location: 2946-2947 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPD8: Days exposed to smoke in home past week

During the past 7 days, on how many days were you exposed to tobacco smoke inside your home?

Value	Label	Unweighted Frequency	%
0	-	1323	58.1 %
1	-	20	0.9 %
2	-	23	1.0 %
3	-	10	0.4 %
4	-	8	0.4 %
5	-	8	0.4 %
6	-	1	0.0 %
7	-	130	5.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	21	0.9 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,523 valid cases out of 2,278 total cases.

- Mean: 0.71
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.01

Location: 2948-2949 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOMEXPH8: Hours exposed to smoke in home past week

Over the past 7 days, when you were exposed to tobacco smoke in your home, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	112	4.9 %
1	-	58	2.5 %
2	-	29	1.3 %
3	-	22	1.0 %
4	-	27	1.2 %
5	-	12	0.5 %
6	-	12	0.5 %
7	-	3	0.1 %
8	-	11	0.5 %
10	-	4	0.2 %
12	-	8	0.4 %
16	-	1	0.0 %
17	-	1	0.0 %
24	-	5	0.2 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	1234	54.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 305 valid cases out of 2,278 total cases.

- Mean: 2.69
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 4.12

Location: 2950-2951 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPD8: Past 7 days, days exposed to smoke - work

During the past 7 days, on how many days were you exposed to tobacco smoke while at work?

Value	Label	Unweighted Frequency	%
0	-	1447	63.5 %
1	-	16	0.7 %
2	-	12	0.5 %
3	-	7	0.3 %
4	-	6	0.3 %
5	-	27	1.2 %
6	-	5	0.2 %
7	-	10	0.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	14	0.6 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,530 valid cases out of 2,278 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.99

Location: 2952-2953 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPH8: Hours/day at work exposed to smoke

Over the past 7 days, when you were exposed to tobacco smoke while at work, how many hours were you exposed during a typical day?

Value	Label	Unweighted Frequency	%
0	-	90	4.0 %
1	-	46	2.0 %
2	-	10	0.4 %
3	-	5	0.2 %
4	-	2	0.1 %
5	-	3	0.1 %
6	-	1	0.0 %
7	-	3	0.1 %
8	-	3	0.1 %
9	-	2	0.1 %
11	-	1	0.0 %
12	-	2	0.1 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	1375	60.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 168 valid cases out of 2,278 total cases.

- Mean: 1.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.36

Location: 2954-2955 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WRKEXPE8: Number people smoking when exposed to smoke-work

During the past 7 days, when you were exposed to tobacco smoke while at work, how many people on average were smoking in the room you were in?

Value	Label	Unweighted Frequency	%
0	-	81	3.6 %
1	-	24	1.1 %
2	-	17	0.7 %
3	-	10	0.4 %
4	-	7	0.3 %
5	-	5	0.2 %

Value	Label	Unweighted Frequency	%
6	-	3	0.1 %
7	-	1	0.0 %
10	-	4	0.2 %
15	-	1	0.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-8	-8: Do not know	2	0.1 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1387	60.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 153 valid cases out of 2,278 total cases.

- Mean: 1.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 2.41

Location: 2956-2957 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTEXPH8: Total hours exposed to smoke-other places

During the past 7 days, how many total hours were you exposed to tobacco smoke while at places other than home or work (including meetings, restaurants, bars, parties, etc.)?

Value	Label	Unweighted Frequency	%
0	-	1098	48.2 %
1	-	180	7.9 %
2	-	96	4.2 %
3	-	52	2.3 %
4	-	30	1.3 %
5	-	14	0.6 %
6	-	18	0.8 %
7	-	6	0.3 %
8	-	8	0.4 %
9	-	3	0.1 %
10	-	4	0.2 %
11	-	1	0.0 %
12	-	11	0.5 %

Value	Label	Unweighted Frequency	%
14	-	2	0.1 %
15	-	1	0.0 %
20	-	4	0.2 %
24	-	1	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
58	-	1	0.0 %
80	-	1	0.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	9	0.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,535 valid cases out of 2,278 total cases.

- Mean: 1.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 3.75

Location: 2958-2959 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DRNKBEE8: Drink alcoholic beverage since last visit

Since your last study visit, did you drink any beer, wine, liquor, or mixed drinks?

Value	Label	Unweighted Frequency	%
1	1: No	464	20.4 %
2	2: Yes	1111	48.8 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,575 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2960-2961 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASBEE8: Average glasses of beer

How many glasses of beer (a medium glass or serving of beer is twelve ounces) did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	766	33.6 %
2	2: 1-3/mo	182	8.0 %
3	3: 1/wk	57	2.5 %
4	4: 2-4/wk	56	2.5 %
5	5: 5-6/wk	21	0.9 %
6	6: 1/day	14	0.6 %
7	7: 2-3/day	8	0.4 %
8	8: 4/day	0	0.0 %
9	9: >= 5/day	4	0.2 %
	Missing Data		
-9	-9: Missing	665	29.2 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	468	20.5 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,108 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2962-2963 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASWIN8: Average glasses of wine

How many glasses of wine or wine coolers (a medium glass or serving of wine is 4 to 6 ounces), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	452	19.8 %
2	2: 1-3/mo	271	11.9 %
3	3: 1/wk	93	4.1 %

Value	Label	Unweighted Frequency	%
4	4: 2-4/wk	145	6.4 %
5	5: 5-6/wk	47	2.1 %
6	6: 1/day	45	2.0 %
7	7: 2-3/day	51	2.2 %
8	8: 4/day	3	0.1 %
9	9: >= 5/day	1	0.0 %
	Missing Data		
-9	-9: Missing	665	29.2 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	468	20.5 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,108 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2964-2965 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GLASLIQ8: Average glasses of liquor

How many glasses of liquor or mixed drinks (a medium serving is one shot), did you drink on average per day, week or month?

Value	Label	Unweighted Frequency	%
1	1: None or < 1/mo	752	33.0 %
2	2: 1-3/mo	215	9.4 %
3	3: 1/wk	53	2.3 %
4	4: 2-4/wk	58	2.5 %
5	5: 5-6/wk	10	0.4 %
6	6: 1/day	13	0.6 %
7	7: 2-3/day	7	0.3 %
8	8: 4/day	0	0.0 %
9	9: >= 5/day	1	0.0 %
	Missing Data		
-9	-9: Missing	665	29.2 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	468	20.5 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2966-2967 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HLTHAYR8: Rate health compared to 1 year ago

Compared to one year ago, how would you rate your health in general now?

Value	Label	Unweighted Frequency	%
1	1: Much better now	130	5.7 %
2	2: Somewhat better now	314	13.8 %
3	3: About the same now	1346	59.1 %
4	4: Somewhat worse now	310	13.6 %
5	5: Much worse now	23	1.0 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2968-2969 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

V_ACTI8: Health limits vigorous activities

Does your health now limit you in these activities? If so, how much? - Vigorous activities, such as running, lifting heavy objects, participating in strenuous sports

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	560	24.6 %
2	2: Yes, Limited a little	865	38.0 %
3	3: No, Not limited at all	699	30.7 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2970-2971 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

M_ACTI8: Health limits moderate activities

Does your health now limit you in these activities? If so, how much? - Moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	129	5.7 %
2	2: Yes, Limited a little	391	17.2 %
3	3: No, Not limited at all	1605	70.5 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2972-2973 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LIFTING8: Health limits lifting groceries

Does your health now limit you in these activities? If so, how much? - Lifting or carrying groceries

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	98	4.3 %
2	2: Yes, Limited a little	362	15.9 %
3	3: No, Not limited at all	1665	73.1 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2974-2975 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMBS8: Health limits climbing several flights

Does your health now limit you in these activities? If so, how much? - Climbing several flights of stairs

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	206	9.0 %
2	2: Yes, Limited a little	567	24.9 %
3	3: No, Not limited at all	1351	59.3 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2976-2977 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLIMB1_8: Health limits climbing 1 flight

Does your health now limit you in these activities? If so, how much? - Climbing one flight of stairs

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	99	4.3 %
2	2: Yes, Limited a little	267	11.7 %
3	3: No, Not limited at all	1759	77.2 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2978-2979 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BENDING8: Health limits bending, kneeling

Does your health now limit you in these activities? If so, how much? - Bending, kneeling, or stooping

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	218	9.6 %
2	2: Yes, Limited a little	633	27.8 %
3	3: No, Not limited at all	1275	56.0 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2980-2981 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKM8: Health limits walking more than a mile

Does your health now limit you in these activities? If so, how much? - Walking more than a mile

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	224	9.8 %
2	2: Yes, Limited a little	407	17.9 %
3	3: No, Not limited at all	1492	65.5 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2982-2983 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALKS8: Health limits walking several blocks

Does your health now limit you in these activities? If so, how much? - Walking several blocks

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	155	6.8 %
2	2: Yes, Limited a little	245	10.8 %
3	3: No, Not limited at all	1724	75.7 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2984-2985 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WALK1_8: Health limits walking 1 block

Does your health now limit you in these activities? If so, how much? - Walking one block

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	94	4.1 %
2	2: Yes, Limited a little	144	6.3 %
3	3: No, Not limited at all	1888	82.9 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2986-2987 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BATHING8: Health limits bathing, dressing

Does your health now limit you in these activities? If so, how much? - Bathing or dressing yourself

Value	Label	Unweighted Frequency	%
1	1: Yes, Limited a lot	53	2.3 %
2	2: Yes, Limited a little	88	3.9 %
3	3: No, Not limited at all	1985	87.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2988-2989 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYCTDW8: Cut down on activities/work past month due to physical health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1837	80.6 %
2	2: Yes	287	12.6 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2990-2991 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYACCO8: Accomplished less past month due to physical health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	1: No	1601	70.3 %
2	2: Yes	523	23.0 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2992-2993 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYLIMI8: Limited in activities/work past month due to physical health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Were limited in the kind of work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1728	75.9 %
2	2: Yes	396	17.4 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2994-2995 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYDFCL8: Difficulty performing activities/work past month due to physical health

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? - Had difficulty performing the work or other activities (for example, it took extra effort)

Value	Label	Unweighted Frequency	%
1	1: No	1675	73.5 %
2	2: Yes	450	19.8 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2996-2997 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCTDW8: Cut down on activities/work past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular activities as a result of any emotional problems (such as feeling depressed or anxious)? - Cut down on the amount of time you spent on work or other activities

Value	Label	Unweighted Frequency	%
1	1: No	1854	81.4 %
2	2: Yes	270	11.9 %
	Missing Data		
-9	-9: Missing	117	5.1 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 2998-2999 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOACCO8: Accomplished less past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular activities as a result of any emotional problems (such as feeling depressed or anxious)? - Accomplished less than you would like

Value	Label	Unweighted Frequency	%
1	1: No	1687	74.1 %
2	2: Yes	439	19.3 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3000-3001 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMOCARE8: Activities/work less carefully past month due to emotional problems

During the past 4 weeks, have you had any of the following problems with your work or other regular activities as a result of any emotional problems (such as feeling depressed or anxious)? - Didn't do work or other activities as carefully as usual

Value	Label	Unweighted Frequency	%
1	1: No	1849	81.2 %
2	2: Yes	275	12.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3002-3003 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTERFR8: Physical health/emotional problems interfered with normal social activities with family/friends/neighbors

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, friends, neighbors, or groups?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1408	61.8 %
2	2: Slightly	430	18.9 %
3	3: Moderately	160	7.0 %
4	4: Quite A Bit	113	5.0 %
5	5: Extremely	16	0.7 %
	Missing Data		
-9	-9: Missing	117	5.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,127 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3004-3005 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BODYPAI8: Bodily pain past month

How much bodily pain have you had during the past 4 weeks?

Value	Label	Unweighted Frequency	%
1	1: None	367	16.1 %
2	2: Very Mild	741	32.5 %

Value	Label	Unweighted Frequency	%
3	3: Mild	466	20.5 %
4	4: Moderately	426	18.7 %
5	5: Severe	101	4.4 %
6	6: Very Severe	26	1.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,127 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3006-3007 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PAINTRF8: Pain interfere with work past month

During the past 4 weeks, how much did pain interfere with your normal work (including both work outside the home and housework)?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1202	52.8 %
2	2: Slightly	565	24.8 %
3	3: Moderately	222	9.7 %
4	4: Quite A Bit	109	4.8 %
5	5: Extremely	26	1.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3008-3009 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PEP8: Full of pep last month

How much of the time during the past 4 weeks: Did you feel full of pep?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	67	2.9 %
2	2: Most Of The Time	578	25.4 %
3	3: A Good Bit Of The Time	515	22.6 %
4	4: Some Of The Time	556	24.4 %
5	5: A Little Of The Time	293	12.9 %
6	6: None Of The Time	115	5.0 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3010-3011 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERV4WK8: Very nervous last month

How much of the time during the past 4 weeks: Have you been a very nervous person?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	14	0.6 %
2	2: Most Of The Time	37	1.6 %
3	3: A Good Bit Of The Time	73	3.2 %
4	4: Some Of The Time	259	11.4 %
5	5: A Little Of The Time	737	32.4 %
6	6: None Of The Time	1005	44.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3012-3013 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHER4WK8: Nothing could cheer last month

How much of the time during the past 4 weeks: Have you felt so down in the dumps that nothing could cheer you up?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	6	0.3 %
2	2: Most Of The Time	28	1.2 %
3	3: A Good Bit Of The Time	49	2.2 %
4	4: Some Of The Time	157	6.9 %
5	5: A Little Of The Time	414	18.2 %
6	6: None Of The Time	1471	64.6 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3014-3015 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CALM4WK8: Calm/peaceful last month

How much of the time during the past 4 weeks: Have you felt calm and peaceful?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	102	4.5 %
2	2: Most Of The Time	831	36.5 %
3	3: A Good Bit Of The Time	495	21.7 %
4	4: Some Of The Time	458	20.1 %
5	5: A Little Of The Time	196	8.6 %
6	6: None Of The Time	43	1.9 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3016-3017 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENERGY8: Lots of energy last month

How much of the time during the past 4 weeks: Did you have a lot of energy?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	60	2.6 %
2	2: Most Of The Time	545	23.9 %
3	3: A Good Bit Of The Time	504	22.1 %
4	4: Some Of The Time	554	24.3 %
5	5: A Little Of The Time	325	14.3 %
6	6: None Of The Time	136	6.0 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3018-3019 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLUE4WK8: Downhearted/blue last month

How much of the time during the past 4 weeks: Have you felt downhearted and blue?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	15	0.7 %
2	2: Most Of The Time	36	1.6 %
3	3: A Good Bit Of The Time	94	4.1 %
4	4: Some Of The Time	284	12.5 %

Value	Label	Unweighted Frequency	%
5	5: A Little Of The Time	801	35.2 %
6	6: None Of The Time	894	39.2 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3020-3021 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORNOUT8: Felt worn out last month

How much of the time during the past 4 weeks: Did you feel worn out?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	46	2.0 %
2	2: Most Of The Time	108	4.7 %
3	3: A Good Bit Of The Time	233	10.2 %
4	4: Some Of The Time	588	25.8 %
5	5: A Little Of The Time	821	36.0 %
6	6: None Of The Time	327	14.4 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3022-3023 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HAPY4WK8: Happy person last month

How much of the time during the past 4 weeks: Have you been a happy person?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	188	8.3 %
2	2: Most Of The Time	1005	44.1 %
3	3: A Good Bit Of The Time	417	18.3 %
4	4: Some Of The Time	353	15.5 %
5	5: A Little Of The Time	133	5.8 %
6	6: None Of The Time	28	1.2 %
	Missing Data		
-9	-9: Missing	118	5.2 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3024-3025 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TIRED8: Felt tired last month

How much of the time during the past 4 weeks: Did you feel tired?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	90	4.0 %
2	2: Most Of The Time	176	7.7 %
3	3: A Good Bit Of The Time	302	13.3 %
4	4: Some Of The Time	711	31.2 %
5	5: A Little Of The Time	759	33.3 %
6	6: None Of The Time	86	3.8 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3026-3027 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SOCIAL8: Physical health/emotional problems interfered with social activities (like visiting with friends/relatives/etc.)

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends, relatives, etc.)?

Value	Label	Unweighted Frequency	%
1	1: All Of The Time	51	2.2 %
2	2: Most Of The Time	83	3.6 %
3	3: Some Of The Time	250	11.0 %
4	4: A Little Of The Time	427	18.7 %
5	5: None Of The Time	1313	57.6 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3028-3029 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALSIC8: Seem to get sick easier than others

How TRUE or FALSE is each of the following statements for you? I seem to get sick a little easier than other people

Value	Label	Unweighted Frequency	%
1	1: Definitely true	40	1.8 %
2	2: Mostly true	105	4.6 %
3	3: Don't know	166	7.3 %
4	4: Mostly false	526	23.1 %
5	5: Definitely false	1287	56.5 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3030-3031 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALTHY8: Healthy as anybody I know

How TRUE or FALSE is each of the following statements for you? I am as healthy as anybody I know

Value	Label	Unweighted Frequency	%
1	1: Definitely true	717	31.5 %
2	2: Mostly true	927	40.7 %
3	3: Don't know	244	10.7 %
4	4: Mostly false	167	7.3 %
5	5: Definitely false	68	3.0 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3032-3033 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALWOR8: Expect health to get worse

How TRUE or FALSE is each of the following statements for you? I expect my health to get worse

Value	Label	Unweighted Frequency	%
1	1: Definitely true	57	2.5 %
2	2: Mostly true	230	10.1 %
3	3: Don't know	607	26.6 %
4	4: Mostly false	509	22.3 %
5	5: Definitely false	720	31.6 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	4	0.2 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3034-3035 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HEALEXC8: My health is excellent

How TRUE or FALSE is each of the following statements for you? My health is excellent

Value	Label	Unweighted Frequency	%
1	1: Definitely true	410	18.0 %
2	2: Mostly true	1179	51.8 %
3	3: Don't know	163	7.2 %
4	4: Mostly false	237	10.4 %
5	5: Definitely false	133	5.8 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	5	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,122 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3036-3037 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOTFLAS8: Hot flashes past 2 weeks

Thinking back over the past two weeks, how often have you had: Hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1020	44.8 %
2	2: 1-5 Days	625	27.4 %
3	3: 6-8 Days	146	6.4 %
4	4: 9-13 Days	98	4.3 %

Value	Label	Unweighted Frequency	%
5	5: Every Day	346	15.2 %
	Missing Data		
-9	-9: Missing	7	0.3 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,235 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3038-3039 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMHOTF8: Hot flashes/flushes times/day

On the days that you have hot flashes or flushes, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
1.0	-	262	11.5 %
1.5	-	2	0.1 %
2.0	-	355	15.6 %
2.5	-	1	0.0 %
3.0	-	199	8.7 %
4.0	-	90	4.0 %
5.0	-	78	3.4 %
5.5	-	1	0.0 %
6.0	-	50	2.2 %
7.0	-	9	0.4 %
8.0	-	18	0.8 %
9.0	-	3	0.1 %
10.0	-	39	1.7 %
12.0	-	8	0.4 %
13.0	-	1	0.0 %
14.0	-	1	0.0 %
15.0	-	3	0.1 %
18.0	-	1	0.0 %
20.0	-	9	0.4 %
22.0	-	1	0.0 %
23.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24.0	-	3	0.1 %
25.0	-	1	0.0 %
40.0	-	1	0.0 %
50.0	-	1	0.0 %
	Missing Data		
-9.0	-9: Missing	117	5.1 %
-8.0	-8: Do not know	1	0.0 %
-7.0	-7: Refused	12	0.5 %
-1.0	-1: N/A	976	42.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,138 valid cases out of 2,278 total cases.

- Mean: 3.38
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 3.63

Location: 3040-3043 (width: 4; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTHOTF8: Bothered by hot flashes

How much are you usually bothered by hot flashes or flushes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	104	4.6 %
2	2: Very Little	526	23.1 %
3	3: Moderately	404	17.7 %
4	4: A lot	112	4.9 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	976	42.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,146 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 4.00

Location: 3044-3045 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COLDSWE8: Cold sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Cold sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1912	83.9 %
2	2: 1-5 Days	164	7.2 %
3	3: 6-8 Days	29	1.3 %
4	4: 9-13 Days	19	0.8 %
5	5: Every Day	33	1.4 %
	Missing Data		
-9	-9: Missing	83	3.6 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,157 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3046-3047 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMCLDS8: Cold sweats times/day

On the days that you have cold sweats, how many times each day do you usually have them?

Value	Label	Unweighted Frequency	%
0.0	-	1	0.0 %
1.0	-	111	4.9 %
1.5	-	1	0.0 %
2.0	-	61	2.7 %
2.5	-	1	0.0 %
3.0	-	27	1.2 %
4.0	-	11	0.5 %
5.0	-	11	0.5 %
6.0	-	4	0.2 %
7.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8.0	-	1	0.0 %
10.0	-	3	0.1 %
12.0	-	1	0.0 %
33.0	-	1	0.0 %
	Missing Data		
-9.0	-9: Missing	117	5.1 %
-8.0	-8: Do not know	1	0.0 %
-7.0	-7: Refused	5	0.2 %
-1.0	-1: N/A	1886	82.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 235 valid cases out of 2,278 total cases.

- Mean: 2.26
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 2.65

Location: 3048-3051 (width: 4; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTCLDS8: Bothered by cold sweats

How much are you usually bothered by cold sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	31	1.4 %
2	2: Very Little	109	4.8 %
3	3: Moderately	77	3.4 %
4	4: A lot	24	1.1 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-1	-1: N/A	1886	82.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 241 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3052-3053 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NITESWE8: Night sweats past 2 weeks

Thinking back over the past two weeks, how often have you had: Night sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1347	59.1 %
2	2: 1-5 Days	568	24.9 %
3	3: 6-8 Days	102	4.5 %
4	4: 9-13 Days	58	2.5 %
5	5: Every Day	162	7.1 %
	Missing Data		
-9	-9: Missing	4	0.2 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,237 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3054-3055 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NUMNITS8: Night sweats times/night

On the days that you have night sweats, how many times each night do you usually have them?

Value	Label	Unweighted Frequency	%
1.0	-	433	19.0 %
1.5	-	2	0.1 %
2.0	-	233	10.2 %
2.5	-	1	0.0 %
3.0	-	97	4.3 %
3.5	-	1	0.0 %
4.0	-	26	1.1 %
5.0	-	15	0.7 %
6.0	-	6	0.3 %
7.0	-	2	0.1 %
8.0	-	4	0.2 %
10.0	-	5	0.2 %

Value	Label	Unweighted Frequency	%
12.0	-	1	0.0 %
15.0	-	2	0.1 %
20.0	-	1	0.0 %
23.0	-	1	0.0 %
50.0	-	1	0.0 %
	Missing Data		
-9.0	-9: Missing	117	5.1 %
-8.0	-8: Do not know	1	0.0 %
-7.0	-7: Refused	6	0.3 %
-1.0	-1: N/A	1289	56.6 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 831 valid cases out of 2,278 total cases.

- Mean: 1.98
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 2.43

Location: 3056-3059 (width: 4; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: -9.0 , -8.0 , -7.0 , -1.0 , .

BOTNITS8: Bothered by night sweats

How much are you usually bothered by night sweats?

Value	Label	Unweighted Frequency	%
1	1: Not At All	84	3.7 %
2	2: Very Little	358	15.7 %
3	3: Moderately	294	12.9 %
4	4: A lot	100	4.4 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1289	56.6 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 836 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3060-3061 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STIFF8: Stiffness/soreness past 2 weeks

Thinking back over the past two weeks, how often have you had: Stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	1: Not At All	597	26.2 %
2	2: 1-5 Days	772	33.9 %
3	3: 6-8 Days	193	8.5 %
4	4: 9-13 Days	124	5.4 %
5	5: Every Day	551	24.2 %
	Missing Data		
-9	-9: Missing	6	0.3 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,237 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3062-3063 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTSTIF8: Bothered by stiffness

How much are you usually bothered by stiffness or soreness in joints, neck or shoulders?

Value	Label	Unweighted Frequency	%
1	1: Not At All	56	2.5 %
2	2: Very Little	641	28.1 %
3	3: Moderately	623	27.3 %
4	4: A lot	235	10.3 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	569	25.0 %
.	-	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,555 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3064-3065 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRITAB8: Irritability past 2 weeks

Thinking back over the past two weeks, how often have you had: Irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	889	39.0 %
2	2: 1-5 Days	1086	47.7 %
3	3: 6-8 Days	133	5.8 %
4	4: 9-13 Days	58	2.5 %
5	5: Every Day	67	2.9 %
	Missing Data		
-9	-9: Missing	9	0.4 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,233 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3066-3067 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTIRRT8: Bothered by irritability

How much are you usually bothered by irritability or grouchiness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	86	3.8 %
2	2: Very Little	729	32.0 %
3	3: Moderately	385	16.9 %
4	4: A lot	87	3.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	-9: Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	837	36.7 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,287 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3068-3069 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NRVOUS8: Tense/nervous past 2 weeks

Thinking back over the past two weeks, how often have you felt: Tense or nervous?

Value	Label	Unweighted Frequency	%
1	1: Not At All	935	41.0 %
2	2: 1-5 Days	950	41.7 %
3	3: 6-8 Days	129	5.7 %
4	4: 9-13 Days	63	2.8 %
5	5: Every Day	74	3.2 %
	Missing Data		
-9	-9: Missing	89	3.9 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,151 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3070-3071 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BOTNERV8: Bothered by tenseness

How much are you usually bothered by feeling tense or nervous?

Value	Label	Unweighted Frequency	%
1	1: Not At All	76	3.3 %

Value	Label	Unweighted Frequency	%
2	2: Very Little	626	27.5 %
3	3: Moderately	399	17.5 %
4	4: A lot	95	4.2 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	926	40.6 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,196 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3072-3073 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACHES8: Back aches/pains past 2 weeks

Thinking back over the past two weeks, how often have you had: Back aches or pains?

Value	Label	Unweighted Frequency	%
1	1: Not At All	799	35.1 %
2	2: 1-5 Days	824	36.2 %
3	3: 6-8 Days	130	5.7 %
4	4: 9-13 Days	99	4.3 %
5	5: Every Day	308	13.5 %
	Missing Data		
-9	-9: Missing	82	3.6 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,160 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3074-3075 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

VAGINDR8: Vaginal dryness past 2 weeks

Thinking back over the past two weeks, how often have you had: Vaginal dryness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1513	66.4 %
2	2: 1-5 Days	390	17.1 %
3	3: 6-8 Days	72	3.2 %
4	4: 9-13 Days	68	3.0 %
5	5: Every Day	191	8.4 %
	Missing Data		
-7	-7: Refused	10	0.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,234 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3076-3077 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEELBLU8: Feeling blue past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling blue or depressed?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1081	47.5 %
2	2: 1-5 Days	900	39.5 %
3	3: 6-8 Days	133	5.8 %
4	4: 9-13 Days	79	3.5 %
5	5: Every Day	46	2.0 %
	Missing Data		
-7	-7: Refused	5	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,239 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3078-3079 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIZZY8: Dizzy spells past 2 weeks

Thinking back over the past two weeks, how often have you had: Dizzy spells?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1751	76.9 %
2	2: 1-5 Days	357	15.7 %
3	3: 6-8 Days	28	1.2 %
4	4: 9-13 Days	9	0.4 %
5	5: Every Day	14	0.6 %
	Missing Data		
-9	-9: Missing	83	3.6 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,159 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3080-3081 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORGET8: Forgetfulness past 2 weeks

Thinking back over the past two weeks, how often have you had: Forgetfulness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	716	31.4 %
2	2: 1-5 Days	982	43.1 %
3	3: 6-8 Days	195	8.6 %
4	4: 9-13 Days	79	3.5 %
5	5: Every Day	183	8.0 %
	Missing Data		
-9	-9: Missing	83	3.6 %
-7	-7: Refused	6	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,155 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3082-3083 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MOODCHG8: Frequent mood changes past 2 weeks

Thinking back over the past two weeks, how often have you had: Frequent mood changes?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1337	58.7 %
2	2: 1-5 Days	722	31.7 %
3	3: 6-8 Days	103	4.5 %
4	4: 9-13 Days	42	1.8 %
5	5: Every Day	36	1.6 %
	Missing Data		
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,240 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3084-3085 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HARTRAC8: Heart pounding/racing past 2 weeks

Thinking back over the past two weeks, how often have you had: Heart pounding or racing?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1603	70.4 %
2	2: 1-5 Days	442	19.4 %
3	3: 6-8 Days	68	3.0 %
4	4: 9-13 Days	27	1.2 %
5	5: Every Day	16	0.7 %
	Missing Data		
-9	-9: Missing	83	3.6 %
-7	-7: Refused	5	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,156 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3086-3087 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FEARFULA8: Feeling fearful past 2 weeks

Thinking back over the past two weeks, how often have you had: Feeling fearful for no reason?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1817	79.8 %
2	2: 1-5 Days	283	12.4 %
3	3: 6-8 Days	28	1.2 %
4	4: 9-13 Days	16	0.7 %
5	5: Every Day	15	0.7 %
	Missing Data		
-9	-9: Missing	82	3.6 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,159 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3088-3089 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HDACHE8: Headaches past 2 weeks

Thinking back over the past two weeks, how often have you had: Headaches?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1056	46.4 %
2	2: 1-5 Days	914	40.1 %
3	3: 6-8 Days	119	5.2 %
4	4: 9-13 Days	40	1.8 %
5	5: Every Day	31	1.4 %
	Missing Data		
-9	-9: Missing	82	3.6 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 2,160 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3090-3091 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BRSTPAI8: Breast pain/tenderness past 2 weeks

Thinking back over the past two weeks, how often have you had: Breast pain/tenderness?

Value	Label	Unweighted Frequency	%
1	1: Not At All	1751	76.9 %
2	2: 1-5 Days	327	14.4 %
3	3: 6-8 Days	48	2.1 %
4	4: 9-13 Days	11	0.5 %
5	5: Every Day	23	1.0 %
	Missing Data		
-9	-9: Missing	82	3.6 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,160 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3092-3093 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TRBLSLE8: Trouble falling asleep past 2 weeks

In the past two weeks: Did you have trouble falling asleep?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Wks	1128	49.5 %
2	2: Yes, < Once A Wk	329	14.4 %
3	3: Yes, 1-2 Times/Wk	343	15.1 %
4	4: Yes, 3-4 Times/Wk	167	7.3 %
5	5: Yes, 5 or More Times/Wk	159	7.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3094-3095 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEUP8: Wake up several times/night past 2 weeks

In the past two weeks: Did you wake up several times a night?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Wks	517	22.7 %
2	2: Yes, < Once A Wk	329	14.4 %
3	3: Yes, 1-2 Times/Wk	448	19.7 %
4	4: Yes, 3-4 Times/Wk	315	13.8 %
5	5: Yes, 5 or More Times/Wk	517	22.7 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,126 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3096-3097 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WAKEARL8: Wake up early past 2 weeks

In the past two weeks: Did you wake up earlier than you had planned to, and were unable to fall asleep again?

Value	Label	Unweighted Frequency	%
1	1: No, Not In The Past 2 Wks	980	43.0 %

Value	Label	Unweighted Frequency	%
2	2: Yes, < Once A Wk	419	18.4 %
3	3: Yes, 1-2 Times/Wk	367	16.1 %
4	4: Yes, 3-4 Times/Wk	182	8.0 %
5	5: Yes, 5 or More Times/Wk	177	7.8 %
	Missing Data		
-9	-9: Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3098-3099 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SLEEPQL8: Sleep quality overall past month

During the past month, how would you rate your sleep quality overall?

Value	Label	Unweighted Frequency	%
1	1: Very good	343	15.1 %
2	2: Fairly good	838	36.8 %
3	3: Fairly bad	310	13.6 %
4	4: Very bad	52	2.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,543 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3100-3101 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKEVER8: Involuntary leakage ever

Have you ever leaked urine, even a very small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	413	18.1 %
2	2: Yes	1123	49.3 %
	Missing Data		
-9	-9: Missing	708	31.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,536 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3102-3103 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDISC8: Ever discuss leakage with health care professional

Have you ever discussed your urine leakage with a doctor, nurse or other health care professional?

Value	Label	Unweighted Frequency	%
1	1: No	748	32.8 %
2	2: Yes	363	15.9 %
	Missing Data		
-9	-9: Missing	710	31.2 %
-7	-7: Refused	3	0.1 %
-1	-1: N/A	420	18.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,111 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3104-3105 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOTBAD8: Not discuss leakage: Problem not bad enough

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My problem is not bad enough to discuss it with a doctor, nurse or health care professional

Value	Label	Unweighted Frequency	%
1	1: No	127	5.6 %
2	2: Yes	625	27.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 752 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3106-3107 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNOEFTX8: Not discuss leakage: Think no effective treatment

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I don't think there are any effective treatments for my leaking problem

Value	Label	Unweighted Frequency	%
1	1: No	572	25.1 %
2	2: Yes	171	7.5 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	18	0.8 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 743 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3108-3109 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMOLD8: Not discuss leakage: Normal part of getting old

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is a normal part of getting older

Value	Label	Unweighted Frequency	%
1	1: No	322	14.1 %
2	2: Yes	421	18.5 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	18	0.8 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 743 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3110-3111 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LNRMCHD8: Not discuss leakage: Normal after having children

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Leaking urine is normal after having children

Value	Label	Unweighted Frequency	%
1	1: No	502	22.0 %
2	2: Yes	236	10.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	23	1.0 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 738 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3112-3113 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LWYSURG8: Not discuss leakage: Worried will need surgery

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am worried that I will be told I need surgery

Value	Label	Unweighted Frequency	%
1	1: No	710	31.2 %
2	2: Yes	32	1.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	19	0.8 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 742 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3114-3115 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEMBARR8: Not discuss leakage: Too embarrassed to bring up

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I am too embarrassed about my leaking problem to bring it up at a visit with my doctor/nurse/other health care professional

Value	Label	Unweighted Frequency	%
1	1: No	668	29.3 %
2	2: Yes	77	3.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	16	0.7 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 745 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3116-3117 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LDRNASK8: Not discuss leakage: Health care professional never asked

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - My doctor/nurse/health care professional has never asked me about my leaking problem

Value	Label	Unweighted Frequency	%
1	1: No	332	14.6 %
2	2: Yes	416	18.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	13	0.6 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 748 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3118-3119 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LTXMYSF8: Not discuss leakage: Can treat myself

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - I can or have treated my leaking problem by myself

Value	Label	Unweighted Frequency	%
1	1: No	500	21.9 %
2	2: Yes	244	10.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	17	0.7 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 744 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3120-3121 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKOR8: Not discuss leakage: Other reason

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional?

Value	Label	Unweighted Frequency	%
1	1: No	625	27.4 %
2	2: Yes	118	5.2 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	18	0.8 %
-1	-1: N/A	783	34.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 743 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3122-3123 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEAKORS8: Not discuss leakage: Other specify

If NO to LEKDISC8: Why have you not discussed your leakage with a doctor, nurse or other health care professional? - Are there any other reason(s) you have not discussed your leaking problem with a doctor/nurse/health care professional? - Please list (Specify)

Value	Label	Unweighted Frequency	%
	-	34	1.5 %
-1	-1: N/A	1426	62.6 %
-7	-7: Refused	3	0.1 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	701	30.8 %
ALWAYS FORGET	-	1	0.0 %
AT THE MOMENT NO CONCERN	-	1	0.0 %
BECAUSE I AM A NURSE MYSELF	-	1	0.0 %
BECAUSE I JUST STARTED TO LEAK URINE RECENTLY	-	1	0.0 %
BECAUSE IT ONLY HAPPEN WHEN I WAIT TO LONG TO GO TO THE REST	-	1	0.0 %
COUGHING ONLY	-	1	0.0 %
COUGHING, SINUS POST NASAL DRIP	-	1	0.0 %

Value	Label	Unweighted Frequency	%
DID NOT BOTHER ME LAST YEAR-BECOMING MORE ANNOYING	-	1	0.0 %
DIDN'T THINK IT WAS SEVERE ENOUGH TO BE IMPORTANT	-	1	0.0 %
DIDN'T THINK OF IT	-	1	0.0 %
DON'T THINK MY PROBLEM IS THAT BAD-MOSTLY WHEN LAUGHING	-	1	0.0 %
DON'T WANT ANY MORE MEDICINE	-	1	0.0 %
DON'T WANT SURGERY	-	1	0.0 %
DUE TO HACKING COUGH, STOPPED WHEN COUGH SUBSIDED	-	1	0.0 %
FIXED BY EXERCISE	-	1	0.0 %
FOR SEX	-	1	0.0 %
FORGET TO MENTION - DOESN'T HAPPEN THAT OFTEN	-	1	0.0 %
FORGOT EACH TIME, BUT WILL IN AUGUST	-	1	0.0 %
FORGOT TO ASK DOCTOR	-	1	0.0 %
GETTING BETTER	-	1	0.0 %
HADN'T BEEN BACK TO THE DR SINCE LEAKING STARTED	-	1	0.0 %
HAPPEND TWICE	-	1	0.0 %
HAVEN'T BEEN FOR CHECK UP FOR LAST FEW YEARS	-	1	0.0 %
HAVEN'T BEEN TO DR. OR ANOTHER HEALTH CARE PRACTIONER	-	1	0.0 %

Value	Label	Unweighted Frequency	%
HAVEN'T BEEN TO THE DR.	-	1	0.0 %
HAVEN'T SEEN DR. SINCE IT HAPPENED	-	1	0.0 %
HEAT INJURY, LOST BLADDER CONTROL IN ARMY IN 1987.	-	1	0.0 %
I DON'T HAVE THAT PROBLEM	-	1	0.0 %
I DON'T WANT TO TAKE MORE MEDS! OR SURGERY	-	1	0.0 %
I FORGET TO ASK WHEN I SEE MY DOCTOR	-	1	0.0 %
I FORGET TO DISCUSS; USUALLY IS DUE TO COUGHING FROM TB	-	1	0.0 %
I FORGOT TO MENTION IT THE LAST TIME I SAW HER	-	1	0.0 %
I FORGOT TO MENTION IT. NOT A CHRONIC PROBLEM.	-	1	0.0 %
I HAD WHOOPING COUGH AT THE TIME, PROBLEM IS GONE NOW	-	1	0.0 %
I HAVE NEVER THOUGHT TO BRING THIS PROBLEM TO HIS ATTENTION	-	1	0.0 %
I HAVE NOT BEEN TO A DR. FOR APROX. 3 YRS	-	1	0.0 %
I JUST FORGET	-	1	0.0 %
I JUST STARTED TO HAVE THE LEAK AFTER MY OPERATON	-	1	0.0 %
I KEEP FORGETTING	-	1	0.0 %

Value	Label	Unweighted Frequency	%
I KNOW EXERCISES + EXERCISE IN GENERAL HELPS SO I DO IT	-	1	0.0 %
I REALLY DO NOT HAVE A PROBLEM	-	1	0.0 %
I SHOULD GO AS SOON AS I FEEL THE URGE AND SOMETIMES I DON'T	-	1	0.0 %
INFREQUENT	-	1	0.0 %
IT DOESN'T BOTHER ME	-	1	0.0 %
IT HAPPENED AWHILE BACK-OCCURED W/COUGH ONLY-EXERCISE	-	1	0.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 3124-3183 (width: 60; decimal: 0)
Variable Type: character

RXTRMLK8: Health care provider recommended leakage treatment

Did a doctor, nurse or other health care professional recommend or prescribe any treatment for your urine leakage?

Value	Label	Unweighted Frequency	%
1	1: No	142	6.2 %
2	2: Yes	224	9.8 %
	Missing Data		
-9	-9: Missing	706	31.0 %
-7	-7: Refused	6	0.3 %
-1	-1: N/A	1166	51.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 366 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3184-3185 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXMED8: Leak treatment recommended: Medication

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Medication

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	149	6.5 %
1	1: Recommended, but have not tried tmt	20	0.9 %
2	2: Recommended, but not satisfied w/tmt	13	0.6 %
3	3: Recommended, somewhat satisfied w/tmt	19	0.8 %
4	4: Recommended, very satisfied w/tmt	16	0.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	7	0.3 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 217 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3186-3187 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXKEGL8: Leak treatment recommended: Kegel/pelvic exercises

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Kegel or pelvic muscle exercises

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	47	2.1 %
1	1: Recommended, but have not tried tmt	32	1.4 %
2	2: Recommended, but not satisfied w/tmt	53	2.3 %
3	3: Recommended, somewhat satisfied w/tmt	64	2.8 %
4	4: Recommended, very satisfied w/tmt	22	1.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	6	0.3 %
-1	-1: N/A	1320	57.9 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 218 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3188-3189 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXBIOF8: Leak treatment recommended: Biofeedback

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Biofeedback or electrical stimulation

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	203	8.9 %
1	1: Recommended, but have not tried tmt	3	0.1 %
2	2: Recommended, but not satisfied w/tmt	2	0.1 %
3	3: Recommended, somewhat satisfied w/tmt	6	0.3 %
4	4: Recommended, very satisfied w/tmt	0	0.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 214 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 3190-3191 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXUMOR8: Leak treatment recommended: Urinate more often

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Urinate more often or urinate on a schedule

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	157	6.9 %

Value	Label	Unweighted Frequency	%
1	1: Recommended, but have not tried tmt	3	0.1 %
2	2: Recommended, but not satisfied w/tmt	10	0.4 %
3	3: Recommended, somewhat satisfied w/tmt	36	1.6 %
4	4: Recommended, very satisfied w/tmt	10	0.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	8	0.4 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 216 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3192-3193 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXLIMT8: Leak treatment recommended: Limit fluids

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Limit fluid intake

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	187	8.2 %
1	1: Recommended, but have not tried tmt	5	0.2 %
2	2: Recommended, but not satisfied w/tmt	7	0.3 %
3	3: Recommended, somewhat satisfied w/tmt	13	0.6 %
4	4: Recommended, very satisfied w/tmt	2	0.1 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 214 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3194-3195 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXSURG8: Leak treatment recommended: Surgery

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Surgery

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	170	7.5 %
1	1: Recommended, but have not tried tmt	25	1.1 %
2	2: Recommended, but not satisfied w/tmt	2	0.1 %
3	3: Recommended, somewhat satisfied w/tmt	3	0.1 %
4	4: Recommended, very satisfied w/tmt	15	0.7 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 215 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3196-3197 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LRXOTH8: Leak treatment recommended: Other treatment

If YES to RXTRMLK8: For the treatments that were recommended or prescribed by a doctor, nurse or other health care professional, tell us how satisfied you were with each of them - Any other treatments

Value	Label	Unweighted Frequency	%
0	0: Not Recommended	191	8.4 %
1	1: Recommended, but have not tried tmt	1	0.0 %
2	2: Recommended, but not satisfied w/tmt	4	0.2 %
3	3: Recommended, somewhat satisfied w/tmt	7	0.3 %
4	4: Recommended, very satisfied w/tmt	6	0.3 %
	Missing Data		
-9	-9: Missing	701	30.8 %
-7	-7: Refused	14	0.6 %
-1	-1: N/A	1320	57.9 %
.	-	34	1.5 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 209 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 3198-3199 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKINVO8: Involuntary leakage since last study visit

Since your last study visit, have you leaked, even a very small amount, of urine involuntarily or beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	95	4.2 %
2	2: Yes	1020	44.8 %
	Missing Data		
-9	-9: Missing	96	4.2 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	413	18.1 %
.	-	652	28.6 %
	Total	**2,278**	**100%**

Based upon 1,115 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3200-3201 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKDAYS8: Days leaked urine in last month

In the last month, about how many days have you lost any urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: Never	97	4.3 %
2	2: Less Than 1 Day/Week	566	24.8 %
3	3: Several Days/Week	208	9.1 %
4	4: Almost Daily/Daily	118	5.2 %
	Missing Data		
-9	-9: Missing	730	32.0 %
-7	-7: Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
-1	-1: N/A	524	23.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 989 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3202-3203 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKCOUG8: Leak urine due to cough, laugh, etc. in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	1: No	179	7.9 %
2	2: Yes	714	31.3 %
	Missing Data		
-9	-9: Missing	704	30.9 %
-1	-1: N/A	647	28.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 893 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3204-3205 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COUGLWK8: Times/week leak due to cough, laugh, etc.

If YES to LEKCOUG8: About how many time per week have you lost any urine under these circumstances?

Value	Label	Unweighted Frequency	%
1	1: LT Once/Wk	418	18.3 %
2	2: One-Several Times/Wk	230	10.1 %
3	3: Almost Daily/Daily	76	3.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	5	0.2 %
-1	-1: N/A	815	35.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 724 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3206-3207 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKURGE8: Leak urine due to urge to void & too slow in last month

In the last month, have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	1: No	334	14.7 %
2	2: Yes	556	24.4 %
	Missing Data		
-9	-9: Missing	706	31.0 %
-7	-7: Refused	1	0.0 %
-1	-1: N/A	647	28.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 890 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3208-3209 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

URGELWK8: Times/week leak due to urge to void

If YES to LEKURGE8: About how many times per week have you lost any urine under this circumstance?

Value	Label	Unweighted Frequency	%
1	1: LT Once/Wk	295	12.9 %
2	2: One-Several Times/Wk	216	9.5 %
3	3: Almost Daily/Daily	52	2.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	4	0.2 %
-1	-1: N/A	977	42.9 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 563 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3210-3211 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKAMNT8: Amount leaked

How much urine do you lose when you leak?

Value	Label	Unweighted Frequency	%
1	1: A Drop Or Two	530	23.3 %
2	2: Enough to Change Underwear/Wear Liner	332	14.6 %
3	3: Enough to Wet Outer Clothing	15	0.7 %
4	4: Enough to Wet Floor	8	0.4 %
	Missing Data		
-9	-9: Missing	702	30.8 %
-7	-7: Refused	10	0.4 %
-1	-1: N/A	647	28.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 885 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3212-3213 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKBOTH8: Bothered by leakage

On a scale from 0 to 10, where 0 = Not at all bothered and 10 = Extremely bothered, how much does the leakage of urine bother you?

Value	Label	Unweighted Frequency	%
0	-	60	2.6 %
1	-	130	5.7 %
2	-	121	5.3 %
3	-	108	4.7 %
4	-	65	2.9 %
5	-	165	7.2 %
6	-	42	1.8 %
7	-	48	2.1 %
8	-	53	2.3 %
9	-	25	1.1 %
10	-	69	3.0 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	11	0.5 %
-1	-1: N/A	647	28.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 886 valid cases out of 2,278 total cases.

- Mean: 4.19
- Median: 4.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.89

Location: 3214-3215 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STARTNE8: Started new job/school upsetting since last visit

Since your last study visit, have you experienced any of the following: Started school, a training program, or new job?

Value	Label	Unweighted Frequency	%
1	1: No	1751	76.9 %
2	2: Yes, Not At All Upsetting	199	8.7 %
3	3: Yes, Somewhat Upsetting	133	5.8 %
4	4: Yes, Very Upsetting	24	1.1 %
5	5: Yes, Very Upsetting & Still Upsetting	18	0.8 %
	Missing Data		
-9	-9 : Missing	117	5.1 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3216-3217 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKTRB8: Work problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Had trouble with a boss or conditions at work got worse?

Value	Label	Unweighted Frequency	%
1	1: No	1611	70.7 %
2	2: Yes, Not At All Upsetting	61	2.7 %
3	3: Yes, Somewhat Upsetting	356	15.6 %
4	4: Yes, Very Upsetting	106	4.7 %
5	5: Yes, Very Upsetting & Still Upsetting	67	2.9 %
	Missing Data		
-9	-9 : Missing	35	1.5 %
-7	-7: Refused	8	0.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,201 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3218-3219 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

QUITJOB8: Quit job upsetting since last visit

Since your last study visit, have you experienced any of the following: Quit, fired or laid off from a job?

Value	Label	Unweighted Frequency	%
1	1: No	1954	85.8 %
2	2: Yes, Not At All Upsetting	70	3.1 %
3	3: Yes, Somewhat Upsetting	52	2.3 %

Value	Label	Unweighted Frequency	%
4	4: Yes, Very Upsetting	24	1.1 %
5	5: Yes, Very Upsetting & Still Upsetting	22	1.0 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	5	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,122 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3220-3221 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORKLOA8: Increase work load upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on a greatly increased workload at job?

Value	Label	Unweighted Frequency	%
1	1: No	1560	68.5 %
2	2: Yes, Not At All Upsetting	231	10.1 %
3	3: Yes, Somewhat Upsetting	256	11.2 %
4	4: Yes, Very Upsetting	50	2.2 %
5	5: Yes, Very Upsetting & Still Upsetting	24	1.1 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	6	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,121 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3222-3223 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PRTUNEM8: Partner unemployed upsetting since last visit

Since your last study visit, have you experienced any of the following: Husband/partner became unemployed?

Value	Label	Unweighted Frequency	%
1	1: No	1983	87.1 %
2	2: Yes, Not At All Upsetting	35	1.5 %
3	3: Yes, Somewhat Upsetting	63	2.8 %
4	4: Yes, Very Upsetting	23	1.0 %
5	5: Yes, Very Upsetting & Still Upsetting	18	0.8 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	5	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,122 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3224-3225 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MONEYPR8: Money problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Major money problems?

Value	Label	Unweighted Frequency	%
1	1: No	1670	73.3 %
2	2: Yes, Not At All Upsetting	53	2.3 %
3	3: Yes, Somewhat Upsetting	290	12.7 %
4	4: Yes, Very Upsetting	110	4.8 %
5	5: Yes, Very Upsetting & Still Upsetting	80	3.5 %
	Missing Data		
-9	-9 : Missing	35	1.5 %
-7	-7: Refused	6	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,203 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3226-3227 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WORSREL8: Worsening relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Relations with husband/partner changed for the worse but without separation or divorce?

Value	Label	Unweighted Frequency	%
1	1: No	1911	83.9 %
2	2: Yes, Not At All Upsetting	24	1.1 %
3	3: Yes, Somewhat Upsetting	108	4.7 %
4	4: Yes, Very Upsetting	36	1.6 %
5	5: Yes, Very Upsetting & Still Upsetting	41	1.8 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	7	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,120 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3228-3229 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RELATEN8: Ended relationship upsetting since last visit

Since your last study visit, have you experienced any of the following: Were separated or divorced or a long-term relationship ended?

Value	Label	Unweighted Frequency	%
1	1: No	2014	88.4 %
2	2: Yes, Not At All Upsetting	24	1.1 %
3	3: Yes, Somewhat Upsetting	33	1.4 %
4	4: Yes, Very Upsetting	26	1.1 %
5	5: Yes, Very Upsetting & Still Upsetting	23	1.0 %
	Missing Data		
-9	-9 : Missing	118	5.2 %
-7	-7: Refused	6	0.3 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,120 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3230-3231 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SERIPRO8: Serious family problem upsetting since last visit

Since your last study visit, have you experienced any of the following: Had a serious problem with child or family member (other than husband/partner) or with a close friend?

Value	Label	Unweighted Frequency	%
1	1: No	1640	72.0 %
2	2: Yes, Not At All Upsetting	44	1.9 %
3	3: Yes, Somewhat Upsetting	240	10.5 %
4	4: Yes, Very Upsetting	138	6.1 %
5	5: Yes, Very Upsetting & Still Upsetting	145	6.4 %
	Missing Data		
-9	-9 : Missing	35	1.5 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,207 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3232-3233 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDMO8: Child moved upsetting since last visit

Since your last study visit, have you experienced any of the following: A child moved out of the house or left the area?

Value	Label	Unweighted Frequency	%
1	1: No	1780	78.1 %
2	2: Yes, Not At All Upsetting	144	6.3 %
3	3: Yes, Somewhat Upsetting	141	6.2 %
4	4: Yes, Very Upsetting	38	1.7 %
5	5: Yes, Very Upsetting & Still Upsetting	21	0.9 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3234-3235 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RESPCAR8: Responsibility for care upsetting since last visit

Since your last study visit, have you experienced any of the following: Took on responsibility for the care of another child, grandchild, parent, other family member or friend?

Value	Label	Unweighted Frequency	%
1	1: No	1783	78.3 %
2	2: Yes, Not At All Upsetting	131	5.8 %
3	3: Yes, Somewhat Upsetting	154	6.8 %
4	4: Yes, Very Upsetting	26	1.1 %
5	5: Yes, Very Upsetting & Still Upsetting	29	1.3 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,123 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3236-3237 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEGALPR8: Legal problems upsetting since last visit

Since your last study visit, have you experienced any of the following: Family member had legal problems or a problem with the police?

Value	Label	Unweighted Frequency	%
1	1: No	1874	82.3 %
2	2: Yes, Not At All Upsetting	28	1.2 %

Value	Label	Unweighted Frequency	%
3	3: Yes, Somewhat Upsetting	123	5.4 %
4	4: Yes, Very Upsetting	54	2.4 %
5	5: Yes, Very Upsetting & Still Upsetting	46	2.0 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3238-3239 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRELDIE8: Close relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close relative (husband/partner, child or parent) died?

Value	Label	Unweighted Frequency	%
1	1: No	1957	85.9 %
2	2: Yes, Not At All Upsetting	18	0.8 %
3	3: Yes, Somewhat Upsetting	81	3.6 %
4	4: Yes, Very Upsetting	79	3.5 %
5	5: Yes, Very Upsetting & Still Upsetting	70	3.1 %
	Missing Data		
-9	-9 : Missing	35	1.5 %
-7	-7: Refused	4	0.2 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,205 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3240-3241 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CLOSDIE8: Other close friend/relative died upsetting since last visit

Since your last study visit, have you experienced any of the following: A close friend or family member other than a husband/partner, child or parent died?

Value	Label	Unweighted Frequency	%
1	1: No	1661	72.9 %
2	2: Yes, Not At All Upsetting	57	2.5 %
3	3: Yes, Somewhat Upsetting	277	12.2 %
4	4: Yes, Very Upsetting	147	6.5 %
5	5: Yes, Very Upsetting & Still Upsetting	64	2.8 %
	Missing Data		
-9	-9 : Missing	35	1.5 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,206 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3242-3243 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SELFVIO8: Violent event to self upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to yourself?

Value	Label	Unweighted Frequency	%
1	1: No	2035	89.3 %
2	2: Yes, Not At All Upsetting	5	0.2 %
3	3: Yes, Somewhat Upsetting	43	1.9 %
4	4: Yes, Very Upsetting	24	1.1 %
5	5: Yes, Very Upsetting & Still Upsetting	17	0.7 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3244-3245 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FAMLVIO8: Violent event to other family member upsetting since last visit

Since your last study visit, have you experienced any of the following: Major accident, assault, disaster, robbery or other violent event happened to a family member?

Value	Label	Unweighted Frequency	%
1	1: No	1998	87.7 %
2	2: Yes, Not At All Upsetting	7	0.3 %
3	3: Yes, Somewhat Upsetting	54	2.4 %
4	4: Yes, Very Upsetting	38	1.7 %
5	5: Yes, Very Upsetting & Still Upsetting	28	1.2 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,125 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3246-3247 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSILL8: Serious illness family upsetting since last visit

Since your last study visit, have you experienced any of the following: Serious physical illness, injury or drug/alcohol problem in family member, partner or close friend?

Value	Label	Unweighted Frequency	%
1	1: No	1624	71.3 %
2	2: Yes, Not At All Upsetting	38	1.7 %
3	3: Yes, Somewhat Upsetting	221	9.7 %
4	4: Yes, Very Upsetting	141	6.2 %
5	5: Yes, Very Upsetting & Still Upsetting	100	4.4 %
	Missing Data		
-9	-9 : Missing	117	5.1 %
-7	-7: Refused	3	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,124 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3248-3249 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MAJEVEN8: Other major event upsetting since last visit

Since your last study visit, have you experienced any of the following: Other major event not included above?

Value	Label	Unweighted Frequency	%
1	1: No	1908	83.8 %
2	2: Yes, Not At All Upsetting	45	2.0 %
3	3: Yes, Somewhat Upsetting	94	4.1 %
4	4: Yes, Very Upsetting	80	3.5 %
5	5: Yes, Very Upsetting & Still Upsetting	59	2.6 %
	Missing Data		
-9	-9 : Missing	44	1.9 %
-7	-7: Refused	14	0.6 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,186 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3250-3251 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMPLYPA8: Employed for pay

Are you currently employed for pay?

Value	Label	Unweighted Frequency	%
1	1: No	358	15.7 %
2	2: Yes	1178	51.7 %
	Missing Data		
-9	-9: Missing	707	31.0 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,536 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3252-3253 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDJO8: How rewarding is job

If YES to EMPLYPA8: How rewarding is your job?

Value	Label	Unweighted Frequency	%
1	1: Not At All	19	0.8 %
2	2: A Little	82	3.6 %
3	3: Somewhat	343	15.1 %
4	4: Quite A Bit	496	21.8 %
5	5: Extremely	225	9.9 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	13	0.6 %
-1	-1: N/A	366	16.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,165 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3254-3255 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSJO8: How stressful is job

If YES to EMPLYPA8: How stressful is your job?

Value	Label	Unweighted Frequency	%
1	1: Not At All	72	3.2 %
2	2: A Little	242	10.6 %
3	3: Somewhat	415	18.2 %
4	4: Quite A Bit	311	13.7 %
5	5: Extremely	125	5.5 %
	Missing Data		
-9	-9: Missing	700	30.7 %

Value	Label	Unweighted Frequency	%
-7	-7: Refused	13	0.6 %
-1	-1: N/A	366	16.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,165 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3256-3257 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTCAR8: Caring for older/disabled family member

Are you currently caring for an older or disabled family member?

Value	Label	Unweighted Frequency	%
1	1: No	1279	56.1 %
2	2: Yes	244	10.7 %
	Missing Data		
-9	-9: Missing	719	31.6 %
-7	-7: Refused	2	0.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,523 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3258-3259 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDCAR8: How rewarding caregiver role

If YES to CRNTCAR8: How rewarding is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	1: Not At All	21	0.9 %
2	2: A Little	47	2.1 %
3	3: Somewhat	84	3.7 %
4	4: Quite A Bit	60	2.6 %
5	5: Extremely	30	1.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1300	57.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 242 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3260-3261 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSCAR8: How stressful caregiver role

If YES to CRNTCAR8: How stressful is your role as caregiver?

Value	Label	Unweighted Frequency	%
1	1: Not At All	14	0.6 %
2	2: A Little	49	2.2 %
3	3: Somewhat	102	4.5 %
4	4: Quite A Bit	48	2.1 %
5	5: Extremely	29	1.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	1300	57.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 242 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3262-3263 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CRNTMAR8: Currently married/committed relationship

Are you currently married or in a committed relationship?

Value	Label	Unweighted Frequency	%
1	1: No	398	17.5 %
2	2: Yes	1139	50.0 %
	Missing Data		
-9	-9: Missing	706	31.0 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,537 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3264-3265 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

RWRDREL8: How rewarding is relationship

If YES to CRNTMAR8: How rewarding is this relationship?

Value	Label	Unweighted Frequency	%
1	1: Not At All	36	1.6 %
2	2: A Little	54	2.4 %
3	3: Somewhat	223	9.8 %
4	4: Quite A Bit	406	17.8 %
5	5: Extremely	412	18.1 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	8	0.4 %
-1	-1: N/A	405	17.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,131 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3266-3267 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSREL8: How stressful is relationship

If YES to CRNTMAR8: How stressful is this relationship?

Value	Label	Unweighted Frequency	%
1	1: Not At All	313	13.7 %
2	2: A Little	436	19.1 %
3	3: Somewhat	257	11.3 %
4	4: Quite A Bit	92	4.0 %
5	5: Extremely	33	1.4 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	8	0.4 %
-1	-1: N/A	405	17.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,131 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3268-3269 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CHILDRE8: Have children/stepchildren

Do you have any children or stepchildren?

Value	Label	Unweighted Frequency	%
1	1: No	266	11.7 %
2	2: Yes	1261	55.4 %
	Missing Data		
-9	-9: Missing	716	31.4 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,527 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3270-3271 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

REWRDMO8: How rewarding is role as mother

If YES to CHILDRE8: How rewarding is your role as a mother?

Value	Label	Unweighted Frequency	%
1	1: Not At All	14	0.6 %
2	2: A Little	46	2.0 %
3	3: Somewhat	147	6.5 %
4	4: Quite A Bit	401	17.6 %
5	5: Extremely	644	28.3 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	283	12.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,252 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3272-3273 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRSSMO8: How stressful is role as mother

If YES to CHILDRE8: How stressful is your role as a mother?

Value	Label	Unweighted Frequency	%
1	1: Not At All	209	9.2 %
2	2: A Little	408	17.9 %
3	3: Somewhat	368	16.2 %
4	4: Quite A Bit	178	7.8 %
5	5: Extremely	89	3.9 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-7	-7: Refused	9	0.4 %
-1	-1: N/A	283	12.4 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,252 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3274-3275 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INCOME8: Total family income

What is your total family income (before taxes) from all sources within your household in the last year?

Value	Label	Unweighted Frequency	%
1	1: Less Than $19,999	124	5.4 %
2	2: $20,000 to $49,999	401	17.6 %
3	3: $50,000 to $99,999	307	13.5 %
4	4: $100,000 or More	642	28.2 %
	Missing Data		
-9	-9: Missing	700	30.7 %
-8	-8: Do not know	22	1.0 %
-7	-7: Refused	48	2.1 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 1,474 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3276-3277 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOW_HAR8: How hard to pay for basics

How hard is it for you to pay for the very basics like food, housing, medical care, and heating? Would you say it is ...

Value	Label	Unweighted Frequency	%
1	1: Very Hard	100	4.4 %
2	2: Somewhat Hard	453	19.9 %
3	3: Not hard at all	1580	69.4 %
	Missing Data		
-9	-9: Missing	83	3.6 %
-8	-8: Do not know	27	1.2 %
-7	-7: Refused	1	0.0 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,133 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3278-3279 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTRPAN8: Interested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Interested

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	32	1.4 %
2	2: A Little	116	5.1 %
3	3: Moderately	411	18.0 %
4	4: Quite A Bit	653	28.7 %
5	5: Extremely	260	11.4 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,472 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3280-3281 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DISIPAN8: Disinterested this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Disinterested

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	0	0.0 %
2	2: A Little	0	0.0 %
3	3: Moderately	0	0.0 %
4	4: Quite A Bit	0	0.0 %
5	5: Extremely	0	0.0 %
	Missing Data		
.	-	2278	100.0 %
	Total	**2,278**	**100%**

Based upon 0 valid cases out of 2,278 total cases.

Location: 3282-3283 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXCIPAN8: Excited this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Excited

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	176	7.7 %
2	2: A Little	290	12.7 %
3	3: Moderately	583	25.6 %
4	4: Quite A Bit	339	14.9 %
5	5: Extremely	82	3.6 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	4	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,470 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3284-3285 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

UPSEPAN8: Upset this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Upset

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	439	19.3 %
2	2: A Little	588	25.8 %
3	3: Moderately	251	11.0 %
4	4: Quite A Bit	145	6.4 %
5	5: Extremely	46	2.0 %
	Missing Data		
-9	-9: Missing	669	29.4 %
-7	-7: Refused	3	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,469 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3286-3287 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STROPAN8: Strong this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Strong

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	103	4.5 %
2	2: A Little	188	8.3 %
3	3: Moderately	477	20.9 %
4	4: Quite A Bit	545	23.9 %
5	5: Extremely	154	6.8 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	7	0.3 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,467 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3288-3289 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

GUILPAN8: Guilty this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Guilty

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1022	44.9 %
2	2: A Little	344	15.1 %
3	3: Moderately	70	3.1 %
4	4: Quite A Bit	30	1.3 %
5	5: Extremely	5	0.2 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	3	0.1 %

Value	Label	Unweighted Frequency	%
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,471 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3290-3291 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SCARPAN8: Scared this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Scared

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1001	43.9 %
2	2: A Little	347	15.2 %
3	3: Moderately	78	3.4 %
4	4: Quite A Bit	36	1.6 %
5	5: Extremely	8	0.4 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	4	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,470 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3292-3293 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HOSTPAN8: Hostile this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Hostile

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1082	47.5 %
2	2: A Little	300	13.2 %
3	3: Moderately	63	2.8 %
4	4: Quite A Bit	19	0.8 %

Value	Label	Unweighted Frequency	%
5	5: Extremely	7	0.3 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,471 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3294-3295 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENTHPAN8: Enthusiastic this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Enthusiastic

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	118	5.2 %
2	2: A Little	251	11.0 %
3	3: Moderately	497	21.8 %
4	4: Quite A Bit	457	20.1 %
5	5: Extremely	147	6.5 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	3	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,470 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3296-3297 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PROUPAN8: Proud this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Proud

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	118	5.2 %
2	2: A Little	222	9.7 %
3	3: Moderately	458	20.1 %
4	4: Quite A Bit	453	19.9 %
5	5: Extremely	217	9.5 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	5	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,468 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3298-3299 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IRRIPAN8: Irritable this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Irritable

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	467	20.5 %
2	2: A Little	662	29.1 %
3	3: Moderately	226	9.9 %
4	4: Quite A Bit	90	4.0 %
5	5: Extremely	25	1.1 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	4	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,470 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3300-3301 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALERPAN8: Alert this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Alert

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	52	2.3 %
2	2: A Little	161	7.1 %
3	3: Moderately	463	20.3 %
4	4: Quite A Bit	589	25.9 %
5	5: Extremely	206	9.0 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	3	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,471 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3302-3303 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ASHAPAN8: Ashamed this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Ashamed

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1227	53.9 %
2	2: A Little	171	7.5 %
3	3: Moderately	43	1.9 %
4	4: Quite A Bit	22	1.0 %
5	5: Extremely	6	0.3 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	4	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,469 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3304-3305 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INSPPAN8: Inspired this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Inspired

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	183	8.0 %
2	2: A Little	303	13.3 %
3	3: Moderately	466	20.5 %
4	4: Quite A Bit	379	16.6 %
5	5: Extremely	141	6.2 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,472 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3306-3307 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NERVPAN8: Nervous this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Nervous

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	698	30.6 %
2	2: A Little	512	22.5 %
3	3: Moderately	172	7.6 %
4	4: Quite A Bit	79	3.5 %
5	5: Extremely	11	0.5 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,472 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3308-3309 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DETEPAN8: Determined this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Determined

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	75	3.3 %
2	2: A Little	162	7.1 %
3	3: Moderately	434	19.1 %
4	4: Quite A Bit	518	22.7 %
5	5: Extremely	283	12.4 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,472 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3310-3311 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ATTEPAN8: Attentive this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Attentive

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	54	2.4 %
2	2: A Little	152	6.7 %
3	3: Moderately	491	21.6 %
4	4: Quite A Bit	587	25.8 %
5	5: Extremely	184	8.1 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	5	0.2 %
.	-	137	6.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,468 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3312-3313 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

JITTPAN8: Jittery this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Jittery

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	975	42.8 %
2	2: A Little	340	14.9 %
3	3: Moderately	91	4.0 %
4	4: Quite A Bit	52	2.3 %
5	5: Extremely	8	0.4 %
	Missing Data		
-9	-9: Missing	668	29.3 %
-7	-7: Refused	7	0.3 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,466 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3314-3315 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ACTIPAN8: Active this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Active

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	73	3.2 %
2	2: A Little	195	8.6 %
3	3: Moderately	496	21.8 %
4	4: Quite A Bit	495	21.7 %
5	5: Extremely	210	9.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	5	0.2 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,469 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3316-3317 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AFRAPAN8: Afraid this week

Indicate in the space next to each item how strongly you have experienced these feelings this past week: Afraid

Value	Label	Unweighted Frequency	%
1	1: Not At All/Very Slightly	1041	45.7 %
2	2: A Little	322	14.1 %
3	3: Moderately	70	3.1 %
4	4: Quite A Bit	27	1.2 %
5	5: Extremely	12	0.5 %
	Missing Data		
-9	-9: Missing	667	29.3 %
-7	-7: Refused	2	0.1 %
.	-	137	6.0 %
	Total	**2,278**	**100%**

Based upon 1,472 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3318-3319 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LEKMAIL8: MAIL: Involuntary leakage since last visit

Since your last study visit, have you leaked urine, even a small amount, beyond your control?

Value	Label	Unweighted Frequency	%
1	1: No	245	10.8 %

Value	Label	Unweighted Frequency	%
2	2: Yes	355	15.6 %
	Missing Data		
-9	-9: Missing	17	0.7 %
-7	-7: Refused	1	0.0 %
.	-	1660	72.9 %
	Total	**2,278**	**100%**

Based upon 600 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3320-3321 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LSTURIN8: MAIL: Days leak in last month due to cough, laugh, sneeze

In the last month, about how many days have you lost any urine, even a small amount, beyond your control when you are coughing, laughing, sneezing, jogging, picking up an object from the floor or similar type of activity?

Value	Label	Unweighted Frequency	%
1	1: Never	64	2.8 %
2	2: About once in last mo	128	5.6 %
3	3: At least 1/wk to several/wk	105	4.6 %
4	4: Almost daily/daily	37	1.6 %
	Missing Data		
-9	-9: Missing	1661	72.9 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	247	10.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 334 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3322-3323 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LSTURI28: MAIL: Days leak in last month due to void urge & slow to toilet

In the last month, about how many days have you lost any urine, even a small amount, beyond your control when you have the urge to urinate and can't get to the toilet fast enough?

Value	Label	Unweighted Frequency	%
1	1: Never	88	3.9 %
2	2: About once in last mo	112	4.9 %
3	3: At least 1/wk to several/wk	101	4.4 %
4	4: Almost daily/daily	33	1.4 %
	Missing Data		
-9	-9: Missing	1661	72.9 %
-7	-7: Refused	2	0.1 %
-1	-1: N/A	247	10.8 %
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 334 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3324-3325 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSAAV8: FLAG: Self Administered Part A Completed after V8 cutoff (01/31/2006)

FLAG: Self Administered Part A Completed after V8 cutoff (01/31/2006)

Value	Label	Unweighted Frequency	%
0	0: No	2242	98.4 %
1	1: Yes	2	0.1 %
	Missing Data		
.	-	34	1.5 %
	Total	**2,278**	**100%**

Based upon 2,244 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3326-3327 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SABDAY8: Self-administered Part B Day

Date form completed

Value	Label	Unweighted Frequency	%
2824	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2827	-	2	0.1 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2842	-	1	0.0 %
2848	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	3	0.1 %
2861	-	1	0.0 %
2862	-	3	0.1 %
2863	-	4	0.2 %
2865	-	3	0.1 %
2867	-	3	0.1 %
2868	-	2	0.1 %
2869	-	3	0.1 %
2870	-	9	0.4 %
2871	-	2	0.1 %
2872	-	3	0.1 %
2873	-	4	0.2 %
2874	-	6	0.3 %
2875	-	6	0.3 %
2876	-	6	0.3 %
2877	-	13	0.6 %
2878	-	9	0.4 %
2879	-	6	0.3 %
2880	-	9	0.4 %
2881	-	9	0.4 %
2882	-	6	0.3 %
2883	-	12	0.5 %
2884	-	19	0.8 %
2885	-	8	0.4 %
2886	-	10	0.4 %
2887	-	8	0.4 %
2888	-	5	0.2 %
2889	-	13	0.6 %
2890	-	12	0.5 %
2891	-	19	0.8 %

Value	Label	Unweighted Frequency	%
2892	-	8	0.4 %
2893	-	16	0.7 %
2894	-	8	0.4 %
2895	-	11	0.5 %
2896	-	16	0.7 %
2897	-	13	0.6 %
2898	-	20	0.9 %
2899	-	5	0.2 %
2900	-	13	0.6 %
2901	-	10	0.4 %
	Missing Data		
.	-	766	33.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,512 valid cases out of 2,278 total cases.

- Mean: 2955.09
- Minimum: 2824.00
- Maximum: 3422.00
- Standard Deviation: 76.48

Location: 3328-3331 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

LANGSAB8: Language of Self-B

Interview Language

Value	Label	Unweighted Frequency	%
1	1: English	1390	61.0 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	52	2.3 %
4	4: Japanese	70	3.1 %
	Missing Data		
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,512 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3332-3333 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPORSE8: Importance of Sex

How important is sex in your life?

Value	Label	Unweighted Frequency	%
1	1: Extremely Important	94	4.1 %
2	2: Quite Important	259	11.4 %
3	3: Moderately Important	581	25.5 %
4	4: Not Very Important	397	17.4 %
5	5: Not At All Important	149	6.5 %
	Missing Data		
-7	-7: Refused	32	1.4 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,480 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3334-3335 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DESIRSE8: Desire to Engage in Sex past 6 months

During the past 6 months, how often have you felt a desire to engage in any form of sexual activity, either alone or with a partner?

Value	Label	Unweighted Frequency	%
1	1: Not At All	246	10.8 %
2	2: Once or Twice/Mon	651	28.6 %
3	3: About Once/Wk	359	15.8 %
4	4: More than Once/Wk	205	9.0 %
5	5: Daily	41	1.8 %
	Missing Data		
-7	-7: Refused	10	0.4 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,502 valid cases out of 2,278 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 3336-3337 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ENGAGSE8: Engaged in Sexual Activity past 6 months

During the past 6 months, have you engaged in sexual activities with a partner?

Value	Label	Unweighted Frequency	%
1	1: No	417	18.3 %
2	2: Yes	979	43.0 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	5	0.2 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,396 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3338-3339 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOPARTN8: No Sex Past 6 Months: No Partner

If NO to ENGAGSE8: I have not had sex in the last 6 months because: I do not have a partner at this time.

Value	Label	Unweighted Frequency	%
1	1: No	136	6.0 %
2	2: Yes	251	11.0 %
	Missing Data		
-9	-9: Missing	112	4.9 %
-7	-7: Refused	28	1.2 %
-1	-1: N/A	985	43.2 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 387 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3340-3341 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PARTPRO8: No Sex Past 6 Months: Partner Physical Problem

If NO to ENGAGSE8: I have not had sex in the last 6 months because: My partner has a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	1: No	267	11.7 %
2	2: Yes	63	2.8 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	84	3.7 %
-1	-1: N/A	987	43.3 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 330 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3342-3343 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PHYSPRO8: No Sex Past 6 Months: I have Physical Problem

If NO to ENGAGSE8: I have not had sex in the last 6 months because: I have a physical problem that interferes with sex.

Value	Label	Unweighted Frequency	%
1	1: No	307	13.5 %
2	2: Yes	23	1.0 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	85	3.7 %
-1	-1: N/A	986	43.3 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 330 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3344-3345 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

NOSEXOT8: No Sex Past 6 Months: Other Reason

If NO to ENGAGSE8: I have not had sex in the last 6 months because: Other - Please Specify.

Value	Label	Unweighted Frequency	%
1	1: No	158	6.9 %
2	2: Yes	100	4.4 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	157	6.9 %
-1	-1: N/A	986	43.3 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 258 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3346-3347 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFY8: Emotionally Satisfying past 6 months

If YES to ENGAGSE8: In the past 6 months, how emotionally satisfying was your relationship with your main partner?

Value	Label	Unweighted Frequency	%
1	1: Extremely Satisfying	152	6.7 %
2	2: Very Satisfying	406	17.8 %
3	3: Moderately Satisfying	292	12.8 %
4	4: Slightly Satisfying	101	4.4 %
5	5: Not At All Satisfying	21	0.9 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	5	0.2 %
-1	-1: N/A	424	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 972 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3348-3349 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

KISSING8: Frequency of Sexual Activity: Kissing

If YES to ENGAGSE8: During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? Kissing or hugging?

Value	Label	Unweighted Frequency	%
1	1: Not At All	30	1.3 %
2	2: Once or Twice/Mon	115	5.0 %
3	3: About Once/Wk	117	5.1 %
4	4: More than Once/Wk	251	11.0 %
5	5: Daily	449	19.7 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	17	0.7 %
-1	-1: N/A	422	18.5 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 962 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3350-3351 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOUCHIN8: Frequency of Sexual Activity: Touching

If YES to ENGAGSE8: During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? Sexual touching or caressing?

Value	Label	Unweighted Frequency	%
1	1: Not At All	32	1.4 %
2	2: Once or Twice/Mon	274	12.0 %
3	3: About Once/Wk	249	10.9 %
4	4: More than Once/Wk	293	12.9 %
5	5: Daily	114	5.0 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	17	0.7 %
-1	-1: N/A	422	18.5 %
.	-	766	33.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 962 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3352-3353 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ORALSEX8: Frequency of Sexual Activity: Oral Sex

If YES to ENGAGSE8: During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? Oral sex?

Value	Label	Unweighted Frequency	%
1	1: Not At All	422	18.5 %
2	2: Once or Twice/Mon	346	15.2 %
3	3: About Once/Wk	136	6.0 %
4	4: More than Once/Wk	49	2.2 %
5	5: Daily	2	0.1 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	24	1.1 %
-1	-1: N/A	422	18.5 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 955 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3354-3355 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

INTCOUR8: Frequency of Sexual Activity: Intercourse

If YES to ENGAGSE8: During the past 6 months, how often, on average, have you engaged in each of the following sexual activities? Sexual intercourse?

Value	Label	Unweighted Frequency	%
1	1: Not At All	50	2.2 %
2	2: Once or Twice/Mon	441	19.4 %

Value	Label	Unweighted Frequency	%
3	3: About Once/Wk	282	12.4 %
4	4: More than Once/Wk	181	7.9 %
5	5: Daily	6	0.3 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	19	0.8 %
-1	-1: N/A	422	18.5 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 960 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3356-3357 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AROUSED8: Arousal during sexual activity past 6 months

If YES to ENGAGSE8: During the last 6 months, how often did you feel aroused during sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	250	11.0 %
2	2 : Almost Always	396	17.4 %
3	3 : Sometimes	258	11.3 %
4	4 : Almost Never	50	2.2 %
5	5 : Never	16	0.7 %
6	6 : No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	7	0.3 %
-1	-1 : N/A	424	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 970 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3358-3359 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PELVIC8: Vaginal or Pelvic Pain past 6 months

If YES to ENGAGSE8: During the past 6 months, have you felt vaginal or pelvic pain during intercourse?

Value	Label	Unweighted Frequency	%
1	1 : Always	24	1.1 %
2	2 : Almost Always	48	2.1 %
3	3 : Sometimes	244	10.7 %
4	4 : Almost Never	198	8.7 %
5	5 : Never	424	18.6 %
6	6 : No Intercourse In Last 6 Mons	36	1.6 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	5	0.2 %
-1	-1 : N/A	422	18.5 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 974 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3360-3361 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

LUBRICN8: Use of Lubricants past 6 months

If YES to ENGAGSE8: During the last 6 months, how often have you used lubricants, such as creams or jellies, to make sex more comfortable?

Value	Label	Unweighted Frequency	%
1	1 : Always	124	5.4 %
2	2 : Almost Always	91	4.0 %
3	3 : Sometimes	146	6.4 %
4	4 : Almost Never	84	3.7 %
5	5 : Never	501	22.0 %
6	6 : No Intercourse In Last 6 Mons	28	1.2 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	5	0.2 %
-1	-1 : N/A	422	18.5 %
.	-	766	33.6 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 974 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3362-3363 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ABLECLM8: Able to reach climax past 6 months

If YES to ENGAGSE8: During the past 6 months, how often were you able to reach climax (come)?

Value	Label	Unweighted Frequency	%
1	1 : Always	179	7.9 %
2	2 : Almost Always	378	16.6 %
3	3 : Sometimes	281	12.3 %
4	4 : Almost Never	79	3.5 %
5	5 : Never	52	2.3 %
6	6 : No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	9	0.4 %
-1	-1 : N/A	423	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 969 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3364-3365 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMPCLMX8: How important reach climax past 6 months

If YES to ENGAGSE8: During the past 6 months, how often was it important for you to reach a climax?

Value	Label	Unweighted Frequency	%
1	1 : Always	126	5.5 %
2	2 : Almost Always	293	12.9 %
3	3 : Sometimes	401	17.6 %

Value	Label	Unweighted Frequency	%
4	4 : Almost Never	102	4.5 %
5	5 : Never	48	2.1 %
6	6 : No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	8	0.4 %
-1	-1 : N/A	423	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 970 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3366-3367 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SATISFD8: Satisfied after sexual activity past 6 months

If YES to ENGAGSE8: During the past 6 months, how often did you feel satisfied after sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	218	9.6 %
2	2 : Almost Always	442	19.4 %
3	3 : Sometimes	247	10.8 %
4	4 : Almost Never	42	1.8 %
5	5 : Never	20	0.9 %
6	6 : No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	8	0.4 %
-1	-1 : N/A	424	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 969 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3368-3369 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FREQUEN8: Satisfied with frequency of sex activity past 6 months

If YES to ENGAGSE8: During the past 6 months, how often were you satisfied with the frequency of sexual activity?

Value	Label	Unweighted Frequency	%
1	1 : Always	163	7.2 %
2	2 : Almost Always	400	17.6 %
3	3 : Sometimes	300	13.2 %
4	4 : Almost Never	73	3.2 %
5	5 : Never	34	1.5 %
6	6 : No Intercourse In Last 6 Mons	0	0.0 %
	Missing Data		
-9	-9 : Missing	111	4.9 %
-7	-7 : Refused	8	0.4 %
-1	-1 : N/A	423	18.6 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 970 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3370-3371 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MEN6MOS8: Number men had intercourse with in past 6 months

If YES to ENGAGSE8: Over the past 6 months, how many men have you had intercourse with?

Value	Label	Unweighted Frequency	%
1	1: Zero	45	2.0 %
2	2: One	758	33.3 %
3	3: Two	18	0.8 %
4	4: Three	3	0.1 %
5	5: Four - Ten	2	0.1 %
6	6: More than 10	0	0.0 %
	Missing Data		
-9	-9: Missing	111	4.9 %
-7	-7: Refused	12	0.5 %
-1	-1: N/A	563	24.7 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 826 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3372-3373 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MASTURB8: Frequency of Masturbation past 6 months

On average, in the last 6 months, how often have you engaged in masturbation (self-stimulation)?

Value	Label	Unweighted Frequency	%
1	1: Not At All	739	32.4 %
2	2: Less Than Once/Mon	342	15.0 %
3	3: Once or Twice/Mon	247	10.8 %
4	4: About Once/Wk	95	4.2 %
5	5: More than Once/Wk	43	1.9 %
6	6: Daily	3	0.1 %
	Missing Data		
-7	-7: Refused	43	1.9 %
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,469 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 3374-3375 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGSABV8: FLAG: Self Administered Part B Completed after V8 cutoff (01/31/2006)

FLAG: Self Administered Part B Completed after V8 cutoff (01/31/2006)

Value	Label	Unweighted Frequency	%
0	0: No	1511	66.3 %
1	1: Yes	1	0.0 %
	Missing Data		
.	-	766	33.6 %
	Total	**2,278**	**100%**

Based upon 1,512 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3376-3377 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FORMPHY8: Abbreviated or Full Physical Measures

Abbreviated or Full Physical Measures

Value	Label	Unweighted Frequency	%
	-	155	6.8 %
AIN	-	96	4.2 %
MAI	-	321	14.1 %
PAT	-	3	0.1 %
PHY	-	1703	74.8 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 3378-3380 (width: 3; decimal: 0)
Variable Type: character

PHYDAY8: Physical measures Day

Date form completed

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %
2794	-	1	0.0 %
2799	-	1	0.0 %
2808	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2824	-	1	0.0 %
2827	-	2	0.1 %
2828	-	1	0.0 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2835	-	1	0.0 %
2836	-	1	0.0 %
2839	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2842	-	1	0.0 %
2847	-	1	0.0 %
2848	-	2	0.1 %
2849	-	3	0.1 %
2850	-	1	0.0 %
2851	-	2	0.1 %
2852	-	1	0.0 %
2853	-	2	0.1 %
2854	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	3	0.1 %
2861	-	2	0.1 %
2862	-	2	0.1 %
2863	-	6	0.3 %
2864	-	3	0.1 %
2865	-	4	0.2 %
2866	-	1	0.0 %
2867	-	3	0.1 %
2868	-	5	0.2 %
2869	-	5	0.2 %
2870	-	9	0.4 %
2871	-	4	0.2 %
2872	-	6	0.3 %
2873	-	7	0.3 %
2874	-	6	0.3 %
2875	-	16	0.7 %
2876	-	13	0.6 %
2877	-	13	0.6 %
2878	-	11	0.5 %
2879	-	9	0.4 %
2880	-	13	0.6 %
2881	-	17	0.7 %
	Missing Data		
.	-	155	6.8 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,123 valid cases out of 2,278 total cases.

- Mean: 2959.54
- Minimum: 2783.00
- Maximum: 3422.00
- Standard Deviation: 85.40

Location: 3381-3384 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

PULSE8: Pulse, beats/30 seconds

Pulse, beats/30 seconds

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
20	-	3	0.1 %
22	-	2	0.1 %
23	-	4	0.2 %
24	-	4	0.2 %
25	-	20	0.9 %
26	-	31	1.4 %
27	-	35	1.5 %
28	-	85	3.7 %
29	-	84	3.7 %
30	-	135	5.9 %
31	-	127	5.6 %
32	-	150	6.6 %
33	-	118	5.2 %
34	-	121	5.3 %
35	-	137	6.0 %
36	-	106	4.7 %
37	-	72	3.2 %
38	-	78	3.4 %
39	-	50	2.2 %
40	-	59	2.6 %
41	-	24	1.1 %
42	-	28	1.2 %
43	-	13	0.6 %
44	-	17	0.7 %
45	-	13	0.6 %

Value	Label	Unweighted Frequency	%
46	-	14	0.6 %
47	-	7	0.3 %
48	-	4	0.2 %
49	-	1	0.0 %
50	-	2	0.1 %
51	-	1	0.0 %
52	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
.	-	730	32.0 %
	Total	**2,278**	**100%**

Based upon 1,548 valid cases out of 2,278 total cases.

- Mean: 33.76
- Median: 33.00
- Mode: 32.00
- Minimum: 15.00
- Maximum: 70.00
- Standard Deviation: 4.84

Location: 3385-3386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SYSBP18: Systolic BP #1

Systolic BP #1

Value	Label	Unweighted Frequency	%
76	-	1	0.0 %
78	-	1	0.0 %
80	-	1	0.0 %
82	-	1	0.0 %
84	-	5	0.2 %
86	-	1	0.0 %
88	-	5	0.2 %
90	-	19	0.8 %
92	-	25	1.1 %
94	-	30	1.3 %
96	-	29	1.3 %
98	-	53	2.3 %
99	-	2	0.1 %

Value	Label	Unweighted Frequency	%
100	-	72	3.2 %
102	-	67	2.9 %
104	-	58	2.5 %
106	-	65	2.9 %
108	-	87	3.8 %
109	-	2	0.1 %
110	-	116	5.1 %
112	-	70	3.1 %
114	-	53	2.3 %
116	-	65	2.9 %
118	-	87	3.8 %
119	-	4	0.2 %
120	-	101	4.4 %
122	-	66	2.9 %
124	-	65	2.9 %
126	-	46	2.0 %
127	-	1	0.0 %
128	-	48	2.1 %
129	-	1	0.0 %
130	-	61	2.7 %
132	-	33	1.4 %
134	-	35	1.5 %
136	-	24	1.1 %
138	-	22	1.0 %
140	-	15	0.7 %
142	-	20	0.9 %
144	-	17	0.7 %
146	-	8	0.4 %
148	-	10	0.4 %
150	-	7	0.3 %
152	-	7	0.3 %
154	-	2	0.1 %
156	-	5	0.2 %
158	-	3	0.1 %
160	-	7	0.3 %
162	-	1	0.0 %
166	-	1	0.0 %
	Missing Data		
.	-	737	32.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,541 valid cases out of 2,278 total cases.

- Mean: 116.45
- Median: 116.00
- Mode: 110.00
- Minimum: 76.00
- Maximum: 218.00
- Standard Deviation: 15.77

Location: 3387-3389 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DIABP18: Diastolic BP #1

Diastolic BP #1

Value	Label	Unweighted Frequency	%
40	-	1	0.0 %
46	-	2	0.1 %
48	-	4	0.2 %
50	-	8	0.4 %
52	-	9	0.4 %
53	-	1	0.0 %
54	-	9	0.4 %
56	-	7	0.3 %
57	-	1	0.0 %
58	-	27	1.2 %
60	-	76	3.3 %
62	-	49	2.2 %
63	-	1	0.0 %
64	-	85	3.7 %
65	-	1	0.0 %
66	-	83	3.6 %
68	-	127	5.6 %
69	-	2	0.1 %
70	-	149	6.5 %
71	-	1	0.0 %
72	-	103	4.5 %

Value	Label	Unweighted Frequency	%
74	-	131	5.8 %
75	-	1	0.0 %
76	-	94	4.1 %
78	-	111	4.9 %
79	-	1	0.0 %
80	-	123	5.4 %
82	-	83	3.6 %
84	-	59	2.6 %
86	-	54	2.4 %
88	-	37	1.6 %
90	-	37	1.6 %
92	-	23	1.0 %
94	-	8	0.4 %
96	-	3	0.1 %
98	-	10	0.4 %
100	-	8	0.4 %
102	-	3	0.1 %
104	-	1	0.0 %
108	-	1	0.0 %
110	-	3	0.1 %
114	-	1	0.0 %
118	-	1	0.0 %
128	-	1	0.0 %
130	-	1	0.0 %
	Missing Data		
.	-	737	32.4 %
	Total	**2,278**	**100%**

Based upon 1,541 valid cases out of 2,278 total cases.

- Mean: 73.87
- Median: 74.00
- Mode: 70.00
- Minimum: 40.00
- Maximum: 130.00
- Standard Deviation: 10.02

Location: 3390-3392 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SYSBP28: Systolic BP #2

Systolic BP #2

Value	Label	Unweighted Frequency	%
74	-	1	0.0 %
78	-	1	0.0 %
82	-	2	0.1 %
84	-	2	0.1 %
86	-	2	0.1 %
88	-	6	0.3 %
90	-	20	0.9 %
92	-	15	0.7 %
94	-	44	1.9 %
96	-	28	1.2 %
98	-	60	2.6 %
100	-	60	2.6 %
102	-	56	2.5 %
104	-	61	2.7 %
106	-	89	3.9 %
108	-	75	3.3 %
109	-	2	0.1 %
110	-	118	5.2 %
112	-	61	2.7 %
114	-	65	2.9 %
115	-	1	0.0 %
116	-	69	3.0 %
118	-	87	3.8 %
119	-	4	0.2 %
120	-	92	4.0 %
121	-	1	0.0 %
122	-	48	2.1 %
124	-	60	2.6 %
126	-	55	2.4 %
127	-	1	0.0 %
128	-	68	3.0 %
130	-	55	2.4 %
132	-	34	1.5 %
134	-	32	1.4 %
136	-	28	1.2 %
138	-	17	0.7 %
140	-	20	0.9 %
142	-	11	0.5 %

Value	Label	Unweighted Frequency	%
144	-	17	0.7 %
146	-	5	0.2 %
148	-	10	0.4 %
150	-	9	0.4 %
152	-	8	0.4 %
154	-	2	0.1 %
156	-	5	0.2 %
158	-	7	0.3 %
160	-	3	0.1 %
162	-	1	0.0 %
164	-	3	0.1 %
166	-	2	0.1 %
	Missing Data		
.	-	742	32.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,536 valid cases out of 2,278 total cases.

- Mean: 116.44
- Median: 114.50
- Mode: 110.00
- Minimum: 74.00
- Maximum: 220.00
- Standard Deviation: 15.77

Location: 3393-3395 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DIABP28: Diastolic BP #2

Diastolic BP #2

Value	Label	Unweighted Frequency	%
38	-	1	0.0 %
44	-	2	0.1 %
46	-	2	0.1 %
48	-	2	0.1 %
50	-	8	0.4 %
52	-	4	0.2 %
53	-	1	0.0 %

Value	Label	Unweighted Frequency	%
54	-	7	0.3 %
56	-	20	0.9 %
58	-	24	1.1 %
59	-	1	0.0 %
60	-	54	2.4 %
62	-	61	2.7 %
64	-	82	3.6 %
65	-	2	0.1 %
66	-	89	3.9 %
67	-	1	0.0 %
68	-	120	5.3 %
69	-	1	0.0 %
70	-	146	6.4 %
72	-	119	5.2 %
74	-	127	5.6 %
76	-	126	5.5 %
77	-	2	0.1 %
78	-	100	4.4 %
80	-	124	5.4 %
82	-	64	2.8 %
83	-	1	0.0 %
84	-	64	2.8 %
86	-	38	1.7 %
87	-	2	0.1 %
88	-	50	2.2 %
90	-	36	1.6 %
92	-	14	0.6 %
94	-	5	0.2 %
96	-	11	0.5 %
98	-	6	0.3 %
100	-	3	0.1 %
102	-	1	0.0 %
104	-	4	0.2 %
106	-	3	0.1 %
110	-	3	0.1 %
112	-	1	0.0 %
114	-	1	0.0 %
116	-	1	0.0 %
124	-	1	0.0 %

Value	Label	Unweighted Frequency	%
128	-	1	0.0 %
	Missing Data		
.	-	742	32.6 %
	Total	**2,278**	**100%**

Based upon 1,536 valid cases out of 2,278 total cases.

- Mean: 73.82
- Median: 74.00
- Mode: 70.00
- Minimum: 38.00
- Maximum: 128.00
- Standard Deviation: 9.89

Location: 3396-3398 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

HEIGHT8: Height (in cm)

Height (in cm)

Value	Label	Unweighted Frequency	%
145.10	-	1	0.0 %
145.40	-	1	0.0 %
145.70	-	1	0.0 %
146.00	-	1	0.0 %
146.60	-	1	0.0 %
146.70	-	2	0.1 %
147.00	-	1	0.0 %
147.20	-	3	0.1 %
147.30	-	1	0.0 %
147.50	-	1	0.0 %
147.90	-	1	0.0 %
148.00	-	2	0.1 %
148.20	-	3	0.1 %
148.50	-	1	0.0 %
148.70	-	2	0.1 %
148.80	-	1	0.0 %
149.10	-	3	0.1 %
149.20	-	2	0.1 %
149.30	-	2	0.1 %
149.40	-	1	0.0 %

Value	Label	Unweighted Frequency	%
149.60	-	1	0.0 %
149.70	-	1	0.0 %
149.90	-	1	0.0 %
150.00	-	2	0.1 %
150.10	-	1	0.0 %
150.30	-	2	0.1 %
150.40	-	1	0.0 %
150.60	-	1	0.0 %
150.70	-	2	0.1 %
150.80	-	2	0.1 %
151.00	-	5	0.2 %
151.20	-	3	0.1 %
151.30	-	4	0.2 %
151.40	-	2	0.1 %
151.45	-	1	0.0 %
151.50	-	7	0.3 %
151.60	-	4	0.2 %
151.70	-	4	0.2 %
151.80	-	1	0.0 %
151.90	-	2	0.1 %
152.00	-	5	0.2 %
152.20	-	4	0.2 %
152.30	-	2	0.1 %
152.40	-	3	0.1 %
152.50	-	6	0.3 %
152.60	-	2	0.1 %
152.70	-	3	0.1 %
152.80	-	4	0.2 %
152.90	-	3	0.1 %
153.00	-	3	0.1 %
	Missing Data		
.	-	583	25.6 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,695 valid cases out of 2,278 total cases.

- Mean: 162.47
- Minimum: 145.10

- Maximum: 182.80
- Standard Deviation: 6.30

Location: 3399-3404 (width: 6; decimal: 2)
Variable Type: numeric
(Range of) Missing Values: .

HTMETHO8: Height Measurement Method

Height Measurement Method

Value	Label	Unweighted Frequency	%
1	1: Stadiometer	1527	67.0 %
2	2: Portable	152	6.7 %
3	3: Self-Reported	16	0.7 %
	Missing Data		
.	-	583	25.6 %
	Total	**2,278**	**100%**

Based upon 1,695 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 3405-3406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELF8: Height Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	1: Partic in wheelchair/disabled	3	0.1 %
2	2: Equipment Failure	0	0.0 %
3	3: Refused to be measured	0	0.0 %
4	4: Other	13	0.6 %
	Missing Data		
-1	-1: N/A	1687	74.1 %
.	-	575	25.2 %
	Total	**2,278**	**100%**

Based upon 16 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3407-3408 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HTSELFS8: Height Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
	-	575	25.2 %
-1	-1: N/A	1690	74.2 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
APPT. COMPLETED IN THE HOME; NO EQUIPMENT AVAILABLE TO MEASU	-	1	0.0 %
HOME VISIT	-	7	0.3 %
P. HAS LARGE DEVICE (BOOT/BRACE) ON HER FOOT; CAN NOT STAND	-	1	0.0 %
PHONE INTERVIEW	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 3409-3468 (width: 60; decimal: 0)
Variable Type: character

WEIGHT8: Weight (in kg)

Weight (in kg

Value	Label	Unweighted Frequency	%
36.81818181819	-	1	0.0 %
39.10000000000	-	1	0.0 %
39.20000000001	-	1	0.0 %
40.40000000000	-	1	0.0 %
40.80000000000	-	1	0.0 %
41.81818181819	-	1	0.0 %
42.27272727273	-	1	0.0 %
42.30000000000	-	1	0.0 %
42.50000000000	-	1	0.0 %
42.80000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
43.18181818182	-	1	0.0 %
43.30000000000	-	1	0.0 %
43.60000000000	-	1	0.0 %
43.63636363637	-	1	0.0 %
44.40000000000	-	1	0.0 %
44.54545454546	-	4	0.2 %
44.60000000000	-	1	0.0 %
44.70000000000	-	1	0.0 %
44.80000000000	-	1	0.0 %
45.00000000000	-	3	0.1 %
45.10000000000	-	1	0.0 %
45.20000000000	-	3	0.1 %
45.30000000000	-	1	0.0 %
45.45454545455	-	2	0.1 %
45.70000000000	-	2	0.1 %
45.90000000000	-	1	0.0 %
46.00000000000	-	1	0.0 %
46.10000000000	-	1	0.0 %
46.20000000000	-	1	0.0 %
46.30000000000	-	1	0.0 %
46.36363636364	-	2	0.1 %
46.60000000000	-	1	0.0 %
46.80000000000	-	1	0.0 %
46.90000000000	-	2	0.1 %
47.00000000000	-	1	0.0 %
47.20000000000	-	3	0.1 %
47.40000000000	-	2	0.1 %
47.50000000000	-	1	0.0 %
47.60000000000	-	3	0.1 %
47.70000000000	-	1	0.0 %
47.80000000000	-	2	0.1 %
47.90000000000	-	2	0.1 %
48.00000000000	-	1	0.0 %
48.10000000000	-	2	0.1 %
48.18181818182	-	2	0.1 %
48.20000000000	-	2	0.1 %
48.40000000000	-	4	0.2 %
48.50000000000	-	3	0.1 %
48.60000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
48.63636363637	-	2	0.1 %
	Missing Data		
.	-	169	7.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,109 valid cases out of 2,278 total cases.

- Mean: 76.76364067417
- Minimum: 36.81818181819
- Maximum: 188.40000000000
- Standard Deviation: 21.14876394620

Location: 3469-3483 (width: 15; decimal: 11)
Variable Type: numeric
(Range of) Missing Values: .

SCALE8: Weight Scale Type

Weight Scale Type

Value	Label	Unweighted Frequency	%
1	1: Balance Beam	943	41.4 %
2	2: Clinic Digital	293	12.9 %
3	3: Portable	434	19.1 %
4	4: Self-Reported	439	19.3 %
	Missing Data		
.	-	169	7.4 %
	Total	**2,278**	**100%**

Based upon 2,109 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3484-3485 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELF8: Weight Self-Reported Reason

If Self Report, then choose one of the following:

Value	Label	Unweighted Frequency	%
1	1: Partic in wheelchair/disabled	3	0.1 %

Value	Label	Unweighted Frequency	%
2	2: Equipment Failure	1	0.0 %
3	3: Refused to be weighed	0	0.0 %
4	4: Weight more than scale	1	0.0 %
5	5: Other	434	19.1 %
	Missing Data		
-1	-1: N/A	1684	73.9 %
.	-	155	6.8 %
	Total	**2,278**	**100%**

Based upon 439 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 3486-3487 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

WTSELFS8: Weight Self-Reported, Other Specify

If Self Report, then choose one of the following: Other - Specify

Value	Label	Unweighted Frequency	%
	-	155	6.8 %
-1	-1: N/A	1689	74.1 %
-7	-7: Refused	0	0.0 %
-8	-8: Do not know	0	0.0 %
-9	-9: Missing	0	0.0 %
2	-	1	0.0 %
AIN	-	96	4.2 %
APPT. COMPLETED IN THE HOME; NO PORTABLE SCALE AVAIALABLE	-	1	0.0 %
HOME VISIT	-	7	0.3 %
MAI	-	321	14.1 %
P. HAS LARGE DEVICE (BOOT) ON HER FOOT; UNABLE TO BE ACCURAT	-	1	0.0 %
PAT	-	3	0.1 %
PHONE INTERVIEW	-	4	0.2 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

Location: 3488-3547 (width: 60; decimal: 0)
Variable Type: character

WAIST8: Waist Circumference

Waist Circumference

Value	Label	Unweighted Frequency	%
59.7	-	1	0.0 %
60.0	-	1	0.0 %
60.7	-	1	0.0 %
61.0	-	1	0.0 %
61.8	-	1	0.0 %
62.0	-	1	0.0 %
62.1	-	2	0.1 %
62.3	-	1	0.0 %
62.6	-	1	0.0 %
62.9	-	2	0.1 %
63.0	-	3	0.1 %
63.4	-	1	0.0 %
63.5	-	3	0.1 %
63.6	-	1	0.0 %
63.8	-	1	0.0 %
64.2	-	3	0.1 %
64.3	-	3	0.1 %
64.6	-	1	0.0 %
64.7	-	1	0.0 %
64.8	-	2	0.1 %
65.0	-	2	0.1 %
65.3	-	1	0.0 %
65.4	-	2	0.1 %
65.5	-	2	0.1 %
65.6	-	3	0.1 %
65.7	-	1	0.0 %
65.9	-	1	0.0 %
66.0	-	1	0.0 %
66.1	-	2	0.1 %
66.2	-	2	0.1 %
66.3	-	2	0.1 %
66.4	-	1	0.0 %

Value	Label	Unweighted Frequency	%
66.5	-	4	0.2 %
66.6	-	5	0.2 %
66.7	-	2	0.1 %
66.8	-	3	0.1 %
66.9	-	1	0.0 %
67.0	-	1	0.0 %
67.2	-	5	0.2 %
67.3	-	1	0.0 %
67.4	-	1	0.0 %
67.5	-	1	0.0 %
67.6	-	1	0.0 %
67.8	-	1	0.0 %
68.0	-	9	0.4 %
68.1	-	2	0.1 %
68.2	-	3	0.1 %
68.3	-	4	0.2 %
68.5	-	4	0.2 %
68.6	-	3	0.1 %
	Missing Data		
.	-	761	33.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,517 valid cases out of 2,278 total cases.

- Mean: 89.96
- Minimum: 59.70
- Maximum: 160.00
- Standard Deviation: 16.86

Location: 3548-3552 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

WASTMEA8: Waist measurement taken in

Waist measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	1180	51.8 %
2	2: Light Clothing	336	14.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	762	33.5 %
	Total	**2,278**	**100%**

Based upon 1,516 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3553-3554 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HIP8: Hip Circumference

Hip Circumference

Value	Label	Unweighted Frequency	%
79.8	-	1	0.0 %
80.8	-	1	0.0 %
81.0	-	1	0.0 %
81.5	-	1	0.0 %
82.1	-	1	0.0 %
82.5	-	1	0.0 %
82.9	-	1	0.0 %
83.1	-	1	0.0 %
83.2	-	2	0.1 %
83.3	-	1	0.0 %
83.5	-	1	0.0 %
83.8	-	2	0.1 %
84.0	-	1	0.0 %
84.1	-	1	0.0 %
84.3	-	1	0.0 %
84.4	-	1	0.0 %
84.5	-	1	0.0 %
84.8	-	1	0.0 %
84.9	-	1	0.0 %
85.0	-	1	0.0 %
85.2	-	4	0.2 %
85.3	-	2	0.1 %
85.4	-	1	0.0 %
85.5	-	1	0.0 %
85.6	-	2	0.1 %

Value	Label	Unweighted Frequency	%
85.7	-	2	0.1 %
85.8	-	2	0.1 %
86.0	-	2	0.1 %
86.1	-	3	0.1 %
86.2	-	2	0.1 %
86.4	-	1	0.0 %
86.5	-	1	0.0 %
86.8	-	1	0.0 %
86.9	-	1	0.0 %
87.0	-	4	0.2 %
87.1	-	2	0.1 %
87.2	-	1	0.0 %
87.3	-	1	0.0 %
87.4	-	1	0.0 %
87.5	-	3	0.1 %
87.6	-	1	0.0 %
87.8	-	4	0.2 %
87.9	-	1	0.0 %
88.0	-	3	0.1 %
88.1	-	2	0.1 %
88.3	-	2	0.1 %
88.4	-	1	0.0 %
88.5	-	1	0.0 %
88.7	-	2	0.1 %
88.8	-	3	0.1 %
	Missing Data		
.	-	761	33.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,517 valid cases out of 2,278 total cases.

- Mean: 108.39
- Minimum: 79.80
- Maximum: 187.00
- Standard Deviation: 15.39

Location: 3555-3559 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

HIPMEAS8: Hip Measurement taken in

Hip Measurement taken in:

Value	Label	Unweighted Frequency	%
1	1: Undergarments	904	39.7 %
2	2: Light Clothing	612	26.9 %
	Missing Data		
.	-	762	33.5 %
	Total	**2,278**	**100%**

Based upon 1,516 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3560-3561 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BMI8: Body Mass Index

BMI is calculated as weight in kilograms divided by the square of height in meters

Value	Label	Unweighted Frequency	%
16.828720429029	-	1	0.0 %
16.939058684301	-	1	0.0 %
17.062413550438	-	1	0.0 %
17.234765851042	-	1	0.0 %
17.237861379451	-	1	0.0 %
17.244705065391	-	1	0.0 %
17.420118343195	-	1	0.0 %
17.453018094641	-	1	0.0 %
17.463784846171	-	1	0.0 %
17.645708845804	-	1	0.0 %
17.647571128879	-	1	0.0 %
17.712754141554	-	1	0.0 %
17.751536006288	-	1	0.0 %
17.847136005410	-	1	0.0 %
17.874767822309	-	1	0.0 %
17.963758414811	-	1	0.0 %
18.014288919473	-	1	0.0 %
18.048028799151	-	1	0.0 %
18.054956959312	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.133333333333	-	1	0.0 %
18.257716309664	-	1	0.0 %
18.279467270902	-	1	0.0 %
18.556681267912	-	1	0.0 %
18.594726413656	-	1	0.0 %
18.622831099004	-	1	0.0 %
18.631892375271	-	1	0.0 %
18.645344042454	-	1	0.0 %
18.650497611149	-	1	0.0 %
18.718642358016	-	2	0.1 %
18.772457830508	-	1	0.0 %
18.931182344587	-	1	0.0 %
18.947035322970	-	1	0.0 %
18.962730728038	-	1	0.0 %
18.969475704769	-	1	0.0 %
19.057906716562	-	1	0.0 %
19.130895117788	-	1	0.0 %
19.164369089644	-	1	0.0 %
19.173095854033	-	1	0.0 %
19.180282187389	-	1	0.0 %
19.201041525824	-	1	0.0 %
19.210412202836	-	1	0.0 %
19.220890816478	-	1	0.0 %
19.258431102537	-	1	0.0 %
19.334077894947	-	1	0.0 %
19.385140800875	-	1	0.0 %
19.409044081745	-	1	0.0 %
19.444875754073	-	1	0.0 %
19.540069457558	-	1	0.0 %
19.540670182953	-	1	0.0 %
19.550315166941	-	1	0.0 %
	Missing Data		
.	-	611	26.8 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,667 valid cases out of 2,278 total cases.

- Mean: 29.254121043486
- Minimum: 16.828720429029
- Maximum: 64.415818260400
- Standard Deviation: 7.364886511845

Location: 3562-3576 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

COGDAY8: Cognitive Function Day

Date form completed

Value	Label	Unweighted Frequency	%
2824	-	1	0.0 %
2827	-	2	0.1 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2842	-	1	0.0 %
2848	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	1	0.0 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	2	0.1 %
2861	-	1	0.0 %
2862	-	2	0.1 %
2863	-	3	0.1 %
2865	-	3	0.1 %
2867	-	1	0.0 %
2868	-	1	0.0 %
2869	-	2	0.1 %
2870	-	7	0.3 %
2871	-	2	0.1 %
2872	-	3	0.1 %
2873	-	4	0.2 %
2874	-	4	0.2 %
2875	-	4	0.2 %
2876	-	6	0.3 %
2877	-	12	0.5 %
2878	-	8	0.4 %
2879	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2880	-	9	0.4 %
2881	-	10	0.4 %
2882	-	5	0.2 %
2883	-	10	0.4 %
2884	-	18	0.8 %
2885	-	8	0.4 %
2886	-	10	0.4 %
2887	-	7	0.3 %
2888	-	3	0.1 %
2889	-	7	0.3 %
2890	-	14	0.6 %
2891	-	17	0.7 %
2892	-	10	0.4 %
2893	-	14	0.6 %
2894	-	6	0.3 %
2895	-	9	0.4 %
2896	-	13	0.6 %
2897	-	12	0.5 %
2898	-	19	0.8 %
2899	-	5	0.2 %
2900	-	14	0.6 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,413 valid cases out of 2,278 total cases.

- Mean: 2955.11
- Minimum: 2824.00
- Maximum: 3422.00
- Standard Deviation: 76.63

Location: 3577-3580 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

LANGCOG8: Language of Cognitive Function

Interview Language

Value	Label	Unweighted Frequency	%
1	1: English	1308	57.4 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	51	2.2 %
4	4: Japanese	54	2.4 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3581-3582 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDTHR8: East Boston Memory Test I (EBMT) Immediate Recall: Three

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	21	0.9 %
1	1: Present	1391	61.1 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3583-3584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH18: East Boston Memory Test I (EBMT) Immediate Recall: Children (1)

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	12	0.5 %
1	1: Present	1400	61.5 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3585-3586 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDHOU8: East Boston Memory Test I (EBMT) Immediate Recall: House

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	151	6.6 %
1	1: Present	1261	55.4 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3587-3588 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFIR8: East Boston Memory Test I (EBMT) Immediate Recall: On Fire

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	41	1.8 %

Value	Label	Unweighted Frequency	%
1	1: Present	1371	60.2 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3589-3590 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDFMN8: East Boston Memory Test I (EBMT) Immediate Recall: Fireman

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	21	0.9 %
1	1: Present	1391	61.1 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3591-3592 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCLM8: East Boston Memory Test I (EBMT) Immediate Recall: Climb In

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	259	11.4 %
1	1: Present	1153	50.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3593-3594 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDCH28: East Boston Memory Test I (EBMT) Immediate Recall: Children (2)

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	112	4.9 %
1	1: Present	1300	57.1 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3595-3596 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDRES8: East Boston Memory Test I (EBMT) Immediate Recall: Rescued

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	103	4.5 %
1	1: Present	1309	57.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3597-3598 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDMIN8: East Boston Memory Test I (EBMT) Immediate Recall: Minor

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	266	11.7 %
1	1: Present	1146	50.3 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3599-3600 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDINJ8: East Boston Memory Test I (EBMT) Immediate Recall: Injuries

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	238	10.4 %
1	1: Present	1174	51.5 %
	Missing Data		
.	-	866	38.0 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3601-3602 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDEVR8: East Boston Memory Test I (EBMT) Immediate Recall: Everyone

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	475	20.9 %
1	1: Present	937	41.1 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3603-3604 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

IMEDWEL8: East Boston Memory Test I (EBMT) Immediate Recall: Well

Now I would like to ask you to try to remember a short story. First, I'm going to read you a short story and when I'm through, I'm going to wait a few seconds and then ask you to tell me as much as you can remember. The story is: Three children were alone at home and the house caught on fire. A brave fireman managed to climb in a back window and carry them to safety. Aside from minor cuts and bruises, all were well. Please tell me the story. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	391	17.2 %
1	1: Present	1021	44.8 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3605-3606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE18: East Boston Memory Test I (EBMT) Immediate Recall: Total Ideas

East Boston Memory Test I Total ideas present

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
5	-	7	0.3 %
6	-	17	0.7 %
7	-	43	1.9 %
8	-	108	4.7 %
9	-	147	6.5 %
10	-	312	13.7 %
11	-	217	9.5 %
12	-	560	24.6 %
	Missing Data		
.	-	866	38.0 %
	Total	**2,278**	**100%**

Based upon 1,412 valid cases out of 2,278 total cases.

- Mean: 10.52
- Median: 11.00
- Mode: 12.00
- Minimum: 2.00
- Maximum: 12.00
- Standard Deviation: 1.59

Location: 3607-3608 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

FACEADM8: Faces Immediate Administration Status

FACES I Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	1393	61.2 %
6	6: Not admin bec of physical impairment	1	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %

Value	Label	Unweighted Frequency	%
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	13	0.6 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3609-3610 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI18: Faces Immediate Item 1

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	300	13.2 %
1	1: Correct	1093	48.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3611-3612 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI28: Faces Immediate Item 2

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	183	8.0 %
1	1: Correct	1210	53.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3613-3614 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI38: Faces Immediate Item 3

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	248	10.9 %
1	1: Correct	1145	50.3 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3615-3616 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI48: Faces Immediate Item 4

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	254	11.2 %
1	1: Correct	1139	50.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3617-3618 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI58: Faces Immediate Item 5

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	80	3.5 %
1	1: Correct	1313	57.6 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3619-3620 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI68: Faces Immediate Item 6

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	679	29.8 %
1	1: Correct	714	31.3 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3621-3622 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI78: Faces Immediate Item 7

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	162	7.1 %
1	1: Correct	1231	54.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3623-3624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI88: Faces Immediate Item 8

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	228	10.0 %
1	1: Correct	1165	51.1 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3625-3626 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI98: Faces Immediate Item 9

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	413	18.1 %
1	1: Correct	980	43.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3627-3628 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI108: Faces Immediate Item 10

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	21	0.9 %
1	1: Correct	1372	60.2 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3629-3630 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI118: Faces Immediate Item 11

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	151	6.6 %
1	1: Correct	1242	54.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3631-3632 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI128: Faces Immediate Item 12

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	226	9.9 %
1	1: Correct	1167	51.2 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3633-3634 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI138: Faces Immediate Item 13

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	389	17.1 %
1	1: Correct	1004	44.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3635-3636 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI148: Faces Immediate Item 14

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	363	15.9 %
1	1: Correct	1030	45.2 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3637-3638 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI158: Faces Immediate Item 15

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	404	17.7 %
1	1: Correct	989	43.4 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3639-3640 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI168: Faces Immediate Item 16

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	141	6.2 %
1	1: Correct	1252	55.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3641-3642 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI178: Faces Immediate Item 17

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	51	2.2 %
1	1: Correct	1342	58.9 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3643-3644 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI188: Faces Immediate Item 18

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	215	9.4 %
1	1: Correct	1178	51.7 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3645-3646 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI198: Faces Immediate Item 19

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	182	8.0 %
1	1: Correct	1211	53.2 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3647-3648 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI208: Faces Immediate Item 20

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	309	13.6 %
1	1: Correct	1084	47.6 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3649-3650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI218: Faces Immediate Item 21

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	120	5.3 %
1	1: Correct	1273	55.9 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3651-3652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI228: Faces Immediate Item 22

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	102	4.5 %
1	1: Correct	1291	56.7 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3653-3654 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI238: Faces Immediate Item 23

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	289	12.7 %
1	1: Correct	1104	48.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3655-3656 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI248: Faces Immediate Item 24

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	201	8.8 %
1	1: Correct	1192	52.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3657-3658 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI258: Faces Immediate Item 25

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	265	11.6 %
1	1: Correct	1128	49.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3659-3660 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI268: Faces Immediate Item 26

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	32	1.4 %
1	1: Correct	1361	59.7 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3661-3662 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI278: Faces Immediate Item 27

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	66	2.9 %
1	1: Correct	1327	58.3 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3663-3664 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI288: Faces Immediate Item 28

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	368	16.2 %
1	1: Correct	1025	45.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3665-3666 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI298: Faces Immediate Item 29

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	196	8.6 %
1	1: Correct	1197	52.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3667-3668 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI308: Faces Immediate Item 30

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	105	4.6 %
1	1: Correct	1288	56.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3669-3670 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI318: Faces Immediate Item 31

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	153	6.7 %
1	1: Correct	1240	54.4 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3671-3672 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI328: Faces Immediate Item 32

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	167	7.3 %
1	1: Correct	1226	53.8 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3673-3674 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI338: Faces Immediate Item 33

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	298	13.1 %
1	1: Correct	1095	48.1 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3675-3676 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI348: Faces Immediate Item 34

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	127	5.6 %
1	1: Correct	1266	55.6 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3677-3678 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI358: Faces Immediate Item 35

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	191	8.4 %
1	1: Correct	1202	52.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3679-3680 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI368: Faces Immediate Item 36

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	255	11.2 %
1	1: Correct	1138	50.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3681-3682 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI378: Faces Immediate Item 37

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	195	8.6 %
1	1: Correct	1198	52.6 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3683-3684 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI388: Faces Immediate Item 38

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	123	5.4 %
1	1: Correct	1270	55.8 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3685-3686 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI398: Faces Immediate Item 39

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	61	2.7 %
1	1: Correct	1332	58.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3687-3688 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI408: Faces Immediate Item 40

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	353	15.5 %
1	1: Correct	1040	45.7 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3689-3690 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI418: Faces Immediate Item 41

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	128	5.6 %
1	1: Correct	1265	55.5 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3691-3692 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI428: Faces Immediate Item 42

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	165	7.2 %
1	1: Correct	1228	53.9 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3693-3694 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI438: Faces Immediate Item 43

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	23	1.0 %
1	1: Correct	1370	60.1 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3695-3696 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI448: Faces Immediate Item 44

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	88	3.9 %
1	1: Correct	1305	57.3 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3697-3698 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI458: Faces Immediate Item 45

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	159	7.0 %
1	1: Correct	1234	54.2 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3699-3700 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI468: Faces Immediate Item 46

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	98	4.3 %
1	1: Correct	1295	56.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3701-3702 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI478: Faces Immediate Item 47

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	281	12.3 %
1	1: Correct	1112	48.8 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3703-3704 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEI488: Faces Immediate Item 48

I am going to show you some pictures of faces, one at a time. Look at each face carefully and remember what it looks like. Remember each one. Now I am going to show you some more pictures of faces, one at a time. I want you to look at the face on each page carefully. Say "Yes" if the face is one that I asked you to remember or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	290	12.7 %
1	1: Correct	1103	48.4 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3705-3706 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEIMD8: Faces Total Score: Immediate

Faces Total Score: Immediate

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
25	-	1	0.0 %
26	-	3	0.1 %
27	-	5	0.2 %
28	-	7	0.3 %
29	-	8	0.4 %
30	-	14	0.6 %
31	-	14	0.6 %
32	-	22	1.0 %
33	-	30	1.3 %
34	-	32	1.4 %
35	-	52	2.3 %
36	-	57	2.5 %
37	-	56	2.5 %
38	-	61	2.7 %
39	-	91	4.0 %
40	-	85	3.7 %
41	-	114	5.0 %
42	-	149	6.5 %
43	-	124	5.4 %
44	-	151	6.6 %
45	-	122	5.4 %
46	-	108	4.7 %
47	-	64	2.8 %
48	-	22	1.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Mean: 40.89
- Median: 42.00
- Mode: 44.00
- Minimum: 23.00
- Maximum: 48.00
- Standard Deviation: 4.50

Location: 3707-3708 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SDMTSTA8: Symbol Digit Modalities Test (SDMT): Administration Status

SDMT: Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	1408	61.8 %
6	6: Not admin bec of physical impairment	1	0.0 %
7	7: Not admin bec of verbal refusal	1	0.0 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	2	0.1 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 3709-3710 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SDMTADM8: Symbol Digit Modalities Test (SDMT): Number of Test Administrations

SDMT: # of Test Administrations

Value	Label	Unweighted Frequency	%
1	-	1406	61.7 %
2	-	4	0.2 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.05

Location: 3711-3711 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SDMTPRA8: Symbol Digit Modalities Test (SDMT): Number of Practice Items Correct

SDMT: # of Practice Items Correct

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	6	0.3 %
6	-	50	2.2 %
7	-	1352	59.4 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Mean: 6.95
- Median: 7.00
- Mode: 7.00
- Minimum: 3.00
- Maximum: 7.00
- Standard Deviation: 0.26

Location: 3712-3712 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SDMTATM8: Symbol Digit Modalities Test (SDMT): Number of Test Items Attempted

SDMT: # of Test Items Attempted

Value	Label	Unweighted Frequency	%
19	-	2	0.1 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.1 %
27	-	1	0.0 %

Value	Label	Unweighted Frequency	%
28	-	3	0.1 %
31	-	1	0.0 %
32	-	3	0.1 %
33	-	1	0.0 %
35	-	8	0.4 %
36	-	2	0.1 %
37	-	2	0.1 %
38	-	4	0.2 %
39	-	4	0.2 %
40	-	12	0.5 %
41	-	7	0.3 %
42	-	10	0.4 %
43	-	7	0.3 %
44	-	7	0.3 %
45	-	11	0.5 %
46	-	14	0.6 %
47	-	26	1.1 %
48	-	24	1.1 %
49	-	29	1.3 %
50	-	47	2.1 %
51	-	50	2.2 %
52	-	40	1.8 %
53	-	40	1.8 %
54	-	59	2.6 %
55	-	41	1.8 %
56	-	56	2.5 %
57	-	60	2.6 %
58	-	58	2.5 %
59	-	77	3.4 %
60	-	56	2.5 %
61	-	57	2.5 %
62	-	42	1.8 %
63	-	52	2.3 %
64	-	43	1.9 %
65	-	75	3.3 %
66	-	52	2.3 %
67	-	39	1.7 %
68	-	30	1.3 %
69	-	47	2.1 %

Value	Label	Unweighted Frequency	%
70	-	22	1.0 %
71	-	21	0.9 %
72	-	23	1.0 %
73	-	18	0.8 %
74	-	25	1.1 %
75	-	11	0.5 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,410 valid cases out of 2,278 total cases.

- Mean: 59.75
- Median: 59.00
- Mode: 59.00
- Minimum: 19.00
- Maximum: 95.00
- Standard Deviation: 10.22

Location: 3713-3714 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SDMTCOR8: Symbol Digit Modalities Test (SDMT): Number of Test Items Correct

SDMT: # of Test Items Correct

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	1	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
10	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	3	0.1 %

Value	Label	Unweighted Frequency	%
25	-	1	0.0 %
26	-	2	0.1 %
27	-	2	0.1 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	4	0.2 %
31	-	5	0.2 %
32	-	1	0.0 %
33	-	2	0.1 %
35	-	7	0.3 %
36	-	4	0.2 %
37	-	4	0.2 %
38	-	6	0.3 %
39	-	7	0.3 %
40	-	9	0.4 %
41	-	9	0.4 %
42	-	9	0.4 %
43	-	9	0.4 %
44	-	13	0.6 %
45	-	20	0.9 %
46	-	19	0.8 %
47	-	26	1.1 %
48	-	31	1.4 %
49	-	28	1.2 %
50	-	37	1.6 %
51	-	45	2.0 %
52	-	47	2.1 %
53	-	44	1.9 %
54	-	49	2.2 %
55	-	48	2.1 %
56	-	55	2.4 %
57	-	63	2.8 %
58	-	59	2.6 %
59	-	69	3.0 %
60	-	51	2.2 %
61	-	58	2.5 %
62	-	35	1.5 %
	Missing Data		
.	-	868	38.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,410 valid cases out of 2,278 total cases.

- Mean: 58.66
- Median: 59.00
- Mode: 65.00
- Minimum: 1.00
- Maximum: 94.00
- Standard Deviation: 11.30

Location: 3715-3716 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DIGIT1A8: Digits Backward: Item 1A

I am going to say some numbers. When I stop, I want you to say them backwards. Ready? 5 - 1

Value	Label	Unweighted Frequency	%
0	0: Error	1	0.0 %
1	1: Correct	1405	61.7 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3717-3718 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT1B8: Digits Backward: Item 1B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	4	0.2 %
1	1: Correct	1401	61.5 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3719-3720 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2A8: Digits Backward: Item 2A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 9 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	77	3.4 %
1	1: Correct	1329	58.3 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3721-3722 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT2B8: Digits Backward: Item 2B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 5 - 2 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	167	7.3 %
1	1: Correct	1236	54.3 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	3	0.1 %
	Missing Data		
.	-	865	38.0 %
	Total	**2,278**	**100%**

Based upon 1,413 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3723-3724 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3A8: Digits Backward: Item 3A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 3 - 8 - 1 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	256	11.2 %
1	1: Correct	1129	49.6 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	2	0.1 %
	Missing Data		
.	-	884	38.8 %
	Total	**2,278**	**100%**

Based upon 1,394 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3725-3726 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT3B8: Digits Backward: Item 3B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 1 - 7 - 9 - 5

Value	Label	Unweighted Frequency	%
0	0: Error	300	13.2 %
1	1: Correct	1087	47.7 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	6	0.3 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	884	38.8 %
	Total	**2,278**	**100%**

Based upon 1,394 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3727-3728 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4A8: Digits Backward: Item 4A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 6 - 2 - 9 - 7 - 2

Value	Label	Unweighted Frequency	%
0	0: Error	764	33.5 %
1	1: Correct	506	22.2 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	10	0.4 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	997	43.8 %
	Total	**2,278**	**100%**

Based upon 1,281 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3729-3730 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT4B8: Digits Backward: Item 4B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 8 - 5 - 2 - 7

Value	Label	Unweighted Frequency	%
0	0: Error	575	25.2 %
1	1: Correct	691	30.3 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	12	0.5 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	2	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	998	43.8 %
	Total	**2,278**	**100%**

Based upon 1,280 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3731-3732 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5A8: Digits Backward: Item 5A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 7 - 1 - 5 - 2 - 8 - 6

Value	Label	Unweighted Frequency	%
0	0: Error	484	21.2 %
1	1: Correct	334	14.7 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	13	0.6 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	2	0.1 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1445	63.4 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 833 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3733-3734 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT5B8: Digits Backward: Item 5B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 3 - 1 - 9 - 6 - 4

Value	Label	Unweighted Frequency	%
0	0: Error	484	21.2 %
1	1: Correct	325	14.3 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	19	0.8 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	4	0.2 %
10	10: Administered but not according to protocol	1	0.0 %
	Missing Data		
.	-	1445	63.4 %
	Total	**2,278**	**100%**

Based upon 833 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 3735-3736 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6A8: Digits Backward: Item 6A

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 4 - 7 - 3 - 9 - 1 - 2 - 8

Value	Label	Unweighted Frequency	%
0	0: Error	273	12.0 %
1	1: Correct	185	8.1 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	21	0.9 %
8	8: Not admin bec of behavioral reason	0	0.0 %

Value	Label	Unweighted Frequency	%
9	9: Not admin bec of other reason	5	0.2 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1794	78.8 %
	Total	**2,278**	**100%**

Based upon 484 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3737-3738 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGIT6B8: Digits Backward: Item 6B

I am going to say some numbers. When I stop, I want you to say them backwards. Here is another: 8 - 1 - 2 - 9 - 3 - 6 - 3

Value	Label	Unweighted Frequency	%
0	0: Error	274	12.0 %
1	1: Correct	184	8.1 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	21	0.9 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	5	0.2 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	1794	78.8 %
	Total	**2,278**	**100%**

Based upon 484 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 3739-3740 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DIGTOT8: Digits Backward Total Score

Digits Backward Total Score

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	19	0.8 %
3	-	51	2.2 %
4	-	115	5.0 %
5	-	185	8.1 %
6	-	301	13.2 %
7	-	195	8.6 %
8	-	156	6.8 %
9	-	114	5.0 %
10	-	106	4.7 %
11	-	95	4.2 %
12	-	44	1.9 %
	Missing Data		
.	-	896	39.3 %
	Total	**2,278**	**100%**

Based upon 1,382 valid cases out of 2,278 total cases.

- Mean: 6.99
- Median: 7.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.34

Location: 3741-3742 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DLAYTHR8: East Boston Memory Test II (EBMT) Delayed Recall: Three

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Three

Value	Label	Unweighted Frequency	%
0	0: Absent	43	1.9 %
1	1: Present	1367	60.0 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3743-3744 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH18: East Boston Memory Test II (EBMT) Delayed Recall: Children (1)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	16	0.7 %
1	1: Present	1394	61.2 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3745-3746 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYHOU8: East Boston Memory Test II (EBMT) Delayed Recall: House

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: House

Value	Label	Unweighted Frequency	%
0	0: Absent	161	7.1 %
1	1: Present	1249	54.8 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3747-3748 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFIR8: East Boston Memory Test II (EBMT) Delayed Recall: On Fire

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: On Fire

Value	Label	Unweighted Frequency	%
0	0: Absent	46	2.0 %
1	1: Present	1364	59.9 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3749-3750 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYFMN8: East Boston Memory Test II (EBMT) Delayed Recall: Fireman

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Fireman

Value	Label	Unweighted Frequency	%
0	0: Absent	24	1.1 %
1	1: Present	1386	60.8 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3751-3752 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCLM8: East Boston Memory Test II (EBMT) Delayed Recall: Climb In

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Climb In

Value	Label	Unweighted Frequency	%
0	0: Absent	257	11.3 %
1	1: Present	1153	50.6 %
	Missing Data		
.	-	868	38.1 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3753-3754 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYCH28: East Boston Memory Test II (EBMT) Delayed Recall: Children (2)

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Children

Value	Label	Unweighted Frequency	%
0	0: Absent	94	4.1 %
1	1: Present	1316	57.8 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3755-3756 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYRES8: East Boston Memory Test II (EBMT) Delayed Recall: Rescued

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Rescued

Value	Label	Unweighted Frequency	%
0	0: Absent	88	3.9 %
1	1: Present	1322	58.0 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3757-3758 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYMIN8: East Boston Memory Test II (EBMT) Delayed Recall: Minor

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Minor

Value	Label	Unweighted Frequency	%
0	0: Absent	268	11.8 %
1	1: Present	1142	50.1 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3759-3760 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYINJ8: East Boston Memory Test II (EBMT) Delayed Recall: Injuries

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Injuries

Value	Label	Unweighted Frequency	%
0	0: Absent	242	10.6 %
1	1: Present	1168	51.3 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3761-3762 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYEVR8: East Boston Memory Test II (EBMT) Delayed Recall: Everyone

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Everyone

Value	Label	Unweighted Frequency	%
0	0: Absent	580	25.5 %
1	1: Present	830	36.4 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3763-3764 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

DLAYWEL8: East Boston Memory Test II (EBMT) Delayed Recall: Well

Please recall the short story I read a few moments ago and tell me as much as you can remember of the story now. Score each idea as present or absent. Is the following idea present: Well

Value	Label	Unweighted Frequency	%
0	0: Absent	499	21.9 %
1	1: Present	911	40.0 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3765-3766 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

TOTIDE28: East Boston Memory Test II (EBMT) Delayed Recall: Total Ideas

East Boston Memory Test II Total ideas present

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
4	-	5	0.2 %
5	-	10	0.4 %

Value	Label	Unweighted Frequency	%
6	-	15	0.7 %
7	-	50	2.2 %
8	-	120	5.3 %
9	-	152	6.7 %
10	-	345	15.1 %
11	-	231	10.1 %
12	-	481	21.1 %
	Missing Data		
.	-	868	38.1 %
	Total	**2,278**	**100%**

Based upon 1,410 valid cases out of 2,278 total cases.

- Mean: 10.36
- Median: 11.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.64

Location: 3767-3768 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

FACE2AD8: Faces Delayed Administration Status

FACES II Administration Status

Value	Label	Unweighted Frequency	%
1	1: Test administered	1392	61.1 %
6	6: Not admin bec of physical impairment	0	0.0 %
7	7: Not admin bec of verbal refusal	0	0.0 %
8	8: Not admin bec of behavioral reason	0	0.0 %
9	9: Not admin bec of other reason	1	0.0 %
10	10: Administered but not according to protocol	0	0.0 %
	Missing Data		
.	-	885	38.8 %
	Total	**2,278**	**100%**

Based upon 1,393 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 3769-3770 (width: 2; decimal: 0)
Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED18: Faces Delayed Item 1

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	477	20.9 %
1	1: Correct	915	40.2 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3771-3772 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED28: Faces Delayed Item 2

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	190	8.3 %
1	1: Correct	1202	52.8 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3773-3774 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED38: Faces Delayed Item 3

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	255	11.2 %
1	1: Correct	1137	49.9 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3775-3776 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED48: Faces Delayed Item 4

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	558	24.5 %
1	1: Correct	834	36.6 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3777-3778 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED58: Faces Delayed Item 5

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	59	2.6 %
1	1: Correct	1333	58.5 %
	Missing Data		
.	-	886	38.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3779-3780 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED68: Faces Delayed Item 6

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	232	10.2 %
1	1: Correct	1160	50.9 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3781-3782 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED78: Faces Delayed Item 7

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	110	4.8 %
1	1: Correct	1282	56.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3783-3784 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED88: Faces Delayed Item 8

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	200	8.8 %
1	1: Correct	1192	52.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3785-3786 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED98: Faces Delayed Item 9

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	41	1.8 %
1	1: Correct	1351	59.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3787-3788 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED108: Faces Delayed Item 10

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	45	2.0 %
1	1: Correct	1347	59.1 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3789-3790 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED118: Faces Delayed Item 11

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	107	4.7 %
1	1: Correct	1285	56.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3791-3792 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED128: Faces Delayed Item 12

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	121	5.3 %
1	1: Correct	1271	55.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3793-3794 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED138: Faces Delayed Item 13

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	176	7.7 %
1	1: Correct	1216	53.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3795-3796 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED148: Faces Delayed Item 14

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	43	1.9 %
1	1: Correct	1349	59.2 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3797-3798 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED158: Faces Delayed Item 15

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	106	4.7 %
1	1: Correct	1286	56.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3799-3800 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED168: Faces Delayed Item 16

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	82	3.6 %
1	1: Correct	1310	57.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3801-3802 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED178: Faces Delayed Item 17

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	405	17.8 %
1	1: Correct	987	43.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3803-3804 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED188: Faces Delayed Item 18

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	125	5.5 %
1	1: Correct	1267	55.6 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3805-3806 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED198: Faces Delayed Item 19

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	196	8.6 %
1	1: Correct	1196	52.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3807-3808 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED208: Faces Delayed Item 20

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	122	5.4 %
1	1: Correct	1270	55.8 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3809-3810 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED218: Faces Delayed Item 21

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	118	5.2 %
1	1: Correct	1274	55.9 %
	Missing Data		
.	-	886	38.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3811-3812 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED228: Faces Delayed Item 22

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	67	2.9 %
1	1: Correct	1325	58.2 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3813-3814 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED238: Faces Delayed Item 23

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	105	4.6 %
1	1: Correct	1287	56.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3815-3816 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED248: Faces Delayed Item 24

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	33	1.4 %
1	1: Correct	1359	59.7 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3817-3818 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED258: Faces Delayed Item 25

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	249	10.9 %
1	1: Correct	1143	50.2 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3819-3820 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED268: Faces Delayed Item 26

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	27	1.2 %
1	1: Correct	1365	59.9 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3821-3822 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED278: Faces Delayed Item 27

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	334	14.7 %
1	1: Correct	1058	46.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3823-3824 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED288: Faces Delayed Item 28

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	214	9.4 %
1	1: Correct	1178	51.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3825-3826 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED298: Faces Delayed Item 29

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	149	6.5 %
1	1: Correct	1243	54.6 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3827-3828 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED308: Faces Delayed Item 30

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	58	2.5 %
1	1: Correct	1334	58.6 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3829-3830 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED318: Faces Delayed Item 31

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	186	8.2 %
1	1: Correct	1206	52.9 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3831-3832 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED328: Faces Delayed Item 32

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	49	2.2 %
1	1: Correct	1343	59.0 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3833-3834 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED338: Faces Delayed Item 33

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	220	9.7 %
1	1: Correct	1172	51.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3835-3836 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED348: Faces Delayed Item 34

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	80	3.5 %
1	1: Correct	1312	57.6 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3837-3838 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED358: Faces Delayed Item 35

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	105	4.6 %
1	1: Correct	1287	56.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3839-3840 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED368: Faces Delayed Item 36

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	583	25.6 %
1	1: Correct	809	35.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3841-3842 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED378: Faces Delayed Item 37

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	83	3.6 %
1	1: Correct	1309	57.5 %
	Missing Data		
.	-	886	38.9 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3843-3844 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED388: Faces Delayed Item 38

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	287	12.6 %
1	1: Correct	1105	48.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3845-3846 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED398: Faces Delayed Item 39

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	313	13.7 %
1	1: Correct	1079	47.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 3847-3848 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED408: Faces Delayed Item 40

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	163	7.2 %
1	1: Correct	1229	54.0 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3849-3850 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED418: Faces Delayed Item 41

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	47	2.1 %
1	1: Correct	1345	59.0 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3851-3852 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED428: Faces Delayed Item 42

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	505	22.2 %
1	1: Correct	887	38.9 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3853-3854 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED438: Faces Delayed Item 43

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	110	4.8 %
1	1: Correct	1282	56.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3855-3856 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED448: Faces Delayed Item 44

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	57	2.5 %
1	1: Correct	1335	58.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3857-3858 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED458: Faces Delayed Item 45

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	455	20.0 %
1	1: Correct	937	41.1 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3859-3860 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED468: Faces Delayed Item 46

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	87	3.8 %
1	1: Correct	1305	57.3 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3861-3862 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED478: Faces Delayed Item 47

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	106	4.7 %
1	1: Correct	1286	56.5 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3863-3864 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACED488: Faces Delayed Item 48

Now I'm going to show you some more pictures of faces. I want you to look at each face carefully. Say "Yes" if the face is one I asked you to remember earlier or "No" if it is not.

Value	Label	Unweighted Frequency	%
0	0: Not Correct	163	7.2 %
1	1: Correct	1229	54.0 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 3865-3866 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FACEDLY8: Faces Total Score: Delayed

Faces Total Score: Delayed

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
24	-	2	0.1 %
26	-	3	0.1 %
27	-	3	0.1 %
28	-	3	0.1 %
29	-	3	0.1 %
30	-	3	0.1 %
31	-	6	0.3 %
32	-	9	0.4 %
33	-	18	0.8 %
34	-	22	1.0 %
35	-	21	0.9 %
36	-	38	1.7 %
37	-	47	2.1 %
38	-	65	2.9 %
39	-	76	3.3 %
40	-	115	5.0 %
41	-	121	5.3 %
42	-	146	6.4 %
43	-	156	6.8 %
44	-	169	7.4 %
45	-	144	6.3 %
46	-	107	4.7 %
47	-	81	3.6 %
48	-	33	1.4 %
	Missing Data		
.	-	886	38.9 %
	Total	**2,278**	**100%**

Based upon 1,392 valid cases out of 2,278 total cases.

- Mean: 41.82
- Median: 42.00
- Mode: 44.00
- Minimum: 23.00
- Maximum: 48.00
- Standard Deviation: 3.92

Location: 3867-3868 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: .

BIODAY8: Bioimpedance Day

Date form completed

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %
2794	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2824	-	1	0.0 %
2827	-	1	0.0 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2835	-	1	0.0 %
2842	-	1	0.0 %
2848	-	2	0.1 %
2849	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	1	0.0 %
2861	-	1	0.0 %
2862	-	2	0.1 %
2863	-	3	0.1 %
2864	-	1	0.0 %
2865	-	2	0.1 %
2866	-	1	0.0 %
2867	-	2	0.1 %
2868	-	3	0.1 %
2869	-	3	0.1 %
2870	-	7	0.3 %
2871	-	3	0.1 %
2872	-	5	0.2 %
2873	-	4	0.2 %
2874	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2875	-	7	0.3 %
2876	-	9	0.4 %
2877	-	11	0.5 %
2878	-	8	0.4 %
2879	-	4	0.2 %
2880	-	7	0.3 %
2881	-	6	0.3 %
2882	-	4	0.2 %
2883	-	10	0.4 %
2884	-	18	0.8 %
2885	-	10	0.4 %
2886	-	9	0.4 %
2887	-	7	0.3 %
2888	-	4	0.2 %
2889	-	3	0.1 %
2890	-	14	0.6 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,499 valid cases out of 2,278 total cases.

- Mean: 2963.58
- Minimum: 2783.00
- Maximum: 3422.00
- Standard Deviation: 82.01

Location: 3869-3872 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

LANGBIO8: Language of Bioimpedance

Interview Language

Value	Label	Unweighted Frequency	%
1	1: English	1444	63.4 %
2	2: Spanish	0	0.0 %
3	3: Cantonese	7	0.3 %
4	4: Japanese	48	2.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 3873-3874 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

COMPBIA8: Was bioimpedance measurement completed

Was bioimpedance measurement completed?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1499	65.8 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 3875-3876 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

AICDPUM8: Insulin pump, pacemaker or cardiac defibrillator

Do you have an insulin pump, pacemaker or automatic implantable cardiac defibrillator (AICD)?

Value	Label	Unweighted Frequency	%
1	1: No	1499	65.8 %
2	2: Yes	0	0.0 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 3877-3878 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EXER12H8: Exercise/sauna within the last 12 hours

Have you exercised intensely for at least half an hour or taken a sauna within the last 12 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1399	61.4 %
2	2: Yes	100	4.4 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3879-3880 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EAT5HR8: Eat/drink in last 5 hours

Have you had anything to eat or drink, apart from water, in the last 5 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	316	13.9 %
2	2: Yes	1183	51.9 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3881-3882 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCO24H8: More than 2 alcoholic drinks last 24 hours

Have you had more than 2 alcohol drinks in the last 24 hours? That is, since (time) a.m. / p.m.?

Value	Label	Unweighted Frequency	%
1	1: No	1412	62.0 %
2	2: Yes	87	3.8 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3883-3884 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EMBDDEV8: Embedded metal devices/pins/plates/staples

Do you have any embedded medical devices, metal pins or plates, clips or beads used to treat cancer, braces, staples from surgery or any other type of embedded metal?

Value	Label	Unweighted Frequency	%
1	1: No	1363	59.8 %
2	2: Yes	135	5.9 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,498 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3885-3886 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

METJEWL8: Metal jewelry during measurement

Did participant wear any metal jewelry during measurement?

Value	Label	Unweighted Frequency	%
1	1: No	1307	57.4 %
2	2: Yes	192	8.4 %
	Missing Data		
.	-	779	34.2 %

Value	Label	Unweighted Frequency	%
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3887-3888 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ONMEASS8: Metal jewelry on measured side

If yes, were there any rings, bracelets, watches or ankle jewelry on the measured side?

Value	Label	Unweighted Frequency	%
1	1: No	135	5.9 %
2	2: Yes	57	2.5 %
	Missing Data		
-1	-1: N/A	1307	57.4 %
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 192 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3889-3890 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SIDE8: Which side of body electrodes placed

On which side of the body were the electrodes placed?

Value	Label	Unweighted Frequency	%
1	1: Right	639	28.1 %
2	2: Left	860	37.8 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3891-3892 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

CONDRAW8: Raw conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
42	-	1	0.0 %
312	-	1	0.0 %
343	-	1	0.0 %
345	-	1	0.0 %
350	-	1	0.0 %
357	-	1	0.0 %
363	-	1	0.0 %
366	-	1	0.0 %
372	-	1	0.0 %
376	-	1	0.0 %
377	-	1	0.0 %
378	-	1	0.0 %
382	-	1	0.0 %
386	-	2	0.1 %
387	-	1	0.0 %
388	-	1	0.0 %
398	-	2	0.1 %
403	-	1	0.0 %
404	-	1	0.0 %
405	-	1	0.0 %
407	-	2	0.1 %
408	-	2	0.1 %
409	-	1	0.0 %
410	-	3	0.1 %
411	-	2	0.1 %
412	-	1	0.0 %
413	-	2	0.1 %
414	-	2	0.1 %
415	-	1	0.0 %
416	-	1	0.0 %
417	-	1	0.0 %
419	-	1	0.0 %
420	-	3	0.1 %

Value	Label	Unweighted Frequency	%
421	-	4	0.2 %
423	-	1	0.0 %
424	-	1	0.0 %
425	-	4	0.2 %
426	-	2	0.1 %
428	-	1	0.0 %
429	-	1	0.0 %
430	-	4	0.2 %
431	-	2	0.1 %
432	-	2	0.1 %
435	-	2	0.1 %
436	-	4	0.2 %
437	-	5	0.2 %
438	-	4	0.2 %
439	-	2	0.1 %
441	-	2	0.1 %
442	-	3	0.1 %
	Missing Data		
-9999	-9999: Missing conductance/impedance	1	0.0 %
.	-	781	34.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,496 valid cases out of 2,278 total cases.

- Mean: 566.44
- Minimum: 42.00
- Maximum: 793.00
- Standard Deviation: 79.00

Location: 3893-3897 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -9 , -8 , -7 , -1 , .

CONDFRZ8: Frozen conductance/resistance value (ohms)

Record the conductance/resistance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
312	-	1	0.0 %
343	-	1	0.0 %
345	-	1	0.0 %

Value	Label	Unweighted Frequency	%
350	-	1	0.0 %
357	-	1	0.0 %
363	-	1	0.0 %
366	-	1	0.0 %
372	-	1	0.0 %
376	-	1	0.0 %
377	-	1	0.0 %
378	-	1	0.0 %
382	-	1	0.0 %
386	-	2	0.1 %
387	-	1	0.0 %
388	-	1	0.0 %
398	-	2	0.1 %
403	-	1	0.0 %
404	-	1	0.0 %
405	-	1	0.0 %
407	-	2	0.1 %
408	-	2	0.1 %
409	-	1	0.0 %
410	-	3	0.1 %
411	-	2	0.1 %
412	-	1	0.0 %
413	-	2	0.1 %
414	-	2	0.1 %
415	-	1	0.0 %
416	-	1	0.0 %
417	-	1	0.0 %
419	-	1	0.0 %
420	-	3	0.1 %
421	-	4	0.2 %
423	-	1	0.0 %
424	-	1	0.0 %
425	-	4	0.2 %
426	-	2	0.1 %
428	-	1	0.0 %
429	-	1	0.0 %
430	-	4	0.2 %
431	-	2	0.1 %
432	-	2	0.1 %

Value	Label	Unweighted Frequency	%
435	-	2	0.1 %
436	-	4	0.2 %
437	-	5	0.2 %
438	-	4	0.2 %
439	-	2	0.1 %
441	-	2	0.1 %
442	-	3	0.1 %
443	-	4	0.2 %
	Missing Data		
.	-	783	34.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,495 valid cases out of 2,278 total cases.

- Mean: 566.79
- Minimum: 312.00
- Maximum: 793.00
- Standard Deviation: 77.86

Location: 3898-3900 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

IMPERAW8: Raw impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	1	0.0 %
34	-	3	0.1 %
35	-	4	0.2 %
36	-	1	0.0 %
37	-	5	0.2 %
38	-	4	0.2 %
39	-	2	0.1 %
40	-	2	0.1 %
41	-	7	0.3 %
42	-	8	0.4 %
43	-	12	0.5 %
44	-	21	0.9 %

Value	Label	Unweighted Frequency	%
45	-	11	0.5 %
46	-	11	0.5 %
47	-	15	0.7 %
48	-	25	1.1 %
49	-	27	1.2 %
50	-	23	1.0 %
51	-	25	1.1 %
52	-	32	1.4 %
53	-	37	1.6 %
54	-	45	2.0 %
55	-	48	2.1 %
56	-	42	1.8 %
57	-	50	2.2 %
58	-	47	2.1 %
59	-	60	2.6 %
60	-	57	2.5 %
61	-	56	2.5 %
62	-	66	2.9 %
63	-	51	2.2 %
64	-	63	2.8 %
65	-	62	2.7 %
66	-	58	2.5 %
67	-	48	2.1 %
68	-	46	2.0 %
69	-	34	1.5 %
70	-	47	2.1 %
71	-	35	1.5 %
72	-	32	1.4 %
73	-	32	1.4 %
74	-	29	1.3 %
75	-	20	0.9 %
76	-	26	1.1 %
77	-	19	0.8 %
78	-	18	0.8 %
79	-	10	0.4 %
80	-	9	0.4 %
81	-	16	0.7 %
	Missing Data		
-9999	-9999: Missing conductance/impedance	1	0.0 %

Value	Label	Unweighted Frequency	%
-2222	-2222: Invalid conductance/impedance	2	0.1 %
.	-	781	34.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,494 valid cases out of 2,278 total cases.

- Mean: 63.42
- Median: 62.00
- Mode: 62.00
- Minimum: 28.00
- Maximum: 148.00
- Standard Deviation: 12.67

Location: 3901-3905 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9999 , -2222 , -1111 , -9 , -8 , -7 , -1 , .

IMPEFRZ8: Frozen impedance/reactance value (ohms)

Record the reactance/impedance value that appears on the impedance meter:

Value	Label	Unweighted Frequency	%
28	-	1	0.0 %
30	-	1	0.0 %
34	-	3	0.1 %
35	-	4	0.2 %
36	-	1	0.0 %
37	-	5	0.2 %
38	-	4	0.2 %
39	-	2	0.1 %
40	-	2	0.1 %
41	-	7	0.3 %
42	-	8	0.4 %
43	-	12	0.5 %
44	-	21	0.9 %
45	-	11	0.5 %
46	-	11	0.5 %
47	-	15	0.7 %
48	-	25	1.1 %
49	-	27	1.2 %
50	-	23	1.0 %

Value	Label	Unweighted Frequency	%
51	-	25	1.1 %
52	-	32	1.4 %
53	-	37	1.6 %
54	-	45	2.0 %
55	-	48	2.1 %
56	-	42	1.8 %
57	-	50	2.2 %
58	-	47	2.1 %
59	-	60	2.6 %
60	-	57	2.5 %
61	-	56	2.5 %
62	-	66	2.9 %
63	-	51	2.2 %
64	-	63	2.8 %
65	-	62	2.7 %
66	-	58	2.5 %
67	-	48	2.1 %
68	-	46	2.0 %
69	-	34	1.5 %
70	-	47	2.1 %
71	-	35	1.5 %
72	-	32	1.4 %
73	-	32	1.4 %
74	-	29	1.3 %
75	-	20	0.9 %
76	-	26	1.1 %
77	-	19	0.8 %
78	-	18	0.8 %
79	-	10	0.4 %
80	-	9	0.4 %
81	-	16	0.7 %
	Missing Data		
.	-	784	34.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,494 valid cases out of 2,278 total cases.

- Mean: 63.42

- Median: 62.00
- Mode: 62.00
- Minimum: 28.00
- Maximum: 148.00
- Standard Deviation: 12.67

Location: 3906-3908 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

BIORRUN8: Was measurement re-run

Was the measurement re-run?

Value	Label	Unweighted Frequency	%
1	1: No	1491	65.5 %
2	2: Yes	8	0.4 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 3909-3910 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PBFBIA8: Percent Body Fat (Sowers Equation)

% Body Fat (Sowers Eq.)

Value	Label	Unweighted Frequency	%
17.458142345146	-	1	0.0 %
18.252409134765	-	1	0.0 %
18.378319433562	-	1	0.0 %
18.487631930251	-	1	0.0 %
19.116949214162	-	1	0.0 %
19.180079935098	-	1	0.0 %
19.236546651546	-	1	0.0 %
19.286669535705	-	1	0.0 %
19.708304822166	-	1	0.0 %
19.845456075207	-	1	0.0 %
19.938890059372	-	1	0.0 %
19.987559497066	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.375342693416	-	1	0.0 %
20.485231330022	-	1	0.0 %
20.687768769709	-	1	0.0 %
20.692331209372	-	1	0.0 %
20.811841469407	-	1	0.0 %
20.932324126205	-	1	0.0 %
20.984202995341	-	1	0.0 %
21.239189151986	-	1	0.0 %
21.286594115683	-	1	0.0 %
21.306848023506	-	1	0.0 %
21.425777275699	-	1	0.0 %
21.477319828100	-	1	0.0 %
21.593652097316	-	1	0.0 %
21.604903420679	-	1	0.0 %
21.608826515193	-	1	0.0 %
21.994019717841	-	1	0.0 %
22.088689855047	-	1	0.0 %
22.164793350006	-	1	0.0 %
22.196766635675	-	1	0.0 %
22.229362828304	-	1	0.0 %
22.239743037903	-	1	0.0 %
22.296586012073	-	1	0.0 %
22.422691393750	-	1	0.0 %
22.530166222690	-	1	0.0 %
22.639710687207	-	1	0.0 %
22.665025609020	-	1	0.0 %
22.746869836071	-	1	0.0 %
22.774357340383	-	1	0.0 %
22.836055618550	-	1	0.0 %
23.101125830547	-	1	0.0 %
23.116708475458	-	1	0.0 %
23.128040297496	-	1	0.0 %
23.188095159169	-	1	0.0 %
23.212399886318	-	1	0.0 %
23.310227965004	-	1	0.0 %
23.322887915485	-	1	0.0 %
23.352510627318	-	1	0.0 %
23.466769024988	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 36.861181994232
- Minimum: 17.458142345146
- Maximum: 80.233557581224
- Standard Deviation: 8.898010646877

Location: 3911-3925 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

SKELMM8: Skeletal Muscle Mass (Janssen Equation)

Skeletal Muscle Mass (Janssen Eq.)

Value	Label	Unweighted Frequency	%
12.550035170240	-	1	0.0 %
12.646873096447	-	1	0.0 %
13.420107697283	-	1	0.0 %
13.530113544474	-	1	0.0 %
13.551686141384	-	1	0.0 %
13.781869625520	-	1	0.0 %
13.914430851064	-	1	0.0 %
13.976708053597	-	1	0.0 %
14.060995466472	-	1	0.0 %
14.210922500000	-	1	0.0 %
14.271280925450	-	1	0.0 %
14.405344400000	-	1	0.0 %
14.491149640180	-	1	0.0 %
14.523997782003	-	1	0.0 %
14.537172530675	-	1	0.0 %
14.568206099707	-	1	0.0 %
14.572663390071	-	1	0.0 %
14.579878715084	-	1	0.0 %
14.617717579251	-	1	0.0 %
14.639082665765	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14.853843597651	-	1	0.0 %
14.934389296346	-	1	0.0 %
14.955098940092	-	1	0.0 %
14.956870369276	-	1	0.0 %
14.963924586667	-	1	0.0 %
14.993145779310	-	1	0.0 %
14.999953663366	-	1	0.0 %
15.037701266491	-	1	0.0 %
15.062998930723	-	1	0.0 %
15.082331561644	-	1	0.0 %
15.136740688141	-	1	0.0 %
15.143476920103	-	1	0.0 %
15.174506090705	-	1	0.0 %
15.250379323308	-	1	0.0 %
15.272316092437	-	1	0.0 %
15.275675330261	-	1	0.0 %
15.339514000000	-	1	0.0 %
15.360160738786	-	1	0.0 %
15.393008275862	-	1	0.0 %
15.393474915014	-	1	0.0 %
15.408120325203	-	1	0.0 %
15.412951612903	-	1	0.0 %
15.437789084302	-	1	0.0 %
15.444958893741	-	1	0.0 %
15.454691926864	-	1	0.0 %
15.461892990937	-	1	0.0 %
15.465978762737	-	1	0.0 %
15.501742921986	-	1	0.0 %
15.505628480000	-	1	0.0 %
15.520009485981	-	1	0.0 %
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 20.360887717977

- Minimum: 12.550035170240
- Maximum: 38.335737980769
- Standard Deviation: 3.187215074159

Location: 3926-3940 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

TBWNHAN8: Total Body Water 1 (NHANES/RJL Equation)

Total Body Water 1 (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
21.952184771574	-	1	0.0 %
22.354317023960	-	1	0.0 %
22.400395839112	-	1	0.0 %
22.429401895044	-	1	0.0 %
22.831655319149	-	1	0.0 %
22.876128167116	-	1	0.0 %
22.955504398448	-	1	0.0 %
23.104942454161	-	1	0.0 %
23.234965184049	-	1	0.0 %
23.285859907834	-	1	0.0 %
23.659740058910	-	1	0.0 %
23.706134704370	-	1	0.0 %
23.837055862069	-	1	0.0 %
23.854707984791	-	1	0.0 %
23.895936405530	-	1	0.0 %
23.954225000000	-	1	0.0 %
23.996364000000	-	1	0.0 %
24.132731718062	-	1	0.0 %
24.218852368065	-	1	0.0 %
24.359017021277	-	1	0.0 %
24.427888970588	-	1	0.0 %
24.429197601199	-	1	0.0 %
24.455202658789	-	1	0.0 %
24.545880000000	-	1	0.0 %
24.745275233645	-	1	0.0 %
24.789153965785	-	1	0.0 %
24.851355172414	-	1	0.0 %
24.870097297297	-	1	0.0 %
24.985097744361	-	1	0.0 %
24.988630453258	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25.060199548193	-	1	0.0 %
25.134787096774	-	1	0.0 %
25.165118604651	-	1	0.0 %
25.168981178396	-	1	0.0 %
25.178350409836	-	1	0.0 %
25.211272340426	-	1	0.0 %
25.250596712428	-	1	0.0 %
25.252544692737	-	1	0.0 %
25.289869014085	-	1	0.0 %
25.297016000000	-	1	0.0 %
25.298347090663	-	1	0.0 %
25.377192253521	-	1	0.0 %
25.423148901903	-	1	0.0 %
25.424519205298	-	1	0.0 %
25.428688532110	-	1	0.0 %
25.448355299539	-	1	0.0 %
25.501953846154	-	1	0.0 %
25.527216309013	-	1	0.0 %
25.553192771084	-	1	0.0 %
25.617066666667	-	1	0.0 %
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 33.809080437383
- Minimum: 21.952184771574
- Maximum: 58.371960576923
- Standard Deviation: 5.475283976743

Location: 3941-3955 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

FFMNHAN8: Fat Free Mass (NHANES/RJL Equation)

Fat Free Mass (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
30.068805597668	-	1	0.0 %
30.581233564494	-	1	0.0 %
30.754487484663	-	1	0.0 %
30.842265990783	-	1	0.0 %
30.915296446701	-	1	0.0 %
31.449806995769	-	1	0.0 %
31.605746330391	-	1	0.0 %
31.617134231806	-	1	0.0 %
31.727314893617	-	1	0.0 %
31.785173640553	-	1	0.0 %
31.794704624448	-	1	0.0 %
32.218969469599	-	1	0.0 %
32.574521057269	-	1	0.0 %
32.790766956522	-	1	0.0 %
32.848302400000	-	1	0.0 %
32.910791028037	-	1	0.0 %
32.999398133748	-	1	0.0 %
33.025532112260	-	1	0.0 %
33.044384222586	-	1	0.0 %
33.049574941176	-	1	0.0 %
33.128082553191	-	1	0.0 %
33.271255659574	-	1	0.0 %
33.376384370861	-	1	0.0 %
33.462653676093	-	1	0.0 %
33.483184320000	-	1	0.0 %
33.611336995940	-	1	0.0 %
33.611535441860	-	1	0.0 %
33.617204511278	-	1	0.0 %
33.703741408451	-	1	0.0 %
33.724135301205	-	1	0.0 %
33.872142400000	-	1	0.0 %
33.881316349810	-	1	0.0 %
33.918660000000	-	1	0.0 %
33.966436726678	-	1	0.0 %
33.974704615385	-	1	0.0 %
34.125965529954	-	1	0.0 %
34.151675596330	-	1	0.0 %
34.297633767705	-	1	0.0 %
34.326816129032	-	1	0.0 %

Value	Label	Unweighted Frequency	%
34.387960000000	-	1	0.0 %
34.426907844523	-	1	0.0 %
34.464584248555	-	1	0.0 %
34.483244819277	-	1	0.0 %
34.553598301611	-	1	0.0 %
34.582025873261	-	1	0.0 %
34.587944000000	-	1	0.0 %
34.676590486486	-	1	0.0 %
34.721103300971	-	1	0.0 %
34.745844444444	-	1	0.0 %
34.809602458101	-	1	0.0 %
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 45.510907344241
- Minimum: 30.068805597668
- Maximum: 79.159157692308
- Standard Deviation: 7.334948998102

Location: 3956-3970 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

TBFNHAN8: Total Body Fat (NHANES/RJL Equation)

Total Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
7.195609273356	-	1	0.0 %
7.414826359447	-	1	0.0 %
8.257734009217	-	1	0.0 %
8.519195268817	-	1	0.0 %
8.545444265594	-	1	0.0 %
8.597930384615	-	1	0.0 %
8.728455367232	-	1	0.0 %
8.923615629139	-	1	0.0 %
8.950052631579	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.113332338308	-	1	0.0 %
9.415038647887	-	1	0.0 %
9.450425058824	-	1	0.0 %
9.838610867925	-	1	0.0 %
9.873909635628	-	1	0.0 %
10.218766435506	-	1	0.0 %
10.220678892734	-	1	0.0 %
10.306298059701	-	1	0.0 %
10.323409513514	-	1	0.0 %
10.331194402332	-	1	0.0 %
10.373092155477	-	1	0.0 %
10.385307014925	-	1	0.0 %
10.511434339623	-	1	0.0 %
10.614818181818	-	1	0.0 %
10.751697600000	-	1	0.0 %
10.843583132530	-	1	0.0 %
10.981418032787	-	1	0.0 %
11.051448212928	-	1	0.0 %
11.165560840630	-	1	0.0 %
11.392407272727	-	1	0.0 %
11.461336869565	-	1	0.0 %
11.503001481481	-	1	0.0 %
11.561869377593	-	1	0.0 %
11.572685106383	-	1	0.0 %
11.588464558140	-	1	0.0 %
11.601040851064	-	1	0.0 %
11.612107770701	-	1	0.0 %
11.718009920000	-	1	0.0 %
11.733563273322	-	1	0.0 %
11.783978247734	-	1	0.0 %
11.816815680000	-	1	0.0 %
11.880364400000	-	1	0.0 %
11.906170877698	-	1	0.0 %
11.978738860760	-	1	0.0 %
12.000601866252	-	1	0.0 %
12.001215075377	-	1	0.0 %
12.045512515337	-	1	0.0 %
12.091537777778	-	1	0.0 %
12.113328550512	-	1	0.0 %

Value	Label	Unweighted Frequency	%
12.122523552124	-	1	0.0 %
12.174467887740	-	1	0.0 %
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 31.187799258890
- Minimum: 7.195609273356
- Maximum: 81.404566942149
- Standard Deviation: 13.520080874763

Location: 3971-3985 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

PBFNHAN8: Percent Body Fat (NHANES/RJL Equation)

% Body Fat (NHANES/RJL Eq.)

Value	Label	Unweighted Frequency	%
15.574911847092	-	1	0.0 %
15.766502335043	-	1	0.0 %
16.070897915169	-	1	0.0 %
16.657357571053	-	1	0.0 %
17.559407202906	-	1	0.0 %
17.822584244387	-	1	0.0 %
18.758325482103	-	1	0.0 %
18.915373365936	-	1	0.0 %
19.987671327181	-	1	0.0 %
20.022489108678	-	1	0.0 %
20.279124787170	-	1	0.0 %
20.300887711015	-	1	0.0 %
20.539897427817	-	1	0.0 %
20.555850162866	-	1	0.0 %
20.985857737270	-	1	0.0 %
21.092801547389	-	1	0.0 %
21.096018035790	-	1	0.0 %
21.119524320247	-	1	0.0 %

Value	Label	Unweighted Frequency	%
21.149767282943	-	1	0.0 %
21.205041999746	-	1	0.0 %
21.252785024861	-	1	0.0 %
21.294004255582	-	1	0.0 %
21.443690552089	-	1	0.0 %
21.961093391528	-	1	0.0 %
22.236294256055	-	1	0.0 %
22.534379235392	-	1	0.0 %
22.584719535783	-	1	0.0 %
22.915765757622	-	1	0.0 %
22.940910030030	-	1	0.0 %
22.976342953375	-	1	0.0 %
23.120646338017	-	1	0.0 %
23.154223561333	-	1	0.0 %
23.213224200895	-	1	0.0 %
23.294832156863	-	1	0.0 %
23.426098359234	-	1	0.0 %
23.449505843520	-	1	0.0 %
23.708897603486	-	1	0.0 %
23.838905933182	-	1	0.0 %
23.872647897363	-	1	0.0 %
23.946439166202	-	1	0.0 %
23.954521108537	-	1	0.0 %
24.000914325598	-	1	0.0 %
24.064856655819	-	1	0.0 %
24.119680926893	-	1	0.0 %
24.134817212113	-	1	0.0 %
24.136456086287	-	1	0.0 %
24.347062495318	-	1	0.0 %
24.571629861989	-	1	0.0 %
24.659856880734	-	1	0.0 %
24.679290678169	-	1	0.0 %
	Missing Data		
.	-	809	35.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,469 valid cases out of 2,278 total cases.

- Mean: 38.996927862559
- Minimum: 15.574911847092
- Maximum: 58.853880698377
- Standard Deviation: 7.673052657046

Location: 3986-4000 (width: 15; decimal: 12)
Variable Type: numeric
(Range of) Missing Values: .

MISSCON8: Invalid conductance value causes missing bio

Invalid cond value causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	1495	65.6 %
1	1: Yes	4	0.2 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4001-4002 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

MISSPHY8: Missing physical measures causes missing bio

Missing phys measures causes missing bio

Value	Label	Unweighted Frequency	%
0	0: No	1473	64.7 %
1	1: Yes	26	1.1 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4003-4004 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLAGSRP8: Used self-reported physical measures

Used self-reported physical measures

Value	Label	Unweighted Frequency	%
0	0: No	1497	65.7 %
1	1: Yes	2	0.1 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4005-4006 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGBIOV8: FLAG: Bioimpedance Measures Completed after V8 cutoff (01/31/2006)

FLAG: Bioimpedance Measures Completed after V8 cutoff (01/31/2006)

Value	Label	Unweighted Frequency	%
0	0: No	1497	65.7 %
1	1: Yes	2	0.1 %
	Missing Data		
.	-	779	34.2 %
	Total	**2,278**	**100%**

Based upon 1,499 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4007-4008 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLDDRAW8: Blood Drawn

Was blood drawn?

Value	Label	Unweighted Frequency	%
1	1: No	0	0.0 %
2	2: Yes	1456	63.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	822	36.1 %
	Total	**2,278**	**100%**

Based upon 1,456 valid cases out of 2,278 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 4009-4010 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

PREGNAN8: Bioimpedance Additional Measures Collected: Currently Pregnant

If YES to BLDDRAW8: Are you currently pregnant?

Value	Label	Unweighted Frequency	%
1	1: No	1455	63.9 %
2	2: Yes	0	0.0 %
	Missing Data		
-8	-8: Do not know	1	0.0 %
.	-	822	36.1 %
	Total	**2,278**	**100%**

Based upon 1,455 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 4011-4012 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

EATDRIN8: Eat/Drink in last 12 hours

If YES to BLDDRAW8: Have you had anything to eat or drink, other than water, in the last 12 hours? That is since (time) last night?

Value	Label	Unweighted Frequency	%
1	1: No	1416	62.2 %
2	2: Yes	40	1.8 %
	Missing Data		
.	-	822	36.1 %
	Total	**2,278**	**100%**

Based upon 1,456 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4013-4014 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STRTPER8: Start Period in Last Week

If YES to BLDDRAW8: Did you start a menstrual period in the last five days?

Value	Label	Unweighted Frequency	%
1	1: No	1239	54.4 %
2	2: Yes	217	9.5 %
	Missing Data		
.	-	822	36.1 %
	Total	**2,278**	**100%**

Based upon 1,456 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4015-4016 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

BLEDAY8: Day that you started to bleed

If YES to BLDDRAW8: What is the date that you started to bleed?

Value	Label	Unweighted Frequency	%
2833	-	1	0.0 %
2853	-	1	0.0 %
2854	-	1	0.0 %
2856	-	1	0.0 %
2861	-	1	0.0 %
2864	-	1	0.0 %
2865	-	1	0.0 %
2867	-	2	0.1 %
2872	-	1	0.0 %
2873	-	1	0.0 %
2874	-	1	0.0 %
2876	-	1	0.0 %
2878	-	2	0.1 %
2879	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2882	-	2	0.1 %
2883	-	1	0.0 %
2884	-	2	0.1 %
2885	-	1	0.0 %
2886	-	1	0.0 %
2888	-	2	0.1 %
2889	-	3	0.1 %
2891	-	3	0.1 %
2892	-	2	0.1 %
2893	-	1	0.0 %
2894	-	2	0.1 %
2895	-	2	0.1 %
2897	-	3	0.1 %
2898	-	3	0.1 %
2899	-	1	0.0 %
2900	-	3	0.1 %
2903	-	2	0.1 %
2904	-	1	0.0 %
2905	-	2	0.1 %
2906	-	1	0.0 %
2907	-	3	0.1 %
2908	-	4	0.2 %
2909	-	1	0.0 %
2910	-	2	0.1 %
2911	-	1	0.0 %
2912	-	2	0.1 %
2913	-	1	0.0 %
2914	-	1	0.0 %
2915	-	1	0.0 %
2917	-	4	0.2 %
2918	-	1	0.0 %
2919	-	2	0.1 %
2920	-	4	0.2 %
2923	-	2	0.1 %
2924	-	1	0.0 %
2925	-	4	0.2 %
	Missing Data		
.	-	2061	90.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 217 valid cases out of 2,278 total cases.

- Mean: 2953.35
- Median: 2942.00
- Mode: 2992.00
- Minimum: 2833.00
- Maximum: 3174.00
- Standard Deviation: 64.27

Location: 4017-4020 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

BLDRWAT8: Blood Draw Attempted

If YES to BLDDRAW8: Blood draw category:

Value	Label	Unweighted Frequency	%
1	1: Yes, as per protocol	1087	47.7 %
2	2: Yes, menses too variable	256	11.2 %
3	3: Yes, Last attempt	113	5.0 %
4	4: Yes, Respondent Pregnant	0	0.0 %
5	5: No, Not fasting and/or not in window	0	0.0 %
	Missing Data		
.	-	822	36.1 %
	Total	**2,278**	**100%**

Based upon 1,456 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 4021-4022 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

ALCHL248: Alcohol in Last 24 hours

If YES to BLDDRAW8: Have you had any alcohol in the last 24 hours?

Value	Label	Unweighted Frequency	%
1	1: No	1221	53.6 %
2	2: Yes	233	10.2 %
	Missing Data		
.	-	824	36.2 %
	Total	**2,278**	**100%**

Based upon 1,454 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 4023-4024 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

HRMDAY8: Hormone measures Day

Hormone measures Day

Value	Label	Unweighted Frequency	%
2824	-	1	0.0 %
2827	-	2	0.1 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2837	-	1	0.0 %
2842	-	1	0.0 %
2847	-	1	0.0 %
2848	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2857	-	1	0.0 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	2	0.1 %
2861	-	1	0.0 %
2862	-	2	0.1 %
2863	-	2	0.1 %
2865	-	3	0.1 %
2867	-	2	0.1 %
2868	-	3	0.1 %
2869	-	1	0.0 %
2870	-	8	0.4 %
2871	-	3	0.1 %
2872	-	1	0.0 %
2873	-	4	0.2 %
2874	-	4	0.2 %
2875	-	4	0.2 %
2876	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2877	-	9	0.4 %
2878	-	5	0.2 %
2879	-	3	0.1 %
2880	-	7	0.3 %
2881	-	10	0.4 %
2882	-	3	0.1 %
2883	-	10	0.4 %
2884	-	10	0.4 %
2885	-	7	0.3 %
2886	-	7	0.3 %
2887	-	8	0.4 %
2888	-	5	0.2 %
2889	-	6	0.3 %
2890	-	13	0.6 %
2891	-	14	0.6 %
2892	-	10	0.4 %
2893	-	15	0.7 %
2894	-	6	0.3 %
2895	-	5	0.2 %
2896	-	10	0.4 %
2897	-	9	0.4 %
	Missing Data		
.	-	827	36.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,451 valid cases out of 2,278 total cases.

- Mean: 2966.80
- Minimum: 2824.00
- Maximum: 3422.00
- Standard Deviation: 82.95

Location: 4025-4028 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

DHAS8: Dehydroepiandrosterone sulfate (ug/dL)

Dehydroepiandrosterone sulfate (ug/dL)

Value	Label	Unweighted Frequency	%
1.7	-	1	0.0 %
2.4	-	1	0.0 %
3.5	-	1	0.0 %
8.2	-	1	0.0 %
9.6	-	1	0.0 %
9.8	-	1	0.0 %
10.5	-	1	0.0 %
13.1	-	1	0.0 %
13.5	-	1	0.0 %
14.0	-	1	0.0 %
16.6	-	1	0.0 %
16.7	-	1	0.0 %
17.1	-	1	0.0 %
17.2	-	1	0.0 %
17.4	-	3	0.1 %
17.8	-	1	0.0 %
18.1	-	1	0.0 %
19.3	-	1	0.0 %
19.4	-	2	0.1 %
19.7	-	1	0.0 %
20.9	-	1	0.0 %
21.5	-	1	0.0 %
21.9	-	1	0.0 %
22.6	-	1	0.0 %
23.2	-	2	0.1 %
24.2	-	1	0.0 %
24.4	-	1	0.0 %
24.5	-	1	0.0 %
24.6	-	1	0.0 %
24.9	-	1	0.0 %
25.4	-	1	0.0 %
25.7	-	1	0.0 %
25.9	-	1	0.0 %
26.0	-	1	0.0 %
26.2	-	1	0.0 %
26.6	-	1	0.0 %
26.7	-	1	0.0 %
26.8	-	1	0.0 %
27.0	-	2	0.1 %

Value	Label	Unweighted Frequency	%
27.1	-	1	0.0 %
27.3	-	1	0.0 %
28.4	-	2	0.1 %
28.9	-	2	0.1 %
29.2	-	1	0.0 %
29.4	-	2	0.1 %
29.5	-	1	0.0 %
30.2	-	2	0.1 %
30.4	-	3	0.1 %
30.6	-	1	0.0 %
30.9	-	1	0.0 %
	Missing Data		
.	-	829	36.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,449 valid cases out of 2,278 total cases.

- Mean: 135.08
- Minimum: 1.70
- Maximum: 955.40
- Standard Deviation: 83.57

Location: 4029-4033 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

E2AVE8: Estradiol (average, pg/mL)

Estradiol (average, pg/mL)

Value	Label	Unweighted Frequency	%
4.3500000000	-	1	0.0 %
4.8500000000	-	1	0.0 %
5.2500000000	-	1	0.0 %
5.3500000000	-	1	0.0 %
5.4500000000	-	1	0.0 %
5.5500000000	-	2	0.1 %
5.6000000000	-	1	0.0 %
5.7500000000	-	1	0.0 %
5.9500000000	-	1	0.0 %
6.0000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.1000000000	-	2	0.1 %
6.2500000000	-	2	0.1 %
6.3500000000	-	2	0.1 %
6.4000000000	-	1	0.0 %
6.5000000000	-	1	0.0 %
6.6500000000	-	1	0.0 %
6.8500000000	-	1	0.0 %
6.9000000000	-	1	0.0 %
6.9500000000	-	2	0.1 %
7.0500000000	-	2	0.1 %
7.1000000000	-	3	0.1 %
7.1500000000	-	1	0.0 %
7.2000000000	-	1	0.0 %
7.3000000000	-	1	0.0 %
7.3500000000	-	1	0.0 %
7.4000000000	-	1	0.0 %
7.4500000000	-	4	0.2 %
7.5500000000	-	1	0.0 %
7.6500000000	-	2	0.1 %
7.7000000000	-	1	0.0 %
7.7500000000	-	1	0.0 %
7.9000000000	-	1	0.0 %
7.9500000000	-	1	0.0 %
8.0000000000	-	1	0.0 %
8.0500000000	-	1	0.0 %
8.1000000000	-	3	0.1 %
8.1500000000	-	4	0.2 %
8.2500000000	-	1	0.0 %
8.4000000000	-	2	0.1 %
8.5500000000	-	2	0.1 %
8.6000000000	-	1	0.0 %
8.6500000000	-	3	0.1 %
8.7000000000	-	1	0.0 %
8.8000000000	-	4	0.2 %
8.8500000000	-	1	0.0 %
8.9000000000	-	3	0.1 %
9.0000000000	-	4	0.2 %
9.0500000000	-	2	0.1 %
9.1000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
9.1500000000	-	1	0.0 %
	Missing Data		
.	-	828	36.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,450 valid cases out of 2,278 total cases.

- Mean: 45.7559310345
- Minimum: 4.3500000000
- Maximum: 1182.0500000001
- Standard Deviation: 72.1669147739

Location: 4034-4048 (width: 15; decimal: 10)
Variable Type: numeric
(Range of) Missing Values: .

FSH8: Follicle-stimulating hormone (mIU/mL)

Follicle-stimulating hormone (mIU/mL)

Value	Label	Unweighted Frequency	%
1.5	-	1	0.0 %
2.4	-	1	0.0 %
2.8	-	1	0.0 %
3.2	-	1	0.0 %
3.3	-	1	0.0 %
3.7	-	1	0.0 %
3.8	-	1	0.0 %
3.9	-	1	0.0 %
4.1	-	1	0.0 %
4.2	-	3	0.1 %
4.3	-	1	0.0 %
4.4	-	1	0.0 %
4.5	-	1	0.0 %
4.8	-	1	0.0 %
4.9	-	1	0.0 %
5.2	-	1	0.0 %
5.3	-	1	0.0 %
5.7	-	1	0.0 %
5.8	-	6	0.3 %

Value	Label	Unweighted Frequency	%
6.4	-	1	0.0 %
6.8	-	1	0.0 %
6.9	-	1	0.0 %
7.0	-	1	0.0 %
7.1	-	1	0.0 %
7.2	-	1	0.0 %
7.5	-	1	0.0 %
7.6	-	1	0.0 %
7.7	-	1	0.0 %
7.8	-	4	0.2 %
7.9	-	1	0.0 %
8.0	-	1	0.0 %
8.1	-	1	0.0 %
8.2	-	1	0.0 %
8.3	-	1	0.0 %
8.4	-	1	0.0 %
8.5	-	2	0.1 %
8.9	-	2	0.1 %
9.3	-	1	0.0 %
9.4	-	1	0.0 %
9.5	-	2	0.1 %
9.6	-	1	0.0 %
9.7	-	3	0.1 %
9.8	-	1	0.0 %
10.0	-	1	0.0 %
10.2	-	4	0.2 %
10.3	-	2	0.1 %
10.4	-	1	0.0 %
10.6	-	1	0.0 %
11.0	-	1	0.0 %
11.1	-	2	0.1 %
	Missing Data		
.	-	828	36.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,450 valid cases out of 2,278 total cases.

- Mean: 85.51

- Minimum: 1.50
- Maximum: 361.60
- Standard Deviation: 52.95

Location: 4049-4053 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

SHBG8: Sex hormone-binding globulin (nM)

Sex hormone-binding globulin (nM)

Value	Label	Unweighted Frequency	%
8.7	-	1	0.0 %
10.6	-	1	0.0 %
11.1	-	1	0.0 %
11.2	-	1	0.0 %
11.3	-	2	0.1 %
11.6	-	1	0.0 %
11.7	-	1	0.0 %
11.9	-	1	0.0 %
12.0	-	3	0.1 %
12.2	-	2	0.1 %
12.6	-	2	0.1 %
12.8	-	1	0.0 %
12.9	-	1	0.0 %
13.1	-	1	0.0 %
13.2	-	1	0.0 %
13.3	-	1	0.0 %
13.4	-	1	0.0 %
13.6	-	2	0.1 %
13.7	-	1	0.0 %
14.2	-	1	0.0 %
14.4	-	1	0.0 %
14.5	-	3	0.1 %
14.6	-	1	0.0 %
14.7	-	1	0.0 %
14.8	-	1	0.0 %
14.9	-	1	0.0 %
15.0	-	1	0.0 %
15.1	-	2	0.1 %
15.2	-	1	0.0 %
15.3	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.6	-	1	0.0 %
15.7	-	1	0.0 %
16.1	-	1	0.0 %
16.2	-	1	0.0 %
16.3	-	1	0.0 %
16.4	-	2	0.1 %
16.6	-	1	0.0 %
16.8	-	1	0.0 %
16.9	-	2	0.1 %
17.0	-	1	0.0 %
17.2	-	1	0.0 %
17.5	-	1	0.0 %
17.8	-	3	0.1 %
17.9	-	1	0.0 %
18.1	-	2	0.1 %
18.2	-	5	0.2 %
18.4	-	3	0.1 %
18.5	-	2	0.1 %
18.7	-	3	0.1 %
18.8	-	1	0.0 %
	Missing Data		
.	-	827	36.3 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,451 valid cases out of 2,278 total cases.

- Mean: 53.85
- Minimum: 8.70
- Maximum: 289.50
- Standard Deviation: 30.70

Location: 4054-4058 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

T8: Testosterone (ng/dL)

Testosterone (ng/dL)

Value	Label	Unweighted Frequency	%
3.4	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.0	-	1	0.0 %
5.1	-	1	0.0 %
5.4	-	1	0.0 %
5.6	-	1	0.0 %
5.7	-	1	0.0 %
6.2	-	1	0.0 %
6.4	-	1	0.0 %
6.6	-	1	0.0 %
7.0	-	1	0.0 %
7.8	-	2	0.1 %
8.0	-	2	0.1 %
8.3	-	1	0.0 %
8.7	-	1	0.0 %
8.8	-	1	0.0 %
8.9	-	1	0.0 %
9.0	-	1	0.0 %
9.2	-	1	0.0 %
9.6	-	1	0.0 %
10.1	-	2	0.1 %
10.2	-	2	0.1 %
10.4	-	1	0.0 %
10.5	-	1	0.0 %
10.6	-	2	0.1 %
10.8	-	1	0.0 %
10.9	-	2	0.1 %
11.0	-	1	0.0 %
11.1	-	2	0.1 %
11.2	-	1	0.0 %
11.4	-	2	0.1 %
11.5	-	2	0.1 %
11.6	-	3	0.1 %
11.7	-	2	0.1 %
11.8	-	1	0.0 %
11.9	-	1	0.0 %
12.1	-	1	0.0 %
12.2	-	1	0.0 %
12.4	-	1	0.0 %
12.5	-	1	0.0 %
12.7	-	2	0.1 %

Value	Label	Unweighted Frequency	%
12.8	-	4	0.2 %
12.9	-	1	0.0 %
13.0	-	2	0.1 %
13.1	-	4	0.2 %
13.2	-	2	0.1 %
13.3	-	1	0.0 %
13.4	-	1	0.0 %
13.5	-	2	0.1 %
13.7	-	1	0.0 %
13.8	-	2	0.1 %
	Missing Data		
.	-	830	36.4 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,448 valid cases out of 2,278 total cases.

- Mean: 39.60
- Minimum: 3.40
- Maximum: 668.40
- Standard Deviation: 26.67

Location: 4059-4063 (width: 5; decimal: 1)
Variable Type: numeric
(Range of) Missing Values: .

CYCDAY8: Day of cycle

Day of cycle

Value	Label	Unweighted Frequency	%
2	-	35	1.5 %
3	-	54	2.4 %
4	-	47	2.1 %
5	-	69	3.0 %
	Missing Data		
.	-	2073	91.0 %
	Total	**2,278**	**100%**

Based upon 205 valid cases out of 2,278 total cases.

- Mean: 3.73
- Median: 4.00

- Mode: 5.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.10

Location: 4064-4064 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

FLGCV8: Both Estradiol (E2)>20 pg/mL & coefficient of variation (CV)>15%

Both E2>20 pg/mL & CV>15%

Value	Label	Unweighted Frequency	%
0	0: No	1450	63.7 %
1	1: Yes	1	0.0 %
	Missing Data		
.	-	827	36.3 %
	Total	**2,278**	**100%**

Based upon 1,451 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4065-4066 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

FLGDIF8: 1 or both Estradiol (E2)<=20 pg/mL & difference between them is >10 pg/mL

1 or both E2<=20 pg/mL & dif>10

Value	Label	Unweighted Frequency	%
0	0: No	1451	63.7 %
1	1: Yes	0	0.0 %
	Missing Data		
.	-	827	36.3 %
	Total	**2,278**	**100%**

Based upon 1,451 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 4067-4068 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

SPSCDAY8: Spine Scan Day

Spine Scan Day

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %
2794	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2824	-	1	0.0 %
2827	-	1	0.0 %
2828	-	1	0.0 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2835	-	1	0.0 %
2842	-	1	0.0 %
2848	-	2	0.1 %
2849	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	1	0.0 %
2861	-	1	0.0 %
2862	-	2	0.1 %
2863	-	3	0.1 %
2864	-	1	0.0 %
2865	-	2	0.1 %
2866	-	1	0.0 %
2867	-	2	0.1 %
2868	-	4	0.2 %
2869	-	3	0.1 %
2870	-	6	0.3 %
2871	-	4	0.2 %
2872	-	5	0.2 %
2873	-	4	0.2 %
2874	-	3	0.1 %
2875	-	5	0.2 %

Value	Label	Unweighted Frequency	%
2876	-	10	0.4 %
2877	-	11	0.5 %
2878	-	8	0.4 %
2879	-	4	0.2 %
2880	-	6	0.3 %
2881	-	7	0.3 %
2882	-	3	0.1 %
2883	-	11	0.5 %
2884	-	18	0.8 %
2885	-	8	0.4 %
2886	-	7	0.3 %
2887	-	7	0.3 %
2888	-	6	0.3 %
2889	-	3	0.1 %
	Missing Data		
.	-	855	37.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,423 valid cases out of 2,278 total cases.

- Mean: 2961.68
- Minimum: 2783.00
- Maximum: 3422.00
- Standard Deviation: 81.60

Location: 4069-4072 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SPSCTIM8: Spine Scan Time

Spine Scan Time

Value	Label	Unweighted Frequency	%
10:00:13	-	1	0.0 %
10:00:15	-	2	0.1 %
10:00:21	-	1	0.0 %
10:00:26	-	1	0.0 %
10:00:32	-	1	0.0 %
10:00:38	-	1	0.0 %
10:00:42	-	2	0.1 %

Value	Label	Unweighted Frequency	%
10:00:53	-	2	0.1 %
10:00:55	-	1	0.0 %
10:01:03	-	1	0.0 %
10:01:07	-	1	0.0 %
10:01:18	-	1	0.0 %
10:01:39	-	1	0.0 %
10:01:50	-	1	0.0 %
10:02:00	-	1	0.0 %
10:02:10	-	1	0.0 %
10:02:12	-	1	0.0 %
10:02:17	-	1	0.0 %
10:02:24	-	1	0.0 %
10:02:40	-	1	0.0 %
10:02:42	-	1	0.0 %
10:02:47	-	1	0.0 %
10:02:49	-	1	0.0 %
10:03:03	-	1	0.0 %
10:03:07	-	1	0.0 %
10:03:23	-	1	0.0 %
10:03:38	-	1	0.0 %
10:03:44	-	1	0.0 %
10:03:48	-	1	0.0 %
10:03:58	-	1	0.0 %
10:03:59	-	2	0.1 %
10:04:11	-	1	0.0 %
10:04:12	-	1	0.0 %
10:04:13	-	1	0.0 %
10:04:22	-	1	0.0 %
10:04:28	-	2	0.1 %
10:04:37	-	1	0.0 %
10:04:54	-	1	0.0 %
10:04:59	-	1	0.0 %
10:05:01	-	1	0.0 %
10:05:12	-	1	0.0 %
10:05:37	-	1	0.0 %
10:05:40	-	1	0.0 %
10:05:46	-	1	0.0 %
10:05:50	-	1	0.0 %
10:06:01	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:06:02	-	1	0.0 %
10:06:29	-	1	0.0 %
10:06:43	-	1	0.0 %
10:07:25	-	1	0.0 %
	Missing Data		
.	-	855	37.5 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,423 valid cases out of 2,278 total cases.

Location: 4073-4084 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

SPSCMOD8: Spine Scan Mode

Spine Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	0	0.0 %
11	11: 4500 machine	1423	62.5 %
	Missing Data		
.	-	855	37.5 %
	Total	**2,278**	**100%**

Based upon 1,423 valid cases out of 2,278 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 4085-4086 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

HPSCDAY8: Hip Scan Day

Hip Scan Day

Value	Label	Unweighted Frequency	%
2783	-	1	0.0 %
2788	-	1	0.0 %
2790	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2794	-	1	0.0 %
2814	-	1	0.0 %
2820	-	1	0.0 %
2824	-	1	0.0 %
2827	-	1	0.0 %
2828	-	1	0.0 %
2829	-	1	0.0 %
2832	-	1	0.0 %
2835	-	1	0.0 %
2842	-	1	0.0 %
2848	-	2	0.1 %
2849	-	1	0.0 %
2850	-	1	0.0 %
2853	-	1	0.0 %
2856	-	2	0.1 %
2858	-	1	0.0 %
2859	-	3	0.1 %
2860	-	1	0.0 %
2861	-	1	0.0 %
2862	-	2	0.1 %
2863	-	3	0.1 %
2864	-	1	0.0 %
2865	-	2	0.1 %
2866	-	1	0.0 %
2867	-	2	0.1 %
2868	-	4	0.2 %
2869	-	3	0.1 %
2870	-	6	0.3 %
2871	-	4	0.2 %
2872	-	5	0.2 %
2873	-	4	0.2 %
2874	-	3	0.1 %
2875	-	5	0.2 %
2876	-	10	0.4 %
2877	-	11	0.5 %
2878	-	8	0.4 %
2879	-	4	0.2 %
2880	-	6	0.3 %
2881	-	7	0.3 %

Value	Label	Unweighted Frequency	%
2882	-	3	0.1 %
2883	-	11	0.5 %
2884	-	18	0.8 %
2885	-	8	0.4 %
2886	-	7	0.3 %
2887	-	7	0.3 %
2888	-	6	0.3 %
2889	-	3	0.1 %
	Missing Data		
.	-	858	37.7 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,420 valid cases out of 2,278 total cases.

- Mean: 2961.95
- Minimum: 2783.00
- Maximum: 3422.00
- Standard Deviation: 81.92

Location: 4087-4090 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

HPSCTIM8: Hip Scan Time

Hip Scan Time

Value	Label	Unweighted Frequency	%
10:00:10	-	1	0.0 %
10:00:32	-	1	0.0 %
10:00:35	-	1	0.0 %
10:00:37	-	1	0.0 %
10:00:47	-	1	0.0 %
10:00:52	-	1	0.0 %
10:00:56	-	1	0.0 %
10:00:58	-	1	0.0 %
10:01:04	-	1	0.0 %
10:01:06	-	1	0.0 %
10:01:09	-	1	0.0 %
10:01:12	-	1	0.0 %
10:01:15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10:01:29	-	1	0.0 %
10:01:32	-	1	0.0 %
10:01:35	-	1	0.0 %
10:01:39	-	1	0.0 %
10:02:25	-	1	0.0 %
10:02:32	-	1	0.0 %
10:02:45	-	1	0.0 %
10:02:59	-	1	0.0 %
10:03:03	-	1	0.0 %
10:03:08	-	1	0.0 %
10:03:18	-	1	0.0 %
10:03:30	-	1	0.0 %
10:03:33	-	1	0.0 %
10:03:36	-	1	0.0 %
10:03:55	-	1	0.0 %
10:04:01	-	1	0.0 %
10:04:02	-	1	0.0 %
10:04:14	-	1	0.0 %
10:04:30	-	1	0.0 %
10:04:33	-	1	0.0 %
10:04:45	-	1	0.0 %
10:04:48	-	1	0.0 %
10:04:49	-	2	0.1 %
10:04:55	-	1	0.0 %
10:05:33	-	1	0.0 %
10:05:43	-	1	0.0 %
10:06:05	-	1	0.0 %
10:06:06	-	1	0.0 %
10:06:17	-	1	0.0 %
10:06:20	-	1	0.0 %
10:06:29	-	1	0.0 %
10:06:43	-	1	0.0 %
10:07:09	-	1	0.0 %
10:07:13	-	1	0.0 %
10:07:15	-	1	0.0 %
10:07:22	-	2	0.1 %
10:07:31	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	858	37.7 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,420 valid cases out of 2,278 total cases.

Location: 4091-4102 (width: 12; decimal: 0)
Variable Type: character
(Range of) Missing Values: .

HPSCMOD8: Hip Scan Mode

Hip Scan Mode

Value	Label	Unweighted Frequency	%
5	5: 2000 machine	0	0.0 %
11	11: 4500 machine	1420	62.3 %
	Missing Data		
.	-	858	37.7 %
	Total	**2,278**	**100%**

Based upon 1,420 valid cases out of 2,278 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 4103-4104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

SPBMDT8: Total Spine Bone Mineral Density (BMD) with cross-calibration applied

Total Spine BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.612980	-	1	0.0 %
0.643710	-	1	0.0 %
0.666797	-	1	0.0 %
0.678240	-	1	0.0 %
0.687150	-	1	0.0 %
0.692390	-	1	0.0 %
0.693800	-	1	0.0 %
0.694560	-	1	0.0 %
0.696037	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.699940	-	1	0.0 %
0.702120	-	1	0.0 %
0.703998	-	1	0.0 %
0.711615	-	1	0.0 %
0.713560	-	1	0.0 %
0.713657	-	1	0.0 %
0.717549	-	1	0.0 %
0.717640	-	1	0.0 %
0.717950	-	1	0.0 %
0.720770	-	1	0.0 %
0.722285	-	1	0.0 %
0.723922	-	1	0.0 %
0.727720	-	1	0.0 %
0.727990	-	1	0.0 %
0.730071	-	1	0.0 %
0.734620	-	1	0.0 %
0.738192	-	1	0.0 %
0.742758	-	1	0.0 %
0.742987	-	1	0.0 %
0.743078	-	1	0.0 %
0.743400	-	1	0.0 %
0.744993	-	1	0.0 %
0.745638	-	1	0.0 %
0.746380	-	1	0.0 %
0.746619	-	1	0.0 %
0.748245	-	1	0.0 %
0.748338	-	1	0.0 %
0.748479	-	1	0.0 %
0.749790	-	1	0.0 %
0.750539	-	1	0.0 %
0.751220	-	1	0.0 %
0.752485	-	1	0.0 %
0.752658	-	1	0.0 %
0.752820	-	1	0.0 %
0.752912	-	1	0.0 %
0.756870	-	1	0.0 %
0.757950	-	1	0.0 %
0.759230	-	1	0.0 %
0.759256	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.759650	-	1	0.0 %
0.760610	-	1	0.0 %
	Missing Data		
.	-	858	37.7 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,420 valid cases out of 2,278 total cases.

- Mean: 1.013424
- Minimum: 0.612980
- Maximum: 1.607250
- Standard Deviation: 0.154892

Location: 4105-4112 (width: 8; decimal: 6)
Variable Type: numeric
(Range of) Missing Values: .

HPBMDT8: Total Hip Bone Mineral Density (BMD) with cross-calibration applied

Total Hip BMD w/cross-calibration applied

Value	Label	Unweighted Frequency	%
0.536580	-	1	0.0 %
0.579730	-	1	0.0 %
0.599551	-	1	0.0 %
0.618610	-	1	0.0 %
0.628027	-	1	0.0 %
0.628890	-	1	0.0 %
0.631640	-	1	0.0 %
0.643220	-	1	0.0 %
0.656970	-	1	0.0 %
0.657660	-	1	0.0 %
0.657860	-	1	0.0 %
0.658610	-	1	0.0 %
0.662600	-	1	0.0 %
0.666701	-	1	0.0 %
0.666940	-	1	0.0 %
0.668150	-	1	0.0 %
0.672594	-	1	0.0 %
0.675276	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.676038	-	1	0.0 %
0.676610	-	1	0.0 %
0.677550	-	1	0.0 %
0.678250	-	1	0.0 %
0.678890	-	1	0.0 %
0.680840	-	1	0.0 %
0.681270	-	1	0.0 %
0.683300	-	1	0.0 %
0.684040	-	1	0.0 %
0.684083	-	1	0.0 %
0.685779	-	1	0.0 %
0.686182	-	1	0.0 %
0.687704	-	1	0.0 %
0.688530	-	1	0.0 %
0.689280	-	1	0.0 %
0.690419	-	1	0.0 %
0.690640	-	1	0.0 %
0.693060	-	1	0.0 %
0.696050	-	1	0.0 %
0.696110	-	1	0.0 %
0.697306	-	1	0.0 %
0.698310	-	1	0.0 %
0.698595	-	1	0.0 %
0.698602	-	1	0.0 %
0.699914	-	1	0.0 %
0.700500	-	1	0.0 %
0.700502	-	1	0.0 %
0.700690	-	1	0.0 %
0.700860	-	1	0.0 %
0.702220	-	1	0.0 %
0.703380	-	1	0.0 %
0.704130	-	1	0.0 %
	Missing Data		
.	-	859	37.7 %
	Total	**2,278**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,419 valid cases out of 2,278 total cases.

- Mean: 0.937916
- Minimum: 0.536580
- Maximum: 1.594130
- Standard Deviation: 0.145507

Location: 4113-4120 (width: 8; decimal: 6)
Variable Type: numeric
(Range of) Missing Values: .

BMDFLG8: PI recommended for spine exclusion

PI recommended for spine exclusion

Value	Label	Unweighted Frequency	%
0	0: No	1427	62.6 %
1	1: Yes	3	0.1 %
	Missing Data		
.	-	848	37.2 %
	Total	**2,278**	**100%**

Based upon 1,430 valid cases out of 2,278 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 4121-4122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -1 , .

STATUS8: Menopausal Status

Menopausal status variable

Value	Label	Unweighted Frequency	%
1	1: Post by BSO	116	5.1 %
2	2: Natural Post	1370	60.1 %
3	3: Late Peri	211	9.3 %
4	4: Early Peri	405	17.8 %
5	5: Pre-menopausal	28	1.2 %
6	6: Pregnant/breastfeeding	0	0.0 %
7	7: Unknown due to HT use	80	3.5 %
8	8: Unknown due to hysterectomy	58	2.5 %
	Missing Data		
.	-	10	0.4 %
	Total	**2,278**	**100%**

Based upon 2,268 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 4123-4123 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: .

RACE: Race/Ethnicity

Race/Ethnicity

Value	Label	Unweighted Frequency	%
1	Black/African American	692	30.4 %
2	Chinese/Chinese American	210	9.2 %
3	Japanese/Japanese American	250	11.0 %
4	Caucasian/White Non-Hispanic	1126	49.4 %
5	Hispanic	0	0.0 %
	Total	**2,278**	**100%**

Based upon 2,278 valid cases out of 2,278 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 4124-4124 (width: 1; decimal: 0)
Variable Type: numeric