

QUALITY ASSURANCE · DEVELOPER REMEDIATION REPORT

LumBarong QA Findings & Fixes

Exploratory black-box audit of lumbarong.shop across the customer, seller, admin, and super-admin roles.

Target	lumbarong.shop (production)
Date	2026-09-02
Method	Live black-box testing, all four roles; no orders placed, no data modified
Stack	Laravel 12.58 · PHP 8.3.33 · Alpine.js · MySQL
Summary	0 Blocker · 6 High · 8 Medium · 11 Low · 3 to verify · 12 verified OK

Fix order

The top priority is the multi-seller checkout (H-1 and H-2) — it splits and misroutes money across sellers and should be fixed together as one "split the order per shop" change. Next, the QR path bug (H-3) breaks payment display everywhere. H-4 through H-6 are backend defects found in the production error log. Everything else is analytics accuracy, reliability, and polish.

01 High severity

Broken function or misrouted money. Fix before further rollout.

HIGH

H-1 Cross-seller "Checkout All" merges two shops into one order

Finding

When a cart holds items from more than one shop and the buyer uses "Proceed to Checkout (all)", every item is rendered under a single shop header and charged one ₱30 shipping fee. Items from the second shop are mis-attributed to the first. The wrong seller is credited and asked to fulfil goods that are not theirs. Per-shop checkout ("Checkout Shop") was tested separately and is correct, so the defect is specific to the combined checkout path.

Evidence: Cart with Mang Ram + Maganos items rendered all four under "Mang Ram Embroidery"; the policy modal, however, correctly listed both shops — so the backend knows there are two.

RECOMMENDED FIX Split a cross-shop checkout into one order and one shipping fee per shop (one payment target each), or disable "Checkout All" across shops and require per-shop checkout. Compute shipping per shop, not once per cart.

HIGH

H-2 Cross-seller payment routes entirely to one seller's GCash

Finding

On the merged order above, the payment page instructs the buyer to send the full amount to ONE seller's GCash account, including the value of the other seller's goods. The buyer pays one seller for another seller's products; the second seller receives nothing. This makes cross-shop checkout financially incorrect, not merely a display problem.

Evidence: Payment page showed Send GCash payment to 09948774899 · Account: Mang Ram Embroidery for the full ₱10,881, which included ₱4,898 of Maganos goods.

RECOMMENDED FIX Payment must be per shop, each remitted to that shop's own configured account. Resolve together with H-1 as a single "split the order by shop" change.

HIGH

H-3 Payment QR images 404 everywhere they are displayed

Finding

GCash/Maya QR codes fail to load at checkout and on the super-admin Payment Settings page. Root cause is a storage-path mismatch: the QR files exist and load from the public uploads directory, but the display code serves them through a /storage/ prefix, producing a broken URL (note the double slash) that returns 404. Customers see a broken QR and must fall back to typing the number.

Evidence: /uploads/qrcodes/1787109504_gcash_*.jpg returns HTTP 200 (seller profile); the same asset requested as /storage//uploads/qrcodes/*.jpg returns HTTP 404 (checkout + super-admin payment settings).

RECOMMENDED FIX Render QR images from the real /uploads/qrcodes/ path. Remove the asset('storage/'....) wrapper / duplicate prefix so the URL is not double-prefixed. Verify a Laravel storage:link is not being relied on for a directory that actually lives under public/uploads.

HIGH

H-4 Email change writes to columns that do not exist

Finding

The email-change / verification code path issues an UPDATE against user columns that are not present in the schema, so changing an email address most likely fails at the database layer. This was found in the production error log and was not live-tested to avoid altering the shared test account.

Evidence: Log 2026-08-31: Unknown column 'email_verified_at' in 'SET' and Unknown column 'isEmailVerified' in 'SET' on update users

RECOMMENDED FIX Reconcile the model attributes and migration column names (see L-11 on camelCase vs snake_case). Add the missing columns via migration, or point the code at the columns that actually exist, then add a regression test for the email-change flow.

HIGH

H-5 Missing User::reports() relationship throws 500

Finding

A reports feature tied to a user calls an Eloquent relationship that is not defined on the User model, raising a `BadMethodCallException` (HTTP 500) whenever that path is hit.

Evidence: Log 2026-08-31: Call to undefined method `App\Models\User::reports()`.

RECOMMENDED FIX Define the `reports()` relationship on `App\Models\User` (e.g. `hasMany(Report::class, 'reporter_id')`) or correct the call site to the intended relationship name.

HIGH

H-6 Migration failed: report_timeline_events foreign key

Finding

A migration to create the `report_timeline_events` table fails on its foreign key to `reports(id)`, so the table — and the report-timeline feature that depends on it — is missing in production. The error signature (errno 150) is the classic type/charset mismatch between the FK column and the referenced primary key.

Evidence: Log 2026-08-31: Can't create table `report_timeline_events` (errno: 150 "Foreign key constraint is incorrectly formed") on the FK to `reports(id)`.

RECOMMENDED FIX Make `report_id` exactly match `reports.id` in type, length, unsignedness, and collation (UUID/char vs bigint is the usual culprit). Ensure the referenced table/column exists first, then re-run the migration.

02 Medium severity

Incorrect or misleading but recoverable — mostly analytics integrity and reliability.

MEDIUM

M-1 Cart total charges one shipping fee across multiple shops

Finding

A two-shop cart totalled ₱10,881 = ₱10,851 in items + a single ₱30 shipping fee. Same root cause as H-1: shipping is computed once per cart instead of once per shop.

RECOMMENDED FIX Compute and sum shipping per shop group. Fold into the H-1 order-splitting change.

MEDIUM

M-2 Seller dashboard "Conversion" shows 1,000.0%

Finding

The seller dashboard reports an impossible conversion rate. The formula appears to divide orders (or sales) by catalogue views where views = 1, producing values far above 100%.

RECOMMENDED FIX Define conversion as unique buyers ÷ unique catalogue views over the selected period, guard against divide-by-tiny-N, and clamp/display sensibly (0–100%).

MEDIUM

M-3 Admin: total orders (16) contradicts the status breakdown (18)

Finding

The dashboard headline reads "Total Orders = 16 (Incl. all statuses)" but the Order Status tiles sum to 18 (Cancelled 2 + Completed 4 + Delivered 2 + Pending 8 + Shipped 1 + To Ship 1). 16 = 18 – 2 cancelled, so the "incl. all statuses" label contradicts the number.

RECOMMENDED FIX Make the headline count and the status breakdown use the same query/filter. Either include cancelled in both (18) or exclude it in both and fix the label.

MEDIUM

M-4 Admin: "Avg Order Value" divisor does not match its label

Finding

AOV shows ₱3,186, labeled "Excl. cancelled orders", but that equals Total Revenue ₱50,971 ÷ 16 (all orders), not ÷ 14 (excluding the 2 cancelled). Either the label or the divisor is wrong.

RECOMMENDED FIX Compute AOV as net revenue ÷ non-cancelled order count, and confirm cancelled orders are excluded from the revenue numerator too.

MEDIUM

M-5 Admin: "Last 7 Days" registrations show all-time totals

Finding

The "User Registrations — Last 7 Days" widget shows Customers 24 / Sellers 9, identical to the all-time Active Customers (24) and Verified Sellers (9) tiles. The 7-day window is not being applied to the query.

RECOMMENDED FIX Add the created-at >= now()-7d filter (and align the timezone) to the registrations query behind that widget.

MEDIUM**M-6 Super admin: commission accrued but Collected / Outstanding both ₱0****Finding**

The dashboard shows "Platform Revenue (5%) = ₱2,548.57" while "Commission Collected ₱0.00" and "Outstanding ₱0.00". Because buyers pay sellers directly via GCash, the platform never collects the 5% — so Outstanding should reflect the accrued-but-uncollected ₱2,548.57. The commission ledger is not wired to the manual-payment reality.

RECOMMENDED FIX Model commission as accrued on each completed order and settled separately; Outstanding = accrued – collected. Reflect the seller-frozen "pay overdue commission" flow that the payment-settings page already references.

MEDIUM**M-7 Enum/column truncation on writes****Finding**

Two writes fail with data-truncation warnings, meaning a value is too long for, or not a member of, the target column's enum/size definition. Rows may be silently written with wrong/empty values.

Evidence: Log: Data truncated for column 'type' (email_verifications insert) and Data truncated for column 'actionTaken' (reports update).

RECOMMENDED FIX Widen the columns or extend the enum definitions to include every value the code writes; add validation before persistence so out-of-range values are rejected loudly.

MEDIUM**M-8 Intermittent production database connection failure****Finding**

The most recent logged error is a MySQL connection failure, which surfaces as sporadic 500s. The failing query is also notable because it queried the users table using a shop id where a user id was expected — worth checking that code path for id confusion.

Evidence: Log 2026-09-01 10:25: SQLSTATE[HY000] [2002] Operation not permitted (Connection: mysql, localhost:3306). SQL: select * from users where id = <a shop UUID>.

RECOMMENDED FIX Investigate the host DB socket/permission or connection-limit issue (common on shared hosting); add connection retry/backoff. Separately, audit the query that passes a shop id into a users lookup.

03 Low severity

Cosmetic, copy, and polish — batchable.

LOW

L-1 Login reveals "Incorrect password" for a valid email

Finding

The login error distinguishes a wrong password from an unknown email, which lets an attacker enumerate which email addresses have accounts.

RECOMMENDED FIX Return a single generic message ("Invalid email or password") for both cases.

LOW

L-2 Mobile bottom-nav "Cart" points to /login when logged out

Finding

The header cart icon links to `/cart`, but the mobile bottom-nav "Cart" links to `/login` when logged out — inconsistent targets for the same action.

RECOMMENDED FIX Point both to `/cart`; let the cart page handle the guest→login redirect if needed.

LOW

L-3 Deleted products show as "HERITAGE PRODUCT" in order history

Finding

When a product is deleted, past orders display a placeholder name instead of what was actually purchased, losing order-history fidelity.

RECOMMENDED FIX Snapshot the product name (and key attributes) onto the order line at purchase time; render the snapshot, not the live product.

LOW

L-4 Discounted prices display whole pesos but charge centavos

Finding

Product cards show a rounded price (e.g. ₱1,439) while the order charges the exact discounted value (₱1,439.10, order total ₱1,469.10). The mismatch can look like an overcharge.

RECOMMENDED FIX Round the stored discounted price to 2 decimals, or display the exact value everywhere. Be consistent between cards, detail, cart, and order.

LOW

L-5 Inconsistent currency formatting

Finding

The seller order list shows ₱1,469.1 and ₱5,429.1 (trailing zero dropped) next to correctly formatted values like ₱2,784.05.

RECOMMENDED FIX Format all money with a single helper to exactly 2 decimals and thousands separators.

LOW

L-6 Admin "Net Profit" duplicates "Total Revenue"

Finding

Net Profit and Total Revenue both read ₱50,971 because Platform Capital (COGS) = ₱0. Net Profit is meaningless until cost of goods is captured.

RECOMMENDED FIX Either capture COGS/capital per product and compute real profit, or remove the Net Profit tile until the data exists.

LOW

L-7 "29 Live Products" includes 2 pending items

Finding

The "Live Products (All listed products)" tile counts 29, which includes 2 pending-approval items; only 27 are actually live.

RECOMMENDED FIX Count approved/published products only, or rename the tile to "All listed".

LOW

L-8 Seller revenue chart: "All Time" label, one week of data

Finding

The "Revenue Trajectory — Period: All Time" chart renders a single Fri–Thu week. Label and data disagree.

RECOMMENDED FIX Either aggregate the full history for the All-Time view or correct the label to match the window shown.

LOW

L-9 Two shops display the same GCash number

Finding

Mang Ram and Maganos both show GCash 09948774899 (only the account name differs). This may be correct test data, or a shared/hardcoded value.

RECOMMENDED FIX Confirm each seller has a distinct payout number sourced from their own payment settings; ensure it is not falling back to a default.

LOW

L-10 Stale Blade-view errors in the log (likely already fixed)

Finding

Several 2026-08-31 view errors appear in the log, but the affected pages render correctly now, so they are probably already patched. Listed for closure and log hygiene.

Evidence: Undefined variable \$activeTab (seller/products/index), str_starts_with(): array given (seller products view), Route [seller.products] not defined (seller/profile), Blade syntax error ... expecting endif (seller/orders).

RECOMMENDED FIX Confirm each is fixed in code, add coverage for those pages, and clear/rotate the log so resolved errors stop reappearing in diagnostics.

LOW

L-11 Mixed column-naming conventions

Finding

The schema mixes camelCase (updatedAt, CategoryId, isEmailVerified) with snake_case (email_verified_at). This inconsistency is the likely source of the H-4 "unknown column" errors.

RECOMMENDED FIX Standardise on one convention (Laravel default is snake_case); where legacy camelCase columns must stay, map them explicitly on the model (\$casts / column aliases) and document it.

04 Recommended follow-ups

Not confirmed as defects; each needs a targeted check the QA session could not complete.

VERIFY

R-1 Order-detail ownership (IDOR)

Finding

Order pages use UUIDs (/orders/<uuid>). The QA session could not test cross-user access without a second user's order UUID.

RECOMMENDED FIX Confirm the order controller authorizes that the order belongs to the authenticated user (policy / where user_id = auth id) and returns 403/404 otherwise. Add a test.

VERIFY

R-2 Hard-delete referential integrity

Finding

The admin user list exposes a hard "Delete". Not exercised in QA.

RECOMMENDED FIX Confirm delete either soft-deletes or safely cascades/blocks when the customer has orders, reviews, or payments — orphaned records must not result.

VERIFY

R-3 Pin Alpine.js to an exact version

Finding

The entire UI depends on Alpine.js loaded from unpkg at a floating @3.x.x tag, a reliability and supply-chain risk (CDN outage or a breaking 3.x release breaks the whole app).

RECOMMENDED FIX Pin an exact version (e.g. alpinejs@3.14.x) and/or self-host the script from the app's own assets.

05 Verified working

Exercised and confirmed correct during testing — no change required.

Role authorization	Sellers and customers are blocked server-side from all admin/super-admin routes (redirect, no content leak) — not just client-side hiding.
Per-shop checkout	Single-shop orders show correct items, header, total, and the correct payment account.
Payment validation	Place Order requires an exactly-13-digit reference number and a receipt upload.
Policy gate	Checkout requires accepting each shop's cancellation/refund policy before payment.
Size validation	Product buy buttons stay disabled until a size is selected.
Search	Accurate matches, no false positives, correct empty state on no match.
XSS	A <script> search payload is sanitized, not reflected as HTML.
Orders	Customer status tabs reconcile; order detail (timeline, payment, ship-to) is complete.
Seller fulfillment	Order modal with proof view and a Verify / Reject payment workflow.
Product moderation	Admin Approve/Reject queue with pending / approved / rejected states.

GMV reconciliation	Super-admin GMV matches admin revenue and the shop leaderboard.
No malicious scripts	Page loads only Alpine.js (unpkg) and Google Fonts.