GLASSBOX · ONE-PAGE MANUAL · V0.5.0

Other tools show you what happened. Glassbox tells you what went wrong.

Every Claude Code, Cowork and Agent SDK session writes a flight recorder nobody reads. Nine steps, fifteen minutes, and you'll never run an agent blind again. **Nothing leaves your machine.**

01 · TWO MINUTES, NO INSTALL

Open it and load the demo

Go to `blueprintau.com/glassbox/app` and press **Load demo**. That trace is the real session that built Glassbox, sanitised.
You'll see: the agent's first "hello" cost 33¢, because 90,000 tokens of context loaded before it spoke.

02 · YOUR OWN SESSION

Drop a transcript on it

Drag any `.jsonl` from `~/.claude/projects/` (Windows: `%USERPROFILE%\.claude\projects\`) onto the page — or click **Open folder…** in Chrome/Edge and pick from a list.
You'll see: wall time vs active time, tool calls, tokens served, and what it cost.

03 · THE MOMENT IT CLICKS

Click a finding

The findings panel is a fixed set of rules, no AI: retry loops, failing tools, oversized results, context over 120k, stalls. Click one.
You'll see: the exact tool calls it is about, lit up on the timeline. Every selection is a permalink.

04 · FROM THE TERMINAL

Let it find your sessions

```
$ npx glassbox-trace          # opens your newest session
$ npx glassbox-trace list --last 10
```

You'll see: id, time, size, project and the first prompt of each session. Node 18+ is the only requirement.

05 · FEED IT BACK

Hand the findings to Claude

```
$ npx glassbox-trace check --format md
```

Each finding comes with its evidence and one line on what to do differently. Paste it into your next session: "here's what went wrong last time".
You'll see: the agent acknowledges the findings and changes its approach.

06 · BEFORE AND AFTER

Compare two sessions

```
$ npx glassbox-trace compare 81c4 9f0a
```

Same task, done twice: before and after you changed `CLAUDE.md`, Sonnet vs Opus, the run that worked vs the one that didn't. Or **Compare…** in the viewer.
You'll see: every metric with the change, tool use side by side, findings only one of them has.

07 · WATCH IT LIVE

Follow a session as it runs

```
$ npx glassbox-trace watch
```

Serves the viewer on `127.0.0.1` and streams the transcript while Claude Code is still writing it.
You'll see: tool calls landing on the timeline within a second; **Follow** keeps the right edge on now.

08 · THE HOOK

Let the agent read its own recorder

```
in Claude Code:  /plugin marketplace add aldohushi1-stack/glassbox
                 /plugin install glassbox@glassbox-trace
```

Every session ends with a one-screen summary; with `feedback` and `context` on, the findings go back to the agent and carry into the next session in that project. No plugin? `npx glassbox-trace hook install --feedback --context`.
You'll see: Claude tells you, in a sentence, what it would do differently — and the next session starts knowing it.

09 · SHARE SAFELY

Show someone without showing them everything

Share mode blanks every prompt, input and result in the view; **Export redacted** downloads a structure-only transcript; `check --redact` does the same for reports. Tool names, counts, tokens and cost stay — the content goes. Then post the screenshot.

You're hooked when… you open Glassbox before you open the diff. The diff shows what the agent changed; Glassbox shows what it cost to get there, where it looped, and what to tell it next time.

Viewer blueprintau.com/glassbox Source github.com/aldohushi1-stack/glassbox

npm glassbox-trace CI recipe docs/CI.md

MIT · BlueprintAU, Adelaide · Aldo Hushi. Claude, Claude Code and Cowork are Anthropic trademarks; Glassbox is independent and not affiliated.