

ALDO LATINO

PRIVATE CONTENT

User manual of the WordPress plugin

February 2021

This file was written in L^AT_EX with *ClassicThesis* and the *ArsClassica* style. It contains the entire text of the plugin's Wiki with some adaptations. The Wiki is available at:

<https://github.com/aldolat/private-content/wiki>

LICENSE

Copyright © 2020-2021 Aldo Latino.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

AUTHOR CONTACTS AND FORUMS

The author can be contacted via email at

aldolat@gmail.com

For support, please use the official forums:

<https://wordpress.org/support/plugin/private-content>

PLUGIN DEVELOPMENT AND DOWNLOAD

The plugin is developed using:

- KDE neon <https://neon.kde.org/> repository for Kubuntu, a distribution of GNU/Linux operating system;
- Visual Studio Code <https://code.visualstudio.com> as development application;
- Git <https://git-scm.com> as version control system;
- GitHub <https://github.com/aldolat/private-content> as development repository;
- GnuPG <https://gnupg.org> as signing commits application;
- Apache <http://apache.org/>, MySQL <https://www.mysql.com/it/> and PHP <https://www.php.net/> as development platform;

and can be downloaded from the WordPress official repository:

<https://wordpress.org/plugins/private-content>

ACKNOWLEDGMENTS

Many thanks to all the users that contributed to the development of this plugin, in particular:

- Jean Baptiste Jung for the idea behind this plugin ([http://www.wprecipes.com/add-private-notes-to-your-wordpress-blog-posts*"\);](http://www.wprecipes.com/add-private-notes-to-your-wordpress-blog-posts*)
- Jeff Starr for the initial code ([http://digwp.com/2010/05/private-content-posts-shortcode"\);](http://digwp.com/2010/05/private-content-posts-shortcode)
- all the wonderful users that gave me ideas and tips for improving the plugin.

The photo nr. 3 on page 29 is by Noah Boyer (https://unsplash.com/@emerald_) on Unsplash (<https://unsplash.com>) and is available here: <https://unsplash.com/photos/dgB0x1e3Mbs>.

* The original page is currently not accessible, but a snapshot is available at *Wayback Machine*: <https://web.archive.org/web/20090518121832/http://www.wprecipes.com/add-private-notes-to-your-wordpress-blog-posts>.

“Code is poetry”

— WORDPRESS

WORDPRESS PLUGINS BY ALDO LATINO

Pinboard Bookmarks

<https://wordpress.org/plugins/pinboard-bookmarks/>

Pinboard Bookmarks allows you to publish bookmarks from Pinboard on your blog.

Posts in Sidebar

<https://wordpress.org/plugins/posts-in-sidebar/>

Posts in Sidebar is a plugin for WordPress that lets you show a list of your posts using the criteria you want. This plugin gives you almost all the power of WordPress to retrieve the posts you want and show them in your sidebars.

Private Content

<https://wordpress.org/plugins/private-content/>

Private Content provides a shortcode to display a small portion of a post content only to users of a specific role. For example, you can show the hidden text to Editors or to Authors or to any other WordPress role, even a custom role.

CONTENTS

I INTRODUCTION

1 DESCRIPTION	8
---------------	---

II THE SHORTCODE

2 THE SHORTCODE COMMAND	11
3 THE SHORTCODE ATTRIBUTES	12
3.1 {role} Text for a certain role	12
3.1.1 Examples	13
3.1.2 Text for specific roles excluding other roles . . .	15
3.2 {recipient} Text for a specific or multiple users	15
3.3 {custom_role} Text for custom or multiple roles	16
3.3.1 Single custom role	16
3.3.2 Multiple custom roles	17
3.3.3 Caveat	17
3.4 {reverse} Reverse the logic of hiding text	18
3.4.1 Use of the {reverse} option for single users . . .	18
3.4.2 Use of the {reverse} option for roles	18
3.5 {align} Align style	19
3.6 {alt} Alternate text for excluded users	19
3.7 {container} The HTML container for the text	20
3.8 {id} Custom IDs for the HTML container	20
3.9 {class} Custom classes for the HTML container	20
4 THE ADMINISTRATOR ROLE	21
5 NESTING SHORTCODES	22

III STYLE & TESTING

6 GIVING A STYLE TO THE PRIVATE TEXT	24
7 TESTING THE SHORTCODE	25

IV DEVELOPER NOTES

8 CAPABILITIES CREATED BY PRIVATE CONTENT	27
9 AVAILABLE FILTERS	28
10 UNINSTALLATION	29

License

GNU Free Documentation License	30
--------------------------------	----

LIST OF FIGURES

Figure 1	The shortcode in action.	8
Figure 2	The role option.	13
Figure 3	<i>So long, and thanks for all the fish.</i> (DOUGLAS ADAMS)	29

LIST OF TABLES

Table 1	Who can read the private text when a given role is used.	14
---------	--	----

ACRONYMS

HTML HyperText Markup Language

Hypertext Markup Language (HTML) is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets (css) and scripting languages such as JavaScript (from *Wikipedia*).

CSS Cascading Style Sheets

Cascading Style Sheets (css) is a style sheet language used for describing the presentation of a document written in a markup language like HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript (from *Wikipedia*).

PHP PHP: Hypertext Preprocessor

PHP is a popular general-purpose scripting language that is especially suited to web development. It was originally created by Rasmus Lerdorf in 1994; the PHP reference implementation is now produced by The PHP Group. PHP originally stood for Personal Home Page, but it now stands for the recursive initialism PHP: Hypertext Preprocessor (from *Wikipedia*).

Part I

INTRODUCTION


1 | DESCRIPTION

This plugin provides a shortcode* to display a portion of a post or page content only to users of a specific role. For example, you can show the hidden text to Editors or to Authors or to any other WordPress role. The plugin can also display the hidden text to specific users.

The action is performed using a shortcode, for example:

```
[private role="administrator"]Text for administrators[/private]
```

In figure 1 you can see an example of usage.



(a) The webpage when the visitor doesn't have rights to read the hidden message. There is no text between the two paragraphs, even in the HTML source page.

(b) The webpage when the visitor has rights to read the hidden message. The green background has been added via css.

Figure 1: The shortcode in action.

Please, note that an Administrator can read an Editor private content or a Subscriber private content, and so on. Same thing for Editor, Author, Contributor, and Subscriber: *a higher role can read a lower role content* (in almost all cases, see the paragraph 3.3.2 on page 17

* «Shortcodes are macros that can be used to perform dynamic interactions with the content. i.e creating a gallery from images attached to the post or rendering a video». WORDPRESS.ORG, *Plugin Handbook*, "Shortcodes", <https://developer.wordpress.org/plugins/shortcodes/>.

Multiple custom roles for more information), according to the following WordPress roles[†] schema in descending order:

- Administrator
- Editor
- Author
- Contributor
- Subscriber

Also you can show the hidden text *only* to a certain role. For example, you can mark a text as visible only to Contributors and hide it to higher roles, such as Administrators or Editors and so on.

[†] For more information see WORDPRESS.ORG, *Plugin Handbook*, “Roles and Capabilities”, <https://wordpress.org/support/article/roles-and-capabilities/>.

Part II

THE SHORTCODE

2 | THE SHORTCODE COMMAND

The shortcode is [private]:

```
[private {attributes}]Text[/private]
```

There is another shortcode available [ubn_private], that can be used just in case private is already taken by another plugin:

```
[ubn_private {attributes}]Text[/ubn_private]
```

3 | THE SHORTCODE ATTRIBUTES

These are the available attributes for the shortcode, that will be explained in the next sections of this page:

- role
- recipient
- custom_role
- reverse
- align
- alt
- container
- id
- class

3.1 {ROLE} TEXT FOR A CERTAIN ROLE

Accepted arguments:

- administrator
- editor
- editor-only
- author
- author-only
- contributor
- contributor-only
- subscriber
- subscriber-only
- visitor or visitor-only (they are equivalent)
- none




Figure 2: The role option.

- custom
- custom-only
- post-author
- post-author-only

Let's see them in detail in the figure 2 and in the table 1 on the following page.

3.1.1 Examples

Display the private text to Administrators:

```
[private role="administrator"]Text for Administrators[/private]
```

Display the private text to Administrators and Editors:

```
[private role="editor"]Text for Editors[/private]
```

Display the private text to Administrators, Editors, and Authors:

```
[private role="author"]Text for Authors[/private]
```

Display the private text to Administrators, Editors, Authors, and Contributors:

```
[private role="contributor"]Text for Contributor[/private]
```

Display the private text to Administrators, Editors, Authors, Contributors, and Subscribers:

ROLE	RESULT
administrator	The hidden text is shown to Administrators.
editor	The hidden text is shown to Editors and Administrators.
editor-only	The hidden text is shown to Editors only.
author	The hidden text is shown to Authors, Editors, Administrators.
author-only	The hidden text is shown to Authors only.
contributor	The hidden text is shown to Contributors, Authors, Editors, Administrators.
contributor-only	The hidden text is shown to Contributors only.
subscriber	The hidden text is shown to Subscribers, Contributors, Authors, Editors, Administrators.
subscriber-only	The hidden text is shown to Subscribers only.
visitor / visitor-only	The hidden text is shown only to non-logged-in users. <i>Administrators can read the hidden text.</i>
none	When used, it is mandatory to use also the recipient option. The hidden text is shown only to users in the recipient list. <i>Administrators cannot read the hidden text.</i>
custom	When used, it is mandatory to use also the custom_role option. The hidden text is shown only to users that have a role in the custom_role list. <i>Administrators can read the hidden text.</i>
custom-only	When used, it is mandatory to use also the custom_role option. The hidden text is shown only to users that have a role in the custom_role list. <i>Administrators cannot read the hidden text.</i>
post-author	The hidden text is shown to the author of the post. <i>Administrators can read the hidden text.</i>
post-author-only	The hidden text is shown to the author of the post only. <i>Administrators cannot read the hidden text.</i>

Table 1: Who can read the private text when a given role is used.

```
[private role="subscriber"]Text for Subscribers[/private]
```

Display this text to the author of the current post:

```
[private role="post-author"]Text for author of the post[/private]
```

3.1.2 Text for specific roles excluding other roles

If you want to show a note only to a certain role, you have to use a {role}-only option. In this way, for example, an Administrator or an Editor (roles higher than Author) cannot read a note for Authors only. These are all the cases:

Display the private text to Editors only:

```
[private role="editor-only"]Text for Editors only[/private]
```

Display the private text to Authors only:

```
[private role="author-only"]Text for Authors only[/private]
```

Display the private text to Contributors only:

```
[private role="contributor-only"]Text for Contributors only[/private]
```

Display the private text to Subscribers only:

```
[private role="subscriber-only"]Text for Subscribers only[/private]
```

Display the private text to Visitors only:

```
[private role="visitor-only"]Text for Visitors only[/private]
```

or the equivalent shortcode:

```
[private role="visitor"]Text for Visitors only[/private]
```

Display this text to the author of the current post only:

```
[private role="post-author-only"]Text for author of the post only[/private]
```

Display the private text to Designers only (Designers is a custom role created by the user):

```
[private role="custom-only" custom_role="designers"]Text for Designers only[/private]
```

3.2 {RECIPIENT} TEXT FOR A SPECIFIC OR MULTIPLE USERS

Accepted arguments:

- login name of the target user. You can use multiple login names, comma separated;

- user ID* of the target user. You can use multiple user IDs, comma separated;
- login names and user IDs mixed together.

In the case you want to show a text only to a specific user, assign none to role and a login name to recipient:

```
[private role="none" recipient="login-name"]Text for a specific
  user only[/private]
```

Change login-name with the correct login name of the target user.

You can use a comma separated list of usernames to target certain users:

```
[private role="none" recipient="login-name1, login-name2, login-
  name3"]Text for specific users only[/private]
```

Change login-name1, login-name2, and login-name3 with the correct login names of the target users.

Also, you can use user IDs to target users, for example:

```
[private role="none" recipient="5, 31, 27"]Text for specific
  users only[/private]
```

3.3 {CUSTOM_ROLE} TEXT FOR CUSTOM OR MULTIPLE ROLES

Accepted arguments:

- the custom role
- the custom roles, comma separated

3.3.1 Single custom role

If you want to show a text only to users of a custom role, use the option custom_role.

For example:

```
[private role="custom" custom_role="designers"]Text for Designers
  group.[/private]
```

Please, note that texts for custom roles can be read also by Administrators. To avoid this, use the role="custom-only" option, followed by the name of the custom role.

For example:

* By default, WordPress hides the IDs of elements like posts, pages, users, and so on. To display these IDs and use them in the shortcode you can install a dedicated plugin, like *Reveal IDs* by Oliver Schlöbe, available at <https://wordpress.org/plugins/reveal-ids-for-wp-admin-25/>.


```
[private role="custom-only" custom_role="designers"]Text for
  Designers only.[/private]
```

The option `role=custom` can be used also for the WordPress standard roles, for example:

```
[private role="custom" custom_role="author"]Text for role Author
.[/private]
```

In this case, Authors will read the private text, but higher roles (such as Editors) will not read it. It is like using a `role-only` option. Anyway, Administrators will read it. For more information, see the paragraph [3.3.2 Multiple custom roles](#).

3.3.2 Multiple custom roles

If you want to show a text to multiple roles, you can enter them separated by a comma. For example:

```
[private role="custom" custom_role="designers,engineers"]Text for
  Designers and Engineers groups.[/private]
```

You can mix custom roles and standard WordPress roles, with a *caveat* explained in the paragraph [3.3.3](#).

For example:

```
[private role="custom" custom_role="designers,engineers,author"]
  Text for Designers, Engineers, and Authors group.[/private]
```

As you can see, Designers and Engineers are custom roles, while Author is a standard WordPress role. In the above example, Administrator will read the private text. Even in this case, as wrote before, you can use the `role="custom-only"` option to prevent Administrators from reading the private text:

```
[private role="custom-only" custom_role="designers,engineers,
  author"]Text for Designers, Engineers, and Authors group.[/
private]
```

3.3.3 Caveat

A note on using standard WordPress roles with the option `role=custom`. If you use a standard WordPress role with the `custom_role` option, you expect that a higher role can read the private text for lowers roles, i.e. a text for the Author role should be read by the Editor role (which is a role higher that Author). Actually, the Editor role won't read that text. This is normal, because the option `role="custom"` follows a path different than standard WordPress role management. It's like you'd use a `role-only` option, in our example a `role="author-only"` option. For example, this shortcode:

```
[private role="custom" custom_role="designers,engineers,author"]
  Text for Designers, Engineers, and Authors group.[/private]
```

*A note when using
WordPress standard
roles here.*

will be read by Designers, Engineers, Authors, and Administrators, but not by Editors (even if Editor is a higher role than Author).

3.4 {REVERSE} REVERSE THE LOGIC OF HIDING TEXT

Accepted arguments:

- 1 — Activate the reverse option

The option `reverse=1` is used when you want to hide a private text to some users or to some custom roles. Since it would be uncomfortable to add a lot of users/group in the shortcode, it is more convenient to tell the plugin to show the private text to all users/groups and hide it to some.

The reverse option is available only with the following options:

- *single users*: `role=none`, adding also the `recipient` option and the `reverse`;
- *custom roles*: `role=custom`, adding also the `custom_role` option and the `reverse`.

See here below the two cases.

3.4.1 Use of the {reverse} option for single users

If you want to show a text to all users but not to some, activate the option `reverse`, so that users added in the `recipient` option will not read the note.

For example:

```
[private role="none" recipient="alice,bob,charlie" reverse=1]We
all read this message while Alice, Bob, and Charlie can't
read it![/private]
```

This shortcode will show the text to all users, excluding Alice, Bob, and Charlie (which cannot read the text).

3.4.2 Use of the {reverse} option for roles

You can use the `reverse` option also when using roles. In this case you will not use the `recipient` option, but simply in this way:

```
[private role="custom" custom_role="designers" reverse=1]Text for
all roles, excluding Designers.[/private]
```

With this shortcode, all users will read the private message, while Designers will be excluded. If you define an alternate message with `alt` option, Designers will read the alternate message only.

You can also exclude multiple roles. For example:

```
[private role="custom" custom_role="designers, engineers, author"
  reverse=1 alt="You can't read hidden texts because you are
  part of Designers and/or Engineers and/or Author roles"]Text
  for all roles, excluding Designers, Engineers, and Author
  roles.[/private]
```

Take note that Administrators will read the hidden text, even if the current Administrator has also one or more of the excluded roles. See the section [4 on page 21](#) for more information and also the table [1 on page 14](#).

3.5 {ALIGN} ALIGN STYLE

Accepted arguments:

- `left` — Left align the paragraph
- `center` — Center align the paragraph
- `right` — Right align the paragraph
- `justify` — Justify the paragraph

3.6 {ALT} ALTERNATE TEXT FOR EXCLUDED USERS

If you want to show an alternate text in case the reader can't read the hidden text, you can use:

```
[private role="author" alt="You have not rights to read this."
  Text for authors only[/private]
```

Please, take note that, if defined, the alternate text is always publicly displayed to users without the rights to read the hidden text.

The alternate text can contain some HTML tags. The list is:

- `b` or `strong` for bold text;
- `em` or `i` for italic text;
- `a` for links, with `href` and `title` included. For `href` and `title` do not use double quote, but single quote.

For example:

```
[private role="subscriber" alt="<a href='https://www.example.com/
  subscribe' title='Subscribe now!>Subscribe</a> to read this
  <strong>super powered</strong> text!"]Hidden text.[/private]
```

3.7 {CONTAINER} THE HTML CONTAINER FOR THE TEXT

Starting from version 2.4, the user can choose the HTML container element for the text.

Accepted arguments:

- `p` — The default value;
- `div` — This element allows you use HTML elements like lists, headings, and more.
- `span` — This element allows you to add private content inline.

Examples:

Wrap the note inside a `DIV`:

```
[private container="div"]This is the text[/private]
```

Wrap the note inside a `SPAN`:

```
This is my home I bought a year ago [private container="span"](
  the key is under the doormat)[/private].
```

3.8 {ID} CUSTOM IDS FOR THE HTML CONTAINER

The user of the plugin can add custom IDs to the HTML container using the option `id="name-of-the-id"`, for example:

```
[private id="myid1, custom-id-2, my_id_3"]Private text.[/private]
```

The single ID names should be separated by a comma. Also, if the ID is composed by more words, the words must be separated by a dash or by an underscore, otherwise the single words will be considered as separated ID names.

3.9 {CLASS} CUSTOM CLASSES FOR THE HTML CONTAINER

The user of the plugin can add custom classes to the HTML container using the option `class="name-of-the-class"`, for example:

```
[private class="myclass1, custom-class-2, my_class_3"]Private
text.[/private]
```

The single class names should be separated by a comma. Also, if the class is composed by more words, the words must be separated by a dash or by an underscore, otherwise the single words will be considered as separated class names.

4

THE ADMINISTRATOR ROLE

The Administrator role is a special role in this plugin. This role can always read the hidden texts, unless one of these options has been used:

- a {role}-only option (excluding visitor and visitor-only);
- a none (with recipient) option;
- a custom-only option.

For example, let's say that the role Designers has been excluded from reading a hidden text. If an Administrator is reading that page and he has also the Designers role, he will read the hidden text. In the following example, Administrator (which has the Designer role too) can read the hidden text:

```
[private role="custom" custom_role="designers" reverse=1]Text for  
all roles, excluding Designers role.[/private]
```

In the following examples, instead, Administrators cannot read the hidden texts:

```
[private role="author-only"]Private note for Author.[/private]
```

```
[private role="post-author-only"]Private note for the author of  
the post.[/private]
```

```
[private role="none" recipient="john"]Private note for John.[/  
private]
```

```
[private role="custom-only" custom_role="engineers"]Private note  
for Engineers role.[/private]
```

5 | NESTING SHORTCODES

With Private Content you can nest a shortcode inside another shortcode. For example, you have a paragraph dedicated to Author and Marketing roles, but a portion of that text should be displayed to Marketing role only. For this purpose, you can nest a shortcode inside another.

Only take note that you can't use the same shortcode name for both the outer shortcode and the nested shortcode: this is due to how WordPress handles the shortcode names.* In other words, you can't do this:

```
[private]Text
  [private]Nested text.[/private]
Text.
[/private]
```

Having in mind that Private Content has two names available,[†] [private] and [ubn_private], the correct nesting would be:

```
[private]Text
  [ubn_private]Nested text.[/ubn_private]
Text.
[/private]
```

In our example, a nested shortcode could be:

```
[private role="custom" custom_role="author, marketing"
  container="div"]Leading text for Author and Marketing.
[ubn_private role="custom" custom_role="marketing"]Text for
Marketing only.[/ubn_private]
Trailing text for Author and Marketing.[/private]
```

When nesting shortcodes, it is advisable to use the DIV tag as container, because the standard P tag may produce unexpected results (for example, empty P tags and/or text without an HTML tag).

*Use div as container
when nesting
shortcodes.*

* For more information see [WORDPRESS.ORG, Shortcode API, "Nested shortcodes"](https://codex.wordpress.org/Shortcode_API#Nested_Shortcodes), https://codex.wordpress.org/Shortcode_API#Nested_Shortcodes.

† Private Content has two shortcode names available since version 4.3. The new name was introduced in the case the name private was taken by another plugin.

Part III

STYLE & TESTING

6

GIVING A STYLE TO THE PRIVATE TEXT

The text generated by this plugin uses some CSS classes, listed here:

- `private` — Applied to each HTML element generated by this plugin.
- `{role}-content` — Applied to the text for a particular role. Here is the complete list:
 - `administrator-content`
 - `editor-content`
 - `author-content`
 - `contributor-content`
 - `subscriber-content`
 - `visitor-content`
 - `user-content` — When used for specific user(s).
 - * `user-only` — When used for specific user(s). This class is always preceded by `user-content` class.
 - * `{user_login}-only` — When used for specific user(s). The placeholder `{user_login}` will be changed into the actual login name. This class is always preceded by `user-content` and `user-only` classes.
 - * `user-only-reverse` — When the reverse option is used. This class is always preceded by `user-content` class.
 - `{custom_role}-content` — When used for custom roles. The placeholder `{custom_role}` will be changed into the actual custom role.
- `{role}-only` — Applied to the text for a specific role. This class is always preceded by `{role}-content` class.
- `{custom-id-names}` — Added when specified by the user.
- `{custom-class-names}` — Added when specified by the user.
- `alt-text` — Applied to the alternate text.

7

TESTING THE SHORTCODE

It could be useful to test if the shortcode is working as intended. To do this, you can use a plugin that lets you temporarily switch between accounts. The plugin is *User Switching* by John Blackbourn & contributors, available at:

<https://wordpress.org/plugins/user-switching>

After having inserted the shortcode in the post/page, switch to the user account in the user management page using the relevant link, then visit the published page. You should see the page as the user will see it.

Part IV

DEVELOPER NOTES

8

CAPABILITIES CREATED BY PRIVATE CONTENT

These are the capabilities created by this plugin:

- `read_ubn_editor_notes`
- `read_ubn_author_notes`
- `read_ubn_contributor_notes`
- `read_ubn_subscriber_notes`

These capabilities will be removed when the plugin is uninstalled using the usual uninstallation command in the WordPress Dashboard.

9

AVAILABLE FILTERS

- `ubn_private_align_style` — Filters the style string. An example of a string is:

```
$align_style = ' style="text-align: justify;";
```

Please note the leading space before `style=`.

- `ubn_private_containers` — Filters the array containing the HTML container for the private and alternate text.

An example is:

```
$containers = array(  
    'open' => '<p',  
    'close' => '</p>',  
);
```

Notice that the first element of the array must not have the closing `>`.

- `ubn_private_content` — Filters the private content.
- `ubn_private_alt` — Filters the alternate content.
- `ubn_private_text` — Filters the entire private and alternate text, just before the output. The string contains also the HTML container.
- `ubn_private_text_empty` — Filters the text if it is empty, just before the output.
- `ubn_private_class_selector` — Filters the HTML output for the classes.
- `ubn_private_id_selector` — Filters the HTML output for the IDs.

10 | UNINSTALLATION

The plugin can be simply uninstalled from the WordPress Dashboard. During the uninstallation process, the plugin removes its files and the modifications created during the installation. The removed modifications are:

- remove `read_ubn_editor_notes` capability from the Editor role;
- remove `read_ubn_author_notes` capability from the Author role;
- remove `read_ubn_contributor_notes` capability from the Contributor role;
- remove `read_ubn_subscriber_notes` capability from the Subscriber role.



Figure 3: *So long, and thanks for all the fish.*
(DOUGLAS ADAMS)

GNU FREE DOCUMENTATION LICENSE

Version 1.3, 3 November 2008

Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation,
Inc.

`<https://fsf.org/>`

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The purpose of this License is to make a manual, textbook, or other functional and useful document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “**Document**”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “**you**”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “**Modified Version**” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “**Secondary Section**” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “**Invariant Sections**” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “**Cover Texts**” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “**Transparent**” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “**Opaque**”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “**Title Page**” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

The “**publisher**” means any person or entity that distributes copies of the Document to the public.

A section “**Entitled XYZ**” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “**Acknowledgements**”, “**Dedications**”, “**Endorsements**”, or “**History**”.) To “**Preserve the Title**” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document’s license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add

other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.

- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or

all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual

copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an “aggregate” if the copyright resulting from the compilation is not used to limit the legal rights of the compilation’s users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document’s Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled “Acknowledgements”, “Dedications”, or “History”, the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <https://www.gnu.org/licenses/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License “or any later version” applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy’s public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

“Massive Multiauthor Collaboration Site” (or “MMC Site”) means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A “Massive Multiauthor Collaboration” (or “MMC”) contained in the site

means any set of copyrightable works thus published on the MMC site.

“CC-BY-SA” means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

“Incorporate” means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is “eligible for relicensing” if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright © YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the “with ... Texts.” line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.