

ICPSR 36151

**India Human Development
Survey-II (IHDS-II), 2011-12**

Sonalde Desai

*University of Maryland, and National Council
of Applied Economic Research*

Reeve Vanneman

University of Maryland

Codebook for Medical Facilities Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36151/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36151
India Human Development Survey-II (IHDS-II), 2011-12

DS6: Medical Facilities

1. **Study Documentation:** The relationship between IHDS-II survey questions and dataset variables can be observed in both the questionnaires and the datasets. In the questionnaires, survey questions are listed by question number, with the associated dataset variable name located at the end of the response field. For variables in the datasets, a majority of variable labels feature associated question numbers from the questionnaires. However, a number of discrepancies exist between questions in the survey questionnaires and variables in the datasets. No additional information was provided.
2. **Undocumented Code:** The variable **MF11A** contains undocumented value, which have been labeled 'UNDOCUMENTED CODE' by ICPSR.
3. **Value Discrepancies:** Several variables in the data, such as **MF2A** and **MF13R**, have discrepancies between the values labeled in the questionnaire and in the data. In the questionnaire, these variables are labeled "Yes" for 1 and "No" for 2, and in the data the variables are labeled "Yes" for 1 and "No" for 0.
4. **Additional Information:** For additional information on the India Human Development Survey, please visit the [India Human Development Survey](#) Web site.

ICPSR 36151

India Human Development Survey-II (IHDS-II), 2011-12

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Medical Facilities

SURVEY: IHDS-I (2005) or IHDS-II (2012)

Value	Label	Unweighted Frequency	%
1	IHDS-I 1	0	0.0 %
2	IDHS-II 2	4218	94.9 %
	Missing Data		
.	-	229	5.1 %
	Total	4,447	100%

Based upon 4,218 valid cases out of 4,447 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

STATEID: State

STATEID

Value	Label	Unweighted Frequency	%
1	Jammu & Kashmir 01	67	1.5 %
2	Himachal Pradesh 02	142	3.2 %
3	Punjab 03	193	4.3 %
4	Chandigarh 04	18	0.4 %
5	Uttarakhand 05	56	1.3 %
6	Haryana 06	181	4.1 %
7	Delhi 07	82	1.8 %
8	Rajasthan 08	274	6.2 %
9	Uttar Pradesh 09	420	9.4 %
10	Bihar 10	169	3.8 %
11	Sikkim 11	17	0.4 %
12	Arunachal Pradesh 12	10	0.2 %
13	Nagaland 13	13	0.3 %
14	Manipur 14	8	0.2 %
15	Mizoram 15	11	0.2 %
16	Tripura 16	20	0.4 %
17	Meghalaya 17	16	0.4 %
18	Assam 18	61	1.4 %
19	West Bengal 19	262	5.9 %
20	Jharkhand 20	89	2.0 %

Value	Label	Unweighted Frequency	%
21	Orissa 21	212	4.8 %
22	Chhattisgarh 22	130	2.9 %
23	Madhya Pradesh 23	318	7.2 %
24	Gujarat 24	226	5.1 %
25	Daman & Diu 25	9	0.2 %
26	Dadra+Nagar Haveli 26	8	0.2 %
27	Maharashtra 27	376	8.5 %
28	Andhra Pradesh 28	290	6.5 %
29	Karnataka 29	337	7.6 %
30	Goa 30	18	0.4 %
31	Lakshadweep 31	0	0.0 %
32	Kerala 32	151	3.4 %
33	Tamil Nadu 33	250	5.6 %
34	Pondicherry 34	13	0.3 %
35	Anadman/Nicobar 35	0	0.0 %
	Total	4,447	100%

Based upon 4,447 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 34.00

Location: 2-3 (width: 2; decimal: 0)

Variable Type: numeric

DISTID: District

DISTID

Value	Label	Unweighted Frequency	%
0	-	74	1.7 %
1	-	178	4.0 %
2	-	278	6.3 %
3	-	135	3.0 %
4	-	183	4.1 %
5	-	233	5.2 %
6	-	172	3.9 %
7	-	167	3.8 %
8	-	163	3.7 %
9	-	199	4.5 %
10	-	231	5.2 %
11	-	140	3.1 %

Value	Label	Unweighted Frequency	%
12	-	213	4.8 %
13	-	167	3.8 %
14	-	114	2.6 %
15	-	136	3.1 %
16	-	122	2.7 %
17	-	123	2.8 %
18	-	114	2.6 %
19	-	95	2.1 %
20	-	104	2.3 %
21	-	95	2.1 %
22	-	55	1.2 %
23	-	123	2.8 %
24	-	74	1.7 %
25	-	70	1.6 %
26	-	72	1.6 %
27	-	69	1.6 %
28	-	25	0.6 %
29	-	71	1.6 %
30	-	65	1.5 %
31	-	32	0.7 %
32	-	63	1.4 %
33	-	10	0.2 %
34	-	24	0.5 %
35	-	24	0.5 %
36	-	18	0.4 %
37	-	8	0.2 %
38	-	5	0.1 %
39	-	6	0.1 %
40	-	6	0.1 %
41	-	8	0.2 %
42	-	20	0.4 %
44	-	18	0.4 %
45	-	12	0.3 %
46	-	5	0.1 %
47	-	8	0.2 %
48	-	6	0.1 %
49	-	12	0.3 %
50	-	8	0.2 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,447 valid cases out of 4,447 total cases.

- Mean: 14.68
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.19

Location: 4-5 (width: 2; decimal: 0)

Variable Type: numeric

PSUID: PSU

PSUID

Value	Label	Unweighted Frequency	%
1	-	653	14.7 %
2	-	626	14.1 %
3	-	599	13.5 %
4	-	450	10.1 %
5	-	393	8.8 %
6	-	384	8.6 %
7	-	323	7.3 %
8	-	240	5.4 %
9	-	187	4.2 %
10	-	143	3.2 %
11	-	103	2.3 %
12	-	76	1.7 %
13	-	54	1.2 %
14	-	33	0.7 %
15	-	25	0.6 %
16	-	13	0.3 %
17	-	13	0.3 %
18	-	12	0.3 %
19	-	12	0.3 %
20	-	11	0.2 %
21	-	8	0.2 %
22	-	7	0.2 %
23	-	7	0.2 %
24	-	4	0.1 %
25	-	1	0.0 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27	-	1	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	1	0.0 %
31	-	9	0.2 %
32	-	9	0.2 %
33	-	9	0.2 %
34	-	6	0.1 %
35	-	11	0.2 %
36	-	10	0.2 %
37	-	7	0.2 %
38	-	3	0.1 %
39	-	1	0.0 %
	Total	4,447	100%

Based upon 4,447 valid cases out of 4,447 total cases.

- Mean: 5.56
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.22

Location: 6-7 (width: 2; decimal: 0)

Variable Type: numeric

CLINICID: Clinic

CLINICID

Value	Label	Unweighted Frequency	%
1	-	2285	51.4 %
2	-	1921	43.2 %
3	-	11	0.2 %
4	-	1	0.0 %
	Missing Data		
.	-	229	5.1 %
	Total	4,447	100%

Based upon 4,218 valid cases out of 4,447 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.51

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

MQGOVT: Govt/ Private

MQGOVT

Value	Label	Unweighted Frequency	%
0	Private 0	2118	47.6 %
1	Govt 1	2100	47.2 %
	Missing Data		
.	-	229	5.1 %
	Total	4,447	100%

Based upon 4,218 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

MQ8B: MQ0 F8 Respondent Position (code)

Value	Label	Unweighted Frequency	%
1	Administrator 1	462	10.4 %
2	Doctor 2	2304	51.8 %
3	Nurse 3	569	12.8 %
4	Others 4	865	19.5 %
	Missing Data		
8	DK/Missing	2	0.0 %
.	-	245	5.5 %
	Total	4,447	100%

Based upon 4,200 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MC9D: MQ1 I9 Interview Date (Day)

Interviewer Date: Day

Value	Label	Unweighted Frequency	%
1	-	115	2.6 %
2	-	134	3.0 %
3	-	126	2.8 %
4	-	188	4.2 %
5	-	140	3.1 %
6	-	134	3.0 %
7	-	128	2.9 %
8	-	126	2.8 %
9	-	151	3.4 %
10	-	148	3.3 %
11	-	159	3.6 %
12	-	128	2.9 %
13	-	154	3.5 %
14	-	137	3.1 %
15	-	98	2.2 %
16	-	133	3.0 %
17	-	123	2.8 %
18	-	140	3.1 %
19	-	133	3.0 %
20	-	134	3.0 %
21	-	144	3.2 %
22	-	84	1.9 %
23	-	129	2.9 %
24	-	156	3.5 %
25	-	155	3.5 %
26	-	147	3.3 %
27	-	146	3.3 %
28	-	135	3.0 %
29	-	133	3.0 %
30	-	170	3.8 %
31	-	82	1.8 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Mean: 15.89
- Median: 16.00
- Mode: 4.00

- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.93

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

MC9M: MQ1 I9 Interview Date (Month)

Interviewer Date: Month

Value	Label	Unweighted Frequency	%
1	-	323	7.3 %
2	-	377	8.5 %
3	-	386	8.7 %
4	-	458	10.3 %
5	-	510	11.5 %
6	-	609	13.7 %
7	-	410	9.2 %
8	-	308	6.9 %
9	-	269	6.0 %
10	-	182	4.1 %
11	-	174	3.9 %
12	-	209	4.7 %
	Missing Data		
.	-	232	5.2 %
	Total	4,447	100%

Based upon 4,215 valid cases out of 4,447 total cases.

- Mean: 5.76
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.02

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

MC9Y: MQ1 I9 Interview Date (Year)

Interview Date: Year

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
5	-	1	0.0 %
10	-	1	0.0 %

Value	Label	Unweighted Frequency	%
11	-	415	9.3 %
12	-	3794	85.3 %
13	-	4	0.1 %
	Missing Data		
.	-	231	5.2 %
	Total	4,447	100%

Based upon 4,216 valid cases out of 4,447 total cases.

- Mean: 11.90
- Median: 12.00
- Mode: 12.00
- Minimum: 3.00
- Maximum: 13.00
- Standard Deviation: 0.35

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

MC10H: MQ1 I10h Time Interview Began - Hour

Time interview began: Hour

Value	Label	Unweighted Frequency	%
1	-	485	10.9 %
2	-	425	9.6 %
3	-	317	7.1 %
4	-	247	5.6 %
5	-	149	3.4 %
6	-	80	1.8 %
7	-	35	0.8 %
8	-	99	2.2 %
9	-	355	8.0 %
10	-	681	15.3 %
11	-	697	15.7 %
12	-	633	14.2 %
13	-	1	0.0 %
14	-	1	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Mean: 7.34
- Median: 9.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 4.09

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

MC10M: MQ1 I10m Time Interview Began - Minute

Time interview began: Min

Value	Label	Unweighted Frequency	%
0	-	975	21.9 %
1	-	25	0.6 %
2	-	68	1.5 %
3	-	35	0.8 %
4	-	16	0.4 %
5	-	316	7.1 %
6	-	15	0.3 %
7	-	23	0.5 %
8	-	22	0.5 %
9	-	13	0.3 %
10	-	331	7.4 %
11	-	6	0.1 %
12	-	27	0.6 %
13	-	9	0.2 %
14	-	5	0.1 %
15	-	274	6.2 %
16	-	12	0.3 %
17	-	5	0.1 %
18	-	16	0.4 %
19	-	5	0.1 %
20	-	233	5.2 %
21	-	8	0.2 %
22	-	12	0.3 %
23	-	7	0.2 %
24	-	7	0.2 %
25	-	86	1.9 %
26	-	5	0.1 %
27	-	19	0.4 %

Value	Label	Unweighted Frequency	%
28	-	18	0.4 %
29	-	5	0.1 %
30	-	628	14.1 %
31	-	10	0.2 %
32	-	15	0.3 %
33	-	14	0.3 %
34	-	15	0.3 %
35	-	109	2.5 %
36	-	15	0.3 %
37	-	16	0.4 %
38	-	14	0.3 %
39	-	7	0.2 %
40	-	190	4.3 %
41	-	6	0.1 %
42	-	13	0.3 %
43	-	9	0.2 %
44	-	5	0.1 %
45	-	208	4.7 %
46	-	7	0.2 %
47	-	18	0.4 %
48	-	10	0.2 %
49	-	11	0.2 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,207 valid cases out of 4,447 total cases.

- Mean: 19.46
- Median: 15.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.11

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

MC10A: MQ1 I10a Time Interview Began - AM/PM

Time interview began: AM/PM

Value	Label	Unweighted Frequency	%
1	AM 1	1925	43.3 %
2	PM 2	2285	51.4 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 21-21 (width: 1; decimal: 0)

Variable Type: numeric

MC11: MQ1 I11 Number of visits to complete questionnaire

Number of visits to complete questionnaire

Value	Label	Unweighted Frequency	%
1	-	3453	77.6 %
2	-	641	14.4 %
3	-	92	2.1 %
4	-	10	0.2 %
7	-	1	0.0 %
8	-	1	0.0 %
	Missing Data		
.	-	249	5.6 %
	Total	4,447	100%

Based upon 4,198 valid cases out of 4,447 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.49

Location: 22-22 (width: 1; decimal: 0)

Variable Type: numeric

MC12: MQ1 I12 Completion Status

Completion Status

Value	Label	Unweighted Frequency	%
1	Complete 1	4176	93.9 %

Value	Label	Unweighted Frequency	%
2	Incomplete 2	32	0.7 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

MC14: MQ1 I14 In Village/Locality of PSU

In Village/Locality of sample place?

Value	Label	Unweighted Frequency	%
0	No 0	1868	42.0 %
1	Yes 1	2288	51.5 %
	Missing Data		
.	-	291	6.5 %
	Total	4,447	100%

Based upon 4,156 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

MC14A: MQ1 I14a Distance from sample place (KMs)

In Village/Locality of sample place? [If No:] Distance from sample place? (KMs)

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	348	7.8 %
2	-	317	7.1 %
3	-	266	6.0 %
4	-	166	3.7 %
5	-	156	3.5 %
6	-	127	2.9 %
7	-	90	2.0 %
8	-	81	1.8 %

Value	Label	Unweighted Frequency	%
9	-	33	0.7 %
10	-	61	1.4 %
11	-	10	0.2 %
12	-	49	1.1 %
13	-	15	0.3 %
14	-	16	0.4 %
15	-	39	0.9 %
16	-	6	0.1 %
17	-	11	0.2 %
18	-	6	0.1 %
19	-	2	0.0 %
20	-	17	0.4 %
22	-	7	0.2 %
23	-	2	0.0 %
24	-	4	0.1 %
25	-	4	0.1 %
26	-	3	0.1 %
27	-	2	0.0 %
30	-	6	0.1 %
35	-	3	0.1 %
36	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
70	-	1	0.0 %
88	-	9	0.2 %
99	-	1	0.0 %
	Missing Data		
.	-	2583	58.1 %
	Total	4,447	100%

Based upon 1,864 valid cases out of 4,447 total cases.

- Mean: 5.65
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 8.08

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

MF1: MQ2 A1 Type of facility

What type of facility is this?

Value	Label	Unweighted Frequency	%
1	Public hospital 1	495	11.1 %
2	CHC 2	311	7.0 %
3	PHC 3	663	14.9 %
4	Subcentre 4	442	9.9 %
5	Public family plann centre 5	12	0.3 %
6	Pri hospital 6	279	6.3 %
7	Pri clinic or polyclinic 7	1238	27.8 %
8	Pri Doctor 8	547	12.3 %
9	Others 9	230	5.2 %
	Missing Data		
.	-	230	5.2 %
	Total	4,447	100%

Based upon 4,217 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 27-27 (width: 1; decimal: 0)

Variable Type: numeric

MF1NM: MQ2 A1 Other type (specify)

Value	Label	Unweighted Frequency	%
	-	4217	94.8 %
.	-	1	0.0 %
A D	-	1	0.0 %
A.H.C	-	3	0.1 %
ACCIPATION HEALTHCEN	-	1	0.0 %
AHC	-	1	0.0 %
AIRPORT ATHORITY OF	-	1	0.0 %
ALLOPATHIC DISPENSAR	-	1	0.0 %
APHC	-	1	0.0 %
ATIT MONDAL	-	1	0.0 %
AURVEDIC	-	1	0.0 %
AYUR.DISP	-	1	0.0 %
AYURBEDIC	-	1	0.0 %
AYUREDIE	-	1	0.0 %
AYURVEDIC DAVAKHANA	-	1	0.0 %

Value	Label	Unweighted Frequency	%
AYURVEDIC DISPENCERY	-	1	0.0 %
AYURVEDIC DISPENSARY	-	4	0.1 %
AYURVEDIC HEALTH CEN	-	1	0.0 %
AYURVEDIC HOSPITAL	-	3	0.1 %
AYURVEDIC SWATHE KEN	-	1	0.0 %
AYURVEDIVC DISPENSAR	-	1	0.0 %
AYUSH OSHADHALYE	-	1	0.0 %
B.A.P.S.TRUST HOSPIT	-	1	0.0 %
BISHTU RAM DISPENSAR	-	3	0.1 %
BUTI HOSPITAL GOVT	-	1	0.0 %
CGHS	-	1	0.0 %
CHARITABLE DISPANSAR	-	2	0.0 %
CHARITABLE DISPENCER	-	2	0.0 %
CHARITABLE DISPENSAR	-	1	0.0 %
CHARITABLE TRUST	-	1	0.0 %
CHARTIBLE DISPENCARY	-	1	0.0 %
CHEMIST SHOP	-	2	0.0 %
CHEMSTSHOP	-	1	0.0 %
CHIRTABLE DIPCENSARY	-	1	0.0 %
CITY	-	1	0.0 %
CITY HOSPITAL	-	1	0.0 %
CIVIL DISPENSARY	-	1	0.0 %
CMS	-	1	0.0 %
CONTONMENT DISPENSAR	-	1	0.0 %
CORPORATION HEALTH C	-	1	0.0 %
DELHI GOVT DISPENSIR	-	1	0.0 %
DISPENCERY	-	1	0.0 %
DISPENSARY	-	6	0.1 %
DISPENSERY	-	1	0.0 %
DMS	-	1	0.0 %
E ST DISPASERI	-	1	0.0 %
E.S.I DISPENCERY	-	1	0.0 %
EMPLOYEES HOSPITAL	-	3	0.1 %
G DISPERSION	-	1	0.0 %
G.A.D.	-	1	0.0 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,447 valid cases out of 4,447 total cases.

Location: 28-47 (width: 20; decimal: 0)

Variable Type: character

MF2A: MQ2 A2a Allopathic medicine

Does this facility practice... [Record all that apply] Allopathic medicine

Value	Label	Unweighted Frequency	%
0	No 0	395	8.9 %
1	Yes 1	3818	85.9 %
	Missing Data		
.	-	234	5.3 %
	Total	4,447	100%

Based upon 4,213 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 48-48 (width: 1; decimal: 0)

Variable Type: numeric

MF2B: MQ2 A2b Ayurvedic medicine

Does this facility practice... [Record all that apply] Ayurvedic medicine

Value	Label	Unweighted Frequency	%
0	No 0	3076	69.2 %
1	Yes 1	1138	25.6 %
	Missing Data		
.	-	233	5.2 %
	Total	4,447	100%

Based upon 4,214 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 49-49 (width: 1; decimal: 0)

Variable Type: numeric

MF2C: MQ2 A2c Homeopathy

Does this facility practice... [Record all that apply] Homeopathy

Value	Label	Unweighted Frequency	%
0	No 0	3692	83.0 %
1	Yes 1	522	11.7 %

Value	Label	Unweighted Frequency	%
.	-	233	5.2 %
	Total	4,447	100%

Based upon 4,214 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

MF2D: MQ2 A2d Unani

Does this facility practice... [Record all that apply] Unani

Value	Label	Unweighted Frequency	%
0	No 0	4090	92.0 %
1	Yes 1	122	2.7 %
	Missing Data		
.	-	235	5.3 %
	Total	4,447	100%

Based upon 4,212 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

MF2E: MQ2 A2e Other medicine

Does this facility practice... [Record all that apply] Other medicine

Value	Label	Unweighted Frequency	%
0	No 0	4124	92.7 %
1	Yes 1	64	1.4 %
	Missing Data		
.	-	259	5.8 %
	Total	4,447	100%

Based upon 4,188 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

MF3A: MQ2 A3a funds from government

Does this medical facility receive funding or other support from... the government?

Value	Label	Unweighted Frequency	%
0	No 0	2100	47.2 %
1	Yes 1	2111	47.5 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

MF3B: MQ2 A3b funds from religious organization

Does this medical facility receive funding or other support from... any religious organization?

Value	Label	Unweighted Frequency	%
0	No 0	4107	92.4 %
1	Yes 1	95	2.1 %
	Missing Data		
.	-	245	5.5 %
	Total	4,447	100%

Based upon 4,202 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 54-54 (width: 1; decimal: 0)

Variable Type: numeric

MF3C: MQ2 A3c funds from charity or NRI

Does this medical facility receive funding or other support from... any non-religious charity or NRI?

Value	Label	Unweighted Frequency	%
0	No 0	4082	91.8 %
1	Yes 1	118	2.7 %
	Missing Data		
.	-	247	5.6 %
	Total	4,447	100%

Based upon 4,200 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 55-55 (width: 1; decimal: 0)

Variable Type: numeric

MF4: MQ2 A4 year medical facility opened

In what year did this medical facility open?

Value	Label	Unweighted Frequency	%
1819	-	1	0.0 %
1850	-	2	0.0 %
1857	-	2	0.0 %
1863	-	2	0.0 %
1865	-	2	0.0 %
1867	-	2	0.0 %
1872	-	2	0.0 %
1873	-	2	0.0 %
1875	-	2	0.0 %
1876	-	1	0.0 %
1880	-	1	0.0 %
1885	-	1	0.0 %
1886	-	3	0.1 %
1888	-	1	0.0 %
1891	-	1	0.0 %
1895	-	1	0.0 %
1900	-	4	0.1 %
1901	-	3	0.1 %
1902	-	1	0.0 %
1903	-	1	0.0 %
1907	-	1	0.0 %
1908	-	1	0.0 %
1909	-	2	0.0 %
1910	-	3	0.1 %
1911	-	1	0.0 %
1912	-	5	0.1 %
1913	-	3	0.1 %
1914	-	5	0.1 %
1915	-	1	0.0 %
1916	-	2	0.0 %
1917	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1920	-	9	0.2 %
1922	-	2	0.0 %
1923	-	5	0.1 %
1924	-	4	0.1 %
1925	-	3	0.1 %
1926	-	4	0.1 %
1927	-	1	0.0 %
1928	-	4	0.1 %
1929	-	4	0.1 %
1930	-	10	0.2 %
1931	-	1	0.0 %
1932	-	3	0.1 %
1933	-	1	0.0 %
1934	-	2	0.0 %
1935	-	2	0.0 %
1936	-	4	0.1 %
1937	-	5	0.1 %
1938	-	6	0.1 %
1939	-	6	0.1 %
	Missing Data		
.	-	381	8.6 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,066 valid cases out of 4,447 total cases.

- Mean: 1987.59
- Median: 1993.00
- Mode: 2000.00
- Minimum: 1819.00
- Maximum: 2012.00
- Standard Deviation: 21.85

Location: 56-59 (width: 4; decimal: 0)

Variable Type: numeric

MF5A: MQ2 A5a distance from district hospital (KMs)

How far is this facility from the District Hospital? (KMs) [If this is a district hospital, write 0]

Value	Label	Unweighted Frequency	%
0	-	257	5.8 %
1	-	94	2.1 %

Value	Label	Unweighted Frequency	%
2	-	106	2.4 %
3	-	103	2.3 %
4	-	79	1.8 %
5	-	131	2.9 %
6	-	65	1.5 %
7	-	74	1.7 %
8	-	82	1.8 %
9	-	16	0.4 %
10	-	132	3.0 %
11	-	19	0.4 %
12	-	94	2.1 %
13	-	32	0.7 %
14	-	22	0.5 %
15	-	157	3.5 %
16	-	52	1.2 %
17	-	33	0.7 %
18	-	66	1.5 %
19	-	5	0.1 %
20	-	154	3.5 %
21	-	13	0.3 %
22	-	68	1.5 %
23	-	25	0.6 %
24	-	27	0.6 %
25	-	167	3.8 %
26	-	30	0.7 %
27	-	23	0.5 %
28	-	30	0.7 %
29	-	7	0.2 %
30	-	191	4.3 %
31	-	6	0.1 %
32	-	38	0.9 %
33	-	16	0.4 %
34	-	18	0.4 %
35	-	177	4.0 %
36	-	20	0.4 %
37	-	11	0.2 %
38	-	19	0.4 %
39	-	7	0.2 %
40	-	189	4.3 %

Value	Label	Unweighted Frequency	%
41	-	4	0.1 %
42	-	40	0.9 %
43	-	11	0.2 %
44	-	8	0.2 %
45	-	130	2.9 %
46	-	15	0.3 %
47	-	6	0.1 %
48	-	19	0.4 %
49	-	1	0.0 %
	Missing Data		
.	-	261	5.9 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,186 valid cases out of 4,447 total cases.

- Mean: 34.74
- Median: 26.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 300.00
- Standard Deviation: 33.34

Location: 60-62 (width: 3; decimal: 0)

Variable Type: numeric

MF5B: MQ2 A5b distance from nearest CHC (KMs)

How far is this facility from the nearest CHC? (KMs) [If this is a CHC or public hospital, write 0]

Value	Label	Unweighted Frequency	%
0	-	903	20.3 %
1	-	220	4.9 %
2	-	172	3.9 %
3	-	172	3.9 %
4	-	111	2.5 %
5	-	232	5.2 %
6	-	136	3.1 %
7	-	108	2.4 %
8	-	144	3.2 %
9	-	69	1.6 %
10	-	346	7.8 %
11	-	39	0.9 %

Value	Label	Unweighted Frequency	%
12	-	204	4.6 %
13	-	44	1.0 %
14	-	54	1.2 %
15	-	254	5.7 %
16	-	60	1.3 %
17	-	58	1.3 %
18	-	75	1.7 %
19	-	12	0.3 %
20	-	196	4.4 %
21	-	14	0.3 %
22	-	37	0.8 %
23	-	7	0.2 %
24	-	19	0.4 %
25	-	80	1.8 %
26	-	7	0.2 %
27	-	13	0.3 %
28	-	23	0.5 %
29	-	2	0.0 %
30	-	90	2.0 %
31	-	2	0.0 %
32	-	10	0.2 %
33	-	3	0.1 %
34	-	7	0.2 %
35	-	43	1.0 %
36	-	6	0.1 %
37	-	4	0.1 %
38	-	9	0.2 %
39	-	1	0.0 %
40	-	29	0.7 %
41	-	1	0.0 %
42	-	4	0.1 %
43	-	1	0.0 %
45	-	20	0.4 %
46	-	3	0.1 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	21	0.5 %
52	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	326	7.3 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,121 valid cases out of 4,447 total cases.

- Mean: 10.49
- Median: 8.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 176.00
- Standard Deviation: 12.84

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

MF6A: MQ2 A6a Beds for overnight care

Does this facility have beds for overnight in-patient care? [If Yes:] How many beds are available? [If None, write 0]

Value	Label	Unweighted Frequency	%
0	-	2288	51.5 %
1	-	175	3.9 %
2	-	163	3.7 %
3	-	68	1.5 %
4	-	170	3.8 %
5	-	86	1.9 %
6	-	204	4.6 %
7	-	22	0.5 %
8	-	33	0.7 %
9	-	6	0.1 %
10	-	121	2.7 %
11	-	4	0.1 %
12	-	25	0.6 %
13	-	6	0.1 %
14	-	12	0.3 %
15	-	50	1.1 %
16	-	24	0.5 %
17	-	8	0.2 %
18	-	12	0.3 %
19	-	2	0.0 %
20	-	58	1.3 %
21	-	3	0.1 %

Value	Label	Unweighted Frequency	%
22	-	6	0.1 %
24	-	8	0.2 %
25	-	32	0.7 %
26	-	1	0.0 %
27	-	1	0.0 %
29	-	2	0.0 %
30	-	200	4.5 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	2	0.0 %
35	-	9	0.2 %
36	-	6	0.1 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	11	0.2 %
45	-	2	0.0 %
48	-	1	0.0 %
50	-	73	1.6 %
52	-	4	0.1 %
55	-	2	0.0 %
56	-	3	0.1 %
60	-	10	0.2 %
65	-	1	0.0 %
66	-	2	0.0 %
70	-	8	0.2 %
75	-	7	0.2 %
79	-	1	0.0 %
80	-	6	0.1 %
	Missing Data		
.	-	259	5.8 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,188 valid cases out of 4,447 total cases.

- Mean: 19.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1500.00

• Standard Deviation: 82.69

Location: 66-69 (width: 4; decimal: 0)

Variable Type: numeric

MF6B: MQ2 A6b Average beds occupied at night

Does this facility have beds for overnight in-patient care? [If Yes:] How many beds are available? [If None, write 0] [If Yes:] On an average, how many of these beds are occupied? [If None, write 0]

Value	Label	Unweighted Frequency	%
0	-	373	8.4 %
1	-	184	4.1 %
2	-	201	4.5 %
3	-	128	2.9 %
4	-	126	2.8 %
5	-	91	2.0 %
6	-	65	1.5 %
7	-	42	0.9 %
8	-	29	0.7 %
9	-	8	0.2 %
10	-	106	2.4 %
11	-	5	0.1 %
12	-	29	0.7 %
14	-	10	0.2 %
15	-	65	1.5 %
16	-	12	0.3 %
17	-	4	0.1 %
18	-	7	0.2 %
19	-	4	0.1 %
20	-	43	1.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
25	-	23	0.5 %
26	-	4	0.1 %
27	-	1	0.0 %
28	-	8	0.2 %
30	-	44	1.0 %
35	-	11	0.2 %
38	-	1	0.0 %
40	-	21	0.5 %
42	-	1	0.0 %

Value	Label	Unweighted Frequency	%
45	-	6	0.1 %
50	-	36	0.8 %
55	-	6	0.1 %
60	-	23	0.5 %
62	-	1	0.0 %
70	-	15	0.3 %
75	-	5	0.1 %
80	-	6	0.1 %
85	-	4	0.1 %
90	-	7	0.2 %
94	-	1	0.0 %
100	-	11	0.2 %
108	-	3	0.1 %
110	-	7	0.2 %
115	-	1	0.0 %
120	-	7	0.2 %
130	-	5	0.1 %
142	-	3	0.1 %
	Missing Data		
.	-	2554	57.4 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,893 valid cases out of 4,447 total cases.

- Mean: 28.60
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1500.00
- Standard Deviation: 97.29

Location: 70-73 (width: 4; decimal: 0)

Variable Type: numeric

MF6C: MQ2 A6c Average out-patients each week

On an average, how many out-patients does the facility treat each week? (Out-patients are treated but do not stay overnight)

Value	Label	Unweighted Frequency	%
0	-	64	1.4 %
1	-	1	0.0 %
2	-	5	0.1 %

Value	Label	Unweighted Frequency	%
3	-	5	0.1 %
4	-	6	0.1 %
5	-	16	0.4 %
6	-	5	0.1 %
7	-	5	0.1 %
8	-	6	0.1 %
10	-	34	0.8 %
12	-	7	0.2 %
13	-	1	0.0 %
14	-	7	0.2 %
15	-	39	0.9 %
16	-	3	0.1 %
18	-	4	0.1 %
19	-	1	0.0 %
20	-	87	2.0 %
21	-	2	0.0 %
22	-	3	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	49	1.1 %
27	-	1	0.0 %
28	-	9	0.2 %
30	-	85	1.9 %
35	-	56	1.3 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	83	1.9 %
42	-	6	0.1 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	16	0.4 %
48	-	6	0.1 %
49	-	4	0.1 %
50	-	127	2.9 %
55	-	4	0.1 %
56	-	11	0.2 %
58	-	1	0.0 %
60	-	122	2.7 %

Value	Label	Unweighted Frequency	%
62	-	1	0.0 %
64	-	2	0.0 %
65	-	11	0.2 %
68	-	1	0.0 %
70	-	158	3.6 %
72	-	11	0.2 %
74	-	1	0.0 %
75	-	39	0.9 %
	Missing Data		
.	-	293	6.6 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,154 valid cases out of 4,447 total cases.

- Mean: 413.63
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 891.58

Location: 74-77 (width: 4; decimal: 0)

Variable Type: numeric

MF7A: MQ2 A7a Hours open: Monday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on... Mondays?
[If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	54	1.2 %
1	-	8	0.2 %
2	-	49	1.1 %
3	-	74	1.7 %
4	-	248	5.6 %
5	-	316	7.1 %
6	-	1378	31.0 %
7	-	340	7.6 %
8	-	894	20.1 %
9	-	137	3.1 %
10	-	253	5.7 %
11	-	26	0.6 %
12	-	271	6.1 %

Value	Label	Unweighted Frequency	%
13	-	5	0.1 %
14	-	11	0.2 %
15	-	14	0.3 %
16	-	9	0.2 %
18	-	6	0.1 %
20	-	1	0.0 %
24	-	106	2.4 %
	Missing Data		
.	-	247	5.6 %
	Total	4,447	100%

Based upon 4,200 valid cases out of 4,447 total cases.

- Mean: 7.44
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.59

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

MF7B: MQ2 A7b Hours open: Tuesday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on... Tuesdays? [If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	116	2.6 %
1	-	11	0.2 %
2	-	49	1.1 %
3	-	69	1.6 %
4	-	227	5.1 %
5	-	313	7.0 %
6	-	1367	30.7 %
7	-	328	7.4 %
8	-	881	19.8 %
9	-	135	3.0 %
10	-	254	5.7 %
11	-	25	0.6 %
12	-	274	6.2 %
13	-	5	0.1 %
14	-	11	0.2 %

Value	Label	Unweighted Frequency	%
15	-	15	0.3 %
16	-	7	0.2 %
18	-	6	0.1 %
20	-	1	0.0 %
24	-	105	2.4 %
	Missing Data		
.	-	248	5.6 %
	Total	4,447	100%

Based upon 4,199 valid cases out of 4,447 total cases.

- Mean: 7.35
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.68

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

MF7C: MQ2 A7c Hours open: Wednesday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on... Wednesdays? [If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	64	1.4 %
1	-	8	0.2 %
2	-	50	1.1 %
3	-	64	1.4 %
4	-	237	5.3 %
5	-	320	7.2 %
6	-	1391	31.3 %
7	-	334	7.5 %
8	-	893	20.1 %
9	-	136	3.1 %
10	-	258	5.8 %
11	-	25	0.6 %
12	-	269	6.0 %
13	-	6	0.1 %
14	-	9	0.2 %
15	-	14	0.3 %
16	-	8	0.2 %

Value	Label	Unweighted Frequency	%
18	-	6	0.1 %
20	-	1	0.0 %
24	-	106	2.4 %
	Missing Data		
.	-	248	5.6 %
	Total	4,447	100%

Based upon 4,199 valid cases out of 4,447 total cases.

- Mean: 7.43
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.60

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

MF7D: MQ2 A7d Hours open: Thursday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on...
[Thursdays? If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	102	2.3 %
1	-	12	0.3 %
2	-	55	1.2 %
3	-	68	1.5 %
4	-	231	5.2 %
5	-	317	7.1 %
6	-	1366	30.7 %
7	-	334	7.5 %
8	-	882	19.8 %
9	-	135	3.0 %
10	-	255	5.7 %
11	-	23	0.5 %
12	-	270	6.1 %
13	-	6	0.1 %
14	-	9	0.2 %
15	-	15	0.3 %
16	-	8	0.2 %
18	-	6	0.1 %
20	-	1	0.0 %

Value	Label	Unweighted Frequency	%
24	-	102	2.3 %
	Missing Data		
.	-	250	5.6 %
	Total	4,447	100%

Based upon 4,197 valid cases out of 4,447 total cases.

- Mean: 7.34
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.64

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

MF7E: MQ2 A7e Hours open: Friday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on... Fridays?
[If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	73	1.6 %
1	-	9	0.2 %
2	-	51	1.1 %
3	-	74	1.7 %
4	-	239	5.4 %
5	-	319	7.2 %
6	-	1373	30.9 %
7	-	337	7.6 %
8	-	891	20.0 %
9	-	137	3.1 %
10	-	252	5.7 %
11	-	24	0.5 %
12	-	269	6.0 %
13	-	6	0.1 %
14	-	10	0.2 %
15	-	14	0.3 %
16	-	8	0.2 %
18	-	6	0.1 %
20	-	1	0.0 %
24	-	103	2.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	251	5.6 %
	Total	4,447	100%

Based upon 4,196 valid cases out of 4,447 total cases.

- Mean: 7.39
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.60

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

MF7F: MQ2 A7f Hours open: Saturday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on...
Saturdays? [If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	141	3.2 %
1	-	7	0.2 %
2	-	66	1.5 %
3	-	128	2.9 %
4	-	326	7.3 %
5	-	261	5.9 %
6	-	1302	29.3 %
7	-	292	6.6 %
8	-	856	19.2 %
9	-	133	3.0 %
10	-	245	5.5 %
11	-	25	0.6 %
12	-	269	6.0 %
13	-	5	0.1 %
14	-	9	0.2 %
15	-	14	0.3 %
16	-	9	0.2 %
18	-	5	0.1 %
20	-	1	0.0 %
24	-	102	2.3 %
	Missing Data		
.	-	251	5.6 %
	Total	4,447	100%

Based upon 4,196 valid cases out of 4,447 total cases.

- Mean: 7.17
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.76

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

MF7G: MQ2 A7g Hours open: Sunday

What days of the week is the clinic open for OPD (Out Patient Department)? For how many hours is the clinic open on... Sundays?
[If clinic is closed on a day, write zero.]

Value	Label	Unweighted Frequency	%
0	-	1909	42.9 %
1	-	6	0.1 %
2	-	191	4.3 %
3	-	133	3.0 %
4	-	357	8.0 %
5	-	148	3.3 %
6	-	310	7.0 %
7	-	105	2.4 %
8	-	417	9.4 %
9	-	63	1.4 %
10	-	187	4.2 %
11	-	18	0.4 %
12	-	217	4.9 %
13	-	4	0.1 %
14	-	7	0.2 %
15	-	9	0.2 %
16	-	6	0.1 %
18	-	4	0.1 %
20	-	1	0.0 %
24	-	94	2.1 %
	Missing Data		
.	-	261	5.9 %
	Total	4,447	100%

Based upon 4,186 valid cases out of 4,447 total cases.

- Mean: 4.03
- Median: 2.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 5.01

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

MF8A: MQ2 A8a Hours of electricity per day

Does this medical facility have electricity? [If Yes:] How many hours per day is electricity usually available? [If none, write 0. If all day, write 24.]

Value	Label	Unweighted Frequency	%
0	-	321	7.2 %
1	-	37	0.8 %
2	-	94	2.1 %
3	-	109	2.5 %
4	-	232	5.2 %
5	-	179	4.0 %
6	-	349	7.8 %
7	-	67	1.5 %
8	-	290	6.5 %
9	-	37	0.8 %
10	-	148	3.3 %
11	-	4	0.1 %
12	-	205	4.6 %
13	-	12	0.3 %
14	-	62	1.4 %
15	-	58	1.3 %
16	-	135	3.0 %
17	-	14	0.3 %
18	-	249	5.6 %
19	-	27	0.6 %
20	-	329	7.4 %
21	-	39	0.9 %
22	-	185	4.2 %
23	-	104	2.3 %
24	-	923	20.8 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Mean: 13.51
- Median: 14.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 8.51

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

MF8B: MQ2 A8b Freq electric service interrupted

Does this medical facility have electricity? [If Yes:] How often is electric service interrupted? [If no electricity, write 0]

Value	Label	Unweighted Frequency	%
0	No electricity	793	17.8 %
1	Almost every day	2665	59.9 %
2	Once or twice a week	0	0.0 %
3	Less than once a week	593	13.3 %
	Missing Data		
.	-	396	8.9 %
	Total	4,447	100%

Based upon 4,051 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 94-94 (width: 1; decimal: 0)

Variable Type: numeric

MF8C: MQ2 A8c Own electric generator

Does this facility have its own electric generator? [If Yes:] is the generator used as the main source of electricity, or is it used only as a backup?

Value	Label	Unweighted Frequency	%
1	No	2359	53.0 %
2	Yes, for backup	1435	32.3 %
3	Yes, as main electricity source	243	5.5 %
	Missing Data		
.	-	410	9.2 %
	Total	4,447	100%

Based upon 4,037 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 95-95 (width: 1; decimal: 0)

Variable Type: numeric

MF9A: MQ2 A9a Drinking water source

What is the main source of drinking water in this medical facility?

Value	Label	Unweighted Frequency	%
0	None	5	0.1 %
1	Piped 1	2137	48.1 %
2	Tube well 2	578	13.0 %
3	Hand pump 3	796	17.9 %
4	Open well 4	77	1.7 %
5	Covered well 5	41	0.9 %
6	River, canal.. 6	6	0.1 %
7	Pond 7	8	0.2 %
8	Tanker 8	34	0.8 %
9	Rainwater 9	6	0.1 %
10	Bottled 10	373	8.4 %
11	Others 11	114	2.6 %
	Missing Data		
.	-	272	6.1 %
	Total	4,447	100%

Based upon 4,175 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 11.00

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

MF9B: MQ2 A9b Drinking water source inside

Is this water source inside or outside the facility/compound?

Value	Label	Unweighted Frequency	%
1	Outside 1	1692	38.0 %
2	Inside 2	2412	54.2 %
	Missing Data		
.	-	343	7.7 %
	Total	4,447	100%

Based upon 4,104 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

MF10A: MQ2 A10a Toilet facilities

What toilet facilities are available for the use of patients in the clinic?

Value	Label	Unweighted Frequency	%
1	No toilet 1	1566	35.2 %
2	Trad. Pit latrine 2	442	9.9 %
3	Ventilated improved pit latrine 3	1001	22.5 %
4	Flush toilet 4	1178	26.5 %
	Missing Data		
.	-	260	5.8 %
	Total	4,447	100%

Based upon 4,187 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

MF10B: MQ2 A10b Wash basin next to the toilet

If facility has a toilet: Is there a wash basin next to the toilet for washing hands?

Value	Label	Unweighted Frequency	%
0	No 0	507	11.4 %
1	Yes 1	2089	47.0 %
	Missing Data		
.	-	1851	41.6 %
	Total	4,447	100%

Based upon 2,596 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

MF11A: MQ3 A11a Fee for patients to register

Is there a fee for patients to register at this facility for the first time they come?

Value	Label	Unweighted Frequency	%
0	No 0	1968	44.3 %
1	Yes 1	2245	50.5 %
7	UNDOCUMENTED CODE	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	233	5.2 %
	Total	4,447	100%

Based upon 4,214 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

MF11B: MQ3 A11b Fee to register Rs

Is there a fee for patients to register at this facility for the first time they come? [If Yes:] How much is that registration fee? (Rs) [If No registration fee, write 0]

Value	Label	Unweighted Frequency	%
0	-	146	3.3 %
1	-	305	6.9 %
2	-	370	8.3 %
3	-	12	0.3 %
4	-	4	0.1 %
5	-	256	5.8 %
8	-	1	0.0 %
10	-	119	2.7 %
12	-	6	0.1 %
13	-	1	0.0 %
15	-	20	0.4 %
20	-	221	5.0 %
25	-	20	0.4 %
30	-	174	3.9 %
35	-	2	0.0 %
40	-	42	0.9 %
45	-	1	0.0 %
50	-	279	6.3 %
51	-	1	0.0 %
55	-	1	0.0 %
60	-	30	0.7 %
70	-	26	0.6 %
75	-	3	0.1 %
80	-	23	0.5 %
100	-	115	2.6 %

Value	Label	Unweighted Frequency	%
120	-	4	0.1 %
125	-	1	0.0 %
130	-	1	0.0 %
150	-	25	0.6 %
200	-	25	0.6 %
250	-	4	0.1 %
300	-	2	0.0 %
400	-	1	0.0 %
500	-	1	0.0 %
	Missing Data		
.	-	2205	49.6 %
	Total	4,447	100%

Based upon 2,242 valid cases out of 4,447 total cases.

- Mean: 26.37
- Median: 10.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 39.75

Location: 102-104 (width: 3; decimal: 0)

Variable Type: numeric

MF12A: MQ3 A12a Usual visit fee charged (Rs)

What is the usual visit fee charged for a routine visit, for instance, for an infant with diarrhea? (Rs)

Value	Label	Unweighted Frequency	%
0	-	2354	52.9 %
1	-	60	1.3 %
2	-	104	2.3 %
3	-	2	0.0 %
5	-	76	1.7 %
8	-	2	0.0 %
10	-	100	2.2 %
12	-	1	0.0 %
15	-	15	0.3 %
20	-	223	5.0 %
22	-	1	0.0 %
25	-	36	0.8 %
30	-	202	4.5 %
32	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33	-	1	0.0 %
35	-	12	0.3 %
40	-	87	2.0 %
45	-	2	0.0 %
50	-	354	8.0 %
51	-	1	0.0 %
55	-	3	0.1 %
60	-	51	1.1 %
70	-	21	0.5 %
75	-	5	0.1 %
76	-	1	0.0 %
80	-	31	0.7 %
85	-	1	0.0 %
90	-	3	0.1 %
100	-	167	3.8 %
120	-	11	0.2 %
130	-	4	0.1 %
140	-	1	0.0 %
150	-	71	1.6 %
160	-	3	0.1 %
170	-	1	0.0 %
180	-	1	0.0 %
200	-	56	1.3 %
250	-	21	0.5 %
300	-	12	0.3 %
350	-	2	0.0 %
400	-	8	0.2 %
500	-	9	0.2 %
600	-	2	0.0 %
	Missing Data		
.	-	328	7.4 %
	Total	4,447	100%

Based upon 4,119 valid cases out of 4,447 total cases.

- Mean: 24.99
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 600.00
- Standard Deviation: 54.26

Location: 105-107 (width: 3; decimal: 0)

Variable Type: numeric

MF12B: MQ3 A12b Fee includes basic medicine (Rs)

Does this fee include basic medicine that would be given e.g. for diarrhea? [If medicine included in fee, write 0.] [If medicine is not included:] How much would the medicine cost that is most often prescribed for diarrhea? (Rs)

Value	Label	Unweighted Frequency	%
0	-	2739	61.6 %
1	-	48	1.1 %
2	-	36	0.8 %
4	-	1	0.0 %
5	-	8	0.2 %
7	-	4	0.1 %
10	-	30	0.7 %
15	-	14	0.3 %
20	-	75	1.7 %
25	-	12	0.3 %
26	-	1	0.0 %
30	-	86	1.9 %
35	-	8	0.2 %
40	-	81	1.8 %
45	-	7	0.2 %
50	-	217	4.9 %
55	-	1	0.0 %
60	-	51	1.1 %
65	-	1	0.0 %
70	-	26	0.6 %
75	-	8	0.2 %
80	-	34	0.8 %
90	-	7	0.2 %
100	-	163	3.7 %
110	-	1	0.0 %
120	-	18	0.4 %
125	-	6	0.1 %
130	-	6	0.1 %
140	-	1	0.0 %
150	-	143	3.2 %
155	-	2	0.0 %
160	-	3	0.1 %
170	-	5	0.1 %

Value	Label	Unweighted Frequency	%
175	-	4	0.1 %
180	-	6	0.1 %
190	-	1	0.0 %
200	-	91	2.0 %
225	-	2	0.0 %
250	-	41	0.9 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	40	0.9 %
340	-	1	0.0 %
350	-	9	0.2 %
400	-	12	0.3 %
450	-	7	0.2 %
500	-	39	0.9 %
550	-	2	0.0 %
600	-	9	0.2 %
700	-	1	0.0 %
	Missing Data		
.	-	334	7.5 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,113 valid cases out of 4,447 total cases.

- Mean: 37.96
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 88.59

Location: 108-110 (width: 3; decimal: 0)

Variable Type: numeric

MF13A: MQ3 B13a Child Immunizations

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Child immunizations?

Value	Label	Unweighted Frequency	%
0	No 0	1873	42.1 %
1	Yes 1	2340	52.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	234	5.3 %
	Total	4,447	100%

Based upon 4,213 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 111-111 (width: 1; decimal: 0)

Variable Type: numeric

MF13B: MQ3 B13b Contraception: Oral pills

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Contraception: Oral pills?

Value	Label	Unweighted Frequency	%
0	No 0	1746	39.3 %
1	Yes 1	2466	55.5 %
	Missing Data		
.	-	235	5.3 %
	Total	4,447	100%

Based upon 4,212 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 112-112 (width: 1; decimal: 0)

Variable Type: numeric

MF13C: MQ3 B13c Contraception: IUD insertion

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Contraception: IUD insertion?

Value	Label	Unweighted Frequency	%
0	No 0	2268	51.0 %
1	Yes 1	1940	43.6 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 113-113 (width: 1; decimal: 0)

Variable Type: numeric

MF13D: MQ3 B13d Contraception: Male vasectomy

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Contraception: Male sterilisation/vasectomy?

Value	Label	Unweighted Frequency	%
0	No 0	3153	70.9 %
1	Yes 1	1055	23.7 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 114-114 (width: 1; decimal: 0)

Variable Type: numeric

MF13E: MQ3 B13e Contraception: Female sterilisation

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Contraception: Female sterilisation/tubal ligation?

Value	Label	Unweighted Frequency	%
0	No 0	2940	66.1 %
1	Yes 1	1264	28.4 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

MF13F: MQ3 B13f Contraception: Injection

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Contraception: Injection?

Value	Label	Unweighted Frequency	%
0	No 0	2876	64.7 %
1	Yes 1	1324	29.8 %

Value	Label	Unweighted Frequency	%
.	-	247	5.6 %
	Total	4,447	100%

Based upon 4,200 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

MF13G: MQ3 B13g Incision of abcess, boils

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Incision of abcess/piercing of boils?

Value	Label	Unweighted Frequency	%
0	No 0	2094	47.1 %
1	Yes 1	2104	47.3 %
	Missing Data		
.	-	249	5.6 %
	Total	4,447	100%

Based upon 4,198 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

MF13H: MQ3 B13h Saline IV

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Saline IV?

Value	Label	Unweighted Frequency	%
0	No 0	1365	30.7 %
1	Yes 1	2839	63.8 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

MF13I: MQ3 B13i Setting broken bones

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Setting broken bones?

Value	Label	Unweighted Frequency	%
0	No 0	3357	75.5 %
1	Yes 1	849	19.1 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

MF13J: MQ3 B13j Gynaecological conditions

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Treatment of gynaecological conditions such as white discharge?

Value	Label	Unweighted Frequency	%
0	No 0	2039	45.9 %
1	Yes 1	2159	48.5 %
	Missing Data		
.	-	249	5.6 %
	Total	4,447	100%

Based upon 4,198 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

MF13K: MQ3 B13k STDs/STIs

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Treatment of STDs/STIs such as gonorrhea?

Value	Label	Unweighted Frequency	%
0	No 0	2321	52.2 %
1	Yes 1	1880	42.3 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	246	5.5 %
	Total	4,447	100%

Based upon 4,201 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

MF13L: MQ3 B13I DOTS for tuberculosis

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... DOTS (Directly Observed Treatment Short course) treatment for tuberculosis?

Value	Label	Unweighted Frequency	%
0	No 0	2255	50.7 %
1	Yes 1	1950	43.8 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

MF13M: MQ3 B13m Prenatal care

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Prenatal care?

Value	Label	Unweighted Frequency	%
0	No 0	1981	44.5 %
1	Yes 1	2221	49.9 %
	Missing Data		
.	-	245	5.5 %
	Total	4,447	100%

Based upon 4,202 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

MF13N: MQ3 B13n Eye exam

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Eye exam?

Value	Label	Unweighted Frequency	%
0	No 0	2899	65.2 %
1	Yes 1	1311	29.5 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

MF13O: MQ3 B13o Diarrhea

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Treatment for diarrhea?

Value	Label	Unweighted Frequency	%
0	No 0	336	7.6 %
1	Yes 1	3877	87.2 %
	Missing Data		
.	-	234	5.3 %
	Total	4,447	100%

Based upon 4,213 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

MF13P: MQ3 B13p Change a wound dressing

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Change a wound dressing?

Value	Label	Unweighted Frequency	%
0	No 0	477	10.7 %
1	Yes 1	3735	84.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	235	5.3 %
	Total	4,447	100%

Based upon 4,212 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

MF13Q: MQ3 B13q Stitching wounds

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Stitching wounds?

Value	Label	Unweighted Frequency	%
0	No 0	1254	28.2 %
1	Yes 1	2955	66.4 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

MF13R: MQ3 B13r Malaria

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Treatment of malaria?

Value	Label	Unweighted Frequency	%
0	No 0	522	11.7 %
1	Yes 1	3689	83.0 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

MF13S: MQ3 B13s Minor illnesses like fever

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Minor Illness like fever?

Value	Label	Unweighted Frequency	%
0	No 0	237	5.3 %
1	Yes 1	3973	89.3 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

MF13T: MQ3 B13t Rabies

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Treatment for Rabies?

Value	Label	Unweighted Frequency	%
0	No 0	2496	56.1 %
1	Yes 1	1715	38.6 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

MF13U: MQ3 B13u Childbirth

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Childbirth/Delivery?

Value	Label	Unweighted Frequency	%
0	No 0	2600	58.5 %
1	Yes 1	1611	36.2 %
	Missing Data		
.	-	236	5.3 %

Value	Label	Unweighted Frequency	%
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

MF13V: MQ3 B13v Abortion

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Abortion/Medical Termination of Pregnancy/or D&C?

Value	Label	Unweighted Frequency	%
0	No 0	3411	76.7 %
1	Yes 1	791	17.8 %
	Missing Data		
.	-	245	5.5 %
	Total	4,447	100%

Based upon 4,202 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

MF13W: MQ3 B13w Blood transfusion

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Blood transfusion?

Value	Label	Unweighted Frequency	%
0	No 0	3636	81.8 %
1	Yes 1	573	12.9 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

MF13X: MQ3 B13x Cataract surgery

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Cataract?

Value	Label	Unweighted Frequency	%
0	No 0	3785	85.1 %
1	Yes 1	420	9.4 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

MF13Y: MQ3 B13y Abdominal surgery

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Abdominal surgery?

Value	Label	Unweighted Frequency	%
0	No 0	3720	83.7 %
1	Yes 1	489	11.0 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

MF13Z: MQ3 B13z Heart surgery

Now, I would like to ask you about what medical services are available at this facility. Does this clinic provide... Heart surgery?

Value	Label	Unweighted Frequency	%
0	No 0	4101	92.2 %
1	Yes 1	107	2.4 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

MF14A: MQ4 B14a test: Pregnancy

Does the clinic do tests for... Pregnancy

Value	Label	Unweighted Frequency	%
0	No 0	1328	29.9 %
1	Yes, collects & sends out 1	783	17.6 %
2	Yes, analysis here 2	2100	47.2 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

MF14B: MQ4 B14b test: haemoglobin

Does the clinic do tests for... Blood test: haemoglobin

Value	Label	Unweighted Frequency	%
0	No 0	1782	40.1 %
1	Yes, collects & sends out 1	862	19.4 %
2	Yes, analysis here 2	1563	35.1 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

MF14C: MQ4 B14c test: white blood cell count (TLC)

Does the clinic do tests for... Blood test: total white blood cell/lymphocyte (TLC) count

Value	Label	Unweighted Frequency	%
0	No 0	2327	52.3 %
1	Yes, collects & sends out 1	794	17.9 %
2	Yes, analysis here 2	1084	24.4 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

MF14D: MQ4 B14d test: HIV/AIDS

Does the clinic do tests for... Blood test: HIV/AIDS

Value	Label	Unweighted Frequency	%
0	No 0	2404	54.1 %
1	Yes, collects & sends out 1	723	16.3 %
2	Yes, analysis here 2	1082	24.3 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

MF14E: MQ4 B14e test: cholesterol

Does the clinic do tests for... Blood test: cholesterol

Value	Label	Unweighted Frequency	%
0	No 0	2589	58.2 %
1	Yes, collects & sends out 1	744	16.7 %
2	Yes, analysis here 2	876	19.7 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

MF14F: MQ4 B14f test: Urine for sugar or albumin

Does the clinic do tests for... Urine-analysis: Routine such as sugar or albumin

Value	Label	Unweighted Frequency	%
0	No 0	1990	44.7 %
1	Yes, collects & sends out 1	831	18.7 %
2	Yes, analysis here 2	1390	31.3 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

MF14G: MQ4 B14g test: Urine: culture

Does the clinic do tests for... Urine-analysis: culture

Value	Label	Unweighted Frequency	%
0	No 0	2522	56.7 %
1	Yes, collects & sends out 1	772	17.4 %
2	Yes, analysis here 2	913	20.5 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

MF14H: MQ4 B14h test: Stool

Does the clinic do tests for... Stool test

Value	Label	Unweighted Frequency	%
0	No 0	2664	59.9 %
1	Yes, collects & sends out 1	659	14.8 %
2	Yes, analysis here 2	883	19.9 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

MF14I: MQ4 B14i test: Chlorine level in water

Does the clinic do tests for... Chlorine level in water

Value	Label	Unweighted Frequency	%
0	No 0	2530	56.9 %
1	Yes, collects & sends out 1	659	14.8 %
2	Yes, analysis here 2	1018	22.9 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

MF14J: MQ4 B14j test: Malaria

Does the clinic do tests for... Malaria

Value	Label	Unweighted Frequency	%
0	No 0	1621	36.5 %
1	Yes, collects & sends out 1	1074	24.2 %
2	Yes, analysis here 2	1514	34.0 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

MF14K: MQ4 B14k test: Cerebral Malarial parasite

Does the clinic do tests for... Cerebral Malarial parasite

Value	Label	Unweighted Frequency	%
0	No 0	2409	54.2 %
1	Yes, collects & sends out 1	758	17.0 %
2	Yes, analysis here 2	1039	23.4 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

MF14L: MQ4 B14l test: TB

Does the clinic do tests for... TB (tuberculosis) such as sputum testing for mycobacterium

Value	Label	Unweighted Frequency	%
0	No 0	2248	50.6 %
1	Yes, collects & sends out 1	810	18.2 %
2	Yes, analysis here 2	1149	25.8 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

MF14M: MQ4 B14m test: Pap smear

Does the clinic do tests for... Pap smear for cervical cancer

Value	Label	Unweighted Frequency	%
0	No 0	3191	71.8 %
1	Yes, collects & sends out 1	504	11.3 %
2	Yes, analysis here 2	511	11.5 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

MF15A: MQ4 B15a Penicillin

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Penicillin

Value	Label	Unweighted Frequency	%
0	No 0	2377	53.5 %
1	Yes 1	1827	41.1 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

MF15B: MQ4 B15b Ampicillin

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Ampicillin

Value	Label	Unweighted Frequency	%
0	No 0	1439	32.4 %
1	Yes 1	2768	62.2 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

MF15C: MQ4 B15c Tetracycline

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Tetracycline

Value	Label	Unweighted Frequency	%
0	No 0	1751	39.4 %
1	Yes 1	2450	55.1 %
	Missing Data		
.	-	246	5.5 %
	Total	4,447	100%

Based upon 4,201 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

MF15D: MQ4 B15d Ciprofloxacin (Cipro)

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Ciprofloxacin (Cipro)

Value	Label	Unweighted Frequency	%
0	No 0	1071	24.1 %
1	Yes 1	3134	70.5 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

MF15E: MQ4 B15e Any other antibiotics

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Any other antibiotics

Value	Label	Unweighted Frequency	%
0	No 0	782	17.6 %

Value	Label	Unweighted Frequency	%
1	Yes 1	3423	77.0 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

MF15F: MQ4 B15f Iron tablets or Folic Acid

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Iron tablets or Folic Acid

Value	Label	Unweighted Frequency	%
0	No 0	808	18.2 %
1	Yes 1	3398	76.4 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

MF15G: MQ4 B15g Vitamin A

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Vitamin A

Value	Label	Unweighted Frequency	%
0	No 0	1026	23.1 %
1	Yes 1	3180	71.5 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

MF15H: MQ4 B15h BCG vaccination for tuberculosis

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... BCG vaccination for tuberculosis

Value	Label	Unweighted Frequency	%
0	No 0	2180	49.0 %
1	Yes 1	2027	45.6 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

MF15I: MQ4 B15i Polio immunization

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Polio immunization

Value	Label	Unweighted Frequency	%
0	No 0	2128	47.9 %
1	Yes 1	2079	46.8 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

MF15J: MQ4 B15j Hepatitis B vaccine

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Hepatitis B vaccine

Value	Label	Unweighted Frequency	%
0	No 0	2223	50.0 %
1	Yes 1	1982	44.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

MF15K: MQ4 B15k MMR vaccination (measles, mumps, rubella)

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... MMR (measles, mumps, rubella) vaccination

Value	Label	Unweighted Frequency	%
0	No 0	2818	63.4 %
1	Yes 1	1384	31.1 %
	Missing Data		
.	-	245	5.5 %
	Total	4,447	100%

Based upon 4,202 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

MF15L: MQ4 B15l DPT vaccination (diphtheria, pertussis, tetanus)

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... DPT vaccination (diphtheria, pertussis-whooping cough, tetanus)

Value	Label	Unweighted Frequency	%
0	No 0	2184	49.1 %
1	Yes 1	2020	45.4 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

MF15M: MQ4 B15m Anti-malarial medicine

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Anti-malarial vaccine

Value	Label	Unweighted Frequency	%
0	No 0	1301	29.3 %
1	Yes 1	2906	65.3 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

MF15N: MQ4 B15n Oral Rehydration Salts

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Oral Rehydration Salts

Value	Label	Unweighted Frequency	%
0	No 0	1041	23.4 %
1	Yes 1	3163	71.1 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

MF15O: MQ4 B15o Anti-rabies vaccine

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Anti-rabies vaccine

Value	Label	Unweighted Frequency	%
0	No 0	2729	61.4 %
1	Yes 1	1476	33.2 %
	Missing Data		
.	-	242	5.4 %

Value	Label	Unweighted Frequency	%
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

MF15P: MQ4 B15p Adrenaline injection

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Adrenaline injection

Value	Label	Unweighted Frequency	%
0	No 0	2650	59.6 %
1	Yes 1	1549	34.8 %
	Missing Data		
.	-	248	5.6 %
	Total	4,447	100%

Based upon 4,199 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

MF15Q: MQ4 B15q Oxytocin injection

Now I would like to ask you about what medicines you have in stock at this facility. Do you have... Oxytocin injection

Value	Label	Unweighted Frequency	%
0	No 0	2689	60.5 %
1	Yes 1	1508	33.9 %
	Missing Data		
.	-	250	5.6 %
	Total	4,447	100%

Based upon 4,197 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

MF16A: MQ5 B16a Stethoscope

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Stethoscope

Value	Label	Unweighted Frequency	%
0	No 0	197	4.4 %
1	Yes 1	4013	90.2 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

MF16B: MQ5 B16b Sterilisation / Autoclaves

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Sterilisation / Autoclaves

Value	Label	Unweighted Frequency	%
0	No 0	1727	38.8 %
1	Yes 1	2480	55.8 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

MF16C: MQ5 B16c Weighing scale for adults

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Weighing scale for adults

Value	Label	Unweighted Frequency	%
0	No 0	945	21.3 %
1	Yes 1	3264	73.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

MF16D: MQ5 B16d Weighing scale for infants

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Weighing scale for infants

Value	Label	Unweighted Frequency	%
0	No 0	1371	30.8 %
1	Yes 1	2836	63.8 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

MF16E: MQ5 B16e Thermometer

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Thermometer

Value	Label	Unweighted Frequency	%
0	No 0	220	4.9 %
1	Yes 1	3991	89.7 %
	Missing Data		
.	-	236	5.3 %
	Total	4,447	100%

Based upon 4,211 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

MF16F: MQ5 B16f Vaginal speculum

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Vaginal speculum

Value	Label	Unweighted Frequency	%
0	No 0	2231	50.2 %
1	Yes 1	1975	44.4 %
	Missing Data		
.	-	241	5.4 %
	Total	4,447	100%

Based upon 4,206 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

MF16G: MQ5 B16g Sonograph/Ultrasound

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Sonograph/Ultrasound

Value	Label	Unweighted Frequency	%
0	No 0	3646	82.0 %
1	Yes 1	559	12.6 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

MF16H: MQ5 B16h Xray machine

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Xray machine

Value	Label	Unweighted Frequency	%
0	No 0	3413	76.7 %
1	Yes 1	797	17.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

MF16I: MQ5 B16i Blood Pressure Gauge

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Blood Pressure Gauge

Value	Label	Unweighted Frequency	%
0	No 0	694	15.6 %
1	Yes 1	3513	79.0 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

MF16J: MQ5 B16j Oxygen

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Oxygen

Value	Label	Unweighted Frequency	%
0	No 0	2759	62.0 %
1	Yes 1	1451	32.6 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

MF16K: MQ5 B16k Otoscope for ear exam

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Otoscope for ear exam

Value	Label	Unweighted Frequency	%
0	No 0	3334	75.0 %
1	Yes 1	870	19.6 %
	Missing Data		
.	-	243	5.5 %
	Total	4,447	100%

Based upon 4,204 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

MF16L: MQ5 B16l Ophthalmoscope for eye exam

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Ophthalmoscope for eye exam

Value	Label	Unweighted Frequency	%
0	No 0	3375	75.9 %
1	Yes 1	830	18.7 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

MF16M: MQ5 B16m Delivery kit

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Delivery kit

Value	Label	Unweighted Frequency	%
0	No 0	2369	53.3 %

Value	Label	Unweighted Frequency	%
1	Yes 1	1840	41.4 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

MF16N: MQ5 B16n Forceps

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Forceps

Value	Label	Unweighted Frequency	%
0	No 0	2253	50.7 %
1	Yes 1	1954	43.9 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

MF16O: MQ5 B16o Partograph for tracking delivery

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Partograph for tracking delivery

Value	Label	Unweighted Frequency	%
0	No 0	3077	69.2 %
1	Yes 1	1118	25.1 %
	Missing Data		
.	-	252	5.7 %
	Total	4,447	100%

Based upon 4,195 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

MF16P: MQ5 B16p I V stand

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? IV stand

Value	Label	Unweighted Frequency	%
0	No 0	1366	30.7 %
1	Yes 1	2842	63.9 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

MF16Q: MQ5 B16q Laryngoscope for throat

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Laryngoscope for throat

Value	Label	Unweighted Frequency	%
0	No 0	3111	70.0 %
1	Yes 1	1098	24.7 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

MF16R: MQ5 B16r Catheter (urethal)

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Catheter (urethal)

Value	Label	Unweighted Frequency	%
0	No 0	2470	55.5 %
1	Yes 1	1735	39.0 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

MF16S: MQ5 B16s Microscope

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Microscope

Value	Label	Unweighted Frequency	%
0	No 0	2619	58.9 %
1	Yes 1	1590	35.8 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

MF16T: MQ5 B16t Centrifuge

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Centrifuge

Value	Label	Unweighted Frequency	%
0	No 0	2896	65.1 %
1	Yes 1	1302	29.3 %
	Missing Data		
.	-	249	5.6 %
	Total	4,447	100%

Based upon 4,198 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

MF16U: MQ5 B16u Refrigerator

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Refrigerator

Value	Label	Unweighted Frequency	%
0	No 0	2083	46.8 %
1	Yes 1	2127	47.8 %
	Missing Data		
.	-	237	5.3 %
	Total	4,447	100%

Based upon 4,210 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

MF16V: MQ5 B16v Cold chest

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Cold Chest

Value	Label	Unweighted Frequency	%
0	No 0	2734	61.5 %
1	Yes 1	1460	32.8 %
	Missing Data		
.	-	253	5.7 %
	Total	4,447	100%

Based upon 4,194 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

MF16W: MQ5 B16w ECG Monitor

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? ECG Monitor

Value	Label	Unweighted Frequency	%
0	No 0	3359	75.5 %
1	Yes 1	848	19.1 %
	Missing Data		
.	-	240	5.4 %
	Total	4,447	100%

Based upon 4,207 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

MF16X: MQ5 Bx16x Ambulance

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Ambulance

Value	Label	Unweighted Frequency	%
0	No 0	3226	72.5 %
1	Yes 1	983	22.1 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

MF16Y: MQ5 B16Y Wheelchair

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Wheelchair

Value	Label	Unweighted Frequency	%
0	No 0	2912	65.5 %
1	Yes 1	1296	29.1 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

MF16Z: MQ5 B16z Stretcher on a trolley

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Stretcher on a trolley

Value	Label	Unweighted Frequency	%
0	No 0	2785	62.6 %
1	Yes 1	1423	32.0 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

MF16AA: MQ5 B16aa Computer

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Computer

Value	Label	Unweighted Frequency	%
0	No 0	2684	60.4 %
1	Yes 1	1525	34.3 %
	Missing Data		
.	-	238	5.4 %
	Total	4,447	100%

Based upon 4,209 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

MF16BB: MQ5 B16bb Internet connection

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Internet connection

Value	Label	Unweighted Frequency	%
0	No 0	2879	64.7 %
1	Yes 1	1329	29.9 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Based upon 4,208 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

MF16CC: MQ5 B16cc Landline telephone

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Landline telephone

Value	Label	Unweighted Frequency	%
0	No 0	2716	61.1 %
1	Yes 1	1489	33.5 %
	Missing Data		
.	-	242	5.4 %
	Total	4,447	100%

Based upon 4,205 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

MF16DD: MQ5 B16dd Mobile phone communicating with patients

Now I would like to ask you about what medical equipment is in this medical facility Does the facility have the following items in good working condition? Mobile phone: used for communicating with patients

Value	Label	Unweighted Frequency	%
0	No 0	2220	49.9 %
1	Yes 1	1983	44.6 %
	Missing Data		
.	-	244	5.5 %
	Total	4,447	100%

Based upon 4,203 valid cases out of 4,447 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

MF17: MQ6 C17 N work at clinic

How many people currently work at this clinic/center?

Value	Label	Unweighted Frequency	%
1	-	1344	30.2 %
2	-	603	13.6 %
3	-	306	6.9 %
4	-	206	4.6 %
5	-	146	3.3 %
6	-	127	2.9 %
7	-	112	2.5 %
8	-	113	2.5 %
9	-	93	2.1 %
10	-	82	1.8 %
11	-	57	1.3 %
12	-	66	1.5 %
13	-	69	1.6 %
14	-	46	1.0 %
15	-	100	2.2 %
16	-	28	0.6 %
17	-	26	0.6 %
18	-	29	0.7 %
19	-	14	0.3 %
20	-	32	0.7 %
21	-	19	0.4 %
22	-	18	0.4 %
23	-	11	0.2 %
24	-	14	0.3 %
25	-	37	0.8 %
26	-	17	0.4 %
27	-	17	0.4 %
28	-	11	0.2 %
29	-	7	0.2 %
30	-	22	0.5 %
31	-	8	0.2 %
32	-	13	0.3 %

Value	Label	Unweighted Frequency	%
33	-	6	0.1 %
34	-	7	0.2 %
35	-	35	0.8 %
36	-	9	0.2 %
37	-	2	0.0 %
38	-	11	0.2 %
39	-	6	0.1 %
40	-	12	0.3 %
41	-	3	0.1 %
42	-	7	0.2 %
43	-	5	0.1 %
44	-	5	0.1 %
45	-	6	0.1 %
46	-	5	0.1 %
47	-	6	0.1 %
48	-	8	0.2 %
49	-	1	0.0 %
50	-	25	0.6 %
	Missing Data		
.	-	239	5.4 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,208 valid cases out of 4,447 total cases.

- Mean: 13.89
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 749.00
- Standard Deviation: 35.39

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

MF18: MQ6 C18 Sanctioned positions now vacant

Are there any sanctioned positions that are currently vacant? [If YES:] how many?

Value	Label	Unweighted Frequency	%
0	-	2486	55.9 %
1	-	399	9.0 %
2	-	249	5.6 %

Value	Label	Unweighted Frequency	%
3	-	138	3.1 %
4	-	102	2.3 %
5	-	97	2.2 %
6	-	70	1.6 %
7	-	36	0.8 %
8	-	43	1.0 %
9	-	23	0.5 %
10	-	38	0.9 %
11	-	13	0.3 %
12	-	19	0.4 %
13	-	10	0.2 %
14	-	12	0.3 %
15	-	18	0.4 %
16	-	6	0.1 %
17	-	9	0.2 %
18	-	5	0.1 %
19	-	4	0.1 %
20	-	11	0.2 %
21	-	8	0.2 %
22	-	2	0.0 %
23	-	5	0.1 %
24	-	11	0.2 %
25	-	14	0.3 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	5	0.1 %
29	-	1	0.0 %
30	-	8	0.2 %
32	-	1	0.0 %
34	-	2	0.0 %
35	-	5	0.1 %
36	-	1	0.0 %
39	-	4	0.1 %
40	-	1	0.0 %
41	-	1	0.0 %
42	-	1	0.0 %
44	-	2	0.0 %
45	-	3	0.1 %
46	-	1	0.0 %

Value	Label	Unweighted Frequency	%
50	-	2	0.0 %
52	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	5	0.1 %
61	-	3	0.1 %
	Missing Data		
.	-	521	11.7 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,926 valid cases out of 4,447 total cases.

- Mean: 3.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 174.00
- Standard Deviation: 11.73

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

MF31A: MQ7 D31a Separate exam room

Now I would like to look at some of the rooms in this health facility and take some notes. Could you please take me to a room where patients are examined? [Once you arrive in the room, write down the answers to questions 31 to 37 without asking any questions directly] Is the examination room a separate room that provides privacy from other patients? [If No:] are there curtains for closing the examination area to provide privacy?

Value	Label	Unweighted Frequency	%
1	Separate exam room 1	2264	50.9 %
2	Same room, with curtains 2	1106	24.9 %
3	Same room, No curtains 3	821	18.5 %
	Missing Data		
.	-	256	5.8 %
	Total	4,447	100%

Based upon 4,191 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

MF31B: MQ7 D31b Clean curtains

Is the examination room a separate room that provides privacy from other patients? [If YES to curtains:] are the curtains clean, or do you see bloodstains or other droppings?

Value	Label	Unweighted Frequency	%
1	No curtains 1	1295	29.1 %
2	Clean 2	2362	53.1 %
3	Dirty 3	100	2.2 %
	Missing Data		
.	-	690	15.5 %
	Total	4,447	100%

Based upon 3,757 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

MF31C: MQ7 D31c Floor clean

Is the floor clean, or do you see a lot of dust, or food remnants, or garbage on the floor?

Value	Label	Unweighted Frequency	%
1	Clean 1	3689	83.0 %
2	Dirty 2	427	9.6 %
	Missing Data		
.	-	331	7.4 %
	Total	4,447	100%

Based upon 4,116 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

MF31D: MQ7 D31d Walls clean

Are the walls clean, or do you see spider webs, or scribbling, or moisture, or peeled off paint?

Value	Label	Unweighted Frequency	%
1	Clean 1	3752	84.4 %
2	Dirty 2	358	8.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	337	7.6 %
	Total	4,447	100%

Based upon 4,110 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

MF31E: MQ7 D31e Sink for washing hands

Is there a sink or basin in or near the room for washing hands?

Value	Label	Unweighted Frequency	%
1	No sink/basin 1	1950	43.8 %
2	Sink/basin with no water 2	775	17.4 %
3	Sink/basin with water 3	1453	32.7 %
	Missing Data		
.	-	269	6.0 %
	Total	4,447	100%

Based upon 4,178 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

MF31F: MQ7 D31f Examination table in this room

Is there an examination table in this room?

Value	Label	Unweighted Frequency	%
1	No, exam table 1	842	18.9 %
2	Yes, exam table 2	3330	74.9 %
	Missing Data		
.	-	275	6.2 %
	Total	4,447	100%

Based upon 4,172 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

MF32: MQ7 D32 Type of needle

Can I see what you use to give patients injections and immunizations? [Write down the type of needle]

Value	Label	Unweighted Frequency	%
1	Disposable needle 1	3759	84.5 %
2	Non-disposable needle 2	155	3.5 %
3	Both kinds of needles 3	48	1.1 %
4	No needles 4	230	5.2 %
	Missing Data		
.	-	255	5.7 %
	Total	4,447	100%

Based upon 4,192 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

MF33A: MQ7 D33a How to sterilize needles: 1

Can you show me how you sterilize your non-disposable needles? [Allow up to three responses] 1st Response

Value	Label	Unweighted Frequency	%
1	Sterilizer 1	151	3.4 %
2	Puts needles in boiling water 2	28	0.6 %
3	Rinses with alcohol 3	6	0.1 %
4	Put needle in flame 4	3	0.1 %
5	Other 5	2	0.0 %
6	Not sterilized 6	3	0.1 %
	Missing Data		
9	Not applicable 9	236	5.3 %
.	-	4018	90.4 %
	Total	4,447	100%

Based upon 193 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

MF33B: MQ7 D33b How to sterilize needles: 2

Can you show me how you sterilize your non-disposable needles? [Allow up to three responses] 2nd Response

Value	Label	Unweighted Frequency	%
1	Sterilizer 1	6	0.1 %
2	Puts needles in boiling water 2	89	2.0 %
3	Rinses with alcohol 3	46	1.0 %
4	Put needle in flame 4	18	0.4 %
5	Other 5	3	0.1 %
6	Not sterilized 6	0	0.0 %
	Missing Data		
.	-	4285	96.4 %
	Total	4,447	100%

Based upon 162 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

MF33C: MQ7 D33c How to sterilize needles: 3

Can you show me how you sterilize your non-disposable needles? [Allow up to three responses] 3rd Response

Value	Label	Unweighted Frequency	%
1	Sterilizer 1	2	0.0 %
2	Puts needles in boiling water 2	14	0.3 %
3	Rinses with alcohol 3	45	1.0 %
4	Put needle in flame 4	24	0.5 %
5	Other 5	33	0.7 %
6	Not sterilized 6	1	0.0 %
	Missing Data		
9	Not applicable 9	2	0.0 %
.	-	4326	97.3 %
	Total	4,447	100%

Based upon 119 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

MF34: MQ7 D34 Where vaccines are stored

Can you please show me where the vaccines are stored?

Value	Label	Unweighted Frequency	%
1	Spl. Fridge for vacci 1	1508	33.9 %
2	Fridge used for other purp 2	376	8.5 %
3	coldchain/non-ele fridge 3	311	7.0 %
4	Un-fridge storage space 4	272	6.1 %
5	No regular storage space 5	344	7.7 %
9	No vacci given here 9	1364	30.7 %
	Missing Data		
.	-	272	6.1 %
	Total	4,447	100%

Based upon 4,175 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

MF35: MQ7 D35 Facility floor type

Facility's Floor Type (Main):

Value	Label	Unweighted Frequency	%
1	Mud 1	89	2.0 %
2	Wood, bamboo 2	32	0.7 %
3	Brick 3	149	3.4 %
4	Stone 4	467	10.5 %
5	Cement 5	2449	55.1 %
6	Tiles, mosaic 6	980	22.0 %
7	Other 7	23	0.5 %
	Missing Data		
8	DK	1	0.0 %
.	-	257	5.8 %
	Total	4,447	100%

Based upon 4,189 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

MF36: MQ7 D36 Facility wall type

Facility's Wall Type (Main):

Value	Label	Unweighted Frequency	%
1	Grass, Thatch 1	14	0.3 %
2	Mud, Unburnt Bricks 2	131	2.9 %
3	Plastic 3	14	0.3 %
4	Wood 4	18	0.4 %
5	Burn Bricks 5	1114	25.1 %
6	GI Sheets, Other Metal 6	81	1.8 %
7	Stone 7	321	7.2 %
8	Cement, Concrete 8	2484	55.9 %
9	Others 9	13	0.3 %
	Missing Data		
.	-	257	5.8 %
	Total	4,447	100%

Based upon 4,190 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

MF37: MQ7 D37 Facility roof type

Facility's Roof Type (Main):

Value	Label	Unweighted Frequency	%
1	Grass, Thatch, Mud, Wood 1	66	1.5 %
2	Tile 2	213	4.8 %
3	Slate 3	59	1.3 %
4	Plastic 4	10	0.2 %
5	GI Metal, Asbestos 5	235	5.3 %
6	Cement 6	1768	39.8 %
7	Brick 7	150	3.4 %
8	Stone 8	247	5.6 %
9	Concrete 9	1410	31.7 %
10	Others 10	30	0.7 %
	Missing Data		
.	-	259	5.8 %
	Total	4,447	100%

Based upon 4,188 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

MF38: MQ7 D38 Approach road to hospital

Type of approach road to the hospital

Value	Label	Unweighted Frequency	%
1	Footpath 1	278	6.3 %
2	Kutcha 2	594	13.4 %
3	Pucca 3	3318	74.6 %
	Missing Data		
.	-	257	5.8 %
	Total	4,447	100%

Based upon 4,190 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 218-218 (width: 1; decimal: 0)

Variable Type: numeric

MF39: MQ7 D39 Advertisement: sonograms

Is there an advertisement on the building that this clinic does sonograms? (Or a practice that might determine the sex of a fetus)?

Value	Label	Unweighted Frequency	%
1	Yes	1314	29.5 %
2	No	2848	64.0 %
	Missing Data		
.	-	285	6.4 %
	Total	4,447	100%

Based upon 4,162 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 219-219 (width: 1; decimal: 0)

Variable Type: numeric

MF39H: MQ7 D40h Time interview finished - Hour

Time interview finished: Hour

Value	Label	Unweighted Frequency	%
1	-	619	13.9 %
2	-	460	10.3 %
3	-	399	9.0 %
4	-	314	7.1 %
5	-	211	4.7 %
6	-	118	2.7 %
7	-	65	1.5 %
8	-	38	0.9 %
9	-	152	3.4 %
10	-	417	9.4 %
11	-	710	16.0 %
12	-	659	14.8 %
13	-	5	0.1 %
17	-	1	0.0 %
18	-	1	0.0 %
	Missing Data		
.	-	278	6.3 %
	Total	4,447	100%

Based upon 4,169 valid cases out of 4,447 total cases.

- Mean: 6.69
- Median: 6.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 4.28

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

MF39M: MQ7 D40m Time interview finished - Minute

Time interview finished: Min

Value	Label	Unweighted Frequency	%
0	-	672	15.1 %
1	-	20	0.4 %
2	-	30	0.7 %
3	-	19	0.4 %
4	-	10	0.2 %
5	-	196	4.4 %
6	-	24	0.5 %
7	-	18	0.4 %

Value	Label	Unweighted Frequency	%
8	-	24	0.5 %
9	-	17	0.4 %
10	-	269	6.0 %
11	-	14	0.3 %
12	-	34	0.8 %
13	-	12	0.3 %
14	-	10	0.2 %
15	-	240	5.4 %
16	-	10	0.2 %
17	-	6	0.1 %
18	-	16	0.4 %
19	-	7	0.2 %
20	-	274	6.2 %
21	-	11	0.2 %
22	-	17	0.4 %
23	-	8	0.2 %
24	-	11	0.2 %
25	-	134	3.0 %
26	-	15	0.3 %
27	-	14	0.3 %
28	-	24	0.5 %
29	-	12	0.3 %
30	-	535	12.0 %
31	-	11	0.2 %
32	-	27	0.6 %
33	-	13	0.3 %
34	-	10	0.2 %
35	-	146	3.3 %
36	-	15	0.3 %
37	-	18	0.4 %
38	-	16	0.4 %
39	-	6	0.1 %
40	-	229	5.1 %
41	-	8	0.2 %
42	-	29	0.7 %
43	-	10	0.2 %
44	-	12	0.3 %
45	-	263	5.9 %
46	-	9	0.2 %

Value	Label	Unweighted Frequency	%
47	-	14	0.3 %
48	-	28	0.6 %
49	-	25	0.6 %
	Missing Data		
.	-	278	6.3 %
	Total	4,447	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,169 valid cases out of 4,447 total cases.

- Mean: 24.99
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 18.22

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

MF39A: MQ7 D40a Time interview finished - AM/PM

Time interview finished: AM/PM

Value	Label	Unweighted Frequency	%
1	AM 1	1356	30.5 %
2	PM 2	2819	63.4 %
	Missing Data		
.	-	272	6.1 %
	Total	4,447	100%

Based upon 4,175 valid cases out of 4,447 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 224-224 (width: 1; decimal: 0)

Variable Type: numeric