
## Mean Median Mode Range Paper 1

16.	The mean (average) of five numbers is 28. The mean of a different set of twelve numbers is 11. Calculate the mean of all of the numbers together.					
	Answer: [3]					
17.	The mean (average) of seven numbers is 9. One number is removed and the mean increases to 10. Find the number which was removed.					
	Answer:[3]					

8. In a survey a group of children were asked how many siblings (i.e. brothers and sisters) they have. No-one in the group had more than three siblings, and the results are shown in the pie chart below.




(a) Write down the percentage of children who have two siblings.

Answer: % [1]

(b) Work out the fraction of children who have no siblings, giving your answer in its lowest terms.

Answer: \_\_\_\_\_ [2]

8. In a survey a group of children were asked how many siblings (i.e. brothers and sisters) they have. No-one in the group had more than three siblings, and the results are shown in the pie chart below.



8 of the children who were surveyed had one sibling.

(c) Fill in the table below to show the number of children who have 0, 2 and 3 siblings.

Number of siblings	0	1	2	3
Number of children surveyed		8		

[3]

(d) Write down the mode of the number of siblings.

	- 4	-
Answer:	Γ1	
Aliswei.	1	

		_		_			
35.	. А.	В	and	C	are	num	bers.

The mean of A and B is 40

The mean of B and C is 35

All three numbers add up to 100

What are A, B and C?

Δ	R	$\sim$	
$\overline{}$	 D	_	

A16	Here are the ages of some dogs waiting at a vet clinic:	
	1, 3, 4, 4, 5, 6, 6, 6, 10	
	a) How many dogs were there?  Answer:	[1]
	b) Find the mode of the ages of the dogs.  Answer:	[1]
	c) Find the total of the ages of all the dogs. Answer:	[1]
	d) Find the mean of the ages of the dogs. Explain how you did it.	
	Answer:	[2]
. 1		

13.	Tim has three apples. The mean (average) weight of the				
	three apples is 90 grams. When Tim eats the largest apple,				
	the mean weight of the remaining two apples is just 70 grams.				
	What was the weight of the largest apple?				

13	grams
	3

18.	The Archer family has 4 children who receive £2, £5, £3 and £2 pocket reach week.	money
	(a) Calculate the average pocket money (use the "mean" average).	
	(b) Calculate the range of pocket money.	
	(c) The Jones family have 5 children who each receive an average of £3. week and the range of amounts is £1. Compare the amounts given to the children in these two families.	50 a
		5 marks

 $13. There \ are \ four \ unknown \ positive \ whole \ numbers.$ 

The mean of the two smallest numbers is 3.

The mean of the three smallest numbers is 5.

The mean of all four numbers is 7.

All the numbers are different and odd.


What are the four numbers?

			arks in 4									
	wnat	was her	mean s	core?			An	swe	r		(1 m	ark)
		n length o										
		rs what w res toget		the mea	an leng	th of all				13		
	12 mm was 2	l over the n. On Mo 2 mm, bu was the n	nday, wh ut on Frid	nen the r	ain was e was o	heavies	t there m of rair	n.		1	5	
			her end	l of terr	n tests	. each c	out of 5	60 m	arks, N	/ladih		ores 48
1	1	Mathem and 31 i	natics, 3 n Geogr	7 in Phy aphy.	sics, 4	0 in En	glish, 4		Chemi	stry, 3	36 ir	n Biolog
-	1	Mathem and 31 in a) What	natics, 3 n Geogr t is the	7 in Phy raphy. mode o	ysics, 4 f Madi	0 in Eng	scores	;?				
-	A 48	Mathem and 31 in a) What	natics, 3 n Geogr t is the	7 in Phyraphy. mode o	f Madi	0 in Eng ha's six 30	scores		Chemi:		36 ir	n Biolog

24. The mean of three positive whole numbers is 6. The most three numbers.	de is 5. Find the
15. For the first 12 months after I bought my new phone I downloaded 4 apps to it each month. Over the next 7 months I only downloaded 1 app each month, but this month I downloaded 5 new apps. What is the average number of apps I have downloaded each month while I have had the phone?	15
9. Four boys have an average mass of 50 kg and six girls have an average mass of 40 kg. What is the average mass of the ten children?	19 kg

19.

- 19. Pembury Youth centre held a Judo club on Tuesday evenings. At the beginning of the year the children's heights were recorded on a chart. (The last 6 names are the girls names.) Complete the chart for the four missing children using the information below.
  - 1. Tina is the same height as Mark.
  - 2. Faye is 20cm shorter than the tallest boy.
  - 3. If Barry grew another 1 cm he would be the same height as the tallest girl.
  - 4. Steven is 20cm taller than the shortest boy.



Now answer the following questions.


(a) What is the difference in height between the shortest member of the club and the tallest member?

Answer . . . . . [1]

(b) Calculate the average height of the girls.

Answer . . . . . . . [1]

- 19. Pembury Youth centre held a Judo club on Tuesday evenings. At the beginning of the year the children's heights were recorded on a chart. (The last 6 names are the girls names.) Complete the chart for the four missing children using the information below.
  - 1. Tina is the same height as Mark.
  - 2. Faye is 20cm shorter than the tallest boy.
  - 3. If Barry grew another 1 cm he would be the same height as the tallest girl.
  - 4. Steven is 20cm taller than the shortest boy.



Now answer the following questions.

(c) Which girl is closest to the girls' average height?

Answer . . . . . . . . [1]

(d) How tall is the shortest boy?

12.	. Jon looks at the Year 7 test results in Maths and lists the marks:		
		20, 5, 10, 12, 0, 1, 14,	2, 15, 14, 3, 5, 14, 4
	a.	What is the range?	
			Answer:[1]
	b.	What is the median score?	
			Answer:[2]
	c.	What is the mean score?	
			Answer: [2]
	d.	What is the mode?	
			Answer:[1]
	e. Jon realises that the student with a score of 0, did in fact answer one question correctly therefore got 1 mark.  Explain why this affects the mean score but not the median.		
		Answer:	
			[2]

	In a list of numbers:		
the mode is the number which occurs the most often;			
1	the <b>median</b> is the number which is in the middle of the list when the numbers have been put in order;		
1	the <b>mean</b> is the sum of all the numbers divided by how many numbers there are in the list.		
	For example, for the list 1, 4, 7, 1, 2,		
	mode = 1, median = 2, mean = $\frac{15}{5}$ = 3.		
	(a) Find the mode, the median, and the mean for the list 8, 5, 2, 16, 6, 5, 7.		
	mode =		
	median =		
	mean =		
(b) Write down a list of three whole numbers for which the mode is 4 a mean is 6.			
	Write down a list of five whole numbers for which the mode is 9, the median is 4, and the mean is 5.		
	(d) Write down three different lists, each containing five whole numbers, so the		

for each list the mode is 1 and the mean is 2.