

Options			
Set options with setopt , unset with unsetopt . Asterisk indicates on by default for native zsh.			
* ALIASES	Expand aliases	CSH_NULL_GLOB	One glob must succeed, failures go
ALL_EXPORT	Export all variables to environment	DVORAK	Dvorak keyboard for correction
* ALWAYS_LAST_PROMPT	Completion lists after prompt	EMACS	Same as bindkey -e
ALWAYS_TO_END	On completion go to end of word	* EQUALS	Expand =cmd to /path/to/cmd
* APPEND_HISTORY	History appends to existing file	ERR_EXIT	Exit shell on non-zero status
AUTO_CD	Directory as command does cd	ERR_RETURN	Return from function instead
AUTO_CONTINUE	Jobs are continued when disowned	* EVAL_LINE_NO	\$LINENO counts inside eval code
* AUTO_LIST	List ambiguous completions	* EXEC	Execute commands
* AUTO_MENU	Menu complete after two tabs	EXTENDED_GLOB	See globbing section above
AUTO_NAME_DIRS	Variables always can be %~ abbrevs	EXTENDED_HISTORY	Timestamps saved to history file
* AUTO_PARAM_KEYS	Magic completion for parameters	* FLOW_CONTROL	Use ^S/^Q style flow control
* AUTO_PARAM_SLASH	\$dirname completes with /	* FUNCTION_ARGZERO	\$0 in function is its name
AUTO_PUSHD	cd uses directory stack too	* GLOB	Use globbing as described above
* AUTO_REMOVE_SLASH	Trailing / in completion removed	* GLOBAL_EXPORT	Exported variables not made local
AUTO_RESUME	cmd can resume job %cmd	* GLOBAL_RCS	Execute /etc/z* files
* BAD_PATTERN	Errors on pattern syntax; else literal	GLOB_ASSIGN	var=* expands, assigns array
* BANG_HIST	! style history allowed	GLOB_COMPLETE	Patterns are active in completion
* BARE_GLOB_QUAL	Glob qualifiers with bare parens	GLOB_DOTS	Patterns may match leading dots
BASH_AUTO_LIST	List completions on second tab	GLOB_SUBST	Substituted characters may glob
* BEEP	Beep on all errors	* HASH_CMDS	Store command location for speed
* BG_NICE	Background jobs at lower priority	* HASH_DIRS	Store for all commands in dir
BRACE_CCL	X{ab} expands to Xa Xb	* HASH_LIST_ALL	Store all on first completion
BSD_ECHO	No echo escapes unless -e given	HIST_ALLOW_CLOBBER	On clobber error, up arrow to retry
* CASE_GLOB	Glob case sensitively	* HIST_BEEP	Beep when going beyond history
C_BASES	Output hexadecimal with 0x	HIST_EXPIRE_DUPS_	Duplicate history entries lost first
CDABLE_VARS	cd var works if \$var is directory	FIRST	
CHASE_DOTS	Resolve .. in cd	HIST_FIND_NO_DUPS	History search finds once only
CHASE_LINKS	Resolve symbolic links in cd	HIST_IGNORE_ALL_	Remove all earlier duplicate lines
* CHECK_JOBS	Check jobs before exiting shell	DUPS	
* CLOBBER	Allow redirections to overwrite	HIST_IGNORE_DUPS	Remove duplicate of previous line
COMPLETE_ALIASES	Completion uses unexpanded aliases	HIST_IGNORE_SPACE	Don't store lines starting with space
COMPLETE_IN_WORD	Completion works inside words	HIST_NO_FUNCTIONS	Don't store shell functions
CORRECT	Correct spelling of commands	HIST_NO_STORE	Don't store history and fc
CORRECT_ALL	Correct spelling of all arguments	HIST_REDUCE_BLANKS	Trim multiple insignificant blanks
CSH_JUNKIE_HISTORY	Single ! for previous command	HIST_SAVE_NO_DUPS	Remove duplicates when saving
CSH_JUNKIE_LOOPS	list; end for do...done	HIST_VERIFY	Show ! history line for editing
CSH_JUNKIE_QUOTES	No newlines in quotes	* HUP	Send SIGHUP to processes on exit
CSH_NULLCMD	Redirections with no commands fail	IGNORE_BRACES	Don't use {a,b} expansions
		IGNORE_EOF	Ignore ^D (stty eof char)
		INC_APPEND_HISTORY	Save history line by line
		INTERACTIVE	Shell is interactive
		INTERACTIVE_	
		COMMENTS	# on interactive line for comment
		KSH_ARRAYS	Indexing etc. for arrays like ksh
		KSH_AUTOLOAD	Function file includes function name
		KSH_GLOB	See globbing above
		KSH_OPTION_PRINT	Show all options plus on or off
		KSH_TYPESET	No word splitting in typeset etc.
		* LIST_AMBIGUOUS	List completions when ambiguous
		* LIST_BEEP	Beep on ambiguous completion
		LIST_PACKED	More compact completion lists
		LIST_ROWS_FIRST	List completions across
		* LIST_TYPES	File types listed in completion
		LOCAL_OPTIONS	Options reset on function return
		LOCAL_TRAPS	Traps reset on function return
		LOGIN	Shell is login shell
		LONG_LIST_JOBS	More verbose listing of jobs
		MAGIC_EQUAL_SUBST	Special expansion after all =
		MAIL_WARNING	Warn if mail file timestamp changed
		MARK_DIRS	Append / to globbed directories
		MENU_COMPLETE	Cycle through ambiguous matches
		MONITOR	Shell has job control enabled
		* MULTIOS	Multiple redirections are special
		* NOMATCH	Error if glob fails to match
		* NOTIFY	Asynchronous job control messages
		NULL_GLOB	Failed globs are removed from line
		NUMERIC_GLOB_SORT	Numbers in globs sorted numerically
		OCTAL_ZEROES	Leading zeros in integers force octal
		OVERSTRIKE	Start line editor in overstrike mode
		PATH_DIRS	dir/cmd can be found in \$PATH
		POSIX_BUILTINS	Illogical command behaviour
		PRINT_EIGHT_BIT	Print all 8-bit characters directly
		PRINT_EXIT_VALUE	Return status printed unless zero
		PRIVILEGED	Special behaviour on setuid/setgid
		PROMPT_BANG	Special treatment of ! in prompt
		* PROMPT_CR	Prompt always at start of line
		* PROMPT_PERCENT	% escapes expanded in prompts
		PROMPT_SUBST	\$ expansion etc. in prompts
		PUSHD_IGNORE_DUPS	Don't push dir multiply on stack
		PUSHD_MINUS	Reverse sense of - and + in pushd
		PUSHD_SILENT	No non-err messages from pushd
		PUSHD_TO_HOME	pushd with no argument goes to ~