

# Learn Coding

ale66

## Table of contents

0.1	Welcome . . . . .	1
0.2	Plan . . . . .	2
<b>1</b>	<b>What is Coding?</b>	<b>2</b>
1.1	What is Coding? . . . . .	2
1.2	Yes, but how? . . . . .	2
1.3	Methaphorically . . . . .	3
1.4	Un-metaphorically... . . . .	3
1.5	Algorithms, by example . . . . .	3
1.6	Code . . . . .	3
1.7	Implementation: compilation . . . . .	4
1.8	Implementation: interpretation . . . . .	4
<b>2</b>	<b>Computers</b>	<b>4</b>
2.1	Computers . . . . .	4
2.2	Operating Systems . . . . .	5
2.3	And what's a File? . . . . .	6
2.4	The File System . . . . .	6
2.5	The file system . . . . .	7
2.6	The CLI: command-line interface . . . . .	8
2.7	Paths . . . . .	8

## 0.1 Welcome

- Introduction
- Materials

## 0.2 Plan

1. What is Coding? Why should I learn it?
2. A tour of computers
3. A tour of [online] learning resources
4. A peek at topics

# 1 What is Coding?

1 2 3 4 5 6

---

## 1.1 What is Coding?

1 2 3 4 5 6

A creative activity where computers are instructed directly to perform useful, step-by-step operations.

---

## 1.2 Yes, but how?

1 2 3 4 5 6

In music we go from *imagined* sounds to music score to execution (press piano keys, blow air in trumpet, harp on strings) to actual, perceived sounds.

Humans communicate on three levels: natural language, the music score and the execution.

---

### 1.3 Methaphorically

1 2 3 4 5 6

- the music score represents the code.
- execution on a specific instrument represents executable code, e.g., file chrome.exe on your computer
- the hearing *experience* represents the changes that take place on your data.

. . .

Coding in some ways is like music composition

---

### 1.4 Un-metaphorically...

- an informal language will describe algorithms on paper, on whiteboard etc.
  - a formal language, Python or SQL or Markdown, will describe code.
  - special interpretation/compilation software will take code and execute it.
  - we need to supply *data* and store results.
- 

### 1.5 Algorithms, by example

the Farenheit temperature in Naples can be obtained by

1. taking the current temperature in Celsius degrees
  2. rescale it by  $\frac{9}{5}$
  3. re-center it by adding 32
- 

### 1.6 Code

```
my_celsius = int(input('Please enter the current temperature in Naples:'))  
my_fahrenheit = (my_celsius * 9/5) + 32  
print(f'Today we have {my_fahrenheit} Farenheit degrees in Naples')
```

Reading this syntax requires training.

---

## 1.7 Implementation: compilation

```
>python -m py_compile my_converter.py -o converter.exe  
>converter.exe  
>Please enter the temperature in Naples now:
```

file converter.exe is for computers, not humans.

---

## 1.8 Implementation: interpretation

```
>python my_converter.py  
>Please enter the current temperature in Milan:
```

# 2 Computers

1 2 3 4 5 6

---

## 2.1 Computers

1 2 3 4 5 6

Electronics, networks


Operating system

Software

---

## 2.2 Operating Systems

- computers/smartphones come with a pre-loaded set of executable files that create the *operating system environment*
  - create an abstract view of the computer: specific hardware details are now transparent
  - special abstraction: **the file system**
  - all of them offer basic functionalities for coding
  - let's get started with the **file system** and the **command line interface**
- 



---

## 2.3 And what's a File?

1 2 3 4 5 6

- computer memory is best seen as a long ribbon where, at different times, we write sequences of bytes, called *files*
- a file is i) a unique name, ii) a memory address inside the computer hardware iii) a sequence of bits, the actual content, iv) ownership information (for later) and v) a format that guides the interpretation of the bits: are they color pixels? Characters? Numbers?

---

## 2.4 The File System

1 2 3 4 5 6

- the OS shows files are organised in a hierarchical structure of *manila folders*



- hierarchy is not about importance. It rather creates *locality*

---

## 2.5 The file system

- a special file, called folder, contains the names and physical addresses of the files within
- each folder contains two special (and secret) files: `.` and `..`
- file `.` contains a reference to the actual positioning of the folder on the memory device
- file `..` contains a reference to the *containing* folder

---

## 2.6 The CLI: command-line interface

1 2 3 4 5 6

- iOS: Terminal
- Win: Cmd or Powershell or Windows terminal
- Linux/Android: sh or bash

Structure:

```
>pwd
>dir
>notepad my_converter.py
>cd ..
>dir
>pwd
>notepad my_converter.py
```

## 2.7 Paths

File must have unique names

No repeated names in the same folder

Ok to repeated names in different folders, how?

*absolute path:* C:\Users\ale\git\learn-coding\00-create\_platform\my\_converter.py

*relative path:* .\my\_converter.py

More relative paths:

```
>pwd
C:\Users\ale\git\learn-coding\10-first_steps
>python ..\00-create_platform\my_converter.py
```