Validar Schema API Saldo da Conta Supply

Scenario: Validar Schema API Saldo da Conta - Supply

Step: Given que seja feito uma requisição GET no endpoint de Saldos da Conta

```
: java.net.ConnectException: Conexão recusada (Connection refused)
       at java.base/java.net.AbstractPlainSocketImpl.doConnect(AbstractPlainSocketImpl.java:399)
       at java.base/java.net.AbstractPlainSocketImpl.connectToAddress(AbstractPlainSocketImpl.jav
a:242)
       at java.base/java.net.AbstractPlainSocketImpl.connect(AbstractPlainSocketImpl.java:224)
       at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:392)
       at java.base/java.net.Socket.connect(Socket.java:609)
       at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:12
1)
       at\ org. apache. http. impl.conn. Default Client Connection Operator. open Connection (Default Client Connection Operator) and the connection of the conne
ConnectionOperator.java:180)
       at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionI
mpl.java:326)
       at\ org. apache. http. impl. client. Default Request Director. try Connect (Default Request Director. java) and the default request Director. Try Connect (Default Request Director. java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Java) and the default request Director. Try Connect (Default Request Director. Default Request Director. Defau
       at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:44
5)
      at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835)
       at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)
       at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:56)
       at org.apache.http.client.HttpClient$execute$0.call(Unknown Source)
       at io.restassured.internal.RequestSpecificationImpl$RestAssuredHttpBuilder.doRequest(Reque
stSpecificationImpl.groovy:2054)
       at io.restassured.internal.http.HTTPBuilder.doRequest(HTTPBuilder.java:494)
       at io.restassured.internal.http.HTTPBuilder.request(HTTPBuilder.java:451)
       at io.restassured.internal.http.HTTPBuilder$request$2.call(Unknown Source)
       at\ io. rest assured. internal. Request Specification Impl. send HttpRequest (Request Specification Impl. send H
l.groovy:1450)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorIm
pl.java:62)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAcc
essorImpl.java:43)
       at java.base/java.lang.reflect.Method.invoke(Method.java:566)
       at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:101)
       at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)
       at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1217)
       at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1041)
       at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:821)
       at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.g
roovy)
```

at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:

45)

Validar Schema API Saldo da Conta Supply

Step: When pegar o schema da API

Step: Then o schema deve ser válido