

CD/OM Last Name Prefix

CD/OM Last Name Prefix – describes the program or service area where the user works. Prefixes are used when system auto assigns labs to teams, and when filtering investigators.

Program	Assigned Zone	Service Area	CD/OM Last Name Prefix *	Example
HIV/STI	Calgary STI Clinic	(none)	STICAL -	STICAL - Smith
HIV/STI	Edmonton STI Clinic	(none)	STIEDM -	STIEDM - Smith
HIV/STI	Fort McMurray STI Clinic	(none)	STIFM -	STIFM - Smith
HIV/STI	STI Centralized Services	CDN Centralized Services	STICS -	STICS - Smith
HIV/STI	STI Centralized Services	Bonnyville	STIPNBON -	STIPNBON - Smith
HIV/STI	STI Centralized Services	Brooks	STIPNBRO -	STIPNBRO - Smith
HIV/STI	STI Centralized Services	Calgary	STIPNCAL -	STIPNCAL - Smith
HIV/STI	STI Centralized Services	Calgary Corrections	STIPNCALCO R -	STIPNCALCOR - Smith
HIV/STI	STI Centralized Services	Camrose	STIPNCAM -	STIPNCAM - Smith
HIV/STI	STI Centralized Services	Cochrane	STIPNCOC -	STIPNCOC - Smith
HIV/STI	STI Centralized Services	Drayton Valley	STIPNDV -	STIPNDV - SM
HIV/STI	STI Centralized Services	Edmonton	STIPNEDM -	STIPNEDM - Smith
HIV/STI	STI Centralized Services	Edmonton Corrections	STIPNEDMCO R -	STIPNEDMCOR - Smith
HIV/STI	STI Centralized Services	Fort McMurray	STIPNFM -	STIPNFM - Smith
HIV/STI	STI Centralized Services	Grande Prairie	STIPNGP -	STIPNGP - Smith
HIV/STI	STI Centralized Services	High Level	STIPNHL -	STIPNHL - Smith
HIV/STI	STI Centralized Services	Jasper	STIPNJAS -	STIPNJAS - Smith
HIV/STI	STI Centralized Services	Lethbridge	STIPNLET -	STIPNLET - Smith
HIV/STI	STI Centralized Services	Medicine Hat	STIPNMH -	STIPNMH - Smith
HIV/STI	STI Centralized Services	Peace River	STIPNPR -	STIPNPR - Smith
HIV/STI	STI Centralized Services	Radway	STIPNRAD -	STIPNRAD - Smith
HIV/STI	STI Centralized Services	Red Deer	STIPNRD -	STIPNRD - Smith
HIV/STI	STI Centralized Services	Rocky Mountain House	STIPNRMH -	STIPNRMH - Smith
HIV/STI	STI Centralized Services	Strathmore	STIPNSTR -	STIPNSTR - Smith
HIV/STI	STI Centralized Services	Wetaskiwin	STIPNWET -	STIPNWET - Smith
HIV/STI	STI Centralized Services	Whitecourt	STIPNWC -	STIPNWC - Smith
R1	Calgary	N/A	CAL -	CAL - Smith
R1	Central	N/A	CEN -	CEN - Smith
R1	Edmonton	N/A	EDM -	EDM - Smith
R1	North	N/A	NOR -	NOR - Smith

R1	South	N/A	SOU -	SOU - Smith
Safeworks Calgary	Calgary	N/A	SWORK	SWORK - Smith

CD/OM First Name Suffix

AHS Professional designation and job title in Electronic Health Record (CD/OM)

Update as per Health Professions Strategy and Practice March 2015

- The *Health Professions Act* and *Health Disciplines Act* list the professional titles that are protected and may only be used by individuals who are registered with a regulatory body in Alberta and providing health services within the scope of their professional role.
- For some of these professions, identifying oneself by one's professional title is a regulatory requirement.
- It is recognized that there are a number of positions within AHS that have working titles (e.g., consultant, lead, etc.) wherein individuals from several regulated professions might be qualified to work within these positions (e.g., Psychologist, Social Worker, Occupational Therapist, Registered Nurse, etc.)
- These positions are consistent with the philosophy of the *Health Professions Act* in that they support collaborative practice and non-exclusive scope of practice and recognize the potential for overlapping skills and competencies that exist.
- Although individuals might be utilizing a specific working title within their AHS position, they should also use their professional title when their AHS position requires them to practice within their professional role.

Professional Title	Abbreviation	Example Use	Description
Registered Nurse	RN	Jane RN	These are staff/clinicians who provide direct client care and will be charting in client records in CD/OM, e.g. Clinic Nurses, CD Nurses, PNNs, HIV Nurses, Outreach Nurses, Nurse Practitioners.
Licensed Practical Nurse	LPN	Jane LPN	
Nurse Practitioners	NP	Jane NP	
Clinic Physicians	MD	Jane MD	These would be physicians working in STI Clinics who will be documenting on the client chart, or providing physician dictations on specific clients
Nurse Educators (STI program)	RN	Jane RN	When these individuals chart in the client record it is regarding patient care, thus RN would be most appropriate.
Community Health Representatives (work with clients on reserves)	CHR	Jane CHR	CHRs on STI Outreach team may need to chart in CD/OM.
Epidemiologists	EPI	Jane EPI	Occasionally, these individuals may be making notes related to QA activities. May need to delete duplicate records in the system and make a note regarding deletion.
Clerical support staff	ADMIN SUPPORT	Jane ADMIN SUPPORT	These staff may be doing data entry in CD/OM, or entering notes on behalf of clinicians.
Supervisors	SUPERVISOR, RN	Jane SUPERVISOR, RN	Although rare, these individuals may need to document client complaints in the system. Both professional and working titles should be visible.
Associate Managers	ASSOCIATE MANAGER, RN	Jane ASSOCIATE MANAGER, RN	Although rare, these individuals may need to document client complaints in the system. Both professional and working titles should be visible.

Managers	MANAGER, RN	Jane MANAGER, RN	Although rare, these individuals may need to document client complaints in the system. Both professional and working titles should be visible.
Directors	DIRECTOR	Jane DIRECTOR	Although rare, these individuals may need to document client complaints in the system. Directors will not likely need to chart in a client record in CD/OM.
Medical Officers of Health	MOH	Dr. Jane MOH	Since "Dr." is already appended to names of MOHs, we do not need to add MD to the working titles.
EPH investigators in CD/OM	EO	Jane EO	Executive Officer (EO)
Student	STUDENT	Jane RN STUDENT	When a Manager deems that a medical resident or a practicum student completing a rotation in their program requires to do work and charting in CD/OM, they must submit a CD/OM Access Request form for the resident/student, and request that suffix "student" be appended to the first name. The suffix "Student" reflects their role while using CD/OM.
Other	Other	Jane OTHER	These include emergency redeployed non-regulated staff members who have Masters or PhD's in public health; advanced education in Evaluation; are Health Promotion Facilitators, Evaluation Specialists or Coordinators.

CD/OM Disease Groups

CD/OM Disease Group	Description (***see Disease_Groups-Detail for a complete specification of each user group)
[Unassigned]	Provides WebCMR and ELR access to client records with all diseases (including CD-OB, HIV, OB Diseases and STI). This is assigned in WebCMR as a [blank] disease group.
CD-OB (typically for R1 CD and EPH Users only, includes disease incidents and outbreak investigations)	Provides WebCMR and ELR access to client records with enteric and non-enteric diseases (from release 1 of CD/OM), including: Acute Flaccid Paralysis (AFP); Amoebiasis; Anthrax; Argentine Haemorrhagic Fever; Botulism; Brucellosis; Campylobacteriosis; Carbapenem Resistant Organisms; Cerebrospinal Fluid Isolates (positive for an infectious organism); Cholera (O1 and O139); Congenital Cytomegalovirus; Congenital Rubella Infection; Congenital Rubella Syndrome; Congenital Toxoplasmosis; COVID-19, COVID-19, Severe (Hospitalized or Death), Creutzfeldt-Jakob Disease, Classic; Creutzfeldt-Jakob Disease, Variant; Crimean Congo Haemorrhagic Fever; Cryptococcosis (gattii); Cryptosporidiosis; Cyclosporiasis; Dengue Fever; Diphtheria, Toxigenic - Cutaneous; Diphtheria, Toxigenic - Respiratory; Disease In Unusual Form; Eastern Equine Encephalitis; Ebola Haemorrhagic Fever; Encephalitis (specified); Encephalitis (unspecified); Escherichia coli Verotoxigenic Infections (includes O157:H7); Giardiasis; Haemolytic Uremic Syndrome; Haemophilus influenzae; Haemophilus influenzae - non-serotype b, Invasive; Haemophilus Influenzae - serotype b, Invasive; Hantavirus Pulmonary Syndrome; Hepatitis A; Hepatitis B; Hepatitis C; Hepatitis D; Hepatitis E; Histoplasmosis; Influenza, Seasonal - Severe (Hospitalized); Intake Triage; Jamestown Canyon Virus; Japanese Encephalitis; Kawasaki Disease; Lassa Haemorrhagic Fever; Legionellosis; Leprosy; Leptospirosis; Listeriosis; Lyme Disease; Malaria; Marburg Haemorrhagic Fever; Measles; Meningococcal Disease, Invasive; Mumps; Neonatal Herpes Simplex Infection; Paratyphoid Fever - Case and Carrier; Pertussis; Plague; Pneumococcal Disease, Invasive; Poliomyelitis; Powassan Encephalitis; Psittacosis; Q Fever; Rabies; Rare or Emerging Disease; Relapsing Fever, Louseborne; Respiratory Syncytial Virus, Sever (Hospitalized or Death), Reye Syndrome; Rickettsial Infection - includes Rocky Mountain Spotted Fever; Rift Valley Haemorrhagic Fever; Rubella; St. Louis Encephalitis; Salmonellosis; Severe Acute Respiratory Syndrome; Severe Respiratory Illness; Shellfish Poisoning - includes Paralytic and Amnesic; Shigellosis; Smallpox; Snowshoe Hare Encephalitis; Streptococcal Disease - Group A; Streptococcal Disease - Group A, Invasive (severe); Subacute Sclerosing Panencephalitis; Tetanus; Toxic Shock Syndrome (Staphylococcus aureus); Trichinosis; Tularemia; Typhoid Fever - Case and Carrier; Typhus, Louseborne; Typhus, Murine; Typhus, Scrub; Varicella (Chickenpox) Hospitalized; Varicella (Chickenpox) Non-Hospitalized; Varicella Zoster (Shingles); Vibrio cholerae Infection (non-O1, non-O139); Vibrio parahaemolyticus Infection; West Nile Virus, Asymptomatic Infection; West Nile Virus, Neurological Syndrome; West Nile Virus, Non-Neurological Syndrome; Western Equine Encephalitis; Yellow Fever; and Yersiniosis.
HIV-STI	Provides WebCMR and ELR access to client records with disease = HIV/AIDS, and STI diseases (see STI).
HIV-STI-HepABC	Provides WebCMR and ELR access to client records with disease = HIV/AIDS, STI diseases (see STI), as well as a sub-set of the CD-OB diseases, including Hepatitis A; Hepatitis B; and Hepatitis C.
HIV-STI-hepC	Designated for Calgary Safeworks program RNs as approved by R1 and R2 Management teams. The purpose is to grant the following to Safeworks staff • All STI disease types – full read and write access • Hep C – ready only access

CD/OM Disease Group	Description (**see Disease_Groups-Detail for a complete specification of each user group)
	DO NOT USE:
COVID-19	Designed for any new user brought on for COVID only purposes. Have access to the following WebCMR record types only, and exclude all other R1 and R2 diseases. COVID-19 (DI and CI) Coronavirus, Novel (DI and CI) CI Intake Triage OI Respiratory (incl. ILI) Care Facility OI Respiratory (incl. ILI) Non Care Facility NOTE: Temporary COVID-19 staff workforce demobilized as of September 30, 2022.
STI	Provided WebCMR and ELR access to client records with STI diseases, including: Chancroid; Chlamydia Trachomatis; Chlamydia Trachomatis and Gonorrhea Co-infection; Gonorrhea; Lymphogranuloma Venereum; Mucopurulent Cervicitis; Non-Gonococcal Urethritis; Notification of STI; PNN Test and Treat; STI Clinic Visit; and Syphilis.
HIV	Provided WebCMR and ELR access to client records with disease = HIV/AIDS only.
HIV-STI-ELRSU (pending Electronic Lab Reporting)	Provided the same access to WebCMR as HIV-STI, but provides ELR access to client records from all diseases (both release 1 and 2).
OB Diseases (special requests only, i.e. during mass outbreaks when additional new users are required to assist with data entry)	Provided WebCMR and ELR access to client records with outbreak type diseases, including: GI Care Facility; GI Non Care Facility; Other Care Facility; Other Non Care Facility; Rash Illness Care Facility; Rash Illness Non Care Facility; Respiratory (incl. ILI) Care Facility; Respiratory (incl. ILI) Non Care Facility; and Tuberculosis.

CD/OM User Groups

CD/OM User Groups	Description (**see User_Groups-Detail for a complete specification of each user group)	Assigned Active Directory Group
CDOM Basic User	An Alberta Health Services user, who can: * edit: closed Incidents, Outbreak Investigations, Group Events * write/edit: message alerts, out of office, and all documents; * read/view: all record types, the summary tab, masked records, Incidents, Outbreak Investigations, Group Events, not a case, electronic filing cabinet files/albums, audit review, record review, system users, location dictionary, report source dictionary, and the CDOM ELR user defined menu. * clear locks; install Active X controls; and perform UDF Metadata Import	CDOM Basic User
CDOM Basic User (Read-only)	The same as "CDOM Basic User", <u>without the ability to:</u> * edit closed: Incidents, Outbreak Investigations, and Group Events * write/edit: client records (Incidents, Outbreak Investigations, and Group Events) and Message Alerts. Instead, read-only access is provided. * clear locks and perform UDF Metadata Import	CDOM Basic User
CDOM Manager	The same as "CDOM Basic User", <u>with the added ability to:</u> * perform: Investigator reassignments * write/edit: Record review (as opposed to read-only)	CDOM Manager
CDOM Business System Manager	The same as "CDOM Basic User", <u>with the added ability to:</u> * delete: incidents, outbreak investigations, group events, clients * access: deleted incidents * perform: duplicate client checks, investigator reassignments * write/edit: Closed UD Tabs, Created/Closed on Investigation Tab, Record review (as opposed to read-only), and the location and report source dictionary (as opposed to read-only) * merge/unmerge: clients, contact investigations, disease incidents, group events, locations, outbreak investigations, reporting sources * split: contact investigations, disease incidents	CDOM Business System Manager

CD/OM Active Directory Groups (User Operational Role)

Active Directory Group	Description (**see Active_Directory-Detail for a complete specification of each Active Directory group)	Mapped CD/OM User Groups
CDOM Basic User	* Access to the following report folders: Reporting Services Portal (top level folder), Contact Investigation Reports, Data Quality Reports, Data Sources, Datasets, Disease Incident Reports, HIV AIDS Reports, Intake Triage (CI and DI), Outbreak Investigation Reports, STI Reports, Tuberculosis Reports. * Ability to execute: Application Integration Reports, Letters, Surveillance Reports * ELR access * CDOM Reporting Database: Execute Dataset Stored Procedures, Execute Clinical Report Stored Procedures, Execute Clinical AHS Only Report Stored Procedures	* CDOM Basic User * CDOM Basic User (DI/CI/OI) * CDOM Basic User (Extended Merge & Dictionary) * CDOM Basic User (Read-only & Extended Dictionary) * CDOM Basic User (Read-only DI/CI) * CDOM Basic User (Read-only) * CDOM Extended Admin
CDOM Manager	The same as "CDOM Basic User"	* CDOM Manager * CDOM Manager (Extended)
CDOM Business System Manager	The same as "CDOM Basic User" with the added ability to: * access the Privacy Reports folder and (and all reports within that folder) * CDOM Reporting Database: Execute Privacy Report Stored Procedures	* CDOM Business System Manager * CDOM Business System Manager (Edit Date Created/Closed)
CDOM Surveillance Publisher	The same as "CDOM Basic User"	* Assigned to AHS employees with no assigned CDOM User Group, who need access to the back-end database.
CDOM Report Publisher	* CDOM Reporting Database: Select Tables and Views (dbo schema)	* Can be assigned to any CDOM user group
CDOM STI Program Manager	R2 membership in this group will give access to R2 (HIV and STI) reports accessible by program managers only.	Assigned to CAL.CDOM Manager or Business System Manager Group user group
CDOM MyApps User	* Provides MyApps Citrix Portal "CDOM" shortcut	* Can be assigned to any CDOM user group
CDOM IT System Administrator	This group is not applicable to business users. * Content Manager access to all CDOM Reports folders and reports. Content Managers can upload a new version, modify, or change the properties of the report. * CDOM Reporting Database: Execute Dataset Stored Procedures, Execute Privacy Report Stored Procedures, Execute IT Security Report Stored Procedures, Execute/Select ETL Stored Procedures	* CDOM IT System Administrator

Active Directory Group	Description (**see Active_Directory-Detail for a complete specification of each Active Directory group)	Mapped CD/OM User Groups
CDOM User Access Provisioner	This group is not applicable to business users. * Access to the following report folders: Reporting Services Portal (top level folder), Data Sources, Datasets, IT Security* CDOM Reporting Database: Execute Dataset Stored Procedures, Execute IT Security Report Stored Procedures	* CDOM User Access Provisioner
Domain Users	This group is not applicable to business users. * Provides Utilities > Print Control Install to all CDOM users	Automatically applies to all CDOM Users
Administrators	This group is not applicable to business users. * Content Manager access to all CDOM Reports folders and reports. Content Managers can upload a new version, modify, or change the properties of the report.	N/A

Alberta Health CD/OM Users

CD/OM AH Last Name Prefix

Program	Assigned Zone	Service Area	CD/OM Last Name Prefix *	Example
Alberta Health (to be used for Alberta Health users only)	Alberta Health	N/A	AH -	AH - Smith
HIV/STI (to be used for Alberta Health users only)	Alberta Health	Out of Province/Country	AH -	AH - Smith

CD/OM AH Disease Groups

CD/OM Disease Group	Description (**see Disease_Groups-Detail for a complete specification of each user group)
[Unassigned]	Provides WebCMR and ELR access to client records with all diseases (including CD-OB, HIV, OB Diseases and STI). This is assigned in WebCMR as a [blank] disease group.
AH (used for Alberta Health Employees ONLY)	Provides WebCMR access to client records with all diseases, EXCEPT for STI's non-diseases, i.e. Notification of STI, PNN Test and Treat and STI Clinic Visit, and with no ELR access.

CD/OM AH User Groups

CD/OM User Groups	Description (**see User_Groups-Detail for a complete specification of each user group)	Assigned Active Directory Group
CDOM AH Basic User (Used for Alberta Health Employees ONLY)	Alberta Health user (restricted access to WebCMR sections), who can: * edit: closed Incidents, Outbreak Investigations, Group Events * write/edit: message alerts, out of office, and all documents; * read/view: all record types, the summary tab, masked records, Incidents, Outbreak Investigations, Group Events, not a case, electronic filing cabinet files/albums, audit review, record review, system users, location dictionary, report source dictionary, and the CDOM ELR user defined menu. * clear locks; install Active X controls; and perform UDF Metadata Import	CDOM AH Basic User
CDOM AH Basic User (Read-only) (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User", without the ability to: * edit closed: Incidents, Outbreak Investigations, and Group Events * write/edit: client records (Incidents, Outbreak Investigations, and Group Events) and Message Alerts. Instead, read-only access is provided. * clear locks and perform UDF Metadata Import	CDOM AH Basic User

CD/OM User Groups	Description (**see User_Groups-Detail for a complete specification of each user group)	Assigned Active Directory Group
CDOM AH Business System Manager (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User", with the added ability to: * delete: incidents, outbreak investigations, group events, clients * access: deleted incidents * perform: duplicate client checks, investigator reassignments * write/edit: Closed UD Tabs, Created/Closed on Investigation Tab, Date Created/Closed on Outbreak Investigations, Record review (as opposed to read-only), and the location and report source dictionary (as opposed to read-only) * merge/unmerge: clients, contact investigations, disease incidents, group events, locations, outbreak investigations, reporting sources * split: contact investigations, disease incidents	CDOM AH Business System Manager
CDOM AH Manager (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User", with the added ability to: * perform: Investigator reassignments * write/edit: Record review (as opposed to read-only)	CDOM AH Manager

CD/OM AH Active Directory Groups

Active Directory Group	Description (**see Active_Directory-Detail for a complete specification of each Active Directory group)	Mapped CD/OM User Groups
CDOM AH Basic User (Used for Alberta Health Employees ONLY)	* Access to the following report folders: Reporting Services Portal (top level folder), Contact Investigation Reports, Data Quality Reports, Data Sources, Datasets, Disease Incident Reports, HIV AIDS Reports, Intake Triage (CI and DI), Outbreak Investigation Reports, STI Reports, Tuberculosis Reports. * No access to individual reports (within the above accessible folders): Chemoprophylaxis Line List, Hepatitis B Recall Line List, Immigration History Line List, MOH Exclusions Line List, Ad hoc HIV/AIDS/STI Disease Incident/Contact Investigation/Program Visit Query Line List, HIV Required Actions Line List * Ability to execute: Application Integration Reports, Letters, Surveillance Reports, * No ELR access * CDOM Reporting Database: Execute Dataset Stored Procedures, Execute Clinical Report Stored Procedures	* CDOM AH Basic User * CDOM AH Basic User (Read-only)
CDOM AH Manager (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User"	* CDOM AH Manager
CDOM AH Business System Manager (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User", with the added ability to: * access the Privacy Reports folder and the following reports within that folder (only): Detection of Possible Privacy Breaches, Sub-report - Record List	* CDOM AH Business System Manager

Active Directory Group	Description (**see Active_Directory-Detail for a complete specification of each Active Directory group)	Mapped CD/OM User Groups
	* CDOM Reporting Database: Execute Privacy Report Stored Procedures	
CDOM AH Surveillance Publisher (Used for Alberta Health Employees ONLY)	The same as "CDOM AH Basic User"	* Assigned to AH employees with no assigned CDOM User Group, who need access to the back-end database.