

Release of Information API

Epic

Last Updated: July 14, 2020

© 2020 Epic Systems Corporation. Contains information that is confidential and/or subject to restrictions on use and disclosure.

Epic | 1979 Milky Way | Verona WI 53593 | Voice: 608.271.9000 | Fax: 608.271.7237 | www.epic.com

Table of Contents

Overview.....	3
APIs.....	4
CreateRelease.....	5
CreateRelease2.....	16
UpdateRelease.....	41
UpdateRelease2.....	48

Overview

This document outlines the Epic Release of Information API methods that are available to Epic organizations and the vendors that work with those organizations, including API method descriptions, full specifications for each API method, sample API requests and responses, and other remarks.

You can use Release of Information API methods to create or update ROI information in Epic.

Refer to open.epic.com for further information about Epic integration.

APIs

CreateRelease

General Information Namespace:

urn:Epic-com:Access.2014.Services.Patient **First**

Available Epic Version:

Epic 2014

WSDL File:

Epic.Access.GeneratedServices/Patient.svc?wsdl **Http**

Method:

POST

Url Template:

api/epic/2014/Access/Patient/CreateRelease/HealthInformationManagement/Patient/CreateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&RequestedFormat={RequestedFormat}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&Priority={Priority}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&PatientIsUnknown={PatientIsUnknown}

Description

This web service allows release requests created in a third-party copy vendor system to automatically copy into Epic so ROI clerks don't have to manually enter information in both systems.

Request: CreateRelease

```
<CreateRelease xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <RequesterName>CMS</RequesterName>
  <IsPatientRequester>false</IsPatientRequester>
  <Purpose>10</Purpose>
  <RequestedFormat>3</RequestedFormat>
  <ReleasedFormat>3</ReleasedFormat>
  <ReleaseStatus>2</ReleaseStatus>
  <Priority>3</Priority>
  <ChartTypes>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1</string> <string
    xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">4</string>
  </ChartTypes>
  <InformationRequested>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">2</string>
```

```

<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
</InformationRequested>
<InformationReleased>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
</InformationReleased>
<InformationStartDate>20130101</InformationStartDate>
<InformationEndDate>20131231</InformationEndDate>
<RequestedDate>20140310</RequestedDate> <NeededByDate>20140410</NeededByDate>
<FulfilledDate>20140318</FulfilledDate>
<NumberOfPages>200</NumberOfPages>
<Comments>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">Patient visit informatio
n for the last calendar year.</string>
</Comments>
<PatientRequested>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">Z3454</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</PatientRequested>
<PatientDemographics>
<DateOfBirth>19760604</DateOfBirth>
<FirstName>John</FirstName>
<LastName>Smith</LastName>
<MiddleName>K</MiddleName>
<NationalIdentifier>999-99-9999</NationalIdentifier>
<Sex>Male</Sex>
</PatientDemographics>
<Requester>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">171215</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</Requester>
<ReleaseAddress>
<City>Madison</City>
<Country>USA</Country>
<County>Dane</County>
<District>
</District>
<FaxNumber>608-555-5556</FaxNumber>
<HouseNumber>
</HouseNumber>

```

```

<PhoneNumber>608-555-5555</PhoneNumber>
<PostalCode>53593</PostalCode>
<State>WI</State>
<Street>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
</Street>
</ReleaseAddress>
<BillingAddress>
<City>Madison</City>
<Country>USA</Country>
<County>Dane</County>
<District>
</District>
<FaxNumber>608-555-5556</FaxNumber>
<HouseNumber>
</HouseNumber>
<PhoneNumber>608-555-5555</PhoneNumber>
<PostalCode>53593</PostalCode>
<State>WI</State>
<Street>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
</Street>
</BillingAddress>
<Facility>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">740</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</Facility>
<ReleaseType>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">6</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</ReleaseType>
</CreateRelease>

```

Name	Description	Optional?	Unbounded?
RequesterName (string)	Name of the entity requesting the release.	true	false
IsPatientRequester (boolean)	A flag that indicates if the patient is the requester of the release.	true	false

Name	Description	Optional?	Unbounded?
Purpose (string)	Purpose of the release.	true	false
RequestedFormat (string)	Format in which the information is requested.	true	false
ReleasedFormat (string)	Format in which the information is released.	true	false
ReleaseStatus (string)	Current status of the release. Default status is “In Progress”.	true	false
Priority (string)	Priority of the release.	true	false
ChartTypes (string)	Types of patient charts requested.	true	true
InformationRequested (string)	Types of patient medical record documents requested.	true	true
InformationReleased (string)	Types of patient medical record documents released.	true	true
InformationStartDate (string)	This is the starting date (in YYYY-MMDD format) of the date range for which information is requested.	true	false
InformationEndDate (string)	This is the ending date (in YYYY-MM-DD format) of the date range for which information is requested.	true	false
RequestedDate (string)	Date the release was requested (in YYYYMM-DD format). Default value is the current date.	true	false

NeededByDate (string)	Date by which the requester needs the information (in YYYY-MM-DD format).	true	false
--------------------------------	---	------	-------

Name	Description	Optional?	Unbounded?
FulfilledDate (string)	Date a release request was fulfilled (in YYYY-MM-DD format). Default value is today's date.	true	false
NumberOfPages (string)	Number of pages of information released.	true	false
Comments (string)	Additional information associated with a release request.	true	true
PatientRequested (IDType)	Patient associated with the release request.	false	false
PatientDemographics (Demographics)	Patient demographic information to validate the patient record in Epic.	true	false
Requester (IDType)	Identifier of the entity requesting the release. Identifier is used to find the requester record in Epic's Requester database.	true	false
ReleaseAddress (Address)	Release address of the requesting entity.	true	false
BillingAddress (Address)	Billing address of the requesting entity.	true	false
Facility (IDType)	Identifier for the facility from which the release is requested. Identifier is used to find the facility record in Epic's facility database.	true	false

ReleaseType (IDType)	Type of the release. This must be the identifier of the release type record in Epic's release type database.	true	false
Name	Description	Optional?	Unbounded?
PatientIsUnknown (Boolean)	Optional parameter that should only be set to true if the patient information entered into the CreateRelease request is for a patient that does not have a known patient record in Epic. Otherwise it should be omitted or false.	true	false

Response: CreateReleaseResponse

```
<CreateReleaseResult xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <ReleaseIDs>
    <IDType xmlns="urn:Epic-com:Access.2012.Services.Patient">
      <ID>991585</ID>
      <Type>EXTERNAL</Type>
    </IDType>
  </ReleaseIDs>
</CreateReleaseResult>
```

Name	Description	Optional?	Unbounded?
Patient.CreateReleaseResponse (Patient.CreateReleaseResponse)		false	false

Types:

IDType

Name	Description	Optional?	Unbounded?
ID (string)	Record ID.	false	false
Type (string)	Record ID type.	false	false

Demographics

Name	Description	Optional?	Unbounded?
FirstName (string)	Patient's first name.	true	false
LastName (string)	Patient's last name.	true	false

MiddleName (string)	Patient's middle name.	true	false
Name	Description	Optional?	Unbounded?
DateOfBirth (string)	Patient's date of birth (in YYYYMM-DD format).	true	false
NationalIdentifier (string)	Patient's national identifier.	true	false
Sex (string)	Patient's gender.	true	false

Address

Name	Description	Optional?	Unbounded?
Street (string)	Street address.	true	true
City (string)	City.	true	false
State (string)	State.	true	false
PostalCode (string)	Postal code or ZIP code.	true	false
County (string)	County.	true	false
Country (string)	Country.	true	false
District (string)	District.	true	false
HouseNumber (string)	House number.	true	false
PhoneNumber (string)	Phone number.	true	false
FaxNumber (string)	Fax number.	true	false

Patient.CreateReleaseResponse

Name	Description	Optional?	Unbounded?
ReleaseIDs (IDType)	Identifiers for the the release record created.	false	true

Faults:

NOT-LICENSED	The system is not licensed to use the web service.
NO-PATIENT-ID	Patient ID is required but not provided.
INVALID-PATIENT-ID-TYPE	Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH	Invalid date value.
INVALID-NATIONAL-IDENTIFIER	Invalid value.
INVALID-PATIENT-SEX	Patient sex is invalid or could not be resolved to a unique value.

NO-PATIENT-FOUND	No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND	No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE	Requester ID Type is invalid.
MISSING-REQUESTER	Either the requester ID or the requester name is required if patient is not the requester of the release. OR Requester record necessary to create the release cannot be found.
INVALID-FACILITY-ID-TYPE	Facility ID Type is invalid.
NO-FACILITY-FOUND	No facility was found with the provided ID and ID type.
NO-FACILITY	Facility from which the release is requested is not specified.
INVALID-REQUESTER	Requester record specified does not exist under the facility specified.
INVALID-RELEASE-TYPE-ID-TYPE	Release Type ID Type is invalid.
NO-RELEASE-TYPE-FOUND	No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
INVALID-CHART-TYPES	Chart Types are invalid or could not be resolved to unique values.
NO-CHART-TYPE-FOUND	Chart Type necessary to create the release is not available.
INVALID-INFORMATION-START-DATE	Invalid date value.
INVALID-INFORMATION-START-DATE	Invalid date value.
INFO-STARTDATE-AFTER-ENDDATE	Information end date is prior to information start date.
INVALID-REQUESTED-DATE	Invalid date value.
INVALID-NEEDED-BY-DATE	Invalid date value.
INVALID-FULFILLED-DATE	Invalid date value.

DATE-REQUESTED-AFTER- DATE-FULFILLED	Fulfilled date is prior to the requested date.
INVALID-PURPOSE	Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED- FORMAT	Requested format is invalid or could not be resolved to a unique value.
INVALID-RELEASED- FORMAT	Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE- STATUS	Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.
INVALID-PRIORITY	Priority is invalid or could not be resolved to a unique value.
INVALID-INFO- REQUESTED	Information Types requested are invalid or could not be resolved to unique values.
INVALID-INFO-RELEASED	Information Types released are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES- VALUE	Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-NUM-PAGES- VALUE	Information Types released are invalid or could not be resolved to unique values.
INVALID-RELEASE-STATE	Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE- COUNTY	Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE- COUNTRY	Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE- POSTAL-CODE	Invalid value.
INVALID-RELEASE- DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.
INVALID-RELEASE- PHONE-NUMBER	Invalid value.
INVALID-RELEASE-FAX- NUMBER	Invalid value.

INVALID-BILLING-STATE	Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY	Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY	Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE	Invalid value.
INVALID-BILLING-DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER	Invalid value.
INVALID-BILLING-FAX-NUMBER	Invalid value.
RELEASE-CREATION-FAILED	Failed to create a release record.
INVALID-REQUESTER-RECIPIENT-FACILITY	The requester and recipient are not part of the same ROI service area.
REQUESTER-IS-PATIENT-ACCOUNT	The requester is a patient account. Only non-patient accounts can be requesters.
RELEASE-TO-UNKNOWN-PATIENT	The patient cannot be the requester or recipient if the patient is unknown.
MUTUALLY-EXCLUSIVE-REQUESTER	The requester cannot have a requester record ID if it is the patient or a patient relation, cannot have a relationship type if it is the patient, or cannot have a requester name if it is the patient.
NO-UNKNOWN-PATIENT-RECORD	The patient is unknown, but there is no unknown patient record specified for the service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE	The release has a fulfilled date but the release is not at a status of Complete or Fulfilled.
INVALID-RELEASE-CITY	The release address city is over 60 characters.
INVALID-RELEASE-HOUSE-NUMBER	The house number in the release address is longer than 20 characters.

INVALID-BILLING-HOUSE-NUMBER	The house number for the billing address is longer than 20 characters.
INVALID-BILLING-CITY	The city for the billing address is longer than 60 characters.
INVALID-REQUESTER-NAME	The requester name is longer than 160 characters.
INVALID-UNKNOWN-PATIENT	The unknown patient doesn't match the unknown patient record specified for the service area.
INVALID-REQUESTER-SERVICE-AREA	The requester service area does not match the facility or department.
RELEASE-TYPE-RESTRICTION-ERROR	The purpose, hold reason, cancel reason, information requested value, or requested format are not allowed based on the release type.

CreateRelease2

General Information

Namespace:

urn:Epic-com:Access.2018.Services.Patient **First**

Available Epic Version:

August 2018 **WSDL**

File:

Epic.Access.GeneratedServices/Patient.svc?wsdl

Description

This web service allows release requests created in a third-party copy vendor system to automatically copy into Epic so ROI clerks don't have to manually enter information in both systems.

We recommend using this web service instead of the deprecated CreateRelease web service. This version now works with document template releases and handles release requesters and recipients separately. **Request: CreateRelease2**

```
<CreateRelease2 xmlns="urn:Epic-com:Access.2017.Services.Patient" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <!--string occurs:0,1-->
  <RequesterName xsi:nil="true" />
  <!--boolean occurs:0,1-->
  <IsPatientRequester>1</IsPatientRequester>
  <!--string occurs:0,1-->
  <Purpose xsi:nil="false">Personal</Purpose>
  <!--string occurs:0,1-->
  <RequestedFormat xsi:nil="false">PDF</RequestedFormat>
  <!--string occurs:0,1-->
  <ReleasedFormat xsi:nil="true" />
  <!--string occurs:0,1-->
  <ReleaseStatus xsi:nil="true" />
  <!--string occurs:0,1-->
  <Priority xsi:nil="true" />
  <!--arrayofstring occurs:0,1-->
  <ChartTypes xsi:nil="false">
  <!--string occurs:0,-->
```



```

<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">PJR Medi
cal</string>
</ChartTypes>
<!--arrayofstring occurs:0,1-->
<InformationRequested xsi:nil="false">
<!--string occurs:0,-->
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">All</str
ing>
</InformationRequested>
<!--arrayofstring occurs:0,1-->
<InformationReleased xsi:nil="true" />
<!--string occurs:0,1-->
<InformationStartDate xsi:nil="false">2017-08-01</InformationStartDate>
<!--string occurs:0,1-->
<InformationEndDate xsi:nil="false">2017-10-01</InformationEndDate>
<!--string occurs:0,1-->
<RequestedDate xsi:nil="true" />
<!--string occurs:0,1-->
<NeededByDate xsi:nil="true" />
<!--string occurs:0,1-->
<FulfilledDate xsi:nil="true" />
<!--arrayofstring occurs:0,1-->
<Comments xsi:nil="false">
<!--string occurs:0,-->
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">This is
a comment.</string>
<!--string occurs:0,-->
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">This is
a comment on a new line.</string>
</Comments>
<!--boolean occurs:0,1-->
<PatientIsUnknown>0</PatientIsUnknown>
<!--boolean occurs:0,1-->
<IsPatientRecipient>1</IsPatientRecipient>
<!--string occurs:0,1-->
<RecipientName xsi:nil="true" />
<!--string occurs:0,1-->
<RecipientRelationship xsi:nil="true" /> <!--string
occurs:0,1-->
<RequesterRelationship xsi:nil="true" />

```

```
<!--boolean occurs:0,1-->
```



```

<AllRecordsSearch>0</AllRecordsSearch>
<!--string occurs:0,1-->
<BillingWorkflow xsi:nil="false">3</BillingWorkflow>
<!--string occurs:0,1-->
<RecipientSite xsi:nil="false"></RecipientSite>
<!--string occurs:0,1-->
<GenerateScreenReaderDocument xsi:nil="false"></GenerateScreenReaderDocument>
<!--int occurs:0,1-->
<FontSize></FontSize>
<!--idtype occurs:0,1-->
<PatientRequested xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">120459</ID> <!--string
occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EPI</Type>
</PatientRequested>
<!--demographics occurs:0,1-->
<PatientDemographics xsi:nil="false">
<!--string occurs:0,1-->
<DateOfBirth xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">1966-01-25</DateOfB
irth>
<!--string occurs:0,1-->
<FirstName xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">A</FirstName> <!--
string occurs:0,1-->
<LastName xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">Test</LastName>
<!--string occurs:0,1-->
<MiddleName xsi:nil="true" />
<!--string occurs:0,1-->
<NationalIdentifier xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">639-94-9463<
/NationalIdentifier>
<!--string occurs:0,1-->
<Sex xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">M</Sex>
</PatientDemographics>
<!--idtype occurs:0,1-->
<Requester xsi:nil="true" />
<!--address2 occurs:0,1-->
<BillingAddress xsi:nil="false">
<!--string occurs:0,1-->
<AttentionTo xsi:nil="false">A's mom</AttentionTo>

```

```
<!--string occurs:0,1-->  
<City xsi:nil="false">Verona</City>
```



```

<!--string occurs:0,1-->
<Country xsi:nil="true" />
<!--string occurs:0,1-->
<County xsi:nil="true" />
<!--string occurs:0,1-->
<District xsi:nil="true" />
<!--string occurs:0,1-->
<Email xsi:nil="false">amomtesting@epic.com</Email>
<!--string occurs:0,1-->
<FaxNumber xsi:nil="true" />
<!--string occurs:0,1-->
<HouseNumber xsi:nil="true" />
<!--string occurs:0,1-->
<PhoneNumber xsi:nil="false">608-777-9000</PhoneNumber>
<!--string occurs:0,1-->
<PostalCode xsi:nil="false">53593</PostalCode>
<!--string occurs:0,1-->
<State xsi:nil="false">WI</State>
<!--arrayofstring occurs:0,1-->
<Street xsi:nil="false">
<!--string occurs:0,-->
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">1979 Mil
ky Way</string>
<!--string occurs:0,-->
<string xsi:nil="true" />
</Street>
</BillingAddress>
<!--idtype occurs:0,1-->
<Facility xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">8099</ID> <!--string
occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</Facility>
<!--idtype occurs:0,1-->
<ReleaseType xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">52</ID>
<!--string occurs:0,1-->

```


<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>


```

</ReleaseType>
<!--idtype occurs:0,1-->
<Recipient xsi:nil="true" />
<!--address2 occurs:0,1-->
<ReleaseAddress xsi:nil="true" />
<!--idtype occurs:0,1-->
<Department xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">14985001</ID>
<!--string occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</Department>

```

Name	Description	Optional ?	Unbounded ?
RequesterName (string)	Name of the entity requesting the release.	true	false
IsPatientRequester (boolean)	A flag that indicates if the patient is the requester of the release.	true	false
Purpose (string)	Purpose of the release.	true	false

RequestedFormat (string)	Format in which the information is requested.	true	false
-----------------------------------	---	------	-------

```

<!--idtype occurs:0,1-->
<SearchAccount xsi:nil="true" />
<!--idtype occurs:0,1-->
<SearchEpisode xsi:nil="true" />
<!--idtype occurs:0,1-->
<AssignedUser xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">14985001</ID>
<!--string occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</AssignedUser>
<!--arrayofidtype occurs:0,1-->
<ExceptionGroups xsi:nil="true" />
</CreateRelease2>

```

Name	Description	Optional ?	Unbounded ?
ReleasedFormat (string)	Format in which the information is released.	true	false
ReleaseStatus (string)	Current status of the release. Default release status is "In Progress".	true	false
Priority (string)	Priority of the release..	true	false
ChartTypes (string)	Types of patient charts requested.	true	true
InformationRequested (string)	Types of patient medical record documents requested.	true	true
InformationReleased (string)	Types of patient medical record documents released.	true	true

InformationStartDate (string)	This is the starting date (in YYYYMM-DD format) of the date range for which information is requested.	true	false
InformationEndDate (string)	This is the ending date (in YYYYMM-DD format) of the date range for which information is requested.	true	false
RequestedDate (string)	Date the release was requested (in YYYY-MM-DD format). Default value is the current date.	true	false
NeededByDate (string)	Date by which the requester needs the information (in YYYY-MM-DD format).	true	false

Name	Description	Optional ?	Unbounded ?
FulfilledDate (string)	Date a release request was fulfilled (in YYYY-MM-DD format). Default value is today's date.	true	false
NumberOfPages (string)	Number of pages of information released.	true	false
Comments (string)	Additional information associated with a release request.	true	true
PatientRequested (IDType)	Patient associated with the release request.	false	false

PatientDemographics (Demographics)	Patient demographic information to validate the patient record in Epic.	true	false
Requester (IDType)	Identifier of the entity requesting the release. Identifier is used to find the requester record in Epic's Requester database.	true	false
ReleaseAddress (Address)	Release address of the requesting entity.	true	false
Facility (IDType)	Identifier for the facility from which the release is requested. Identifier is used to find the facility record in Epic's facility database.	true	false
ReleaseType (IDType)	Type of the release. This must be the identifier of the release type record in Epic's release type database.	true	false

Name	Description	Optional ?	Unbounded ?
PatientIsUnknown (Boolean)	Is the patient record not known? If true, patient demographic information entered will help the ROI clerk identify the correct patient.	true	false
IsPatientRecipient (Boolean)	Is the recipient of the release the patient?	true	false
RecipientName (String)	The name of the recipient. This is required only for generic requesters and relations.	true	false

RecipientRelationship (String)	The relationship of the recipient to the patient.	true	false
RequesterRelationship (String)	The relationship of the requester to the patient.	true	false
AllRecordsSearch (Boolean)	Should the release include all patient data in the system? By default, this is false and patient information is filtered by InformationStartDate and InformationEndDate .	true	false
BillingWorkflow (String)	What is the billing workflow for the release.	true	false
BillingAddress (Address2)		true	false
Recipient (IDType)		true	false
RecipientSite (String)	The site name for the release address on the ROI Requester record.	true	false

Name	Description	Optional ?	Unbounded ?
ReleaseAddress (Address2)	The address of the person or entity receiving the release.	true	false

Department (IDType)	The department where the release of information is processed. Required if no facility is given. This is used to find the ROI service area to file the release as well as to help place the release on department specific worklists.	true	false
SearchAccount (IDType)	The hospital account record to limit the search for patient information.	true	false
SearchEpisode (IDType)	The episode record to limit the search for patient information.	true	false
AssignedUser (IDType)	The user record that should be assigned to work on the release.	true	false

Name	Description	Optional ?	Unbounded ?
ExceptionGroups (IDType)	If the release type uses document templates, the exception group records that should be applied to the release. These are used to allow documentation that is normally filtered from the release to be included. Must be an exception group allowed to be included for the document template. By default, exception groups that are set to always be included on the document template will be included.	true	false
GenerateScreenReaderDocument (String)	If saving a PDF, should the PDF be generated in a screen-reader compatible format?	true	false
FontSize (Int32)	Enter a number for the font size of output. Currently only 14 and 18 font sizes are supported. Enter 0 or leave blank for the default font size.	true	false

Response: CreateRelease2Response

```
<?xml version="1.0" encoding="utf-16"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Header>
<ServerMetrics xmlns="Epic.Core.Communication">[{"BlockReads":13,"BlockWrites":33,"BlocksAllocated":2,"DBTime":1052,"ECFNetworkTime":1,"ECFRequestCount":0,"ECFRequestTime":1053,"GREF":2715,"JournalEntries":132,"LocksFailed":0,"LocksGranted":12,"MCommands":32040,"MemoryDifference":501760,"WorkflowEventBlockReads":13,"WorkflowEventDBTime":1052,"WorkflowEventECFNetworkTime":0,"WorkflowEventECFRequestCount":0,"WorkflowEventGREF":2715}]</ServerMetrics>
```

```

</s:Header>
<s:Body>
<CreateRelease2Response xmlns="urn:Epic-com:Access.2017.Services.Patient">
<CreateRelease2Result xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
<ErrorCodes i:nil="true" xmlns:a="urn:Epic-com:Access.2014.Services.Patient" />
<ReleaseID xmlns:a="urn:Epic-com:Access.2012.Services.Patient">
<a:ID>647963</a:ID>
<a:Type>EXTERNAL</a:Type>
</ReleaseID>
</CreateRelease2Result>
</CreateRelease2Response>
</s:Body>
</s:Envelope>

```

Name	Description	Optional?	Unbounded?
ReleaseID (IDType)	The release record (ROI) created if no errors were found.	false	false
ErrorCodes (ErrorCodes)	Errors that were found during processing the request or in attempting release creation. If errors were found in validating the request, release creation will not be attempted.	false	true

Types:

IDType

Name	Description	Optional?	Unbounded?
ID (string)	Record ID.	false	false
Type (string)	Record ID type.	false	false

Demographics

Name	Description	Optional?	Unbounded?
FirstName (string)	Patient's first name.	true	false
LastName (string)	Patient's last name.	true	false
MiddleName (string)	Patient's middle name.	true	false
DateOfBirth (string)	Patient's date of birth (in YYYYMM-DD format).	true	false
NationalIdentifier (string)	Patient's national identifier.	true	false
Sex (string)	Patient's gender.	true	false

Address2

Name	Description	Optional?	Unbounded?
Street (string)	Street address.	true	true
City (string)	City.	true	false
State (string)	State.	true	false
PostalCode (string)	Postal code or ZIP code.	true	false
County (string)	County.	true	false
Country (string)	Country.	true	false
District (string)	District.	true	false
HouseNumber (string)	House number.	true	false
PhoneNumber (string)	Phone number.	true	false
FaxNumber (string)	Fax number.	true	false
AttentionTo (String)	Attention to. The requester or recipient name property should be used if requester or recipient record is not found in the system. This field is specifically for calling out a particular person or entity within an address as the intended recipient.	true	false
Email (String)	Email address. Must be a valid email address.	true	false

Faults:

INVALID-PATIENT-ID-TYPE	Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH	Invalid date value.
INVALID-NATIONAL-IDENTIFIER	Invalid value.
NO-PATIENT-FOUND	No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND	No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE	Requester ID Type is invalid.
INVALID-FACILITY-ID-TYPE	Facility ID Type is invalid.
INVALID-RELEASE-TYPE-ID-TYPE	Release Type ID Type is invalid.

NO-RELEASE-TYPE-FOUND	No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
NO-CHART-TYPE-FOUND	Chart Type necessary to create the release is not available.
INFO-STARTDATE-AFTER-ENDDATE	Information end date is prior to information start date.
INVALID-REQUESTED-DATE	Invalid date value.
INVALID-NEEDED-BY-DATE	Invalid date value.
INVALID-FULFILLED-DATE	Invalid date value.
DATE-REQUESTED-AFTER-DATE-FULFILLED	Fulfilled date is prior to the requested date.
INVALID-PURPOSE	Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED-FORMAT	Requested format is invalid or could not be resolved to a unique value.
INVALID-RELEASED-FORMAT	Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE-STATUS	Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.
INVALID-PRIORITY	Priority is invalid or could not be resolved to a unique value.
INVALID-INFO-REQUESTED	Information Types requested are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES-VALUE	Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-RELEASE-STATE	Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTY	Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTRY	Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE-POSTAL-CODE	Invalid value.
INVALID-RELEASE-DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.

INVALID-RELEASE-PHONE-NUMBER	Invalid value.
INVALID-RELEASE-FAX-NUMBER	Invalid value.
INVALID-BILLING-STATE	Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY	Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY	Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE	Invalid value.
INVALID-BILLING-DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER	Invalid value.
INVALID-BILLING-FAX-NUMBER	Invalid value.
RELEASE-CREATION-FAILED	Failed to create a release record.
NOT-LICENSED	The required license is not activated.
INVALID-REQUESTER-RECIPIENT-FACILITY	The requester and recipient must belong to the same ROI service area.
NO-FACILITY	The facility from which the release is requested is not specified.
INVALID-REQUESTER	The ROI requester record specified does not exist under the facility specified.
REQUESTER-IS-PATIENT-ACCOUNT	Only non-patient accounts are accepted.
RELEASE-TO-UNKNOWN-PATIENT	Patient cannot be the requester or recipient if patient is unknown.
INVALID-REQUESTER-RELATION	Name is required if relation to patient.
MISSING-REQUESTER	The name or ROI requester ID is required if not patient.

MUTUALLY-EXCLUSIVE-REQUESTER	Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
INVALID-RECIPIENT	The ROI requester record specified does not exist under the facility specified.
RECIPIENT-IS-PATIENT-ACCOUNT	Only non-patient accounts are accepted.
INVALID-RECIPIENT-RELATION	Name is required if relation to patient.
MISSING-RECIPIENT	Name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-RECIPIENT	Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
NO-UNKNOWN-PATIENT-RECORD	No unknown patient record defined for this service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE	The release status needs to be fulfilled or complete in order to have a fulfilled date.
INVALID-EXCEPTION-GROUPS	Exception Groups were not valid for the document template configured in the release type.
INVALID-ACCOUNT-ID	Document template search hospital account was not found with the provided ID and ID type.
INVALID-EPIISODE-ID	Document template search episode was not found with the provided ID and ID type.
MUTUALLY-EXCLUSIVE-SEARCH-TYPE	Select a date range, hospital account, episode, no records, or all records to select data via document templates.
INVALID-REQUESTER-RELATIONSHIP	RequesterRelationship is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-RELATIONSHIP	RecipientRelationship is invalid or could not be resolved to a unique value.
INVALID-RELEASE-ATTENTION-TO	Attention to exceeded the maximum number of characters: 80.

INVALID-RELEASE-CITY	City exceeded the maximum number of characters: 60.
INVALID-RELEASE-EMAIL	Email is invalid.
INVALID-BILLING-ATTENTION-TO	Attention to exceeded maximum number of characters: 80.
INVALID-BILLING-CITY	City exceeded maximum number of characters: 60.
INVALID-BILLING-EMAIL	Email is invalid.

INVALID-BILLING-WORKFLOW	Billing workflow is invalid or could not be resolved to a unique value.
NO-DEPARTMENT-FOUND	Department was not found with the provided ID and ID type.
INVALID-DEPARTMENT-ID-TYPE	Department ID Type is invalid.
NO-FACILITY-FOUND	Facility was not found with the provided ID and ID type.
NO-RECIPIENT-FOUND	Recipient was not found with the provided ID and ID type.
INVALID-RECIPIENT-ID-TYPE	Recipient ID Type is invalid.
NO-PATIENT-FOUND	Patient was not found with the provided ID and ID type.
ASSIGNED-USER-NOT-FOUND	Assigned user was not found with the provided ID and ID type.
INVALID-ASSIGNED-USER-ID-TYPE	Assigned user ID Type is invalid.
INVALID-ACCOUNT-ID-TYPE	Document template search hospital account ID Type is invalid.
INVALID-EPIISODE-ID-TYPE	Document template search episode ID Type is invalid.
INVALID-RECIPIENT-NAME	Recipient name exceeded maximum number of characters: 160.
INVALID-REQUESTER-NAME	Requester name exceeded maximum number of characters: 160.
INVALID-FONT-SIZE-VALUE	FontSize is not 0, 14, or 18.

INVALID-GENERATE-SCREEN-READER-DOCUMENT	Generate screen reader document is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-SITE	Recipient site was not found on the ROI Requester record or was inactive.
RELEASE-TYPE-RESTRICTION-ERROR	The release type record restricted the purpose, hold reason, cancel reason, info requested, or requested format provided.
INVALID-RELEASE-HOUSE-NUMBER	The house number for the release request is over 20 characters.
INVALID-BILLING-HOUSE-NUMBER	The house number for the billing address is over 20 characters.
INVALID-PATIENT-SEX	The patient's sex is invalid or could not be resolved to a unique value.
NO-PATIENT-ID	The release request has no patient ID.
INVALID-UNKNOWN-PATIENT	The unknown patient does not match the unknown patient record specified for the service area.
INVALID-CHART-TYPES	The chart type value is invalid.
INVALID-INFO-RELEASED	The information types released value is invalid.
INVALID-INFORMATION-START-DATE	The start date for the information requested is not valid.
INVALID-INFORMATION-END-DATE	The end date for the information requested is not valid.
INVALID-REQUESTER-SERVICE-AREA	The requester service area does not match the facility or department.
INVALID-RECIPIENT-SERVICE-AREA	The recipient service area does not match the facility or department.
EXCEPTION-GROUP-NOT-FOUND	The provided exception group ID does not match an exception group.
INVALID-EXCEPTION-GROUP-ID-TYPE	The exception group's ID type is invalid.

UpdateRelease

General Information

Namespace:

urn:Epic-com:Access.2014.Services.Patient **First**

Available Epic Version:

Epic 2014

WSDL File:

Epic.Access.GeneratedServices/Patient.svc?wsdl **Http**

Method:

POST

Url Template:

api/epic/2014/Access/Patient/UpdateRelease/HealthInformationManagement/Patient/UpdateRelease?RequesterName={RequesterName}&IsPatientRequester={IsPatientRequester}&Purpose={Purpose}&ReleasedFormat={ReleasedFormat}&ReleaseStatus={ReleaseStatus}&InformationStartDate={InformationStartDate}&InformationEndDate={InformationEndDate}&RequestedDate={RequestedDate}&NeededByDate={NeededByDate}&FulfilledDate={FulfilledDate}&NumberOfPages={NumberOfPages}&CancelHoldReason={CancelHoldReason}

Description

This web service updates release request information in Epic based on changes entered in a third-party system so users don't have to manually copy changes back into Epic. This means that if an ROI clerk modifies information in an already-created release request, the system updates the copied request in Epic to keep the versions in line.

Request: UpdateRelease

```
<UpdateRelease xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <RequesterName>CMS</RequesterName>
  <IsPatientRequester>false</IsPatientRequester>
  <Purpose>10</Purpose>
  <ReleasedFormat>3</ReleasedFormat>
  <ReleaseStatus>4</ReleaseStatus>
  <InformationReleased>
    <string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">2</string> <string
      xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">8</string>
  </InformationReleased>
  <InformationStartDate>20130101</InformationStartDate>
  <InformationEndDate>20130101</InformationEndDate>
```

<RequestedDate>20140310</RequestedDate>

```

<NeededByDate>20140410</NeededByDate>
<FulfilledDate>20140318</FulfilledDate>
<NumberOfPages>200</NumberOfPages>
<Comments>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">Patient visit informatio
n for the last calendar year</string>
</Comments>
<CancelHoldReason>1</CancelHoldReason>
<Requester>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">171215</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</Requester>
<ReleaseAddress>
<City>Madison</City>
<Country>USA</Country>
<County>Dane</County>
<District>
</District>
<FaxNumber>608-555-5556</FaxNumber>
<HouseNumber></HouseNumber>
<PhoneNumber>608-555-5555</PhoneNumber>
<PostalCode>53593</PostalCode>
<State>WI</State>
<Street>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>
</Street>
</ReleaseAddress>
<BillingAddress>
<City>Madison</City>
<Country>USA</Country>
<County>Dane</County>
<District>
</District>
<FaxNumber>608-555-5556</FaxNumber>
<HouseNumber></HouseNumber>
<PhoneNumber>608-555-5555</PhoneNumber>
<PostalCode>53593</PostalCode>
<State>WI</State>
<Street>
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays">1979 Milky Way</string>

```

```

</Street>
</BillingAddress>
<ReleaseType>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">6</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</ReleaseType>
<ReleaseToUpdate>
<AssociatedPatient>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">Z3454</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</AssociatedPatient>
<ReleaseID>
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient">243567</ID>
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient">EXTERNAL</Type>
</ReleaseID>
</ReleaseToUpdate>
</UpdateRelease>

```

Name	Description	Optional?	Unbounded?
RequesterName (string)	Name of the entity requesting the release.	true	false
IsPatientRequester (boolean)	A flag that indicates if the patient is the requester of the release.	true	false
Purpose (string)	Purpose of the release.	true	false
ReleasedFormat (string)	Format in which the information is released.	true	false
ReleaseStatus (string)	Current status of the release. Default release status is "In Progress".	true	false
InformationReleased (string)	Types of patient medical record documents released.	true	true
InformationStartDate (string)	This is the starting date (in YYYY-MM-DD format) of the date range for which information is requested.	true	false
InformationEndDate (string)	This is the ending date (in YYYY-MM-DD format) of the date range for which information is requested.	true	false
Name	Description	Optional?	Unbounded?

RequestedDate (string)	Date the release was requested (in YYYY-MM-DD format). Default value is the current date.	true	false
NeededByDate (string)	Date by which the requester needs the information (in YYYY-MM-DD format).	true	false
FulfilledDate (string)	Date a release request was fulfilled (in YYYY-MM-DD format). Default value is today's date.	true	false
NumberOfPages (string)	Number of pages of information released.	true	false
Comments (string)	Additional information associated with a release request.	true	true
CancelHoldReason (string)	Reason for either canceling or placing a release on hold.	true	false
Requester (IDType)	Identifier of the entity requesting the release. Identifier is used to find the requester record in Epic's Requester database.	true	false
ReleaseAddress (Address)	Release address of the requesting entity.	true	false
BillingAddress (Address)	Billing address of the requesting entity.	true	false
ReleaseType (IDType)	Type of the release. This must be the identifier of the release type record in Epic's release type database.	true	false
ReleaseToUpdate (Release)	Release identifier. A release matching this element is updated.	false	false

Response: UpdateReleaseResponse

```
<UpdateReleaseResult xmlns="urn:Epic-com:Access.2014.Services.Patient">
  <Errors>
    <Error>
      <Code>INFO-RELEASED-NOT-UPDATED</Code>
      <Description>Information Types Released are invalid or could not be resolved to unique values</Description>
    </Error>
    <Error>
      <Code>INFO-STARTEND-DATES-NOT-UPDATED</Code>
```

```

<Description>Information end date is prior to information start date</Description>
</Error>
</Errors>
<UpdateSuccessful>false</UpdateSuccessful>
</UpdateReleaseResult>

```

Name	Description	Optional?	Unbounded?
Errors (Error)	List of errors encountered during the release update.	true	true
UpdateSuccessful (boolean)	Indicates if the release request is successfully updated or not.	false	false

Types:

IDType

Name	Description	Optional?	Unbounded?
ID (string)	Record ID.	false	false
Type (string)	Record ID type.	false	false

Address

Name	Description	Optional?	Unbounded?
Street (string)	Street address.	false	true
City (string)	City.	false	false
State (string)	State.	false	false
PostalCode (string)	Postal code or ZIP code.	false	false
County (string)	County.	false	false
Country (string)	Country.	false	false
District (string)	District.	false	false
HouseNumber (string)	House number.	false	false
PhoneNumber (string)	Phone number.	false	false
FaxNumber (string)	Fax number.	false	false

Release

Name	Description	Optional?	Unbounded?
ReleaseID (IDType)	Release request identifier.	false	false
Name	Description	Optional?	Unbounded?
AssociatedPatient (IDType)	ID of the patient associated with the release request.	false	false

Error

Name	Description	Optional?	Unbounded?
Code (string)	Code identifying an error.	false	false
Description (string)	Description of an error.	false	false

IDType

Name	Description	Optional?	Unbounded?
ID (string)	Record ID.	false	false
Type (string)	Record ID type.	false	false

Faults:

NOT-LICENSED	The system is not licensed to use the web service.
NO-PATIENT-ID	Patient ID is required but not provided.
INVALID-PATIENT-ID-TYPE	Patient ID is required but not provided.
NO-RELEASE-ID	Release ID is required but not provided.
INVALID-RELEASE-ID-TYPE	Release ID is required but not provided.
INVALID-RELEASE	Release does not belong to the given patient.
NO-PATIENT-FOUND	No patient was found with the provided ID and ID type.
NO-RELEASE-FOUND	No release was found with the provided ID and ID type.
RELEASE-REQUEST-LOCKED	Release request is locked and cannot be updated.

UpdateRelease2

General Information

Namespace:

urn:Epic-com:Access.2018.Services.Patient **First**

Available Epic Version:

Epic 2017

WSDL File:

Epic.Access.GeneratedServices/Patient.svc?wsdl

Description

This web service allows release requests created in a third-party copy vendor system to automatically copy into Epic so ROI clerks don't have to manually enter information in both systems.

We recommend using this web service instead of the deprecated UpdateRelease web service. This version now works with document template releases and handles release requesters and recipients separately. **Request: UpdateRelease2**

```
<UpdateRelease2 xmlns="urn:Epic-com:Access.2017.Services.Patient" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <!--string occurs:0,1-->
  <RequesterName xsi:nil="true" />
  <!--string occurs:0,1-->
  <Purpose xsi:nil="true" />
  <!--string occurs:0,1-->
  <ReleasedFormat xsi:nil="true" />
  <!--string occurs:0,1-->
  <ReleaseStatus xsi:nil="false">On Hold</ReleaseStatus>
  <!--arrayofstring occurs:0,1-->
  <InformationReleased xsi:nil="true" />
  <!--string occurs:0,1-->
  <InformationStartDate xsi:nil="true" />
  <!--string occurs:0,1-->
  <InformationEndDate xsi:nil="true" />
  <!--string occurs:0,1-->
  <RequestedDate xsi:nil="true" />
  <!--string occurs:0,1-->
  <NeededByDate xsi:nil="true" />
</UpdateRelease2>
```



```

<!--string occurs:0,1-->
<FulfilledDate xsi:nil="true" />
<!--arrayofstring occurs:0,1-->
<Comments xsi:nil="false">
<!--string occurs:0,-->
<string xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" xsi:nil="false">asked to
be put on hold</string> <!--string occurs:0,-->
<string xsi:nil="true" />
</Comments>
<!--string occurs:0,1-->
<CancelHoldReason xsi:nil="false">2</CancelHoldReason>
<!--arrayofstring occurs:0,1-->
<InformationRequested xsi:nil="true" />
<!--string occurs:0,1-->
<RequestedFormat xsi:nil="true" />
<!--string occurs:0,1-->
<RequesterRelationship xsi:nil="true" /> <!--string
occurs:0,1-->
<RecipientRelationship xsi:nil="true" />
<!--string occurs:0,1-->
<RecipientName xsi:nil="true" />
<!--string occurs:0,1-->
<Priority xsi:nil="true" />
<!--string occurs:0,1-->
<BillingWorkflow xsi:nil="true" />
<!--string occurs:0,1-->
<RecipientSite xsi:nil="false"></RecipientSite>
<!--string occurs:0,1-->
<GenerateScreenReaderDocument xsi:nil="false"></GenerateScreenReaderDocument>
<!--int occurs:0,1-->
<FontSize></FontSize>
<!--idtype occurs:0,1-->
<Recipient xsi:nil="true" /> <!--idtype
occurs:0,1-->
<Requester xsi:nil="true" />
<!--address2 occurs:0,1-->
<ReleaseAddress xsi:nil="true" /> <!--address2
occurs:0,1-->
<BillingAddress xsi:nil="true" />

```

```

<!--idtype occurs:0,1-->
<AssignedUser xsi:nil="true" />
<!--release occurs:0,1-->
<ReleaseToUpdate xsi:nil="false">
<!--idtype occurs:0,1-->
<AssociatedPatient xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false"> <!--string
occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">Z75420</ID> <!--string
occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</AssociatedPatient>
<!--idtype occurs:0,1-->
<ReleaseID xmlns="urn:Epic-com:Access.2014.Services.Patient" xsi:nil="false">
<!--string occurs:0,1-->
<ID xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">647958</ID> <!--string
occurs:0,1-->
<Type xmlns="urn:Epic-com:Access.2012.Services.Patient" xsi:nil="false">EXTERNAL</Type>
</ReleaseID>
</ReleaseToUpdate>
<!--idtype occurs:0,1-->
<ReleaseType xsi:nil="true" />
<!--arrayofidtype occurs:0,1-->
<ExceptionGroups xsi:nil="true" />
<!--idtype occurs:0,1-->
<SearchAccount xsi:nil="true" /> <!--idtype
occurs:0,1-->
<SearchEpisode xsi:nil="true" />
</UpdateRelease2>

```

Name	Description	Optional ?	Unbounded ?
RequesterName (string)	Name of the entity requesting the release.	true	false
IsPatientRequester (boolean)	A flag that indicates if the patient is the requester of the release.	true	false
Purpose (string)	Purpose of the release.	true	false

Name	Description	Optional ?	Unbounded ?
RequestedFormat (string)	Format in which the information is requested.	true	false
ReleasedFormat (string)	Format in which the information is released.	true	false
ReleaseStatus (string)	Current status of the release. Default release status is "In Progress".	true	false
Priority (string)	Priority of the release.	true	false
InformationRequested (string)	Types of patient medical record documents requested.	true	true
InformationReleased (string)	Types of patient medical record documents released.	true	true
InformationStartDate (string)	This is the starting date (in YYYYMM-DD format) of the date range for which information is requested.	true	false
InformationEndDate (string)	This is the ending date (in YYYYMM-DD format) of the date range for which information is requested.	true	false
RequestedDate (string)	Date the release was requested (in YYYY-MM-DD format). Default value is the current date.	true	false
NeededByDate (string)	Date by which the requester needs the information (in YYYY-MM-DD format).	true	false

Name	Description	Optional ?	Unbounded ?
FulfilledDate (string)	Date a release request was fulfilled (in YYYY-MM-DD format). Default value is today's date.	true	false
NumberOfPages (string)	Number of pages of information released.	true	false
Comments (string)	Additional information associated with a release request.	true	true
PatientRequested (IDType)	Patient associated with the release request.	false	false
PatientDemographics (Demographics)	Patient demographic information to validate the patient record in Epic.	true	false
Requester (IDType)	Identifier of the entity requesting the release. Identifier is used to find the requester record in Epic's Requester database.	true	false
ReleaseType (IDType)	Type of the release. This must be the identifier of the release type record in Epic's release type database.	true	false
IsPatientRecipient (Boolean)	Is the recipient of the release the patient?	true	false
RecipientName (String)	The name of the recipient. This is required only for generic requesters and relations.	true	false

RecipientRelationship (String)	The relationship of the recipient to the patient.	true	false
RequesterRelationship (String)	The relationship of the requester to the patient.	true	false

Name	Description	Optional ?	Unbounded ?
AllRecordsSearch (Boolean)	Should the release include all patient data in the system? By default, this is false and patient information is filtered by InformationStartDate and InformationEndDate .	true	false
BillingWorkflow (String)	What is the billing workflow for the release.	true	false
BillingAddress (Address2)		true	false
Recipient (IDType)		true	false
RecipientSite (String)	The site name for the release address on the ROI Requester record.	true	false
ReleaseAddress (Address2)	The address of the person or entity receiving the release.	true	false
SearchAccount (IDType)	The hospital account record to limit the search for patient information.	true	false
SearchEpisode (IDType)	The episode record to limit the search for patient information.	true	false

AssignedUser (IDType)	The user record that should be assigned to work on the release.	true	false
--------------------------------	---	------	-------

Name	Description	Optional ?	Unbounded ?
ExceptionGroups (IDType)	If the release type uses document templates, the exception group records that should be applied to the release. These are used to allow documentation that is normally filtered from the release to be included. Must be an exception group allowed to be included for the document template. By default, exception groups that are set to always be included on the document template will be included.	true	false
GenerateScreenReaderDocument (String)	If saving a PDF, should the PDF be generated in a screen-reader compatible format?	true	false
FontSize (Int32)	Enter a number for the font size of output. Currently only 14 and 18 font sizes are supported. Enter 0 or leave blank for the default font size.	true	false
CancelHoldReason (String)	The reason a release is being put on hold or cancelled.	true	false

ReleaseToUpdate (Release)	Information about the release to update including the release record and its associated patient.	false	false
------------------------------------	--	-------	-------

Response: UpdateRelease2Response

```
<?xml version="1.0" encoding="utf-16"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
<s:Header>
<ServerMetrics xmlns="Epic.Core.Communication">[{"BlockReads":26,"BlockWrites":11,"BlocksAllocated":0,"DBTime":33,"ECFNetworkTime":2,"ECFRequestCount":0,"ECFRequestTime":35,"GREF":575,"JournalEntries":36,"LocksFailed":0,"LocksGranted":2,"MCommands":8232,"MemoryDifference":266240,"WorkflowEventBlockReads":26,"WorkflowEventDBTime":33,"WorkflowEventECFNetworkTime":0,"WorkflowEventECFRequestCount":0,"WorkflowEventGREF":575}]</ServerMetrics>
</s:Header>
<s:Body>
<UpdateRelease2Response xmlns="urn:Epic-com:Access.2017.Services.Patient">
<UpdateRelease2Result xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
<ErrorCodes i:nil="true" xmlns:a="urn:Epic-com:Access.2014.Services.Patient" />
<UpdateSuccessful>true</UpdateSuccessful>
</UpdateRelease2Result>
</UpdateRelease2Response>
</s:Body>
</s:Envelope>
```

Name	Description	Optional?	Unbounded?
ErrorCodes (ErrorCodes)	Errors that were found during processing the request or in attempting release creation. If errors were found in validating the request, release creation will not be attempted.	false	true
UpdateSuccessful (Boolean)	This is True if the update was successful.	false	false

Types:

IDType

Name	Description	Optional?	Unbounded?
ID (string)	Record ID.	false	false
Type (string)	Record ID type.	false	false

Demographics

Name	Description	Optional?	Unbounded?
------	-------------	-----------	------------

FirstName (string)	Patient's first name.	true	false
LastName (string)	Patient's last name.	true	false
Name	Description	Optional?	Unbounded?
MiddleName (string)	Patient's middle name.	true	false
DateOfBirth (string)	Patient's date of birth (in YYYYMM-DD format).	true	false
NationalIdentifier (string)	Patient's national identifier.	true	false
Sex (string)	Patient's gender.	true	false

Address2

Name	Description	Optional?	Unbounded?
Street (string)	Street address.	true	true
City (string)	City.	true	false
State (string)	State.	true	false
PostalCode (string)	Postal code or ZIP code.	true	false
County (string)	County.	true	false
Country (string)	Country.	true	false
District (string)	District.	true	false
HouseNumber (string)	House number.	true	false
PhoneNumber (string)	Phone number.	true	false
FaxNumber (string)	Fax number.	true	false
AttentionTo (String)	Attention to. The requester or recipient name property should be used if requester or recipient record is not found in the system. This field is specifically for calling out a particular person or entity within an address as the intended recipient.	true	false
Email (String)	Email address. Must be a valid email address.	true	false

Release

Name	Description	Optional?	Unbounded?
ReleaseID (IDType)	The release record ID (ROI).	false	false
AssociatedPatient (IDType)	The patient record on the release. Used to confirm that the correct release ID is provided.	false	false

ErrorCodes

Name	Description	Optional?	Unbounded?
Code (String)	The code for the error.	false	false
Name	Description	Optional?	Unbounded?
Description (String)	The description of the error.	false	false

Faults:

INVALID-PATIENT-ID-TYPE	Patient ID Type is invalid.
INVALID-DATE-OF-BIRTH	Invalid date value.
INVALID-NATIONAL-IDENTIFIER	Invalid value.
NO-PATIENT-FOUND	No patient was found with the provided ID and ID type OR Patient record matching the given patient ID and demographic information is not found.
NO-REQUESTER-FOUND	No requester was found with the provided ID and ID type.
INVALID-REQUESTER-ID-TYPE	Requester ID Type is invalid.
INVALID-FACILITY-ID-TYPE	Facility ID Type is invalid.
INVALID-RELEASE-TYPE-ID-TYPE	Release Type ID Type is invalid.
NO-RELEASE-TYPE-FOUND	No release type was found with the provided ID and ID type. OR Release Type necessary to create the release is not available.
NO-CHART-TYPE-FOUND	Chart Type necessary to create the release is not available.
INFO-STARTDATE-AFTER-ENDDATE	Information end date is prior to information start date.
INVALID-REQUESTED-DATE	Invalid date value.
INVALID-NEEDED-BY-DATE	Invalid date value.
INVALID-FULFILLED-DATE	Invalid date value.
DATE-REQUESTED-AFTER-DATE-FULFILLED	Fulfilled date is prior to the requested date.
INVALID-PURPOSE	Purpose is invalid or could not be resolved to a unique value.
INVALID-REQUESTED-FORMAT	Requested format is invalid or could not be resolved to a unique value.

INVALID-RELEASED-FORMAT	Released format is invalid or could not be resolved to a unique value.
INVALID-RELEASE-STATUS	Release status is invalid or could not be resolved to a unique value. OR Canceled is not a valid release status. OR On Hold is not a valid release status.
INVALID-PRIORITY	Priority is invalid or could not be resolved to a unique value.
INVALID-INFO-REQUESTED	Information Types requested are invalid or could not be resolved to unique values.
INVALID-NUM-PAGES-VALUE	Number of pages is not a valid numeric value. OR Number of pages is less than 0.
INVALID-RELEASE-STATE	Release Address - state is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTY	Release Address - county is invalid or could not be resolved to a unique value.
INVALID-RELEASE-COUNTRY	Release Address - country is invalid or could not be resolved to a unique value.
INVALID-RELEASE-POSTAL-CODE	Invalid value.
INVALID-RELEASE-DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.
INVALID-RELEASE-PHONE-NUMBER	Invalid value.
INVALID-RELEASE-FAX-NUMBER	Invalid value.
INVALID-BILLING-STATE	Billing Address - state is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTY	Billing Address - county is invalid or could not be resolved to a unique value.
INVALID-BILLING-COUNTRY	Billing Address - country is invalid or could not be resolved to a unique value.
INVALID-BILLING-POSTAL-CODE	Invalid value.
INVALID-BILLING-DISTRICT	Release Address - district is invalid or could not be resolved to a unique value.
INVALID-BILLING-PHONE-NUMBER	Invalid value.

INVALID-BILLING-FAX-NUMBER	Invalid value.
RELEASE-CREATION-FAILED	Failed to create a release record.
NOT-LICENSED	The required license is not activated.
INVALID-REQUESTER-RECIPIENT-FACILITY	The requester and recipient must belong to the same ROI service area.
NO-FACILITY	The facility from which the release is requested is not specified.
INVALID-REQUESTER	The ROI requester record specified does not exist under the facility specified.
REQUESTER-IS-PATIENT-ACCOUNT	Only non-patient accounts are accepted.
RELEASE-TO-UNKNOWN-PATIENT	Patient cannot be the requester or recipient if patient is unknown.
INVALID-REQUESTER-RELATION	Name is required if relation to patient.
MISSING-REQUESTER	The name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-REQUESTER	Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient
INVALID-RECIPIENT	The ROI requester record specified does not exist under the facility specified.
RECIPIENT-IS-PATIENT-ACCOUNT	Only non-patient accounts are accepted.
INVALID-RECIPIENT-RELATION	Name is required if relation to patient.
MISSING-RECIPIENT	Name or ROI requester ID is required if not patient.
MUTUALLY-EXCLUSIVE-RECIPIENT	Cannot have an ROI requester ID if is patient Cannot have an ROI requester ID if is relation Cannot have a relationship type if is patient Cannot have a name if is patient

NO-UNKNOWN-PATIENT-RECORD	No unknown patient record defined for this service area.
INVALID-RELEASE-STATUS-FULFILLED-DATE	The release status needs to be fulfilled or complete in order to have a fulfilled date.
INVALID-EXCEPTION-GROUPS	Exception Groups were not valid for the document template configured in the release type.
INVALID-ACCOUNT-ID	Document template search hospital account was not found with the provided ID and ID type.
INVALID-EPISODE-ID	Document template search episode was not found with the provided ID and ID type.
MUTUALLY-EXCLUSIVE-SEARCH-TYPE	Select a date range, hospital account, episode, no records, or all records to select data via document templates.
INVALID-REQUESTER-RELATIONSHIP	RequesterRelationship is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-RELATIONSHIP	RecipientRelationship is invalid or could not be resolved to a unique value.
INVALID-RELEASE-ATTENTION-TO	Attention to exceeded the maximum number of characters: 80.
INVALID-RELEASE-CITY	City exceeded the maximum number of characters: 60.
INVALID-RELEASE-EMAIL	Email is invalid.
INVALID-BILLING-ATTENTION-TO	Attention to exceeded maximum number of characters: 80.
INVALID-BILLING-CITY	City exceeded maximum number of characters: 60.
INVALID-BILLING-EMAIL	Email is invalid.
INVALID-BILLING-WORKFLOW	Billing workflow is invalid or could not be resolved to a unique value.
NO-DEPARTMENT-FOUND	Department was not found with the provided ID and ID type.
INVALID-DEPARTMENT-ID-TYPE	Department ID Type is invalid.
NO-FACILITY-FOUND	Facility was not found with the provided ID and ID type.

NO-RECIPIENT-FOUND	Recipient was not found with the provided ID and ID type.
INVALID-RECIPIENT-ID-TYPE	Recipient ID Type is invalid.
NO-PATIENT-FOUND	Patient was not found with the provided ID and ID type.
ASSIGNED-USER-NOT-FOUND	Assigned user was not found with the provided ID and ID type.
INVALID-ASSIGNED-USER-ID-TYPE	Assigned user ID Type is invalid.
INVALID-ACCOUNT-ID-TYPE	Document template search hospital account ID Type is invalid.
INVALID-EPIISODE-ID-TYPE	Document template search episode ID Type is invalid.
INVALID-RECIPIENT-NAME	Recipient name exceeded maximum number of characters: 160.
INVALID-REQUESTER-NAME	Requester name exceeded maximum number of characters: 160.
INVALID-FONT-SIZE-VALUE	FontSize is not 0, 14, or 18.
INVALID-GENERATE-SCREEN-READER-DOCUMENT	Generate screen reader document is invalid or could not be resolved to a unique value.
INVALID-RECIPIENT-SITE	Recipient site was not found on the ROI Requester record or was inactive.
RELEASE-TYPE-RESTRICTION-ERROR	The release type record restricted the purpose, hold reason, cancel reason, info requested, or requested format provided.
REQUESTER-INFO-NOT-UPDATED	The release request is already fulfilled or closed so the requester's information couldn't be updated.

© 2020 Epic Systems Corporation. All rights reserved. PROPRIETARY INFORMATION - This item and its contents may not be accessed, used, modified, reproduced, performed, displayed, distributed or disclosed unless and only to the extent expressly authorized by an agreement with Epic. This item is a Commercial Item, as that term is defined at 48 C.F.R. Sec. 2.101. It contains trade secrets and commercial information that are confidential, privileged and exempt from disclosure under the Freedom of Information Act and prohibited from disclosure under the Trade Secrets Act. After Visit Summary, Analyst, App Orchard, ASAP, Beacon, Beaker, BedTime, Bones, Breakthe-Glass, Buggy, Caboodle, Cadence, Canto, Care Everywhere, Charge Router, Chronicles, Clarity, Cogito ergo sum, Cohort, Colleague, Comfort, Community Connect, Cosmos, Cupid, Epic, EpicCare, EpicCare Link, Epicenter, Epic Earth, EpicLink, EpicWeb, Garden Plot, Good Better Best, Grand Central, Haiku, Happy Together, Healthy Planet, Hyperspace, Kaleidoscope, Kit, Limerick, Lucy, Lumens, MyChart, OpTime, OutReach, Patients Like Mine, Phoenix, Powered by Epic, Prelude, Radar, Radiant, Resolute, Revenue Guardian, Rover, Share Everywhere, SmartForms, Sonnet, Stork, System Pulse, Tapestry, Trove, Welcome, Willow, Wisdom, With the Patient at Heart, and WorldWise are registered trademarks, trademarks, or service marks of Epic Systems Corporation in the United States of America and/or other countries. Other company, product, and service names referenced herein may be trademarks or service marks of their respective owners. Patents Notice: www.epic.com/patents.