Hypergraph product codes: finite support, unresolved production results

A whole-dissertation replication of Quintavalle (2022)

Abstract

We could not establish the full dissertation findings of Quintavalle on adversarial decoding, logical gates and confinement-based single-shot correction (Quintavalle, 2022): finite tests support several constructions, but the whole-dissertation replication is incomplete. We completed 0 of 4 sustainable threshold estimates, 0 of 2 capacity analyses, 0 of 2 suppression fits, and 0 of 3 random-family analyses. The reported random-family crossing near 2.7% after 16 rounds is not estimated here. Published threshold advantages are 0.18 and 0.12 percentage points; our fitted advantages are not established. Published capacity and suppression contrasts are 6.05 percentage points and 0.76; ours are not established. Exact finite checks and 560,000 reconstructed ReShape trials provide limited support, not universal proofs or complete source-design reproduction. Source-ink and gate-convention gaps prevent interpreting candidate gate discrepancies as established source errors.

Scientific estimand/claim	Published	Ours	Effect magnitude	Direction	Scientific verdict
Adversarial decoding Qualitative	not established	not established	not established	not established	partial
Toric anti-threshold Qualitative	not established	not established	not established	not established	partial
Random (3,4) scaling Qualitative	not established	not established	not established	not established	not established
Logical line basis Qualitative	not established	not established	not established	not established	partial
Round-robin logical gates Qualitative	not established	not established	not established	not established	partial
Adversarial single-shot correction Qualitative	not established	not established	not established	not established	partial
Stochastic single-shot threshold Qualitative	not established	not established	not established	not established	not established
Cubic product confinement Qualitative	not established	not established	not established	not established	partial
Sustainable threshold family No pooled scalar	not established	not established	not established	not established	not established
Toric BP+OSD minus sweep	6.05	not established	not established	not established	not established
Failure-mode repair Qualitative	not established	not established	not established	not established	partial
Beta N0 minus beta N8	0.76	not established	not established	not established	not established
Random-product N16 crossing ∼2.7% No pooled scalar	not established	not established	not established	not established	not established
Complete computing architecture Qualitative	not established	not established	not established	not established	partial

Nonscalar units: qualitative or multicomponent. Published: Chapters 3–6 of Quintavalle (2022); ours: frozen computational evidence. "Qualitative" means no scalar estimand; no scalar tolerance applies. The threshold family retains both component contrasts (0.18, 0.12 percentage points; tolerance 0.01 each). Scalar tolerances: capacity 0.055 percentage points; beta difference 0.01, dimensionless. Positive means the first named quantity exceeds the second. Descriptive point estimates; not equivalence. Sampling uncertainty is separate; no fitted replication contrast is available. "Not established" denotes an unresolved scientific comparison, not evidence of equality.

1 Scientific question and principal findings

We could not establish the full dissertation findings; finite supporting checks yield an incomplete whole-dissertation replication. The exact completion counts are 0 of 4 sustainable threshold estimates, 0 of 2 capacity analyses, 0 of 2 suppression fits, and 0 of 3 random-family analyses. The question is whether hypergraph product constructions support reliable decoding, logical operations and correction with noisy measurements. The evidence answers some finite construction questions, while leaving the production performance and universal guarantees unestablished.

The published numerical targets are heterogeneous. Chapter 5 Table II reports surface thresholds of 3.08(0.04)% and 2.90(0.01)%, and toric thresholds of 2.90(0.02)% and 2.78(0.02)%, for matching plus belief propagation with ordered statistics decoding (BP+OSD) versus BP+OSD twice. Their differences are 0.18 and 0.12 percentage points; the two topologies have no justified pooled contrast. Table I gives toric capacity 21.55(0.01)% versus a cited sweep-decoder value of 15.5%; the 6.05-point contrast is inherited from that source comparison, not a new evaluation of sweep decoding. The text reports approximately 21.6% for each capacity family. Appendix E gives suppression exponents 1.91(0.03) and 1.15(0.03), a difference of 0.76 (Quintavalle, 2022, Ch. 5, Tables I–II, Fig. 3, Appendix E). None has a corresponding fitted estimate here. Chapter 5 Table III and Figure 4 report random-product parameters [[1336,4,6]], [[3100,5,8]] and [[5964,6,10]], with an approximate crossing near 2.7% after 16 rounds. We estimated none of these performance curves or their crossing; the tuples and approximate crossing have no justified pooled scalar.

2 What we did ourselves, and what we took from others

Our contribution is an independent finite computational audit and reconstructed simulation, not a new universal proof. The dissertation supplies the constructions, theorem statements, designs and published results. Original C++ single-shot code supplies BP+OSD behavior; our wrapper supplies reconstructed settings and timed stopping. Independent binary linear algebra, sparse tensor construction and computational-basis phase calculations check different representations of the same objects.

The finite decoding census passes 1,061 below-half-distance phase errors on six named instances and classifies all 8,192 planar3 and 256 toric2 patterns. Failures outside the guarantee are retained. All 256 ordered pairs of binary 2-by-2 seeds pass the finite logical-basis check. All nine symmetric-code rows agree in length, dimension, seed distance and maximum stabilizer weight; quantum distance is inherited from the cited theorem, not exhaustively established. These are our calculations in `results/exact_checks.json`.

The independent 3D construction matches all 19 available original check and metacheck matrices entry for entry. The 12-qubit surface instance has 4,096 error words and 128 syndrome classes; 31,232 syndrome/noise checks pass the finite residual-bound diagnostic. These finite checks do not establish the general confinement theorems or stochastic threshold. Evidence is in `results/independent_checks.json` and `results/exact_checks.json`.

3 Decoding under stochastic noise

Reconstructed ReShape simulations support unfavorable size scaling in part of the toric grid, but do not recreate Figure 4. At physical error probability 0.03, failure fractions are 0.0596, 0.0623, 0.0714 and 0.1828 for sizes 6, 8, 10 and 20. Each of 56 settings has 10,000 trials, split equally between uniform and binomial generators. The seed is 20261103. `results/toric_noise.json` contains individual Wilson

intervals and approximate simultaneous intervals using a 56-cell Bonferroni adjustment. The Wilson construction (Wilson, 1927) and the per-interval significance allocation described by NIST/SEMATECH (n.d.) yield approximate adjusted intervals, not exact finite-sample family coverage. Wilson bibliographic metadata was publisher-verified; the original scan was not text-readable in this environment. These describe our binomial sampling error only; source uncertainty and reconstruction uncertainty are not quantified. The exact probability grid, random-family seeds and tie conventions were not recovered.

The original BP+OSD-twice program supports a finite repair benefit at high measurement noise. At data error 0.1 and measurement error 0.03, failure counts are 617 without repair and 72 with repair, each out of 10,000 trials. This is a reconstructed one-cycle diagnostic followed by the program's final perfect-measurement round with fresh data noise. It is neither the source's unrecovered production depth nor a sustainable threshold estimate. Eight conditions cover four measurement rates and both repair choices; low-rate outcomes are retained in `results/original_diagnostic_grid.json`. No source-wide significance claim is made.

4 Logical operations and provisional discrepancies

The square gates pass phase-sensitive finite stabilizer checks, while sibling gates require source review. Literal sibling Hadamard-SWAP fails 18 support checks for the cyclic three-bit repetition seed under the weaker equality-of-images condition. Truly symmetric matrices remove that support failure. Literal sibling CZ produces 16 negative stabilizer images in the 98-qubit Hamming construction; independent computational-basis phases confirm those signs. A Z-Pauli correction repairs the signs for symmetric seeds but changes the implemented gate. These are candidate source-comparison gaps, not established author errors.

The diagonal-twin Z-sector distances are 3, 2 and 3 for planar3, toric2 and toric3. Treating the extracted floor-distance expression as a lower bound rather than equality changes the comparison; the source ink and full sector conventions are not certified. Separately, 361 round-robin support-size schedules and 256 ideal logical-pair actions pass. Neither noisy intermediate correction nor a fault-tolerant gate threshold was tested. Two ideal injection branches are related diagnostics, not a certification of image-only source wiring. `results/independent_checks.json` records the independent checks.

5 Assumptions

5.1 Reconstructed probability grid and generators

We supplied a toric grid and random seed because original simulation inputs were not recovered. Equal generator allocation is our diagnostic choice. Off-tie agreement between generic binary decoding and batched recurrence does not settle even-distance tie or complement conventions.

5.2 Finite scope in place of universal enumeration

We restrict algebraic checks to named instances and a complete small seed census. Finite success supports implementation consistency, not general correctness, asymptotic complexity or hardware scalability.

5.3 Reconstructed single-shot depth

We used one noisy cycle for the failure-mode grid and eight cycles for timing pilots. These settings do not establish the source's production design. Original surface and toric BP defaults are retained, rather than silently standardized.

6 Ambiguities that were resolved

6.1 Sparse rank calculation

A rank discrepancy arose because our sparse representation treated explicitly stored zeros as ones. Removing explicit zeros restores agreement on all 19 archived instances. This was our implementation defect, resolved by the independent matrix comparison in `results/independent_checks.json`.

6.2 Reduced error weight

The residual-bound check uses minimum weight among all errors with the same syndrome, as defined in the source. Minimization only modulo stabilizers would answer a different question. The 4,096-word census implements the same-syndrome definition and underlies the 31,232 finite checks.

6.3 Support preservation versus phase preservation

A support-only gate test is insufficient. Independent basis-state phases reproduce the sibling-CZ sign failures, so a single Pauli conjugation implementation is not the leading remaining explanation. Source ink, coordinate conventions and Pauli-frame conventions still require review.

7 What remains unresolved

The largest source gap is the unavailable original PDF ink. Browser text covers 122 pages, but PDF-byte download and screenshots failed under this environment's access policy. The first settling artifact is thesis PDF pages 66–68 (zero-based), followed by gate and Pauli-frame conventions or original implementation. Text extraction or convention mismatch ranks ahead of an established source error because these checks are missing. A later author HTML version corroborates text but cannot replace source-page inspection.

The largest numerical gap combines missing inputs and measured cost. Surface size 11, random-code seeds, raw figure grids, fitting notebooks and the matching first-stage implementation were not recovered. Surface and toric size-5 eight-cycle pilots completed ten trials in 0.165 and 0.366 seconds, respectively. Toric size 11 completed nine trials before a 180-second cap. At that throughput, one 10,000-trial point costs approximately 55.6 CPU-hours, before larger cycle counts, full grids or the source's minimum 25-failure rule. This is an approximate throughput extrapolation, dependent on error rate, not a full resource budget. At most two CPU processes ran concurrently. Unbounded production runs were stopped with missing inputs unresolved; pilots cannot be substituted for fitted thresholds. `results/original_pilots.json` records attempts and outcomes.

Universal proof gaps are separate from computational cost. Chapter 3 complement, homology and correctness appendices received finite construction checks. Chapter 4 triangular reduction was checked through independently computed line pairing. Chapter 5 percolation, inheritance and expander ar-

guments were inventoried but not independently re-proved or formalized. The nonlinear-confinement stochastic question and complete scalable architecture remain open within this replication.

8 Code and source availability

The dated ledger `availability.md` records what was obtained on 2026-11-03. The thesis text extraction is bundled, but the actual source PDF is not. Original single-shot C++ source and its historical BP+OSD dependency were obtained without source changes; the dependency revision is `74f86d3ef00f04bbb90a043dfef52e92a091f4d3`. Searches did not identify additional verified supplements; coverage was incomplete and no author was contacted. The local access restriction is not a statement that the thesis is globally unavailable.

9 Next steps

Recover the thesis source pages and gate conventions first, then rerun support and phase comparisons under verified coordinates. Obtain the surface size-11 matrices, matching implementation, original random seeds and full numerical grid before spending the measured production budget. Refit all four sustainable thresholds, both capacity analyses and both suppression exponents, retaining the original denominators and uncertainty rules. Formal proofs require a separate mathematical argument or formalization; larger finite tests alone cannot settle them.

A Complete claim inventory

Every one of the 41 packet claims is accounted for below. "Partial" is a scope verdict, not a scalar magnitude match. Generic documentary entries do not imply an independent proof. Source locators refer to Quintavalle (2022); PDF indices in the saved extraction are zero-based. Each entry links its supporting evidence and regeneration route in Appendix B.

A.1 ch1: Context and notation

Source: Ch1. Context and notation.

Our evidence: Background notation was inventoried. No original empirical or theorem result was independently assessed for this introductory chapter.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: `sources/browser-extraction.txt`, `research-notes.md`, `availability.md`.

A.2 ch2: Motivation and overview

Source: Ch2. Motivation and overview.

Our evidence: The three research questions were mapped to Chapters 3–5. Architectural motivation was inventoried; no demonstrated device was assessed.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: `sources/browser-extraction.txt`, `research-notes.md`, `availability`

.md.

A.3 ch3: ReShape decoding

Source: Ch3. ReShape decoding.

Our evidence: The chapter was covered through the decoding checks and stochastic comparisons described in Section 3 and entries A.7–A.12. This chapter-level entry is an inventory record, not another independent result.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability .md.

A.4 ch4: Logical gates

Source: Ch4. Logical gates.

Our evidence: The chapter was covered through the finite basis and gate checks described in Section 4 and entries A.13–A.22. No general noisy gate guarantee was established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability .md.

A.5 ch5: Confinement and single-shot correction

Source: Ch5. Confinement and single-shot correction.

Our evidence: The chapter was covered through finite confinement and matrix checks, diagnostic simulations, and the explicitly unrun production fits. This inventory entry contributes no separate performance estimate.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability .md.

A.6 ch6: Outlook

Source: Ch6. Outlook.

Our evidence: Open architectural questions were inventoried. A complete scalable computing architecture was not independently demonstrated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability .md.

A.7 reshape-canonical: Canonical decomposition and quotient invariant

Source: Dissertation: Canonical decomposition and quotient invariant. Canonical decomposition and quotient invariant.

Our evidence: For all256 binary2x2 seed pairs and six named examples, structural assertions verify CSS commutation, ranks, complete symplectic line pairing and complement dimensions; no independent universal proof audit completed.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.8 reshape-correctness: Adversarial decoding and shaped errors

Source: Ch3 Theorem 1, Corollary 2; PDF49–50. Corrects phase errors below half distance; shaped-error extension.

Our evidence: 1061 guaranteed-range errors pass; 8448 exhaustive patterns classified. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.9 reshape-cost: Oracle and classical resource bounds

Source: Dissertation: Oracle and classical resource bounds. Oracle and classical resource bounds.

Our evidence: The oracle-call and classical complexity statements were inventoried only. No independent asymptotic proof or complexity benchmark was completed.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.10 reshape-examples: Figures 1–3 illustrative constructions

Source: Dissertation: Figures 1–3 illustrative constructions. Figures 1–3 illustrative constructions.

Our evidence: Repetition-based planar3/5 and toric2/3 constructions checked algebraically; 8192 planar3 and256 toric2 errors classified. Image-only worked examples not independently visually verified.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.11 reshape-toric: Figure 4 toric anti-threshold

Source: Ch3 Figure 4; PDF51–52. Toric ReShape performance worsens with size at substantial stochastic noise.

Our evidence: 560000 trials on reconstructed 56-setting grid; at p=.03 failure .0596,.0623,.0714,.1828 for L6,8,10,20. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/toric_noise.json, research-notes.md, availability.md.

A.12 reshape-random: Figure 4 random (3,4) family

Source: Ch3 Figure 4; PDF51–52. Random (3,4) family exhibits unfavorable stochastic scaling.

Our evidence: Not estimated. **Scope/status:** blocked.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.13 line-basis: Canonical logical line basis

Source: Ch4 Theorem 1 and Appendix A. Canonical paired line-supported logical basis.

Our evidence: All 256 seed pairs and named examples satisfy finite basis checks. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.14 diagonal-partition: Diagonal-twin partition distance

Source: Ch4 diagonal-twin partition. Extracted floor(d/2) partition-distance expression.

Our evidence: Z-sector distances 3,2,3 on planar3,toric2,toric3; equality versus bound/source ink unresolved. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/independent_checks.json, research-notes.md, availability.md.

A.15 square-hswap: Square Hadamard-SWAP

Source: Dissertation: Square Hadamard-SWAP. Square Hadamard-SWAP.

Our evidence: All stabilizer generators and logical X/Z images pass phase-sensitive square H-SWAP assertions for planar3,planar5,toric2,toric3,Hamming65,Hamming98. No universal proof certified.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.16 square-czs: Square CZ-S

Source: Dissertation: Square CZ-S. Square CZ-S.

Our evidence: All stabilizer generators and logical X/Z images pass square CZ-S checks in the six named cases, including right-sector S dagger phases. No universal proof certified.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.17 sibling-partition: Symmetric sibling partition distance

Source: Dissertation: Symmetric sibling partition distance. Symmetric sibling partition distance.

Our evidence: Exact finite Z-sector sibling distances computed for toric2 and toric3; X-sector and general partition theorem not certified. Values in independent_checks.json partition_distances.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.18 sibling-hswap: Sibling Hadamard-SWAP

Source: Ch4 sibling Hadamard-SWAP proposition. Sibling H-SWAP under symmetry condition.

Our evidence: Weak image symmetry toric3 fails 18 support checks; truly symmetric matrices pass; pending source review. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.19 sibling-cz: Sibling CZ

Source: Ch4 sibling CZ proposition. Sibling CZ preserves encoded space.

Our evidence: 16 negative stabilizer images in Hamming98, confirmed by independent basis phases; pending source-ink/convention review. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/independent_checks.json, research-notes.md, availability.md.

A.20 gate-examples: Hamming and toric examples

Source: Dissertation: Hamming and toric examples. Hamming and toric examples.

Our evidence: 65-qubit code has17 logical qubits;98-qubit code has32. Exact algebra verifies line bases; source gate failures separately retained. All9 appendix parameter rows computed; no exhaustive quantum-distance certification.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.21 pieceable: Round-robin entangling gates

Source: Ch4 Section 4. Pieceable round-robin logical entangling gates.

Our evidence: 361 schedules and 256 ideal logical pair actions pass; noisy intermediate correction untested. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/independent_checks.jso

n, research-notes.md, availability.md.

A.22 injection: Single-qubit injection and universality

Source: Dissertation: Single-qubit injection and universality. Single-qubit injection and universality.

Our evidence: Conventional ideal S and T injection gadgets each pass two branch checks with conditional phase corrections. Source image-only wiring and noisy injection not verified; this is a related diagnostic.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.23 confinement-adversarial: Confinement implies adversarial single-shot correction

Source: Ch5 Theorem 1, Lemma 1. Confinement implies adversarial single-shot correction.

Our evidence: 31232 finite syndrome/noise checks on 12-qubit surface instance pass. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.24 confinement-stochastic: Linear confinement implies stochastic single-shot threshold

Source: Ch5 Theorem 2, Appendix A. Linear confinement implies stochastic single-shot threshold.

Our evidence: Not estimated. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.25 confinement-product: Cubic confinement of 3D products

Source: Ch5 Theorem 3, Appendix C. 3D products have cubic confinement f(x)=xˆ3/4 under stated distance conditions.

Our evidence: 4096 finite error words checked; universal proof not reproduced. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.26 confinement-expander: Soundness and expander confinement

Source: Dissertation: Soundness and expander confinement. Soundness and expander confinement.

Our evidence: Chapter 5 Appendix D was inventoried only. Its expander and soundness argument was not independently re-proved or formalized.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.27 product-construction: 3D chain complex and locality

Source: Ch5 Appendix B. 3D tensor chain complexes and metachecks.

Our evidence: All 19 available original Hx/metacheck matrices match independent construction entry for entry. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/independent_checks.json, research-notes.md, availability.md.

A.28 single-shot-algorithm: Two-stage decoding and invalid syndromes

Source: Dissertation: Two-stage decoding and invalid syndromes. Two-stage decoding and invalid syndromes.

Our evidence: Pinned original BP+OSD twice decoder built and executed in4 pilots and8 reconstructed diagnostic conditions of10000trials each. Independent tensor check matches19 original matrices; exact source production design not recovered.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.29 threshold-table: Four sustainable threshold estimates

Source: Ch5 Table II. Sustainable thresholds: surface MWPM/BPOSD 3.08(.04)%, BPOSD twice 2.90(.01)%; toric 2.90(.02)%, 2.78(.02)%.

Our evidence: Not estimated. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/original_pilots.json, research-notes.md, availability.md.

A.30 capacity: Code-capacity threshold and prior-decoder comparison

Source: Ch5 Table I, Figure 3. Toric BP+OSD 21.55(.01)% versus literature sweep 15.5%; surface approximately 21.6%.

Our evidence: Not estimated. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/original_pilots.json, research-notes.md, availability.md.

A.31 failure-subroutine: Figure 2 failure-mode improvement

Source: Ch5 Figure 2. Syndrome failure repair improves logical performance at high measurement noise.

Our evidence: At q=.03, 617 versus 72 failures in 10000 trials each; reconstructed depth N1. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/original_diagnostic_grid.json, research-notes.md, availability.md.

A.32 suppression: Below-threshold exponents

Source: Ch5 Appendix E. Suppression beta 1.91(.03) at N0 and 1.15(.03) at N8.

Our evidence: Not estimated. **Scope/status:** not established.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/original_pilots.json, research-notes.md, availability.md.

A.33 nontopological: Random-product single-shot performance

Source: Ch5 Table III, Figure 4. Three random product codes [[1336,4,6]], [[3100,5,8]], [[5964,6,10]]; N16 crossing about 2.7%.

Our evidence: Not estimated. **Scope/status:** blocked.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/original_pilots.json, research-notes.md, availability.md.

A.34 fit-methods: Appendix E thresholds and suppression fits

Source: Dissertation: Appendix E thresholds and suppression fits. Appendix E thresholds and suppression fits.

Our evidence: Appendix E fit equations and dependencies were inventoried. No threshold or suppression fit was independently completed because adequate comparable production data were not generated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.35 limitations: Limits of a complete HGP computing architecture

Source: Ch6 and Ch3–5 discussions. No complete demonstrated scalable computing architecture.

Our evidence: Open nonlinear-confinement threshold, restricted gates and noisy gate performance remain unresolved. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability

.md.

A.36 symmetric-table: Chapter 4 Appendix B Table 2: all nine symmetric codes

Source: Ch4 Appendix B Table 2. Nine symmetric HGP parameter rows.

Our evidence: 9 of 9 n,k,seed distance,maxweight rows agree; quantum distance inherited, not exhaustively established. **Scope/status:** partly replicated.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, results/exact_checks.json, research-notes.md, availability.md.

A.37 parallel-overhead: Pieceable parallelism and overhead

Source: Dissertation: Pieceable parallelism and overhead. Pieceable parallelism and overhead.

Our evidence: 361 support-size pairs1..19 pass complete pair coverage and collision-free scheduling. Ideal logical action checked for256 Hamming98 left/right pairs. Syndrome-extraction overhead and noisy intermediate correction unmeasured.

Boundary: Finite or reconstructed tests; original figure grids and source ink unresolved. No universal theorem certified. Evidence: sources/browser-extraction.txt, research-notes.md, availability.md.

A.38 random-code1: Random-product code1

Source: Ch5 Table III, Figure 4. [[1336,4,6]].

Our evidence: Not estimated. The original random inputs and production grid were not recovered. This is blocked evidence, not numerical disagreement. See availability.md. No independent reconstruction of the original performance analysis was completed.

A.39 random-code2: Random-product code2

Source: Ch5 Table III, Figure 4. [[3100,5,8]].

Our evidence: Not estimated. The original random inputs and production grid were not recovered. This is blocked evidence, not numerical disagreement. See availability.md. No independent reconstruction of the original performance analysis was completed.

A.40 random-code3: Random-product code3

Source: Ch5 Table III, Figure 4. [[5964,6,10]].

Our evidence: Not estimated. The original random inputs and production grid were not recovered. This is blocked evidence, not numerical disagreement. See availability.md. No independent reconstruction of the original performance analysis was completed.

A.41 random-crossing: Random-product crossing

Source: Ch5 Table III, Figure 4. 2.7.

Our evidence: Not estimated. The original random inputs and production grid were not recovered. This is blocked evidence, not numerical disagreement. See availability.md. No independent reconstruction of the original performance analysis was completed.

B Artifacts and reproduction recipe

The artifact links below are master navigation aids. Newly delivered files may not yet resolve remotely; the local study directory is the available bundle. The verified computational reproduction revision is a18f642710aa192bdaa9f0dc4c68cb32bb08895c; it contains the code and inputs, while this manuscript is delivered separately. Historical planning revisions 37d61d0b and bde0771d are provenance only, not asserted runnable reproduction targets. Rebuilding this report from saved outputs, rerunning simulations and reacquiring source PDF ink are different operations.

Run commands from `formalization/quintavalle-hgp`. Report build: `cd paper`; run `pdflatex -interaction=nonstopmode manuscript.tex` twice. The descriptive PDF is copied from the resulting `manuscript.pdf`. This consumes saved results and does not rerun science. Editable references are in paper/references.tex.

Exact checks: `python3 analysis/verify.py`; output results/exact_checks.json. Independent checks: `python3 analysis/independent_checks.py UPSTREAM`; output results/independent_checks.json. ReShape: `python3 analysis/toric_noise.py`; output results/toric_noise.json, seed 20261103. Original diagnostics: `python3 analysis/upstream_runs.py UPSTREAM --suite`; output results/original_diagnostic_grid.json. Pilots: omit `--suite`; output results/original_pilots.json. UPSTREAM is `vendor/single_shot_3D_HGP`, the local original repository with its pinned dependency, code matrices and compiled `build/single_shot_hgp3d`. Missing surface size 11 remains an expected missing-input outcome. The wrapper saves each completed condition and raw logs, caps each job at 180 seconds, and does not implement automatic resume; rerunning can overwrite output. Preserve the frozen results before rerunning.

The diagnostic seeds are `20261103 + 100*i + repair`, where `i=0,1,2,3` selects measurement rates 0.005, 0.01, 0.02 and 0.03. Pilot seeds are `20261103+i` for surface5, toric5, surface11 and toric11. Exact checks are deterministic. Python, NumPy and SciPy supply binary and sparse numerical operations; Matplotlib renders the simulation plot; original C++ implements the inherited decoder. The reproduction environment pins NumPy 2.3.5, SciPy 1.17.0, Matplotlib 3.10.8, PyYAML 6.0.3, PyMuPDF 1.26.6 and CMake 4.4.4 in requirements.txt. Use Python 3.11 or newer. These are reproduction versions, not asserted original thesis versions. The accepted engine preflight uses model-specific binary algebra and original C++; SEM engines are inapplicable.

Script navigation: analysis/verify.py; analysis/independent_checks.py; analysis/toric_noise.py; analysis/upstream_runs.py. Documentary claims consume sources/browser-extraction.txt and research-notes.md; they have no command that generates a missing proof or original observation. The inventory's artifact assignments give a per-claim route to these commands. Re-extracting the thesis requires access to the public source URL and is not equivalent to possessing original PDF bytes.

C Compliance and interpretation ledger

Requirement	Status	Evidence or departure reason

Whole-dissertation scope	followed	41-claim inventory; exact incomplete fit counts in abstract and body.
Verdict and magnitude separate	followed	First-page table; qualitative propositions have no invented scalar.
Original source ink	departed	Text obtained; original rendered PDF inaccessible locally. Gate comparisons remain provisional.
Universal theorem verification	departed	Finite checks only; no universal proof or formal certificate.
Scholarly source citation	followed	Thesis cited at first attribution and throughout, with source locators.
Method citation metadata	followed	Wilson publisher metadata and NIST official methodological reference verified; approximate coverage and scan-reading limit stated.
Computational reproduction revision	followed	Code and inputs: a18f6427; new report delivered locally, master links navigation only.
Reproduction software versions	followed	Requirements pinned; original decoder and BP+OSD revisions retained.
Rendering engine	followed	pdfLaTeX with approved article preamble; actual build logged locally.

References

Quintavalle, Armanda Ottaviano (2022). *Hypergraph product codes: a bridge to scalable quantum computers*. PhD dissertation, University of Sheffield. https://etheses.whiterose.ac.uk/id/eprint/32300/. Bibliographic identity and chapter locators verified from browser text; original PDF ink unavailable locally.

Wilson, E. B. (1927). Probable Inference, the Law of Succession, and Statistical Inference. *Journal of the American Statistical Association*, 22(158), 209–212. https://doi.org/10.1080/01621459.1927.10502953.

NIST/SEMATECH (n.d.). Bonferroni's method. *e-Handbook of Statistical Methods*, Section 7.4.7.3. https://itl.nist.gov/div898/handbook/prc/section4/prc473.htm. Accessed 3 November 2026.