

Etna: interaction-test sensitivity

C: Soil CO ₂ T: Past local seismicity	S1 · HMML · d=1	–	–	–	–	–
	S1 · HMML · d=2	–	–	–	–	–
	S1 · HMML · d=5	–	+	+	+	+
C: Past local seismicity T: Soil CO ₂	S1 · HMML · d=12	–	–	–	–	–
	S1 · HMML · d=1	+	+	+	+	+
	S1 · HMML · d=2	+	+	+	+	+
C: Past local seismicity T: Soil CO ₂	S1 · HMML · d=3	+	+	+	+	+
	S1 · HMML · d=12	+	–	–	–	–
	S1 · HMML · d=1	+	+	+	+	+
C: Past local seismicity T: Teleseismic-band RMS	S1 · HMML · d=2	+	+	+	+	+
	S1 · HMML · d=3	+	+	+	+	+
	S1 · HMML · d=4	+	+	+	+	+
C: Past local seismicity T: Teleseismic-band RMS	S1 · HMML · d=5	+	+	+	+	+
	S1 · HMML · d=6	+	+	+	+	+
	S1 · HMML · d=7	+	+	+	+	+
C: Past local seismicity T: Teleseismic-band RMS	S1 · HMML · d=8	+	+	+	+	+
	S1 · HMML · d=9	+	+	+	+	+
	S1 · HMML · d=10	+	+	+	+	+
C: Past local seismicity T: Teleseismic-band RMS	S1 · HMML · d=11	+	+	+	+	+
	S1 · PCMCI · d=8	+	+	+	+	+
	S1 · PCMCI · d=9	+	+	+	+	+
C: Teleseismic-band RMS T: Past local seismicity	S1 · HMML · d=8	+	+	+	+	+
	S1 · HMML · d=10	+	+	+	+	+
	S1 · PCMCI · d=9	–	–	–	–	–
		Classification F-test	Hierarchical F-test	Newey-West, L=6 h	Newey-West, L=12 h	Newey-West, L=24 h
		Not evaluable	p>0.05	p≤0.05	After BH	

+/- shows the interaction-coefficient sign; Newey-West tests use the hierarchical model.