## 1.tb\_login

Primary key: login\_id

No	Field Name	Datatype	Key Constraints	Description
1	login_id	int(5)	PRIMARY KEY	Unique id to login
2	login_email	varchar(25)		Email id of all users
3	login_pass	varchar(50)		Password of each users
4	role	int(5)		Role of users(0,1,2)
5	status	varchar(50)		Status of user(0 or 1)

## 2.tb\_customer

Primary key: c\_id

Foreign keys: login\_id

No	Field Name	Datatype	Key Constraints	Description
1	c_id	int(5)	PRIMARY KEY	Unique id for customers
2	login_id	int(5)	FOREIGN KEY	Unique id to login
3	c_name	varchar(20)		Customer name
4	c_gender	varchar(10)		Gender of customers
5	c_dob	date		Customer Date of birth
6	c_phone	varchar(16)		Customer phone

# 3.tb\_driver

Primary key: **d\_id** 

Foreign keys: login\_id

No	Field Name	Datatype	Key Constraints	Description
1	d_id	int(5)	PRIMARY KEY	Unique id for driver
2	login_id	int(5)	FOREIGN KEY	Unique id to login
3	d_name	varchar(20)		Driver name
1	d_gender	varchar(10)		Gender of drivers
5	d_dob	date		Driver Date of birth
5	d_phone	varchar(16)		Driver phone
7	d_licno			Driver licno

8	d_expdate	Driver licence expiry	
		date	

# 4.tb\_cabtype

Primary key: cabtype\_id

No	Field Name	Datatype	Key Constraints	Description
1	cabtype_id	int(5)	PRIMARY KEY	Unique id of cabtype
2	cabtype	varchar(25)		Type of cab

### 5.tb\_cab

Primary key: cab\_id

Foreign keys: cabtype\_id

No	Field Name	Datatype	Key Constraints	Description
1	cab_id	int(5)	PRIMARY KEY	Unique id of cab
2	cabtype_id	int(5)	FOREIGN KEY	Unique id of cabtype
3	cab_name	varchar(25)		Cab;s name
4	avail_no	int(5)		Available numberb of cabs

# 6.tb\_route

Primary key: route\_id

No	Field Name	Datatype	Key Constraints	Description
1	route_id	int(5)	PRIMARY KEY	Unique id of the route
2	pickup_place	int(5)		Pickup location
3	dropoff_place	int(5)		Dropoff location
4	distance	int(10)		Distance from source and destination

### 7.tb\_book

Primary key: book\_id

Foreign keys: c\_id, d\_id, cab\_id, route\_id

No	Field Name	Datatype	Key Constraints	Description
1	book_id	int(5)	PRIMARY KEY	Unique id for booking
2	c_id	int(5)	FOREIGN KEY	Unique id of customer
3	d_id	int(5)	FOREIGN KEY	Unique id of driver
4	cab_id	int(5)	FOREIGN KEY	Unique id of cab
5	route_id	int(5)	FOREIGN KEY	Unique id of route
6	book_time	time		Time of booking
7	book_date	date		Date of booking

### 8.tb\_payment

Primary key: **p\_id** 

Foreign keys: book\_id

No	Field Name	Datatype	<b>Key Constraints</b>	Description
1	p_id	int(5)	PRIMARY KEY	Unique id for payment
2	book_id	int(5)	FOREIGN KEY	Unique id for booking
3	p_type	Varchar(10)		Type of payment
4	p_status	int(5)		Payment status(0 or 1)

### $9.tb\_chatbot$

Primary key: chat\_id

Foreign keys:  $c\_id$ 

No	Field Name	Datatype	Key Constraints	Description
1	chat_id	int(5)	PRIMARY KEY	Unique id for chatbot
2	c_id	int(5)	FOREIGN KEY	Unique id for customer

3	chat_queries	Varchar(50)	Queries asked
4	chat_replies	Varchar(50)	Replies given

## 10.tb\_suggest

Primary key: suggest\_id

Foreign keys: **c\_id**, **route\_id** 

No	Field Name	Datatype	Key Constraints	Description
1	suggest_id	int(5)	PRIMARY KEY	Unique id for chatbot
2	book_id	int(5)	FOREIGN KEY	Unique id for customer
3	rate_val	Number(6,4)		Rating values

# ${\bf 11.tb\_offers}$

Primary key: offer\_id

Foreign keys:  $c_id$ ,  $p_id$ 

No	Field Name	Datatype	Key Constraints	Description
1	offer_id	int(5)	PRIMARY KEY	Unique id for offers
2	p_id	Int(5)	FOREIGN KEY	Unique id for route
3	offer_status	Int(6)		Status of offer given