

1.tb_login

Primary key: **login_id**

No	Field Name	Datatype	Key Constraints	Description
1	login_id	int(5)	PRIMARY KEY	Unique id to login
2	login_email	varchar(25)		Email id of all users
3	login_pass	varchar(50)		Password of each users
4	role	int(5)		Role of users(0,1,2)
5	status	varchar(50)		Status of user(0 or 1)

2.tb_customer

Primary key: **c_id**

Foreign keys: **login_id**

No	Field Name	Datatype	Key Constraints	Description
1	c_id	int(5)	PRIMARY KEY	Unique id for customers
2	login_id	int(5)	FOREIGN KEY	Unique id to login
3	c_name	varchar(20)		Customer name
4	c_gender	varchar(10)		Gender of customers
5	c_dob	date		Customer Date of birth
6	c_phone	varchar(16)		Customer phone

3.tb_driver

Primary key: **d_id**

Foreign keys: **login_id**

No	Field Name	Datatype	Key Constraints	Description
1	d_id	int(5)	PRIMARY KEY	Unique id for driver
2	login_id	int(5)	FOREIGN KEY	Unique id to login
3	d_name	varchar(20)		Driver name
4	d_gender	varchar(10)		Gender of drivers
5	d_dob	date		Driver Date of birth
6	d_phone	varchar(16)		Driver phone
7	d_licno			Driver licno

8	d_exptime			Driver licence expiry date
---	-----------	--	--	----------------------------

4.tb_cabtype

Primary key: **cabtype_id**

No	Field Name	Datatype	Key Constraints	Description
1	cabtype_id	int(5)	PRIMARY KEY	Unique id of cabtype
2	cabtype	varchar(25)		Type of cab

5.tb_cab

Primary key: **cab_id**

Foreign keys: **cabtype_id**

No	Field Name	Datatype	Key Constraints	Description
1	cab_id	int(5)	PRIMARY KEY	Unique id of cab
2	cabtype_id	int(5)	FOREIGN KEY	Unique id of cabtype
3	cab_name	varchar(25)		Cab;s name
4	avail_no	int(5)		Available numberb of cabs

6.tb_route

Primary key: **route_id**

No	Field Name	Datatype	Key Constraints	Description
1	route_id	int(5)	PRIMARY KEY	Unique id of the route
2	source	int(5)		Pickup location
3	destination	int(5)		Dropoff location
4	distance	int(10)		Distance from source and destination

7.tb_book

Primary key: **book_id**

Foreign keys: **c_id, d_id, cab_id, route_id**

No	Field Name	Datatype	Key Constraints	Description
1	book_id	int(5)	PRIMARY KEY	Unique id for booking
2	c_id	int(5)	FOREIGN KEY	Unique id of customer
3	d_id	int(5)	FOREIGN KEY	Unique id of driver
4	cab_id	int(5)	FOREIGN KEY	Unique id of cab
5	route_id	int(5)	FOREIGN KEY	Unique id of route
6	book_time	time		Time of booking
7	book_date	date		Date of booking

8.tb_payment

Primary key: **p_id**

Foreign keys: **book_id**

No	Field Name	Datatype	Key Constraints	Description
1	p_id	int(5)	PRIMARY KEY	Unique id for payment
2	book_id	int(5)	FOREIGN KEY	Unique id for booking
3	p_type	Varchar(10)		Type of payment
4	p_status	int(5)		Payment status(0 or 1)

9.tb_chatbot

Primary key: **chat_id**

Foreign keys: **c_id**

No	Field Name	Datatype	Key Constraints	Description
1	chat_id	int(5)	PRIMARY KEY	Unique id for chatbot
2	c_id	int(5)	FOREIGN KEY	Unique id for customer

3	chat_queries	Varchar(50)		Queries asked
4	chat_replies	Varchar(50)		Replies given

10.tb_suggest

Primary key: **suggest_id**

Foreign keys: **c_id, route_id**

No	Field Name	Datatype	Key Constraints	Description
1	suggest_id	int(5)	PRIMARY KEY	Unique id for chatbot
2	c_id	int(5)	FOREIGN KEY	Unique id for customer
3	route_id	Int(5)	FOREIGN KEY	Unique id for route
4	rate_val	Number(6,4)		Rating values

10.tb_offers

Primary key: **offer_id**

Foreign keys: **c_id, p_id**

No	Field Name	Datatype	Key Constraints	Description
1	offer_id	int(5)	PRIMARY KEY	Unique id for offers
2	c_id	int(5)	FOREIGN KEY	Unique id for customer
3	p_id	Int(5)	FOREIGN KEY	Unique id for route
4	offer_status	Int(6)		Status of offer given