5y complications analysis

```
xls_path <- '../../data/ESSG Extraction_DEC_OP_ NON DePuy v7.xlsx'
# xls_path <- '../../data/Dataset 4th report 5Y - ONLY DPS.xlsx'</pre>
```

Filters

We need those with and without 2 FU for the 'Do complications before 2y affect 2y followup?' analysis.

```
# discarded_patients <- readLines('five_years/discarded_patients')

data_set %<>%
    .[, followup_2y :=
      !is.na(`2 YEAR VISIT - Date of visit`) |
      !is.na(`3 YEAR VISIT - Date of visit`)] %>%
    .[, followup_5y :=
      !is.na(`5 YEAR VISIT - Date of visit`) |
      !is.na(`6 YEAR VISIT - Date of visit`)]
```

```
# data_set %<>%
# .[followup_2y==TRUE] %>%
# .[`st1. Date of Stage` %>% as.Date() < as.Date('2016-6-1')]
```

Total Patients for the analysis: 708

Stats

```
complication_before_2y has_followup_2y
1: No 0.639
2: Yes 0.744

complication_before_2y has_followup_5y
1: No 0.327
2: Yes 0.231
```

Major Complications Stats

- Total patients: 708
- Complications before 2 years: 219
- Patients with complications before 2 years: 122
- Proportion of patients with complications before 2 years: 0.1723164

- \bullet Complications between 2y and 5y: 35
- $\bullet\,$ Patients with complications before 5 years: 27
- Proportion of patients with complications between 2y and 5y: 0.0381356
- p-value testing equality between proportions of complications: $3.9200916 \times 10^{-16}$

Minor Complications Stats

- Complications before 2 years: 221
- Proportion of patients with complications before 2 years: 0.1935028
- $\bullet\,$ Complications between 2y and 5y: 31
- Proportion of patients with complications between 2y and 5y: 0.0338983
- p-value testing equality between proportions of complications: $6.8561674 \times 10^{-21}$

Major Complications before 2y

Category of the complication	Infontious complications
Central neurologic complications 2	Infectious complications 29
Mechanical complications 111	Other complications 48
Peripheral neurologic complications 29	
Category of the complication	
Central neurologic complications 0.00913242	Infectious complications 0.13242009
Mechanical complications 0.50684932	Other complications 0.21917808
Peripheral neurologic complications	

Major Complications between 2y and 5y

Category of the complication	
Mechanical complications	Other complications
32	2
Peripheral neurologic complications	
1	
Category of the complication	
Mechanical complications	Other complications
0.91428571	0.05714286
Peripheral neurologic complications 0.02857143	

Minor Complications before 2y

Category of the complication

Central neurologic complications Infectious complications

Mechanical complications

96

Other complications
74

Peripheral neurologic complications 42

Category of the complication

Central neurologic complications Infectious complications 0.004524887 0.036199095

Mechanical complications 0.434389140 Other complications 0.334841629

Peripheral neurologic complications 0.190045249

Minor Complications between 2y and 5y

Category of the complication
Mechanical complications
31

Category of the complication Mechanical complications

Reinterventions before 2 years

Warning in prop.test(c(patients_2y_n, patients_2y_5y_n), c(patients_n,
patients_n)): Chi-squared approximation may be incorrect

- Total patients: 708.
- Reinterventions before 2 years: 0
- Patients with reintervention before 2 years: 0
- Proportion of patients with reintervention before 2 years: 0
- Reinterventions between 2y and 5y: 0
- Patients with reintervention before 5 years: 0
- Proportion of patients with reintervention between 2y and 5y: 0
- p-value testing equality between proportions of reinterventions: NaN

Do complications before 2y affect 2y followup?

	Estimate	Pr(> t)
(Intercept)	1.047	0.000
Age	0.003	0.118
GenderMale	-0.002	0.975
'Prior Spine Surgery'Yes	-0.073	0.131
'ASA classification'	-0.017	0.644
'BMI_First Visit'	0.003	0.568
SiteBOR Op	0.167	0.008
SiteIST Op	0.166	0.032
SiteMAD Op	0.090	0.199
SiteZUR Op	0.513	0.016
'Global Tilt'	0.000	0.783
'Static Major curve Cobb angle'	0.000	0.883
'ODI - Score (%)_First Visit'	-0.006	0.001
'SRS22 - SRS Subtotal score_First Visit'	-0.021	0.707
'SF36 - PCS_First Visit'	-0.007	0.051
'SF36 - MCS_First Visit'	-0.002	0.307
complication_before_2yYes	0.103	0.048

Do complications before 2y affect 5y followup?

	Estimate	Pr(> t)
(Intercent)	0.649	
(Intercept)		
Age	0.005	0.004
GenderMale	-0.079	0.114
'Prior Spine Surgery'Yes	-0.065	0.200
'ASA classification'	-0.031	0.400
'BMI_First Visit'	-0.002	0.625
SiteBOR Op	-0.033	0.613
SiteIST Op	-0.065	0.419
SiteMAD Op	0.092	0.203
SiteZUR Op	-0.128	0.563
'Global Tilt'	-0.002	0.255
'Static Major curve Cobb angle'	0.001	0.226
'ODI - Score (%)_First Visit'	-0.003	0.095
'SRS22 - SRS Subtotal score_First Visit'	-0.025	0.666
'SF36 - PCS_First Visit'	-0.002	0.665
'SF36 - MCS_First Visit'	-0.003	0.170
complication_before_2yYes	-0.119	0.027