





```

1  @startuml
2  :Empleado: as A1
3  :Administrador: as A2
4  rectangle EmpresaPedidos {
5  usecase UC1 as "Introducir Pedido"
6  usecase UC2 as "Cancelar Pedido"
7  usecase UC3 as "Obtener Estado Pedido"
8  usecase UC4 as "Borrar Pedido"
9  usecase UC5 as "Buscar Pedidos"
10 usecase UC6 as "Alta Cliente"
11 usecase UC7 as "Buscar Cliente"
12 usecase UC8 as "Nuevo Producto"
13 usecase UC9 as "Borrara Producto"
14 }
15 A1 -- UC1
16 A1 -- UC2
17 A1 -- UC3
18 A1 -- UC4
19 A1 -- UC5
20 A1 -- UC6
21 A1 -- UC7
22 A2 -- UC8
23 A2 -- UC9
24 @enduml
  
```



La meua pàgina inicial Events Aquest curs ALEJANDRO BOTELLA COSTA Amagar blocs

File Edit View Navigate Code Refactor Build Run Tools Git Window Help CasosDeUso2_UML - CasosDeUso2_UML.puml

CasosDeUso2_UML.puml

```
1 @startuml
2 :Actor
3 :Actor2
4 rectangle sistema{
5 usecase UC1 as "Caso de uso"
6 usecase UC2 as "Caso de uso"
7 usecase UC3 as "Caso de uso"
8 }
9 note left of sistema : Entorno del sistema
10 note "Comunicación" as N1
11
12 (Actor)-- N1
13 N1 -- (UC1)
14 Actor -- UC2
15 Actor -- UC3
16 Actor2 -- UC1
17 Actor2 -- UC3
18 @enduml
```

Entorno del sistema

Actor

Actor2

Comunicación

sistema

Caso de uso

Caso de uso

Caso de uso

CasosDeUso2_UML.puml

```
1 @startuml
2 :Empleado: as A1
3 usecase UC1 as "Introducir Pedido"
4 usecase UC2 as "Cancelar Pedido"
5 usecase UC3 as "Obtener Estado Pedido"
6 usecase UC4 as "Buscar Pedidos"
7 usecase UC5 as "Alta Cliente"
8 usecase UC6 as "Buscar Cliente"
9 usecase UC7 as "Pago en cuenta"
10 usecase UC8 as "Pago con tarjeta"
11 A1 -- UC5
12 A1 -- UC2
13 A1 -- UC4
14 A1 -- UC1
15 A1 -- UC3
16 UC5 .> UC1 : extiende
17 UC8 .> UC1 : extiende
18 UC3 .> UC4 : incluye
19 UC1 .> UC6 : incluye
20 UC7 .> UC1 : extiende
21 UC2 .> UC4 : incluye
22 @enduml
```

Empleado: as A1

Alta Cliente

UCFSK + W Entorns

Conselleria d'Educació, Cultura i Esport

Val / Cas / Eng / Fra

Busca

Eixir

La meua pàgina inicial

Events

Aquest curs

ALEJANDRO BOTELLA COSTA