

CSScribe 4.4.13 cheatsheet

Classes

| Class name | ID | Begin | End |
|------------|-----|----------|-----------|
| Code | 001 | "/code-" | ["/code"] |
| Comment | 002 | ["/& "] | |
| Class name | ID | 1 | Match |
| Ad | 000 | | "/ad" |
| Image | 003 | | "/img"] |
| Class name | ID | | Between |
| Math | 004 | | "/math" |

Editors

| Editor name | ID | Begin | End |
|-------------|-----|-------|---------|
| Comment | 100 | "#" | " -#" |
| Editor name | ID | | Match |
| Newline | 101 | | "/n"] |
| Scape | 102 | | "¬" |
| Editor name | ID | | Between |

Modifiers

| Modifier name | ID | Begin | End |
|---------------|-----|----------|-------|
| h1 | 203 | "/h1 " | |
| h2 | 204 | "/h2 " | |
| h3 | 205 | "/h3 " | |
| h4 | 206 | ["/h4 "] | |
| Modifier name | ID | | Match |
| Checkbox | 201 | | "/X " |
| OHOOKBOX | 201 | | 7 *** |

| Modifier name | ID | Match |
|---------------|-----|---------|
| Unordered | 213 | " u" |
| Voidbox | 214 | "/0 " |
| Modifier name | ID | Between |
| Bold | 200 | ":" |
| Code | 202 | "/_" |
| Italic | 207 | п.п |
| Math | 208 | "/=" |
| Strikethrough | 210 | " / – " |
| Subscript | 211 | "/s" |
| Superscript | 212 | "/S" |

Tags

| Tag name | ID | Begin | End |
|--------------------------|-----------|------------------|------------------|
| HTML | 301 | "<" | ">" |
| Index | 302 | <pre>"/In"</pre> | <pre>"/in"</pre> |
| | | | |
| Tag name | ID | | Match |
| Tag name Break | ID 300 | | Match "/br" |

Commands

| Name | ID |
|-----------------------|--------------------------------|
| Run Compiler | "csscribe.runCompiler" |
| Run Builder | "csscribe.runBuilder" |
| Run JPG2PNG | "csscribe.runJPG2PNG" |
| Run Versioning System | "csscribe.runVersioningSystem" |
| Parse Style | "csscribe.parseStyle" |