

Suites_Curso_Katalon_parte1

Execution Environment

Host name	user - 192.168.1.21
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Curso_De_Katalon/Suites_Curso_Katalon_parte1		
Description			
Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-23 15:40:21	End	2023-05-23 15:40:39
Elapsed	17,858s		

#	ID	Description	Status
1	Test Cases/CursoKatalon/AccionesconElRaton		FAILED
2	Test Cases/CursoKatalon/Doble_click		FAILED
3	Test Cases/CursoKatalon/Drog_and_Drag		FAILED
4	Test Cases/CursoKatalon/EsperaExplicita		FAILED

AccionesconElRaton

Information

ID	Test Cases/CursoKatalon/AccionesconElRaton		
Description			
Tag			
Start	2023-05-23 15:40:23	End	2023-05-23 15:40:32
Elapsed	9,198s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,123s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

AccionesconElRaton

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at AccionesconElRaton.run(AccionesconElRaton:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684849204285.run(TempTestSuite1684849204285.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p>	6,450s	FAILED

AccionesconElRaton

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:664) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:385) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684764449934.run(Script1684764449934.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more)</pre>	0,002s	PASSED
3	Start listener action : sampleAfterTestCase		

AccionesconElRaton

#	Description	Elapsed	Status
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,003s	PASSED

Doble_click

Information

ID	Test Cases/CursoKatalon/Doble_click		
Description			
Tag			
Start	2023-05-23 15:40:32	End	2023-05-23 15:40:34
Elapsed	2,204s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,003s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

Doble_click

#	Description	Elapsed	Status
2	openBrowser("") Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Doble_click.run(Doble_click:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684849204285.run(TempTestSuite1684849204285.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)	0,422s	FAILED

Doble_click

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:664) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:385) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684751452271.run(Script1684751452271.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more)</pre>	0,001s	PASSED
3	Start listener action : sampleAfterTestCase	0,001s	PASSED

Doble_click

#	Description	Elapsed	Status
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,002s	PASSED

Drog_and_Drag

Information

ID	Test Cases/CursoKatalon/Drog_and_Drag		
Description			
Tag			
Start	2023-05-23 15:40:34	End	2023-05-23 15:40:37
Elapsed	2,696s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,003s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

Drog_and_Drag

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Drog_and_Drag.run(Drog_and_Drag:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684849204285.run(TempTestSuite1684849204285.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p>	0,573s	FAILED

Drog_and_Drag

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:664) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:385) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684756794368.run(Script1684756794368.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more)</pre>	0,001s	PASSED
3	Start listener action : sampleAfterTestCase		

Drog_and_Drag

#	Description	Elapsed	Status
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED

EsperaExplicita

Information

ID	Test Cases/CursoKatalon/EsperaExplicita		
Description			
Tag			
Start	2023-05-23 15:40:37	End	2023-05-23 15:40:39
Elapsed	1,976s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,001s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

EsperaExplicita

#	Description	Elapsed	Status
2	openBrowser("") Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at EsperaExplicita.run(EsperaExplicita:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684849204285.run(TempTestSuite1684849204285.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)	0,108s	FAILED

EsperaExplicita

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:664) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:385) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684748152693.run(Script1684748152693.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more)</pre>	0,000s	PASSED
3	Start listener action : sampleAfterTestCase		

EsperaExplicita

#	Description	Elapsed	Status
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED