

Suites_Curso_Katalon_parte1

Execution Environment

Host name	user - 192.168.1.21
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Curso_De_Katalon/Suites_Curso_Katalon_parte1		
Description			
Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-23 11:43:35	End	2023-05-23 11:44:00
Elapsed	25,329s		

#	ID	Description	Status
1	Test Cases/CursoKatalon/AccionesconElRaton		FAILED
2	Test Cases/CursoKatalon/Doble_click		FAILED
3	Test Cases/CursoKatalon/Drog_and_Drag		FAILED
4	Test Cases/CursoKatalon/EsperaExplicita		FAILED

AccionesconElRaton

Information

ID	Test Cases/CursoKatalon/AccionesconElRaton		
Description			
Tag			
Start	2023-05-23 11:43:36	End	2023-05-23 11:43:40
Elapsed	3,896s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,098s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

AccionesconElRaton

#	Description	Elapsed	Status
2	openBrowser("") Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at AccionesconElRaton.run(AccionesconElRaton:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684835002889.run(TempTestSuite1684835002889.groovy:36) Caused by: java.lang.IllegalStateException: The driver executable does not exist: C: \\Users\\user\\Documents\\Katalon_Studio_Windows_64-8.6.0 _free_personal\\configuration\\resources\\drivers\\chromedriver_win32\\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable (DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable (DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000 (ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder. findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService. java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService	1,828s	FAILED

AccionesconElRaton

#	Description	Elapsed	Status
	<pre>(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:440) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:373) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684764449934.run(Script1684764449934.groovy:20) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0,008s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED

Doble_click

Information

ID	Test Cases/CursoKatalon/Doble_click		
Description			
Tag			
Start	2023-05-23 11:43:40	End	2023-05-23 11:43:42
Elapsed	1,782s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,001s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

Doble_click

#	Description	Elapsed	Status
2	openBrowser("") Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at Doble_click.run(Doble_click:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684835002889.run(TempTestSuite1684835002889.groovy:36) Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService	0,086s	FAILED

Doble_click

#	Description	Elapsed	Status
	<pre>(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:440) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:373) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684751452271.run(Script1684751452271.groovy:20) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0,001s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,014s	PASSED

Drog_and_Drag

Information

ID	Test Cases/CursoKatalon/Drog_and_Drag		
Description			
Tag			
Start	2023-05-23 11:43:42	End	2023-05-23 11:43:43
Elapsed	1,425s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,003s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

Drog_and_Drag

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source)</p> <p>at Drog_and_Drag.run(Drog_and_Drag:20)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1684835002889.run(TempTestSuite1684835002889.groovy:36)</p> <p>Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe</p> <p>at com.google.common.base.Preconditions.checkState(Preconditions.java:585)</p> <p>at org.openqa.selenium.remote.service.DriverService.checkExecutable (DriverService.java:146)</p> <p>at org.openqa.selenium.remote.service.DriverService.findExecutable (DriverService.java:141)</p> <p>at org.openqa.selenium.chrome.ChromeDriverService.access\$000 (ChromeDriverService.java:35)</p> <p>at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159)</p> <p>at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355)</p> <p>at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService</p>	0,074s	FAILED

Drog_and_Drag

#	Description	Elapsed	Status
	<pre>(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:440) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:373) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684756794368.run(Script1684756794368.groovy:20) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0,001s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,002s	PASSED

EsperaExplicita

Information

ID	Test Cases/CursoKatalon/EsperaExplicita		
Description			
Tag			
Start	2023-05-23 11:43:43	End	2023-05-23 11:43:44
Elapsed	1,184s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,010s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

EsperaExplicita

#	Description	Elapsed	Status
2	openBrowser("") Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at EsperaExplicita.run(EsperaExplicita:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684835002889.run(TempTestSuite1684835002889.groovy:36) Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable (DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable (DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000 (ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService	0,053s	FAILED

EsperaExplicita

#	Description	Elapsed	Status
	<pre>(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java: 13) at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver (DriverFactory.java:440) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:373) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684748152693.run(Script1684748152693.groovy:20) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0,001s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,000s	PASSED