Suites_Curso_Katalon_parte1

Execution Environment

Host name	user - 192.168.1.21
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/Curso_De_Katalon/Suites_Curso_Katalon_parte1
Description	

Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-23 11:44:10	End	2023-05-23 11:44:20
Elapsed	9,089s		

#	ID	Description	Status
1	Test Cases/CursoKatalon/AccionesconElRaton		FAILED
2	Test Cases/CursoKatalon/Doble_click		FAILED
3	Test Cases/CursoKatalon/Drog_and_Drag		FAILED
4	Test Cases/CursoKatalon/EsperaExplicita		FAILED

AccionesconElRaton

Information

ID	Test Cases/CursoKatalon/AccionesconElRaton
Description	
Tag	

Start	2023-05-23 11:44:12	End	2023-05-23 11:44:15
Elapsed	3,136s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,092s	PASSED

com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED

AccionesconElRaton

#	Description	Elapsed	Status
2	openBrowser("")	1,584s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
     at AccionesconElRaton.run(AccionesconElRaton:20)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
     at TempTestSuite1684835042102.run(TempTestSuite1684835042102.groovy:36)
Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:
\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0
_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe
     at com.google.common.base.Preconditions.checkState(Preconditions.java:585)
     at org.openqa.selenium.remote.service.DriverService.checkExecutable
(DriverService.java:146)
     at org.openqa.selenium.remote.service.DriverService.findExecutable
(DriverService.java:141)
     at org.openqa.selenium.chrome.ChromeDriverService.access$000
(ChromeDriverService.java:35)
     at org.openqa.selenium.chrome.ChromeDriverService$Builder.
findDefaultExecutable(ChromeDriverService.java:159)
     at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.
java:355)
     at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService

#	Description	Elapsed	Status

	(ChromeDriverService.java:94)
	     at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
	     at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:13)
	     at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver(DriverFactory.java:440)
	     at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser(DriverFactory.java:373)
	     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:262)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
	     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)
	     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)
	     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)
	     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
	     at Script1684764449934.run(Script1684764449934.groovy:20)
	     ... 13 more
	)		

3	Start listener action : sampleAfterTestCase	0,003s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,013s	PASSED

Doble_click

Information

ID   Test Cases/CursoKatalon/Doble_click

Description

Tag

Start   2023-05-23 11:44:15   End   2023-05-23 11:44:16

Elapsed   1,327s

Status   FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,000s	PASSED

com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED

Doble_click

#	Description	Elapsed	Status
2	openBrowser("")	0,077s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
      at Doble_click.run(Doble_click:20)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
      at TempTestSuite1684835042102.run(TempTestSuite1684835042102.groovy:36)
Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:
\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0
_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe
      at com.google.common.base.Preconditions.checkState(Preconditions.java:585)
      at org.openqa.selenium.remote.service.DriverService.checkExecutable
(DriverService.java:146)
      at org.openqa.selenium.remote.service.DriverService.findExecutable
(DriverService.java:141)
      at org.openqa.selenium.chrome.ChromeDriverService.access$000
(ChromeDriverService.java:35)
      at org.openqa.selenium.chrome.ChromeDriverService$Builder.
findDefaultExecutable(ChromeDriverService.java:159)
      at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.
java:355)
      at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService

#	Description	Elapsed	Status

	(ChromeDriverService.java:94)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
	   at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:13)
	   at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver(DriverFactory.java:440)
	   at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser(DriverFactory.java:373)
	   at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:262)
	   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
	   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
	   at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)
	   at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)
	   at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)
	   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
	   at Script1684751452271.run(Script1684751452271.groovy:20)
	   ... 13 more
	)		

3	Start listener action : sampleAfterTestCase	0,000s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,002s	PASSED

Drog_and_Drag

Information

ID	Test Cases/CursoKatalon/Drog_and_Drag
Description	
Tag	

Start	2023-05-23 11:44:16	End	2023-05-23 11:44:18
Elapsed	1,773s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,001s	PASSED

com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED

Drog_and_Drag

#	Description	Elapsed	Status
2	openBrowser("")	0,048s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at Drog_and_Drag.run(Drog_and_Drag:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1684835042102.run(TempTestSuite1684835042102.groovy:36)
Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:
\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0
_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe
    at com.google.common.base.Preconditions.checkState(Preconditions.java:585)
    at org.openqa.selenium.remote.service.DriverService.checkExecutable
(DriverService.java:146)
    at org.openqa.selenium.remote.service.DriverService.findExecutable
(DriverService.java:141)
    at org.openqa.selenium.chrome.ChromeDriverService.access$000
(ChromeDriverService.java:35)
    at org.openqa.selenium.chrome.ChromeDriverService$Builder.
findDefaultExecutable(ChromeDriverService.java:159)
    at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.
java:355)
    at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService

#	Description	Elapsed	Status

	(ChromeDriverService.java:94)
	      at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
	      at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:13)
	      at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver(DriverFactory.java:440)
	      at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser(DriverFactory.java:373)
	      at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:262)
	      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
	      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
	      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)
	      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)
	      at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)
	      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
	      at Script1684756794368.run(Script1684756794368.groovy:20)
	      ... 13 more
	)		

3	Start listener action : sampleAfterTestCase	0,001s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,007s	PASSED

EsperaExplicita

Information

ID   Test Cases/CursoKatalon/EsperaExplicita

Description

Tag

Start   2023-05-23 11:44:18   End   2023-05-23 11:44:20

Elapsed   1,548s

Status   FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,035s	PASSED

com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED

EsperaExplicita

#	Description	Elapsed	Status
2	openBrowser("")	0,126s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at EsperaExplicita.run(EsperaExplicita:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
187)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1684835042102.run(TempTestSuite1684835042102.groovy:36)
Caused by: java.lang.IllegalStateException: The driver executable does not exist: C:
\Users\user\Documents\Katalon_Studio_Windows_64-8.6.0
_free_personal\configuration\resources\drivers\chromedriver_win32\chromedriver.exe
    at com.google.common.base.Preconditions.checkState(Preconditions.java:585)
    at org.openqa.selenium.remote.service.DriverService.checkExecutable
(DriverService.java:146)
    at org.openqa.selenium.remote.service.DriverService.findExecutable
(DriverService.java:141)
    at org.openqa.selenium.chrome.ChromeDriverService.access$000
(ChromeDriverService.java:35)
    at org.openqa.selenium.chrome.ChromeDriverService$Builder.
findDefaultExecutable(ChromeDriverService.java:159)
    at org.openqa.selenium.remote.service.DriverService$Builder.build(DriverService.
java:355)
    at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService

#	Description	Elapsed	Status

	(ChromeDriverService.java:94)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:147)
	    at com.kms.katalon.selenium.driver.CChromeDriver.<init>(CChromeDriver.java:13)
	    at com.kms.katalon.core.webui.driver.DriverFactory.createNewChromeDriver(DriverFactory.java:440)
	    at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser(DriverFactory.java:373)
	    at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver(DriverFactory.java:262)
	    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
	    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:20)
	    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)
	    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)
	    at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
	    at Script1684748152693.run(Script1684748152693.groovy:20)
	    ... 13 more
	)		

3	Start listener action : sampleAfterTestCase	0,001s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED