Acceso_Datos_en_MYSQL

Execution Environment

Host name aleja - 192.168.1.13 Local OS Windows 10 64bit

Katalon version 8.6.0.208

Browser Chrome 113.0.0.0

Summary

ID Test Suites/Curso_De_Katalon/Acceso_Datos_en_MYSQL

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 2023-05-27 18:13:20 End 2023-05-27 18:13:38

Elapsed 17,990s

| # | ID | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/CursoKatalon/Formulariosimple | | FAILED |
| 2 | Test Cases/CursoKatalon/Formulariosimple | | FAILED |

Information

ID Test Cases/CursoKatalon/Formulariosimple

Description

Tag

Start 2023-05-27 18:13:21 End 2023-05-27 18:13:30

Elapsed 9,307s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : executeRows | 0,414s | PASSED |
| | com.kms.katalon.keyword.testsuite.RerunKeyword.getListExecutedRows is PASSED | | |
| 2 | openBrowser("") | 2,769s | PASSED |
| | Browser is opened with url: " | | |
| 3 | navigateToUrl("https://demoqa.com/automation-practice-form") | 1,505s | PASSED |
| | Navigate to 'https://demoqa.com/automation-practice-form' successfully | | |
| 4 | maximizeWindow() | 0,162s | PASSED |
| | Current window maximized | | |
| 5 | setText(findTestObject("Rellenar_Formulario/Nombre"), Nombre) | 1,727s | PASSED |

Text 'alejandro' is set on object 'Object Repository/Rellenar_Formulario/Nombre'

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 6 | delay(DelayCorto) | 0,068s | FAILED |
| | Unable to delay browser (Root cause: java.lang.NullPointerException at com.kms.katalon.core.keyword.builtin.DelayKeyword\$_delay_closure1.doCall | | |
| | (DelayKeyword.groovy:51) at com.kms.katalon.core.keyword.builtin.DelayKeyword\$_delay_closure1.call | | |
| | (DelayKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword | | |
| | (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.DelayKeyword.delay(DelayKeyword. | | |
| | groovy:48) at com.kms.katalon.core.keyword.builtin.DelayKeyword.execute(DelayKeyword. | | |
| | groovy:43) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.delay(BuiltinKeywords.groovy: | | |
| | at Formulariosimple.run(Formulariosimple:28) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. | | |
| | java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. | | |
| | java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) | | |
| | at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) | | |
| | at TempTestSuite1685203998986.run(TempTestSuite1685203998986.groovy:36) | | |
| | | | |
| 7 | Start listener action : sampleAfterTestCase | 0,001s | PASSED |
| | | | |
| 8 | Start listener action : addFailedTCToList | 0,002s | PASSED |
| | com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED | | |
| | | | |

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 9 | Video | 0,001s | PASSED |

Video recording for test case 'Test Cases/CursoKatalon/Formulariosimple' .

Information

ID Test Cases/CursoKatalon/Formulariosimple

Text 'juan' is set on object 'Object Repository/Rellenar_Formulario/Nombre'

Description

Tag

Start 2023-05-27 18:13:30 End 2023-05-27 18:13:38

Elapsed 8,279s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : executeRows | 0,012s | PASSED |
| | com.kms.katalon.keyword.testsuite.RerunKeyword.getListExecutedRows is PASSED | | |
| 2 | openBrowser("") | 2,025s | PASSED |
| | Browser is opened with url: " | | |
| 3 | navigateToUrl("https://demoqa.com/automation-practice-form") | 2,724s | PASSED |
| | Navigate to 'https://demoqa.com/automation-practice-form' successfully | | |
| 4 | maximizeWindow() | 0,163s | PASSED |
| | Current window maximized | | |
| 5 | setText(findTestObject("Rellenar_Formulario/Nombre"), Nombre) | 1,262s | PASSED |

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 6 | delay(DelayCorto) | 0,004s | FAILED |
| 6 | Unable to delay browser (Root cause: java.lang.NullPointerException at com.kms.katalon.core.keyword.builtin.DelayKeyword\$_delay_closure1.doCall (DelayKeyword.groovy:51) at com.kms.katalon.core.keyword.builtin.DelayKeyword\$_delay_closure1.call (DelayKeyword.groovy:51) at com.kms.katalon.core.keyword.builtin.DelayKeywordBain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.DelayKeyword.delay(DelayKeyword.groovy:48) at com.kms.katalon.core.keyword.builtin.DelayKeyword.execute(DelayKeyword.groovy:48) at com.kms.katalon.core.keyword.builtin.DelayKeyword.execute(DelayKeyword.groovy:49) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.delay(BuiltinKeywords.groovy:375) at Formulariosimple.run(Formulariosimple:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScriptAsRawText(ScriptEngine.java:418) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.groovsExecutionPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.j | 0,004s | FAILED |
| 7 | Start listener action : sampleAfterTestCase | 0,001s | PASSED |
| 8 | Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED | 0,001s | PASSED |

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 9 | Video | 0,001s | PASSED |

Video recording for test case 'Test Cases/CursoKatalon/Formulariosimple' .