

SuitesProblemasAuto

Execution Environment

Host name	user - 192.168.1.21
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/SuitesProblemasHabitualesAutomatizacion/SuitesProblemasAuto		
Description			
Total	10		
Passed	0	Failed	7
Error	3	Incomplete	0
Skipped	0		
Start	2023-05-23 14:31:59	End	2023-05-23 14:36:15
Elapsed	4m - 16,355s		

#	ID	Description	Status
1	Test Cases/SolucionEnscriptsIndividuales/ClickEnElemento		FAILED
2	Test Cases/SolucionEnscriptsIndividuales/EscribirEnElemento		FAILED
3	Test Cases/SolucionEnscriptsIndividuales/ObtenerTextoDeElemento		FAILED
4	Test Cases/SolucionEnscriptsIndividuales/ClickEnMultiplesElementos		FAILED
5	Test Cases/SolucionEnscriptsIndividuales/ClickEnEnlace		FAILED
6	Test Cases/SolucionEnscriptsIndividuales/Ejecucion_Codigo_Javascript		ERROR
7	Test Cases/SolucionEnscriptsIndividuales/EscribirTextoEnVentanaAlerta		ERROR
8	Test Cases/SolucionEnscriptsIndividuales/CopiarTextoDeUnaVentanaAOtra		FAILED
9	Test Cases/SolucionEnscriptsIndividuales/CopiarUnElementoDeUnOtro		ERROR
10	Test Cases/SolucionEnscriptsIndividuales/VerificacionApareceTexto		FAILED

ClickEnElemento

Information

ID	Test Cases/SolucionEnscriptsIndividuales/ClickEnElemento		
Description			
Tag			
Start	2023-05-23 14:32:22	End	2023-05-23 14:33:22
Elapsed	59,505s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	2,327s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

ClickEnElemento

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call (Unknown Source) at ClickEnElemento.run(ClickEnElemento:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36) Caused by: org.openqa.selenium.WebDriverException: Unable to parse remote response: Unknown error at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:115) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)</p>	36,654s	FAILED

ClickEnElemento

#	Description	Elapsed	Status
131)	<pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154) at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14) at com.kms.katalon.core.webui.driver.DriverFactory.createNewEdgeDriver (DriverFactory.java:664) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:385) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$_openBrowser.call (Unknown Source) at Script1684707711330.run(Script1684707711330.groovy:20) ... 13 more Caused by: org.openqa.selenium.json.JsonException: Unable to determine type from: U. Last 1 characters read: U Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: CEdgeDriver at org.openqa.selenium.json.JsonInput.peek(JsonInput.java:122) at org.openqa.selenium.json.JsonTypeCoercer.lambda\$null\$6(JsonTypeCoercer. java:140) at org.openqa.selenium.json.JsonTypeCoercer.coerce(JsonTypeCoercer.java: 126) at org.openqa.selenium.json.Json.toType(Json.java:69) at org.openqa.selenium.json.Json.toType(Json.java:55) at org.openqa.selenium.json.Json.toType(Json.java:50) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:112) ... 34 more)</pre>	0,899s	PASSED
3	Start listener action : sampleAfterTestCase		

ClickEnElemento

#	Description	Elapsed	Status
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,136s	PASSED

EscribirEnElemento

Information

ID	Test Cases/SolucionEnscriptsIndividuales/EscribirEnElemento		
Description			
Tag			
Start	2023-05-23 14:33:22	End	2023-05-23 14:33:55
Elapsed	32,851s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,004s	PASSED
2	comment("Practica nivel 2") Practica nivel 2	3,562s	PASSED

EscribirEnElemento

#	Description	Elapsed	Status
3	setText(findTestObject("AllTestLevel/Textbox_nivel2"), "selenium") Unable to set text 'selenium' of object 'Object Repository/AllTestLevel/Textbox_nivel2' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'selenium' of object 'Object Repository/AllTestLevel/Textbox_nivel2' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) at EscribirEnElemento.run(EscribirEnElemento:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:972) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1006)	7,907s	FAILED

EscribirEnElemento

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:908) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$0.call (Unknown Source) at Script1684708096139.run(Script1684708096139.groovy:22) ... 13 more)</pre>		
4	Start listener action : sampleAfterTestCase	0,049s	PASSED
5	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,109s	PASSED

ObtenerTextoDeElemento

Information

ID	Test Cases/SolucionEnscriptsIndividuales/ObtenerTextoDeElemento		
Description			
Tag			
Start	2023-05-23 14:33:55	End	2023-05-23 14:34:09
Elapsed	13,906s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,009s	PASSED
2	comment("Pratica nivel 3") Pratica nivel 3	0,141s	PASSED

ObtenerTextoDeElemento

#	Description	Elapsed	Status
3	<p>Texto_label = getText(findTestObject("AllTestLevel/Label_nivel3"))</p> <p>Unable to get text of object 'Object Repository/AllTestLevel/Label_nivel3' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get text of object 'Object Repository/AllTestLevel/Label_nivel3'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:918)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getText\$1.call (Unknown Source)</p> <p>at ObtenerTextoDeElemento.run (ObtenerTextoDeElemento:22)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source)</p> <p>at TempTestSuite1684844991100.run (TempTestSuite1684844991100.groovy:36)</p> <p>Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: driver.version: unknown</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986)</p> <p>at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:972)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods (WebUiCommonHelper.java:1006)</p>	3,251s	FAILED

ObtenerTextoDeElemento

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:912) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:78) at com.kms.katalon.core.webui.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:88) at com.kms.katalon.core.webui.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getText (WebUiBuiltInKeywords.groovy:918) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$getText\$1.call (Unknown Source) at Script1684708206343.run(Script1684708206343.groovy:22) ... 13 more)</pre>		
4	Start listener action : sampleAfterTestCase	0,005s	PASSED
5	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,025s	PASSED

ClickEnMultiplesElementos

Information

ID	Test Cases/SolucionEnscriptsIndividuales/ClickEnMultiplesElementos		
Description			
Tag			
Start	2023-05-23 14:34:09	End	2023-05-23 14:34:54
Elapsed	44,790s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,006s	PASSED
2	comment("Practica nivel 4") Practica nivel 4	1,730s	PASSED

ClickEnMultiplesElementos

#	Description	Elapsed	Status
3	<p>waitForElementClickable(findTestObject("AllTestLevel/Boton1_nivel4"), DelayCorto)</p> <p>Unable to wait for object 'Object Repository/AllTestLevel/Boton1_nivel4' to be clickable (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object 'Object Repository/AllTestLevel/Boton1_nivel4' to be clickable at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementClickableKeyword. waitForElementClickable(WaitForElementClickableKeyword.groovy:107) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementClickableKeyword. execute(WaitForElementClickableKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementClickable(WebUiBuiltInKeywords.groovy:504) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementClickable\$2.call(Unknown Source) at ClickEnMultiplesElementos.run(ClickEnMultiplesElementos:22) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:972)</p>	23,104s	FAILED

ClickEnMultiplesElementos

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1006) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:912) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal. WebUIAbstractKeyword\$findWebElement.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementClickableKeyword\$_waitForElementClickable_closure1.doCall (WaitForElementClickableKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementClickableKeyword\$_waitForElementClickable_closure1.doCall (WaitForElementClickableKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.internal. WebUIKeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementClickableKeyword. waitForElementClickable(WaitForElementClickableKeyword.groovy:107) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementClickableKeyword. execute(WaitForElementClickableKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementClickable(WebUiBuiltInKeywords.groovy:504) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementClickable\$2.call(Unknown Source) at Script1684708252922.run(Script1684708252922.groovy:22) ... 13 more)</pre>		
4	Start listener action : sampleAfterTestCase	0,031s	PASSED
5	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,077s	PASSED

ClickEnEnlace

Information

ID	Test Cases/SolucionEnscriptsIndividuales/ClickEnEnlace		
Description			
Tag			
Start	2023-05-23 14:34:55	End	2023-05-23 14:35:15
Elapsed	20,858s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,013s	PASSED
2	comment("Practica nivel 5") Practica nivel 5	0,488s	PASSED

ClickEnEnlace

#	Description	Elapsed	Status
3	<code>click(findTestObject("AllTestLevel/Enlace_nivel5"))</code> Unable to click on object 'Object Repository/AllTestLevel/Enlace_nivel5' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/AllTestLevel/Enlace_nivel5' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click (ClickKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at ClickEnEnlace.run (ClickEnEnlace:22) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1684844991100.run (TempTestSuite1684844991100.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver (DriverFactory.java:972) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods (WebUiCommonHelper.java:1006)	5,652s	FAILED

ClickEnEnlace

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:912) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:65) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$3.call (Unknown Source) at Script1684708287431.run(Script1684708287431.groovy:22) ... 13 more)</pre>		
4	Start listener action : sampleAfterTestCase	0,036s	PASSED
5	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,039s	PASSED

Ejecucion_Codigo_Javascript

Information

ID	Test Cases/SolucionEnscriptsIndividuales/Ejecucion_Codigo_Javascript		
Description			
Tag			
Start	2023-05-23 14:35:16	End	2023-05-23 14:35:36
Elapsed	20,543s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,287s	PASSED
2	comment("Practica 6") Practica 6	0,312s	PASSED
3	testObj = findTestObject("AllTestLevel/BotonOculto")	3,301s	PASSED

Ejecucion_Codigo_Javascript

#	Description	Elapsed	Status
4	<p>BotonOculto = findWebElement(testObj, 5)</p> <p>Test Cases/SolucionEnscriptslIndividuales/Ejecucion_Codigo_Javascript FAILED. Reason: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:972) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1006) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:912) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.findWebElement (WebUiBuiltInKeywords.groovy:2842) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$findWebElement\$4.call(Unknown Source) at Ejecucion_Codigo_Javascript.run(Ejecucion_Codigo_Javascript:27) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)</p>	0,182s	ERROR

Ejecucion_Codigo_Javascript

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36)</pre>		
5	Start listener action : sampleAfterTestCase	0,009s	PASSED
6	Start listener action : addFailedTCToList <pre>com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED</pre>	0,058s	PASSED

EscribirTextoEnVentanaAlerta

Information

ID	Test Cases/SolucionEnscriptosIndividuales/EscribirTextoEnVentanaAlerta		
Description			
Tag			
Start	2023-05-23 14:35:37	End	2023-05-23 14:35:50
Elapsed	12,960s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,002s	PASSED
2	comment("Practica Nivel 8") Practica Nivel 8	0,344s	PASSED

EscribirTextoEnVentanaAlerta

#	Description	Elapsed	Status
3	<div>driver = getWebDriver() Test Cases/SolucionEncriptslIndividuales/EscribirTextoEnVentanaAlerta FAILED. Reason: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: DriverFactory\$getWebDriver at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:972) at com.kms.katalon.core.webui.driver.DriverFactory\$getWebDriver.call(Unknown Source) at EscribirTextoEnVentanaAlerta.run(EscribirTextoEnVentanaAlerta:25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36)</div>	0,555s	ERROR
4	Start listener action : sampleAfterTestCase	0,008s	PASSED
5	<div>Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED</div>	0,025s	PASSED

CopiarTextoDeUnaVentanaAOtra

Information

ID	Test Cases/SolucionEnscriptsIndividuales/CopiarTextoDeUnaVentanaAOtra		
Description			
Tag			
Start	2023-05-23 14:35:50	End	2023-05-23 14:35:58
Elapsed	7,932s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED
2	comment("Practica 9") Practica 9	0,467s	PASSED

CopiarTextoDeUnaVentanaAOtra

#	Description	Elapsed	Status
3	IndiceVentanaActual = getWindowIndex() Unable to get the index of the current window (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to get the index of the current window at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeywordAndReturnInt(WebUIKeywordMain.groovy:56) at com.kms.katalon.core.webui.keyword.builtin.GetWindowIndexKeyword. getWindowIndex(GetWindowIndexKeyword.groovy:71) at com.kms.katalon.core.webui.keyword.builtin.GetWindowIndexKeyword.execute (GetWindowIndexKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getWindowIndex (WebUiBuiltInKeywords.groovy:262) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getWindowIndex\$5.call(Unknown Source) at CopiarTextoDeUnaVentanaAOtra.run(CopiarTextoDeUnaVentanaAOtra:23) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.getCurrentWindowIndex (DriverFactory.java:1136) at com.kms.katalon.core.webui.keyword.builtin. GetWindowIndexKeyword\$_getWindowIndex_closure1.doCall(GetWindowIndexKeyword. groovy:73) at com.kms.katalon.core.webui.keyword.builtin. GetWindowIndexKeyword\$_getWindowIndex_closure1.call(GetWindowIndexKeyword.	0,892s	FAILED

CopiarTextoDeUnaVentanaAOtra

#	Description	Elapsed	Status
	groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeywordAndReturnInt(WebUIKeywordMain.groovy:50) at com.kms.katalon.core.webui.keyword.builtin.GetWindowIndexKeyword. getWindowIndex(GetWindowIndexKeyword.groovy:71) at com.kms.katalon.core.webui.keyword.builtin.GetWindowIndexKeyword.execute (GetWindowIndexKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.getWindowIndex (WebUiBuiltInKeywords.groovy:262) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$getWindowIndex\$5.call(Unknown Source) at Script1684709186125.run(Script1684709186125.groovy:23) ... 13 more)		
4	Start listener action : sampleAfterTestCase	0,057s	PASSED
5	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,049s	PASSED

CopiarUnElementoDentroDeOtro

Information

ID	Test Cases/SolucionEnscriptsIndividuales/CopiarUnElementoDentroDeOtro		
Description			
Tag			
Start	2023-05-23 14:35:58	End	2023-05-23 14:36:10
Elapsed	12,258s		
Status	ERROR		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,004s	PASSED
2	comment("Practica 10") Practica 10	1,073s	PASSED
3	Sourcelevel10 = By.id("source")	0,186s	PASSED
4	Targetlevel10 = By.id("target")	0,001s	PASSED

CopiarUnElementoDentroDeOtro

#	Description	Elapsed	Status
5	<p>driver = getWebDriver()</p> <p>Test Cases/SolucionEnscriptslIndividuales/CopiarUnElementoDentroDeOtro FAILED. Reason: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: DriverFactory\$getWebDriver at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:972) at com.kms.katalon.core.webui.driver.DriverFactory\$getWebDriver.call(Unknown Source) at CopiarUnElementoDentroDeOtro.run(CopiarUnElementoDentroDeOtro:33) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36)</p>	0,614s	ERROR
6	Start listener action : sampleAfterTestCase	0,031s	PASSED
7	<p>Start listener action : addFailedTCToList</p> <p>com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED</p>	0,143s	PASSED

VerificacionApareceTexto

Information

ID	Test Cases/SolucionEnscriptosIndividuales/VerificacionApareceTexto		
Description			
Tag			
Start	2023-05-23 14:36:11	End	2023-05-23 14:36:15
Elapsed	3,984s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : executeRows	0,002s	PASSED
com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED			

VerificacionApareceTexto

#	Description	Elapsed	Status
2	<p>verifyElementText(findTestObject("AllTestLevel/TextoFinalPractica"), "¡Enhorabuena! Has llegado al final de la práctica")</p> <p>Verify element text of test object 'Object Repository/AllTestLevel/TextoFinalPractica' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/AllTestLevel/TextoFinalPractica' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword.execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyElementText\$6.call(Unknown Source) at VerificacionApareceTexto.run(VerificacionApareceTexto:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1684844991100.run(TempTestSuite1684844991100.groovy:36) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser is not opened Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-95PMMAL', ip: '192.168.1.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: unknown at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriverIsOpen (DriverFactory.java:1001) at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:986) at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.java:972) at com.kms.katalon.core.webui.common.WebUiCommonHelper.</p>	1,006s	FAILED

VerificacionApareceTexto

#	Description	Elapsed	Status
	<pre>findElementByNormalMethods(WebUiCommonHelper.java:1006) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:912) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1371) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:52) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword\$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4749) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$verifyElementText\$6.call(Unknown Source) at Script1684710056620.run(Script1684710056620.groovy:20) ... 13 more)</pre>		
3	Start listener action : sampleAfterTestCase	0,000s	PASSED
4	Start listener action : addFailedTCToList com.kms.katalon.keyword.testsuite.RerunKeyword.isStringBelongToList is PASSED	0,001s	PASSED