A
Consumption fluxes
Diet
LF/HPP
HF/HS
1
0
−1
−2
−3
−4
−5
−6
log10(flux)
Metabolites
3alpha,12alpha-Dihydroxy-7-oxo-5beta-cholanate
Indole
L-tryptophan
N-acetylneuraminate
Uridine
Cytidine
Hydrogen sulfide
L-cysteine
Glycerol
Inosine
Adenosine
D-ribose
Xanthine
Beta-1,6-N-acetylglucosamine-N-acetylgalactosamine
released Core 2
released GlcNAc-alpha-1,4-Core 2
Core 2
Beta-1,3-Galactose-N-acetylgalactosamine
Product GAM2STASE_HS3, GlcN-IdoA-GlcNAc-GlcA-Gal-Gal-Xyl-L-Ser (protein)
Product IDOURASE_HS2, GlcN2,6diS-IdoA-GlcNAc3S-GlcA-Gal-Gal-Xyl-L-Ser (protein)
meso-2,6-Diaminoheptanedioate
Product AS6TASE_HS1, GlcN2S-GlcA-GlcN2,3diS
Hexadecanoate (n-C16:0)
L-tyrosine
2-deoxyadenosine
uracil
GlcNAc-alpha-1,4-Core 1
T antigen (core 1)
Tn antigen
GlcNAc-alpha-1,4-Core 2
B
Production fluxes
Diet
LF/HPP
HF/HS
1
0
−1
−2
−3
−4
−5
−6
log10(flux)
Metabolites
3alpha,12alpha-Dihydroxy-7-oxo-5beta-cholanate
Indole
L-tryptophan
L-argininium(1+)
N-acetylneuraminate
Uridine
Cytidine
Hydrogen sulfide
Glycerol
Inosine
Adenosine
D-ribose
GlcNAc-alpha-1,4-Core 1
T antigen (core 1)
protein-linked serine or threonine residue (O-glycosylation site)
Tn antigen
Hexadecanoate (n-C16:0)
L-tyrosine
2-deoxyadenosine
uracil
Core 2
Hypoxanthine
meso-2,6-Diaminoheptanedioate
Beta-1,3-Galactose-N-acetylgalactosamine
Product IDOURASE_HS2, GlcN2,6diS-IdoA-GlcNAc3S-GlcA-Gal-Gal-Xyl-L-Ser (protein)
L-cysteine
propionate
Xanthine
released Core 2
Beta-1,6-N-acetylglucosamine-N-acetylgalactosamine