

EVIDENCIA DE PRUEBAS FUNCIONALES INVENTARIO AUTOMOTRIZ PRUEBA TÉCNICA NEXOS

CRUD DE CARGOS

charges-controller	
PUT	/Charge/{ID}
DELETE	/Charge/{ID}
GET	/Charge
POST	/Charge
GET	/Charge/ID/{ID}
GET	/Charge/CreationOn/{creationOn}
GET	/Charge/Charge/{Charge}

Cuanta con los siguientes métodos.

- Listar todos los Cargos.
- Filtro por ID.
- Filtro por Cargo.
- Filtro por fecha de creación.
- Insertar Cargo.
- Actualizar Cargos.
- Eliminar Cargos.

Creando un Cargo

```
{
  "charge": "Administrador",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/Charge' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "charge": "Administrador",
    "createdBy": "Sergio Hernandez",
    "creationOn": "2022-07-04"
  }'
```

Request URL

```
http://localhost:8080/Charge
```

Server response

Code	Details
201	Response body

```
{
  "charge": "Administrador",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04T03:13:37.975+00:00",
  "modifiedBy": null,
  "modifiedOn": null,
  "id": 1
}
```

Download

Listar todos los cargos con paginación

GET

/Charge

Cancel

Parameters

Name	Description
page	
Integer(\$int32)	0
(query)	
size	
Integer(\$int32)	10
(query)	
enablePagination	
boolean	true
(query)	

ExecuteClear

Responses

Curl

curl -X 'GET' \

'http://localhost:8080/Charge?page=0&size=10&enablePagination=true' \

-H 'accept: */*'

Request URL

http://localhost:8080/Charge?page=0&size=10&enablePagination=true

Server response

Code	Details
200	Response body

Responses

Curl

curl -X 'GET' \

'http://localhost:8080/Charge?page=0&size=10&enablePagination=true' \

-H 'accept: */*'

Request URL

http://localhost:8080/Charge?page=0&size=10&enablePagination=true

Server response

Code	Details
200	Response body

Response body

```
{
  "content": [
    {
      "charge": "Administrador",
      "createdBy": "Sergio Hernandez",
      "creationOn": "2022-07-03",
      "modifiedBy": null,
      "modifiedOn": null,
      "id": 1
    },
    {
      "charge": "Asesor de ventas",
      "createdBy": "Sergio Hernandez",
      "creationOn": "2022-07-03",
      "modifiedBy": null,
      "modifiedOn": null,
      "id": 2
    },
    {
      "charge": "Soporte",
      "createdBy": "Sergio Hernandez",
      "creationOn": "2022-07-03",
      "modifiedBy": null,
      "modifiedOn": null,
      "id": 3
    },
    {
      "charge": "Otro Cargo",
      "createdBy": "Sergio Hernandez",
      "creationOn": "2022-07-03",
      "modifiedBy": null,
      "id": 4
    }
  ]
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon, 04 Jul 2022 03:16:15 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Actualizar el cargo Otro Cargo

ID REQUIRED

Integer(\$int32)

(path)

4

Request body REQUIRED

application/json

```
{
  "charge": "Otro Cargo UPDATE",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04",
  "modifiedBy": "Alejandro Patino",
  "modifiedOn": "2022-07-04"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/Charge/4' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "charge": "Otro Cargo UPDATE",
    "createdBy": "Sergio Hernandez",
    "creationOn": "2022-07-04",
    "modifiedBy": "Alejandro Patino",
    "modifiedOn": "2022-07-04"
  }'
```

Request URL

http://localhost:8080/Charge/4

Server response

Code

Details

201

Unauthenticated

Response body

```
{
  "charge": "Otro Cargo UPDATE",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04T00:00:00.000+00:00",
  "modifiedBy": "Alejandro Patino",
  "modifiedOn": "2022-07-04T00:00:00.000+00:00",
  "id": 4
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon, 04 Jul 2022 03:28:34 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Response

Code

Description

Links

201

Unauthenticated

Response body

```
{
  "charge": "Otro Cargo UPDATE",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04T00:00:00.000+00:00",
  "modifiedBy": "Alejandro Patino",
  "modifiedOn": "2022-07-04T00:00:00.000+00:00",
  "id": 4
}
```

Response headers

```
connection: keep-alive
content-type: application/json
date: Mon, 04 Jul 2022 03:28:34 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

200

OK

No links

Filtro por ID

GET /Charge/ID/{ID}

Parameters

Cancel

Name	Description
ID * required	
integer(\$int64)	
(path)	

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/Charge/ID/4' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/Charge/ID/4

Server response

Code	Details
200	<p>Response body</p> <pre>{ "charge": "Otro Cargo UPDATE", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-03", "modifiedBy": "Alejandro Patillo", "modifiedOn": "2022-07-03", "id": 4 }</pre> <p>Response headers</p> <pre>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 03:22:46 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Download

Filtro por cargo

GET /Charge/Charge/{Charge}

Parameters

Cancel

Name	Description
Charge * required	
string	
(path)	

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/Charge/Charge/OtroCargoUPDATE' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/Charge/Charge/OtroCargoUPDATE

Server response

Code	Details
200	<p>Response body</p> <pre>{ "charge": "Otro Cargo UPDATE", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-03", "modifiedBy": "Alejandro Patillo", "modifiedOn": "2022-07-03", "id": 4 }</pre>

Download

Eliminar por ID

DELETE /charge/{ID}

Parameters

Name	Description
ID <small>* required</small>	
integer(\$int64)	4
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/charge/4' \
  -H 'accept: */*' \
```

Request URL

```
http://localhost:8080/charge/4
```

Server response

Code

Details

204

Undocumented

Response headers

```
connection: keep-alive
date: Mon, 04 Jul 2022 03:24:42 GMT
keep-alive: timeout=60
```

Responses

Code	Description
------	-------------

Links

CRUD DE USUARIOS

users-controller

PUT /User/{ID}

DELETE /User/{ID}

GET /User

POST /User

GET /User/Name/{Name}

GET /User/ID/{ID}

GET /User/CreationOn/{CreationOn}

Cuanta con los siguientes métodos.

- Listar todos los usuarios.
- Filtro por ID.
- Filtro por usuario.
- Filtro por fecha de creación.
- Insertar usuarios.
- Actualizar usuario.
- Eliminar usuario.

Insertar un usuario

POST /User

Parameters

CancelReset

No parameters

Request body required

application/json

```
{
  "name": "User One",
  "age": 20,
  "charge": "Administrador",
  "admissionDate": "2022-07-04",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04"
}
```

ExecuteClear

Request URL

http://localhost:8080/User

Server response

Code	Details
201	<div><div>Response body</div><div><pre>{ "name": "User One", "age": 20, "charge": "Administrador", "admissionDate": "2022-07-04T00:00:00.000+00:00", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04T03:34:43.002+00:00", "modifiedBy": null, "id": 1, "modifiedOn": null }</pre></div><div>Download</div></div>

Response headers

connection: keep-alive
content-type: application/json
date: Mon, 04 Jul 2022 03:34:43 GMT
keep-alive: timeout=60
transfer-encoding: chunked

Responses

Code	Description	Links
200	OK	No links

Listar todos los usuarios con paginaci3n

GET /User

Parameters

Cancel

Name	Description
page	<div>integer(\$int32) (query)</div> <div>0</div>
size	<div>integer(\$int32) (query)</div> <div>10</div>
enablePagination	<div>boolean (query)</div> <div>true</div>

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/User?page=0&size=10&enablePagination=true' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/User?page=0&size=10&enablePagination=true

Server response

Request URL

http://localhost:8080/User?page=0&size=10&enablePagination=true

Server response

Code	Details
200	<p>Response body</p> <pre>{ "name": "User Two", "age": 22, "charge": "Administrador", "admissionDate": "2022-07-03", "createdBy": "Sergio Hernandez", "creationon": "2022-07-03", "modifiedBy": null, "id": 2, "modifiedon": null }, { "name": "User Three", "age": 23, "charge": "Soporte", "admissionDate": "2022-07-03", "createdBy": "Sergio Hernandez", "creationon": "2022-07-03", "modifiedBy": null, "id": 3, "modifiedon": null }, { "name": "User four", "age": 24, "charge": "Asesor de ventas", "admissionDate": "2022-07-03", "createdBy": "Sergio Hernandez", "creationon": "2022-07-03", "modifiedBy": null, "id": 4, "modifiedon": null } }</pre> <p>Response headers</p> <pre>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 03:37:19 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Filtro por ID

Parameters

Cancel

Name	Description
ID * required integer(\$int64) (path)	<input type="text" value="4"/>

Execute Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/User/ID/4' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/User/ID/4

Server response

Code	Details
200	<p>Response body</p> <pre>{ "name": "User four", "age": 24, "charge": "Asesor de ventas", "admissionDate": "2022-07-03", "createdBy": "Sergio Hernandez", "creationon": "2022-07-03", "modifiedBy": null, "id": 4, "modifiedon": null }</pre>

Filtro por usuario

Name	Description
Name * required string (path)	<input type="text" value="User Three"/>

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/User/Name/User%20Three' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8080/User/Name/User%20Three
```

Server response

Code	Details
200	<div><div>Response body</div><pre>{ "name": "User Three", "age": 23, "charge": "Soporte", "admissionDate": "2022-07-03", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-03", "modifiedBy": null, "id": 1, "modifiedOn": null }</pre><div><div></div>Download</div></div>

Actualizar Usuario

users-controller

PUT

/User/{ID}

Parameters

Cancel

Reset

Name	Description
ID * required integer(\$int64) (path)	<input type="text" value="2"/>

Request body

required

application/json

```
{
  "name": "User Two Update",
  "age": 22,
  "charge": "Admin UPD",
  "admissionDate": "2022-07-04T03:40:59.962Z",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04",
  "modifiedBy": "Alejandro Patilio",
  "modifiedOn": "2022-07-04"
}
```

Execute

Clear

Request URL
`http://localhost:8080/User/2`

Server response

Code	Details
201	<p>Response body</p> <pre>{ "name": "User Two Update", "age": 22, "charge": "Admin UPD", "admissionDate": "2022-07-04T03:40:59.962+00:00", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04T00:00:00.000+00:00", "modifiedBy": "Alejandro Patiño", "id": 2, "modifiedOn": "2022-07-04T00:00:00.000+00:00" }</pre> <p>Response headers</p> <pre>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 03:42:04 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Eliminar por ID

DELETE /User/{ID}

Parameters

Name	Description
ID required	integer(int64) <input type="text" value="1"/> (path)

[Execute](#) [Clear](#)

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/User/1' \
  -H 'accept: */*'
```

Request URL
`http://localhost:8080/User/1`

Server response

Code	Details
204	<p>Response headers</p> <pre>connection: keep-alive date: Mon, 04 Jul 2022 03:43:19 GMT keep-alive: timeout=60</pre>

CRUD DE MERCANCIA

commodity-controller	
PUT	/Commodity/{ID}
GET	/Commodity
POST	/Commodity
GET	/Commodity/Product/{Product}
GET	/Commodity/ID/{ID}
GET	/Commodity/CreationOn/{CreationOn}
DELETE	/Commodity/{ID},{UserCreate}

Cuanta con los siguientes métodos.

- Listar toda la mercancía.
- Filtro por ID.
- Filtro por mercancía.
- Filtro por fecha de creación.
- Insertar mercancía.
- Actualizar mercancía.
- Eliminar mercancía.

Insertar mercancía

The screenshot shows a REST client interface with a green header bar. The method is **POST** and the endpoint is **/Commodity**. Under the **Parameters** tab, it says "No parameters". There are **Cancel** and **Reset** buttons. The **Request body** is marked as **required** and the content type is set to **application/json**. The request body contains a JSON object:

```
{  "product": "Mazda 3",  "quantity": 99,  "admissionDate": "2022-07-04",  "userInsert": "Sergio Hernandez",  "createdBy": "Sergio Hernandez",  "creationOn": "2022-07-04"}
```

 At the bottom, there are **Execute** and **Clear** buttons.

The screenshot shows the response of the POST request. The status is **201** (Undocumented). The **Response body** is a JSON object:

```
{  "product": "Mazda 3",  "quantity": 99,  "admissionDate": "2022-07-04T00:00:00.000+00:00",  "userInsert": "Sergio Hernandez",  "createdBy": "Sergio Hernandez",  "creationDate": "2022-07-04T16:44:52.996+00:00",  "modifiedBy": null,  "modifiedOn": null,  "id": 1}
```

 There is a **Download** button. The **Response headers** are:

```
connection: keep-alive
content-type: application/json
date: Mon, 04 Jul 2022 16:44:53 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

 Below, the **Responses** table shows a **200** status with the description **OK** and a **No links** message.

Code	Description	Links
200	OK	No links

Listar toda la mercancía con paginación

GET /Commodity

Parameters

Name

Description

page

integer(\$int32)

(query)

0

size

integer(\$int32)

(query)

10

enablePagination

boolean

(query)

true

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  http://localhost:8080/commodity?page=0&size=10&enablePagination=true' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/commodity?page=0&size=10&enablePagination=true

Server response

Code	Details						
200	<div><div>Response body</div><div><pre>{ "product": "Mazda 3", "quantity": 99, "admissionDate": "2022-07-03", "userInsert": "Sergio Hernandez", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04", "modifiedBy": null, "modifiedOn": null, "id": 1 }, { "product": "audi", "quantity": 50, "admissionDate": "2022-07-03", "userInsert": "Sergio Hernandez", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04", "modifiedBy": null, "modifiedOn": null, "id": 2 }, { "product": "toyota", "quantity": 50, "admissionDate": "2022-07-03", "userInsert": "Alejandro Pati\u00f1o", "createdBy": "Alejandro Pati\u00f1o", "creationOn": "2022-07-04", "modifiedBy": null, "modifiedOn": null, "id": 3 }</pre></div><div><div>Response headers</div><div><pre>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 16:47:16 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div></div></div> <div><div>Responses</div><table><tr><th>Code</th><th>Description</th><th>Links</th></tr><tr><td>200</td><td>OK</td><td>No links</td></tr></table></div>	Code	Description	Links	200	OK	No links
Code	Description	Links					
200	OK	No links					

Filtrar por ID

Name

Description

ID * required

integer(\$int64)

(path)

2

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/commodity/ID/2' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/commodity/ID/2
```

Server response

Code

Details

200

Response body

```
{
  "product": "audi",
  "quantity": 50,
  "admissionDate": "2022-07-03",
  "userInsert": "Sergio Hernandez",
  "createdBy": "Sergio Hernandez",
  "creationOn": "2022-07-04",
  "modifiedBy": null,
  "modifiedOn": null,
  "id": 2
}
```

Download

Filtro por Mercancía

Parameters

Cancel

Name

Description

Product * required

string

(path)

vans

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/commodity/Product/vans' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/commodity/Product/vans
```

Server response

Code

Details

200

Response body

```
{
  "product": "vans",
  "quantity": 30,
  "admissionDate": "2022-07-03",
  "userInsert": "Alejandro Patillo",
  "createdBy": "Alejandro Patillo",
  "creationOn": "2022-07-04",
  "modifiedBy": null,
  "modifiedOn": null,
  "id": 4
}
```

Download

Actualizar mercancía

PUT/Commodity/{ID}

Parameters

Cancel

Reset

Name	Description
ID required	
integer(\$int64)	4
(path)	

Request body required

application/json

```
{  "product": "VansUP0",  "quantity": 60,  "admissionDate": "2022-07-04",  "userInsert": "Alejandro Patiño",  "createdBy": "Alejandro Patiño",  "creationOn": "2022-07-04",  "modifiedBy": "Sergio Hernandez",  "modifiedOn": "2022-07-04"}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  'http://localhost:8080/commodity/a' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "product": "VansUP0",  "quantity": 60,  "admissionDate": "2022-07-04",  "userInsert": "Alejandro Patiño",  "createdBy": "Alejandro Patiño",  "creationOn": "2022-07-04",  "modifiedBy": "Sergio Hernandez",  "modifiedOn": "2022-07-04"  }'
```

Request URL

http://localhost:8080/Commodity/4

Server response

Code

Details

201

Undocumented

Response body

```
{  "product": "VansUP0",  "quantity": 60,  "admissionDate": "2022-07-04T00:00:00.000+00:00",  "userInsert": "Alejandro Patiño",  "createdBy": "Alejandro Patiño",  "creationOn": "2022-07-04T00:00:00.000+00:00",  "modifiedBy": "Sergio Hernandez",  "modifiedOn": "2022-07-04T00:00:00.000+00:00",  "id": 4}
```

Download

Response headers

```
connection: keep-alive  content-type: application/json  date: Mon, 04 Jul 2022 16:52:37 GMT  keep-alive: timeout=60  transfer-encoding: chunked
```

Responses

Eliminar mercancía

ID ^{required} integer(\$int64) (path)

UserCreate ^{required} string (path)

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/commodity/3,AlejandroC2@PatiKc3B1o' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/commodity/3,AlejandroC2@PatiKc3B1o
```

Server response

Code Details

204
Undocumented

Response headers

```
connection: keep-alive
date: Mon, 04 Jul 2022 16:53:58 GMT
keep-alive: timeout=60
```

Responses

Code	Description	Links
200	OK	No links

VALIDACIÓN DE EXCEPCIONES

El producto no puede ir vacío

POST /Commodity

Parameters

No parameters

Request body ^{required}

```
{
  "product": "",
  "quantity": 30,
  "admissionDate": "2022-07-04",
  "userInsert": "Alejandro Patiño",
  "createdBy": "Alejandro Patiño",
  "creationOn": "2022-07-04"
}
```

Responses

Request URL
`http://localhost:8080/commodity`

Server response

Code	Details
400 <small>Undocumented</small>	Error: response status is 400 Response body <code>El producto no puede ir vacío.</code> Response headers <code>connection: close content-length: 29 content-type: text/plain; charset=UTF-8 date: Mon, 04 Jul 2022 16:58:33 GMT</code>

Responses

Code	Description	Links
200	OK	No links

La cantidad no puede ir vacía o menor a uno

POST /commodity

Parameters Cancel Reset

No parameters

Request body required application/json

```
{  
  "product": "Vanfrs",  
  "quantity": "",  
  "admissionDate": "2022-07-04",  
  "userInsert": "Alejandro Patiño",  
  "createdBy": "Alejandro Patiño",  
  "creationOn": "2022-07-04"  
}
```

Execute Clear

Responses

Responses

Curl

```
curl -X 'POST' \  
  'http://localhost:8080/commodity' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "product": "Vanfrs",  
    "quantity": "",  
    "admissionDate": "2022-07-04",  
    "userInsert": "Alejandro Patiño",  
    "createdBy": "Alejandro Patiño",  
    "creationOn": "2022-07-04"  
  }'
```

Request URL
`http://localhost:8080/commodity`

Server response

Code	Details
400 <small>Undocumented</small>	Error: response status is 400 Response body <code>La cantidad debe ser mayor a uno.</code> Response headers <code>connection: close content-length: 33 content-type: text/plain; charset=UTF-8 date: Mon, 04 Jul 2022 17:00:21 GMT</code>

Responses

POST /Commodity

Parameters

No parameters

Request body required application/json

```
{
  "product": "Vanfrs",
  "quantity": 0,
  "admissionDate": "2022-07-04",
  "userInsert": "Alejandro Patiño",
  "createdBy": "Alejandro Patiño",
  "creationOn": "2022-07-04"
}
```

Execute Clear

Responses

Request URL

http://localhost:8080/Commodity

Server response

Code	Details
400	Error: response status is 400

Response body

La cantidad debe ser mayor a uno.

Response headers

```
connection: close
content-length: 33
content-type: text/plain; charset=UTF-8
date: Mon, 04 Jul 2022 17:01:23 GMT
```

Responses

Code	Description	Links
200	OK	No links

La fecha de ingreso debe ser menor o igual a la fecha actual

Parameters

No parameters

Request body required application/json

```
{
  "product": "Vanfrs",
  "quantity": 3,
  "admissionDate": "2022-08-04",
  "userInsert": "Alejandro Patiño",
  "createdBy": "Alejandro Patiño",
  "creationOn": "2022-07-04"
}
```

Execute Clear

Responses

Server response

Code	Details
400	<p>Undocumented Error response status is 400</p> <p>Response body</p> <p>La fecha de ingreso debe ser menor o igual a la fecha actual.</p> <p>Response headers</p> <p>connection: close content-length: 61 content-type: text/plain; charset=UTF-8 date: Mon, 04 Jul 2022 17:03:05 GMT</p>

Responses

Code	Description	Links
200	OK	No links

Solo puede eliminar el registro el creador del registro

Registro y creador.

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/Commodity/ID/1' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/Commodity/ID/1

Server response

Code	Details
200	<p>Response body</p> <pre>{ "product": "Mazda 3", "quantity": 99, "admissionDate": "2022-07-05", "userInsert": "Sergio Hernandez", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04", "modifiedBy": null, "modifiedOn": null, "id": 1 }</pre> <p>Response headers</p> <p>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 17:05:12 GMT keep-alive: timeout=60 transfer-encoding: chunked</p>

Responses

Code	Description	Links
200	OK	No links

Usuario que no creo el registro

DELETE /Commodity/{ID},{UserCreate}

Parameters

Name Description

ID * required integer(\$int64) (path) 1

UserCreate * required string (path) Alejandro Patiño

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
  'http://localhost:8080/Commodity/3,Alejandro20Pati33010' \
  -H 'accept: */*'
```

Request URL

http://localhost:8080/Commodity/3,Alejandro20Pati33010

Server response

Code	Details
------	---------

UserCreate * required
string (path)

Alejandro Patiño

Execute

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/commodity/1,Alejandro%20Pati%C3%B1o' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/commodity/1,Alejandro%20Pati%C3%B1o

Server response

Code	Details
400 <i>Undocumented</i>	Error: response status is 400

Response body

Solo puede eliminar este registro el usuario Sergio Hernandez

Solo puede eliminar el creador Sergio Hernandez

ID * required
integer(int64) (path)

1

UserCreate
string (path)

Sergio Hernandez

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/Commodity/1,Sergio%20Hernandez' \
-H 'accept: */*'
```

Request URL

http://localhost:8080/Commodity/1,Sergio%20Hernandez

Server response

Code	Details
204 <i>Undocumented</i>	Response headers

connection: keep-alive
date: Mon, 04 Jul 2022 17:09:01 GMT
keep-alive: timeout=60

Responses

Code	Description	Links
200	OK	No links

No puedes crear un producto ya registrado

Request URL
`http://localhost:8080/commodity/ID/2`

Server response

Code	Details
200	<p>Response body</p> <pre>{ "product": "audi", "quantity": 00, "admissionDate": "2022-07-03", "userInsert": "Sergio Hernandez", "createdBy": "Sergio Hernandez", "creationOn": "2022-07-04", "modifiedBy": null, "modifiedOn": null, "id": 2 }</pre> <p>Response headers</p> <pre>connection: keep-alive content-type: application/json date: Mon, 04 Jul 2022 17:13:04 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

POST /Commodity

Parameters

No parameters

Request body ^{required}

application/json

```
{
  "product": "audi",
  "quantity": 00,
  "admissionDate": "2022-07-04",
  "userInsert": "Alejandro Patiño",
  "createdBy": "Alejandro Patiño",
  "creationOn": "2022-07-04"
}
```

Execute Clear

Code Details

400

undocumented Error: response status is 400

Response body

```
El producto se encuentra registrado.
```


Response headers

```
connection: close
content-length: 35
content-type: text/plain;charset=UTF-8
date: Mon, 04 Jul 2022 17:14:23 GMT
```

Responses

Code	Description	Links
200	OK	No links

PRUEBAS TEST JUNIT



Se observan un test por cada método con un total de 9 métodos en mercancía.