

UnitTestGenerator

Date: 2025-06-19

Project Analysis

Index

Section #1: Project Description

Section #2: Project Tree

Section #3: Project class Tree

Section #4: Class Details

Section #5: Project Dependencies

Project Info

Project Name: UnitTestGenerator

Java Version: 1.8

Project Version: 2.0.0

Description:

@description@

Detaille de la classe: ClassRelationAnalyzer

Package: com.unitTestGenerator.analyzers.dependency.interfaceanalyzer

Class type: class

Class Signature Line: public class ClassRelationAnalyzer

Class Constructors

Constructors

+ null null null null null null null null

Class UML:

ClassRelationAnalyzer

Attributes:

Methods:

(+) analyzeClasses(List<String> javaSources) : void

(-) extractClassName(source) : String

(+) buildTree(String rootClass) : ClassNode

(-) buildTreeRecursive(ClassNode node) : void

(+) printTree(ClassNode node, String prefix, boolean isTail) : void

(+) buildTree(ClassNode node) : String

(-) buildTreeStringRecursive(ClassNode node, String prefix, boolean isTail, StringBuilder sb) : void

Relations:

Strong Association

-RelationInfo

-ClassNode

-Relation

-StringBuilder

Association static or patter Build

-Pattern

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

External Imports

```
import java.util.ArrayList
```

```
import java.util.HashMap
```

```
import java.util.List
```

```
import java.util.Map
```

```
import java.util.regex.Matcher
```

```
import java.util.regex.Pattern
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/interfaceanalyzer/ClassRelationAnalyzer.
java

Detaille de la classe: ClassNode

Package: com.unitTestGenerator.analyzers.dependency.interfaceanalyzer

Class type: class

Class Signature Line: public class ClassNode

Class Constructors

Constructors

+ null

Class UML:

ClassNode

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.ArrayList

import java.util.List

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/interfaceanalyzer/ClassNode.java

Detalle de la clase: RelationInfo

Package: com.unitTestGenerator.analyzers.dependency.interfaceanalyzer

Class type: class

Class Signature Line: public class RelationInfo

Class Constructors

Constructors

+ null

Class UML:

RelationInfo

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/interfaceanalyzer/RelationInfo.java

Detaille de la classe: Relation

Package: com.unitTestGenerator.analyzers.dependency.interfaceanalyzer

Class type: class

Class Signature Line: public class Relation

Class Constructors

Constructors

+ null

Class UML:

Relation

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/interfaceanalyzer/Relation.java

Detaille de la classe: GradleLocator

Package: com.unitTestGenerator.analyzers.dependency.locators

Class type: class

Class Signature Line: public class GradleLocator

Class Constructors

Constructors

+ null

Class UML:

GradleLocator

Attributes:

Methods:

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/locators/GradleLocator.java

Detalle de la clase: PomParser

Package: com.unitTestGenerator.analyzers.dependency.parser

Class type: class

Class Signature Line: public class PomParser

Class Constructors

Constructors

+ null null null null null

Class UML:

PomParser

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.dependency.pojos.DependencyInfo

import com.unitTestGenerator.analyzers.dependency.pojos.ProjectInfo

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import org.w3c.dom.Document

import org.w3c.dom.Element

import org.w3c.dom.Node

import org.w3c.dom.NodeList

import javax.xml.parsers.DocumentBuilder

import javax.xml.parsers.DocumentBuilderFactory

import java.io.File

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/parser/PomParser.java

Detaille de la classe: ReverseDependencyMenu

Package: com.unitTestGenerator.analyzers.dependency.reverse

Class type: class

Class Signature Line: public class ReverseDependencyMenu

Class Constructors

Constructors

+ null null

Class UML:

ReverseDependencyMenu

Attributes:

Methods:

(+) static main(String[] args) : void

Project Imports

Project Imports

import com.unitTestGenerator.ioc.ContextIOC

External Imports

import java.io.IOException

import java.nio.file.Path

import java.nio.file.Paths

import java.util.ArrayList

import java.util.List

import java.util.Scanner

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/dependency/reverse/ReverseDependencyMenu.java

Detaille de la classe: ReverseDependencyNode

Package: com.unitTestGenerator.analyzers.dependency.reverse

Class type: class

Class Signature Line: public class ReverseDependencyNode

Class Constructors

Constructors

+ public ReverseDependencyNode() public ReverseDependencyNode(String
className, String packague) null null null null null null null null

Class UML:

ReverseDependencyNode

Attributes:

(-) className : String

(-) packague : String

(-) title : String

Methods:

(+) set(String className, String packague) : ReverseDependencyNode

(+) usedBy() : Integer

(+) getClassName() : String

(+) getPackague() : String

(+) getTitle() : String

(+) addUsedBy(ReverseDependencyNode user) : void

(+) to() : String

(+) toFormatted() : String

(+) toFlat() : String

Relations:

Strong Association

-StringBuilder

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

External Imports

```
import java.util.ArrayList
```

```
import java.util.List
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/dependency/reverse/ReverseDependencyNode.java

Detaille de la classe: IReverseDependency

Package: com.unitTestGenerator.analyzers.dependency.reverse

Class type: interface

Class Signature Line: public interface IReverseDependency

Class Constructors

Constructors

+ null

Class UML:

IReverseDependency

Attributes:

Methods:

(+) default getReverseDependencys(String router) :
List<ReverseDependencyNode>

Project Imports

Project Imports

import com.unitTestGenerator.ioc.ContextIOC

External Imports

import java.io.IOException

import java.util.ArrayList

import java.util.List

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/dependency/reverse/IReverseDependency.java

Detalle de la clase: DependencyInfo

Package: com.unitTestGenerator.analyzers.dependency.pojos

Class type: class

Class Signature Line: public class DependencyInfo

Class Constructors

Constructors

```
+ public DependencyInfo(String rawDependency) public DependencyInfo(String  
groupId, String artifactId, String version) null null null null null null null null  
null null null null
```

Class UML:

DependencyInfo

Attributes:

```
(-) groupId : String  
(-) artifactId : String  
(-) version : String  
(-) rawDependency : String
```

Methods:

```
(-) parseRawDependency(String dep) : void  
(+) getGroupId() : String  
(+) getArtifactId() : String  
(+) getVersion() : String  
(+) getRawDependency() : String  
(+) setGroupId(String groupId) : void  
(+) setArtifactId(String artifactId) : void  
(+) setVersion(String version) : void  
(+) setRawDependency(String rawDependency) : void  
(+) to() : String  
(+) toGradle() : String  
(+) toMaven() : String  
(+) toMavenLine() : String
```

Relations:

Strong Association

-StringBuffer

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/dependency/pojos/DependencyInfo.java

Detalle de la clase: ProjectInfo

Package: com.unitTestGenerator.analyzers.dependency.pojos

Class type: class

Class Signature Line: public class ProjectInfo

Class Constructors

Constructors

+ public ProjectInfo() null null null null null null null null null null null null

Class UML:

ProjectInfo

Attributes:

(-) name : String
(-) description : String
(-) javaVersion : String
(-) version : String

Methods:

(+) getVersion() : String
(+) setVersion(String version) : void
(+) getName() : String
(+) setName(String name) : void
(+) getDescription() : String
(+) setDescription(String description) : void
(+) getJavaVersion() : String
(+) setJavaVersion(String javaVersion) : void
(+) setDependencies(List<DependencyInfo> dependencies) : void
(+) addDependency(DependencyInfo dependency) : void
(+) to() : String
(+) toDependencies(Boolean isMaven) : String

Relations:

Strong Association

-StringBuffer

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/dependency/pojos/ProjectInfo.java

Detaille de la classe: IDependencyAnalyzer

Package: com.unitTestGenerator.analyzers.dependency

Class type: interface

Class Signature Line: public interface IDependencyAnalyzer

Class Constructors

Constructors

+ null null null null

Class UML:

IDependencyAnalyzer

Attributes:

Methods:

(+) default getProjectInfoFromMaven(Project project) : void

(+) default getProjectInfoFromGradle(Project project) : void

(+) default generateUmlDiagram(String outputPath, List<String> classSources)
throws IOException : void

(+) default generateDependencyDotPng(String outputPath, List<String>
classSources) throws IOException : void

(+) default generateDependencyConsole(List<String> classSources, String
targetClassName) : void

(+) default interfaceRelations(List<> classSources, targetClassName) : String

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.dependency.console.
DependencyAnalyzer

import com.unitTestGenerator.analyzers.dependency.interfaceanalyzer.
ClassNode

import com.unitTestGenerator.analyzers.dependency.interfaceanalyzer.
ClassRelationAnalyzer

import com.unitTestGenerator.analyzers.dependency.locators.GradleLocator

import com.unitTestGenerator.analyzers.dependency.locators.PomLocator

```
import com.unitTestGenerator.analyzers.dependency.parser.  
DependencyAnalyzerParser
```

```
import com.unitTestGenerator.analyzers.dependency.parser.  
DependencyAnalyzerParserUml
```

```
import com.unitTestGenerator.analyzers.dependency.parser.GradleParser
```

```
import com.unitTestGenerator.analyzers.dependency.parser.PomParser
```

```
import com.unitTestGenerator.analyzers.dependency.pojos.ProjectInfo
```

```
import com.unitTestGenerator.ioc.ContextIOC
```

```
import com.unitTestGenerator.pojos.Project
```

External Imports

```
import java.io.File
```

```
import java.io.IOException
```

```
import java.util.List
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/dependency/IDependencyAnalyzer.java

Detalle de la clase: **AnalyzeExtendsInInterfaces**

Package: com.unitTestGenerator.analyzers

Class type: class

Class Signature Line: public class AnalyzeExtendsInInterfaces

Class Constructors

Constructors

+ public AnalyzeExtendsInInterfaces() null null null null null

Class UML:

AnalyzeExtendsInInterfaces

Attributes:

Methods:

(+) analizeImplements(project, Character key) : Project

(+) analizeExtens(project) : Project

(-) extendsLoop(Project project, Clase classRelation) : String

(-) getTree(List<> tree) : String

(-) isExtents(Clase loop) : Boolean

Relations:

Strong Association

-StringBuffer

-StringBuilder

Association static or patter Build

-Implementation

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

```
import com.unitTestGenerator.ioc.anotations.Singleton
```

```
import com.unitTestGenerator.pojos.Clas
```

```
import com.unitTestGenerator.pojos.Project
```

External Imports

```
import java.util.ArrayList
```

```
import java.util.List
```

```
import java.util.Optional
```

Class Annotations

```
@Component,@Singleton,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/AnalyzeExtendsInInterfaces.java

Detalle de la clase: GradleAnalyzer

Package: com.unitTestGenerator.analyzers

Class type: class

Class Signature Line: public class GradleAnalyzer implements IGradleAnalyzer, IFileManager

Class Constructors

Constructors

+ public GradleAnalyzer() public GradleAnalyzer(File archivoGradle) null null
null null null null null null null

Class UML:

GradleAnalyzer

Attributes:

(-) archivoGradle : File

Methods:

(+) setArchivoGradle(File archivoGradle) : void

(-) getImportType(Integer importType) : String

(+) addLombokDependency() : void

(+) startedWithoutMockDatabaseH2() : void

(+) startedMokitoDependencys() : void

(-) dependenciaExiste(String contenido , Integer importType, Dependency
dependency) : boolean

(+) analizarEstructura() : void

(+) eliminarDependencia(String grupo, String artefacto) : void

Relations:

Implement

-IGradleAnalyzer

- IFileManager

Strong Association

-FileWriter

Association static or patter Build

-FileUtils

-String

-DocumentBuilderFactory

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.interfaces.IGradleAnalyzer

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.pojos.Dependency

import com.unitTestGenerator.util.Dependencies

import com.unitTestGenerator.builders.interfaces.IFileManager

External Imports

import java.io.File

import java.io.FileWriter

import java.io.IOException

import java.util.List

import java.util.Objects

import java.util.Optional

import javax.xml.parsers.DocumentBuilderFactory

import javax.xml.parsers.ParserConfigurationException

import org.apache.commons.io.FileUtils

import org.w3c.dom.Document

import org.w3c.dom.Element

import org.w3c.dom.NodeList

```
import org.xml.sax.SAXException
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/GradleAnalyzer.java

Detalle de la clase: ReverseDependencyServices

Package: com.unitTestGenerator.analyzers.services

Class type: class

Class Signature Line: public class ReverseDependencyServices implements IReverseDependency

Class Constructors

Constructors

+ null

Class UML:

ReverseDependencyServices

Attributes:

Methods:

(+) ejecutar(Project project) : void

Relations:

Implement

-IReverseDependency

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.dependency.reverse.
IReverseDependency

import com.unitTestGenerator.analyzers.dependency.reverse.
ReverseDependencyNode

import com.unitTestGenerator.ioc.annotations.Component

import com.unitTestGenerator.pojos.Clase

import com.unitTestGenerator.pojos.Project

External Imports
import java.util.List
Class Anotations
@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/services/ReverseDependencyServices.java

Detalle de la clase: ImportAnalyzeService

Package: com.unitTestGenerator.analyzers.services

Class type: class

Class Signature Line: public class ImportAnalyzeService implements IBaseModel

Class Constructors

Constructors

+ public ImportAnalyzeService() null null null null null

Class UML:

ImportAnalyzeService

Attributes:

Methods:

(+) importAnalyze(Clase clase) : ImportAnalyzePojo

Relations:

Implement

-IBaseModel

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.pojos.Clase

import com.unitTestGenerator.pojos.ImportAnalyzePojo

import com.unitTestGenerator.util.interfaces.IBaseModel

External Imports

import java.util.ArrayList

```
import java.util.List
```

```
import java.util.regex.Matcher
```

```
import java.util.regex.Pattern
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/services/ImportAnalyzeService.java

Detalle de la clase: SingletonDetectorService

Package: com.unitTestGenerator.analyzers.services

Class type: class

Class Signature Line: public class SingletonDetectorService

Class Constructors

Constructors

+ null null

Class UML:

SingletonDetectorService

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.regex.Matcher

import java.util.regex.Pattern

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/services/SingletonDetectorService.java

Detalle de la clase: IProjectAnalyzeService

Package: com.unitTestGenerator.analyzers.services.interfaces

Class type: interface

Class Signature Line: public interface IProjectAnalyzeService

Class Constructors

Constructors

+ null null null null null

Class UML:

IProjectAnalyzeService

Attributes:

Methods:

(+) default executeAnalyze(String path, boolean isAnalysis) : Project

(+) default printListClassToUML(Project projectP) : String

(+) default printUMLClass(Classe classes) : String

(+) default printProjectAnalyze(Project projectP, boolean isAnalysis) : void

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.AnalizadorProyecto

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.pojos.Classe

import com.unitTestGenerator.pojos.Metodo

import com.unitTestGenerator.pojos.Project

import com.unitTestGenerator.uml.sevices.PrintClassToUML

External Imports

import java.util.List

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/services/interfaces/IProjectAnalyzeService.java

Detalle de la clase: IToDoDetectorService

Package: com.unitTestGenerator.analyzers.services.interfaces

Class type: interface

Class Signature Line: public interface IToDoDetectorService

Class Constructors

Constructors

+ null

Class UML:

IToDoDetectorService

Attributes:

Methods:

(+) default getTodo(text) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/services/interfaces/IToDoDetectorService.java

Detaille de la classe: IExtendsInInterfacesService

Package: com.unitTestGenerator.analyzers.services.interfaces

Class type: interface

Class Signature Line: public interface IExtendsInInterfacesService

Class Constructors

Constructors

+ null null

Class UML:

IExtendsInInterfacesService

Attributes:

Methods:

(+) default getInterfaceStructure(project) : Project

(+) default getExtendsStructure(project) : Project

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.AnalyzeExtendsInInterfaces

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.pojos.Project

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/services/interfaces/IExtendsInInterfacesService.java

Detalle de la clase: IAnalyzerProjectServiceManager

Package: com.unitTestGenerator.analyzers.services.interfaces

Class type: interface

Class Signature Line: public interface IAnalyzerProjectServiceManager

Class Constructors

Constructors

+ null

Class UML:

IAnalyzerProjectServiceManager

Attributes:

Methods:

(+) default getInstanceAPSI() : AnalyzerProjectService

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.services.AnalyzerProjectService

import com.unitTestGenerator.ioc.ContextIOC

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/services/interfaces/IAnalyzerProjectServiceManager.java

Detalle de la clase: IAnalyzeCassMethodService

Package: com.unitTestGenerator.analyzers.services.interfaces

Class type: interface

Class Signature Line: public interface IAnalyzeCassMethodService

Class Constructors

Constructors

+ null null null null null

Class UML:

IAnalyzeCassMethodService

Attributes:

Methods:

(+) default analyzeMethod(String content, Clase classs) : void

(+) default analyzeMethodRelationsStatic(String content, Clase classs) : void

(+) default analyzeMethodRelationsSingleton(String content, Clase classs) : void

(+) default analyzeMethodRelationsStrongDependencyAssociationNew(String content, Clase classs) : void

(+) default analyzeMethodRelationsStrongDependencyAssociationBuilder(String content, Clase classs) : void

Project Imports

Project Imports

import com.unitTestGenerator.pojos.Clase

External Imports

import java.util.regex.Matcher

import java.util.regex.Pattern

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/analyzers/services/interfaces/IAnalyzeCassMethodService.java

Detaille de la classe: IGradleAnalyzer

Package: com.unitTestGenerator.analyzers.interfaces

Class type: interface

Class Signature Line: public interface IGradleAnalyzer extends
IStringEnsambleService

Class Constructors

Constructors

+ null null

Class UML:

IGradleAnalyzer

Attributes:

Methods:

(+) default listStructureToColumm(List<> parameters) : String

(+) default indentation(Integer indentationLevel) : String

Relations:

Extends

-IStringEnsambleService

Project Imports

Project Imports

import com.unitTestGenerator.util.interfaces.IConstantModel

import com.unitTestGenerator.util.interfaces.IStringEnsambleService

External Imports

import java.util.Arrays

import java.util.List

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/analyzers/interfaces/IGradleAnalyzer.java

Detaille de la classe: ProjectHolder

Package: com.unitTestGenerator.core

Class type: class

Class Signature Line: public class ProjectHolder

Class Constructors

Constructors

+ public ProjectHolder() null null null

Class UML:

ProjectHolder

Attributes:

(-) project : Project

Methods:

(+) get() : Project

(+) setProject(Project project) : void

(+) update(Project project) : void

Relations:

loc

-Project

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Inyect

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.pojos.Project

Class Anotations

@Component,@Singleton,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/core/ProjectHolder.java

Detalle de la clase: DependenceManager

Package: com.unitTestGenerator.core

Class type: class

Class Signature Line: public class DependenceManager

Class Constructors

Constructors

+ public DependenceManager() null null

Class UML:

DependenceManager

Attributes:

(-) generateMethodService : GenerateMethodServiceI

(-) generatedVariableService : GeneratedVariableService

Methods:

(+) getGenerateMethodService() : GenerateMethodServiceI

(+) get() : GeneratedVariableService

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Inject

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.services.GenerateMethodServiceI

import com.unitTestGenerator.services.GeneratedVariableService

Class Anotations

@Component,@Singleton,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/core/DependenceManager.java

Detalle de la clase: Element

Package: com.unitTestGenerator.uml.pojos

Class type: class

Class Signature Line: public class Element

Class Constructors

Constructors

+ public Element() null null null null null null null null null null null null null null null

Class UML:

Element

Attributes:

(-) name : String

(-) valor : String

Methods:

(+) getName() : String

(+) setName(String name) : void

(+) getValor() : String

(+) setValor(String valor) : void

(+) setVariables(List<String> variables) : void

(+) setMetodos(List<String> metodos) : void

(+) setRelations(List<String> relations) : void

(+) setConste(List<Conect> conste) : void

(+) equals(Object o) : boolean

(+) hashCode() : int

(+) to() : String

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports
import com.unitTestGenerator.ioc.anotations.Component
External Imports
import java.util.ArrayList
import java.util.List
import java.util.Objects
Class Anotations
@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/uml/pojos/Element.java

Detalle de la clase: Conect

Package: com.unitTestGenerator.uml.pojo

Class type: class

Class Signature Line: public class Conect

Class Constructors

Constructors

+ public Conect() null null null null null null null

Class UML:

Conect

Attributes:

(-) connexion : String

(-) move : boolean

Methods:

(+) getConexion() : String

(+) setConexion(String connexion) : void

(+) isMove() : boolean

(+) setMove(boolean move) : void

(+) equals(Object o) : boolean

(+) hashCode() : int

(+) to() : String

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

import com.unitTestGenerator.ioc.annotations.Component

External Imports

```
import java.util.Objects
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/uml/pojos/Conect.java

Detalle de la clase: ClassUML

Package: com.unitTestGenerator.uml.pojos

Class type: class

Class Signature Line: public class ClassUML

Class Constructors

Constructors

+ public ClassUML() null null

Class UML:

ClassUML

Attributes:

(-) ClassToUML : String

Methods:

(+) getClassToUML() : String

(+) setClassToUML(String classToUML) : void

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.pojos.Clase

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/uml/pojos/ClassUML.java

Detalle de la clase: ObjectTransformer

Package: com.unitTestGenerator.util

Class type: class

Class Signature Line: public class ObjectTransformer

Class Constructors

Constructors

+ null null null null

Class UML:

ObjectTransformer

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.Base64

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/ObjectTransformer.java

Detaille de la classe: IAddressRandomServiceImplement

Package: com.unitTestGenerator.util.random.sevicesrandomimplement

Class type: class

Class Signature Line: public class IAddressRandomServiceImplement implements IAddressRandomService

Class Constructors

Constructors

+ null null null null

Class UML:

IAddressRandomServiceImplement

Attributes:

Methods:

(+) generateAddress() : String

(+) generateRandomStates() : String

(-) generateRandomNumber(minNumber, maxNumber) : Integer

(+) fillMaps() : boolean

Relations:

Implement

-IAddressRandomService

Strong Association

-StringBuilder

-Random

Association static or patter Build

-String

Project Imports

Project Imports
import com.unitTestGenerator.ioc.anotations.Component
import com.unitTestGenerator.util.random.servicesRandom. IAddressRandomService
External Imports
import java.util.HashMap
import java.util.Map
import java.util.Random
Class Anotations
@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/util/random/sevicesrandomimplement
/IAddressRandomServiceImplement.java

Detalle de la clase: IRandomService

Package: com.unitTestGenerator.util.random.servicesRandom

Class type: interface

Class Signature Line: public interface IRandomService

Class UML:

IRandomService

Attributes:

Methods:

- (+) generateRandomNumber(maxNumber) : Integer
- (+) generateRandomNumber(minNumber, maxNumber) : Integer
- (+) generateRandomDate(startDate, endDate) : LocalDate
- (+) generateRandomText(int length) : String
- (+) generateRandomName() : String
- (+) generateRandom() : Date
- (+) generateRandomLastName() : String
- (+) generatePositiveRandom() : Long
- (+) generatePositiveRandom(minNumber, maxNumber) : Long
- (+) getRandomNumero(valorMinimo, valorMaximo) : Double
- (+) generateCode() : String
- (+) generateRamdon() : Boolean
- (+) generateRandomRealWordText(Integer wordNumbers) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/random/servicesRandom/IRandomService.java

Detalle de la clase: IAddressRandomService

Package: com.unitTestGenerator.util.random.servicesRandom

Class type: interface

Class Signature Line: public interface IAddressRandomService

Class UML:

IAddressRandomService

Attributes:

Methods:

(+) generateAddress() : String

(+) fillMaps() : boolean

(+) generateRandomStates() : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/random/servicesRandom/IAddressRandomService.java

Detalle de la clase: Dependencies

Package: com.unitTestGenerator.util

Class type: class

Class Signature Line: public class Dependencies

Class UML:

Dependencies

Attributes:

Methods:

Project Imports

Project Imports

```
import com.unitTestGenerator.pojos.Dependency
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/Dependencies.java

Detalle de la clase: DateTime

Package: com.unitTestGenerator.util.interfaces

Class type: interface

Class Signature Line: public interface DateTime

Class Constructors

Constructors

+ null null

Class UML:

DateTime

Attributes:

Methods:

(+) default getTime() : String

(+) default getDate() : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/interfaces/DateTime.java

Detalle de la clase: IStringEnsambleService

Package: com.unitTestGenerator.util.interfaces

Class type: interface

Class Signature Line: public interface IStringEnsambleService

Class Constructors

Constructors

+ null null

Class UML:

IStringEnsambleService

Attributes:

Methods:

(+) default stringEnsamble(List<> stringPaths) : String

(+) default stringEnsamble(... stringPaths) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/interfaces/IStringEnsambleService.java

Detaille de la classe: IRepeatLogic

Package: com.unitTestGenerator.util.interfaces

Class type: interface

Class Signature Line: public interface IRepeatLogic

Class Constructors

Constructors

+ null

Class UML:

IRepeatLogic

Attributes:

Methods:

(+) default repeat(str, int times) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/interfaces/IRepeatLogic.java

Detalle de la clase: ICleanConsole

Package: com.unitTestGenerator.util.interfaces

Class type: interface

Class Signature Line: public interface ICleanConsole

Class Constructors

Constructors

+ null null null null null null null null

Class UML:

ICleanConsole

Attributes:

Methods:

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/interfaces/ICleanConsole.java

Detaille de la classe: IBaseModel

Package: com.unitTestGenerator.util.interfaces

Class type: interface

Class Signature Line: public interface IBaseModel extends IStringEnsambleService

Class Constructors

Constructors

+ null null null null null null null null null null null null null null null null

Class UML:

IBaseModel

Attributes:

Methods:

(+) default path(List<> paths) : String
(+) default toList(String... StringPaths) : List<String>
(+) default stringPaths(Boolean starSeparator, Boolean endSeparator,... paths) : String
(+) default packageToPaths(packageClass) : String
(+) default listToColumm(... paths) : String
(+) default printColummStringY(String... paths) : void
(+) default listStructureToColumm(List<> parameters) : String
(+) default indentation(Integer indentationLevel) : String
(+) default capitalizeFirstLetter(str) : String
(+) default capitalizeOrUncapitalisedFirstLetter(str, Character action) : String
(+) default toCamelCase(text) : String
(+) default printColummString(String... paths) : void

Relations:

Extends

-IStringEnsambleService

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/interfaces/IBaseModel.java

Detalle de la clase: GenericUpdater

Package: com.unitTestGenerator.util

Class type: class

Class Signature Line: public class GenericUpdater

Class Constructors

Constructors

+ null null

Class UML:

GenericUpdater

Attributes:

Methods:

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/util/GenericUpdater.java

Detaille de la classe: ITemplateBuilderTemplate			
Package: com.unitTestGenerator.builders.interfaces Class type: interface Class Signature Line: public interface ITemplateBuilderTemplate			
Class Constructors <table> <tr> <th>Constructors</th></tr> <tr> <td>+ null null null null null null null null</td></tr> </table>	Constructors	+ null null null null null null null null	
Constructors			
+ null null null null null null null null			
Class UML: <table> <tr> <th>ITemplateBuilderTemplate</th></tr> <tr> <td>Attributes:</td></tr> <tr> <td>Methods:</td></tr> </table>	ITemplateBuilderTemplate	Attributes:	Methods:
ITemplateBuilderTemplate			
Attributes:			
Methods:			

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/builders/interfaces/ITemplateBuilderTemplate.java

Detaille de la classe: ITemplateBuilderRelation

Package: com.unitTestGenerator.builders.interfaces

Class type: interface

Class Signature Line: public interface ITemplateBuilderRelation

Class Constructors

Constructors

+ null null null null null null null null null null null

Class UML:

ITemplateBuilderRelation

Attributes:

Methods:

(+) default relationCleanAll(templete) : String
(+) default relationImport(templete, title, content) : String
(+) default relationExtends(templete, title, content) : String
(+) default relationloc(templete, title, content) : String
(+) default relationStrongAssociation(templete, title, content) : String
(+) default relationStaticPatterBuild(templete, title, content) : String
(+) default relationBaseCleanAll(templete) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/builders/interfaces/ITemplateBuilderRelation.java

Detalle de la clase: IFileManager

Package: com.unitTestGenerator.builders.interfaces

Class type: interface

Class Signature Line: public interface IFileManager extends IBaseModel

Class Constructors

Constructors

+ null null null null null null null null null null

Class UML:

IFileManager

Attributes:

Methods:

(+) default fileExist(File file) : String

(+) default writefilesI(File fileToWrite, String content) : void

(+) default fileWriter(File archivo, String contenido, String ruta) : void

(+) default getFileContent(File file, filePath) : String

(+) default readFile(filePath) throws IOException : String

(+) default filePathExists(String filePath) : Boolean

(+) default getPathOfTest(Clas e clase, pathProject) : String

Relations:

Extends

-IBaseModel

Project Imports

Project Imports

import com.unitTestGenerator.pojos.Clas e

import com.unitTestGenerator.util.interfaces.IBaseModel

External Imports

```
import org.apache.commons.io.FileUtils
```

```
import java.nio.file.Files
```

```
import java.nio.file.Path
```

```
import java.nio.file.Paths
```

```
import java.util.stream.Collectors
```

```
import java.util.stream.Stream
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/builders/interfaces/IFileManager.java

Detaille de la classe: PrintService

Package: com.unitTestGenerator.printers

Class type: class

Class Signature Line: public class PrintService

Class Constructors

Constructors

+ public PrintService() null null null null null

Class UML:

PrintService

Attributes:

Methods:

(+) print_BLUE(String Element) : void
(+) print_YELLOW(String Element) : void
(+) print_RED(String Element) : void
(+) print_GREEN(String Element) : void
(+) print_DARKGREEN(String Element) : void

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/printers/PrintService.java

Detalle de la clase: PrintClassAnalyzers

Package: com.unitTestGenerator.printers

Class type: class

Class Signature Line: public class PrintClassAnalyzers implements IPrintService

Class Constructors

Constructors

+ public PrintClassAnalyzers() null null null null

Class UML:

PrintClassAnalyzers

Attributes:

Methods:

(+) printClassDetail(Clase classs) : void

(+) printProjectAnalyze(Project projectP, boolean isAnalysis) : void

(-) repeat(str, int times) : String

Relations:

Implement

-IPrintService

Strong Association

-StringBuilder

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.printers.interfaces.IPrintService

Class Anotations
@Component,@Singleton,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/printers/PrintClassAnalyzers.java

Detaille de la classe: DirectoryTreeBuilder

Package: com.unitTestGenerator.printers

Class type: class

Class Signature Line: public class DirectoryTreeBuilder implements IBaseModel

Class Constructors

Constructors

+ public DirectoryTreeBuilder() null null null null null null null null

Class UML:

DirectoryTreeBuilder

Attributes:

(-) projetName : String

Methods:

(+) setProjetName(String projetPath) : void

(+) getProjetName() : String

(-) pathImproved(path) : String

(+) addPath(String path) : void

(+) getTree() : String

(-) getTree(TreeNode node, int level) : String

Relations:

Implement

-IBaseModel

loc

-String

Strong Association

-StringBuilder

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.util.interfaces.IBaseModel

Class Anotations

@Component,@Singleton,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/printers/DirectoryTreeBuilder.java

Detalle de la clase: IPrintAnalyzeImports

Package: com.unitTestGenerator.printers.interfaces

Class type: interface

Class Signature Line: public interface IPrintAnalyzeImports

Class Constructors

Constructors

+ null null null null null null

Class UML:

IPrintAnalyzeImports

Attributes:

Methods:

(+) default generateImportsMap(project) : Project

(+) default importsExits(Clase loop) : Boolean

(+) default extendsLoop(Project project, Clase classFather) : String

(+) default getTree(List<> tree) : String

(+) default stringSpace(int number) : String

(+) default getClassOfImport(importText) : String

Project Imports

Project Imports

import com.unitTestGenerator.pojos.Clase

import com.unitTestGenerator.pojos.Project

External Imports

import java.util.ArrayList

import java.util.List

import java.util.Optional

import java.util.stream.Collectors

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/printers/interfaces/IPrintAnalyzeImports.java

Detaille de la classe: PrintProjectAnalyzers

Package: com.unitTestGenerator.printers.interfaces

Class type: interface

Class Signature Line: public interface PrintProjectAnalyzers extends IPrintService

Class Constructors

Constructors

+ null null null null null null null null

Class UML:

PrintProjectAnalyzers

Attributes:

Methods:

(+) default printProjectAnalyzeResult(Project projectP) : void
(+) default printClassList(Project projectP) : void
(+) default printKeyMapClassInterfaceList(List<Clase> list, String key) : void
(+) default printMethodsOfClass(Project projectP, String className) : void
(+) default printProjectClassTree(Project projectP) : void
(+) default printProjectFileTree(Project projectP) : void
(+) default printElemet(String elemet) : void
(+) default printElemetShiftColor(String elemet, boolean color) : void

Relations:

Extends

-IPrintService

Project Imports

Project Imports

import com.unitTestGenerator.pojos.ClaSe

import com.unitTestGenerator.pojos.Project

External Imports

```
import java.util.List
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/printers/interfaces/PrintProjectAnalyzers.java

Detaille de la classe: IPrintService

Package: com.unitTestGenerator.printers.interfaces

Class type: interface

Class Signature Line: public interface IPrintService

Class Constructors

Constructors

+ null

Class UML:

IPrintService

Attributes:

Methods:

(+) default service() : PrintService

Project Imports

Project Imports

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.printers.PrintService

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/printers/interfaces/IPrintService.java

Detalle de la clase: DataDaoMapper

Package: com.unitTestGenerator.persistence.mapper

Class type: class

Class Signature Line: public class DataDaoMapper

Class Constructors

Constructors

+ public DataDaoMapper() null null null null

Class UML:

DataDaoMapper

Attributes:

Methods:

(+) pojoToEntity(Pojo pojo) : Data

(+) entityToPojo(Data entity) : DataPojo

Relations:

Association static or patter Build

-Optional

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.persistence.model.Data

import com.unitTestGenerator.persistence.model.DataPojo

import com.unitTestGenerator.pojos.Project

External Imports

```
import org.modelmapper.ModelMapper
```

```
import java.util.Collections
```

```
import java.util.List
```

```
import java.util.stream.Collectors
```

```
import java.util.Optional
```

Class Anotations

```
@Component,@Singleton,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/persistence/mapper/DataDaoMapper.java

Detalle de la clase: IDaoService

Package: com.unitTestGenerator.persistence.repositories

Class type: interface

Class Signature Line: public interface IDaoService

Class UML:

IDaoService

Attributes:

Methods:

(+) update(DataPojo data) : void
(+) save(DataPojo data) : void
(+) findAll() : List<DataPojo>
(+) findById(Long id) : DataPojo
(+) findById2(Long id) : List<DataPojo>
(+) findByName(String name) : List<DataPojo>
(+) delete(DataPojo data) : void

Project Imports

Project Imports

import com.unitTestGenerator.persistence.model.Data

import com.unitTestGenerator.persistence.model.DataPojo

External Imports

import java.util.List

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/persistence/repositories/IDaoService.java

Detaille de la classe: DataDAOServicesImplement

Package: com.unitTestGenerator.persistence.repositories

Class type: class

Class Signature Line: public class DataDAOServicesImplement implements IDaoService

Class Constructors

Constructors

```
+ public DataDAOServicesImplement() null null null null null null null null null null null null
```

Class UML:

DataDAOServicesImplement

Attributes:

Methods:

```
(+) update(DataPojo dataPojo) : void  
(+) save(DataPojo dataPojo) : void  
(+) findById(Long id) : DataPojo  
(+) delete(DataPojo data) : void
```

Relations:

Implement

```
-IDaoService
```

Association static or patter Build

```
-String
```

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

```
import com.unitTestGenerator.ioc.anotations.Inject
```

```
import com.unitTestGenerator.ioc.anotations.Singleton
```

```
import com.unitTestGenerator.persistence.mapper.DataDaoMapper
```

```
import com.unitTestGenerator.persistence.model.Data
```

```
import com.unitTestGenerator.persistence.model.DataPojo
```

External Imports

```
import org.hibernate.cfg.Configuration
```

```
import org.hibernate.service.ServiceRegistry
```

```
import org.hibernate.service.ServiceRegistryBuilder
```

```
import java.util.List
```

```
import java.util.Properties
```

Class Anotations

```
@Component,@Singleton,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/persistence/repositories/DataDAOServicesImplement.java

Detalle de la clase: Data

Package: com.unitTestGenerator.persistence.model

Class type: class

Class Signature Line: public class Data

Class Constructors

Constructors

```
+ public Data() public Data(Long id, String name, String descripcion, String
datos) public Data(String name, String descripcion, String datos) null null null
null null null null null null
```

Class UML:

Data

Attributes:

```
(-) id : Long
(-) name : String
(-) descripcion : String
(-) datos : String
```

Methods:

```
(+) getId() : Long
(+) setId(Long id) : void
(+) getName() : String
(+) setName(String name) : void
(+) getDescripcion() : String
(+) setDescripcion(String descripcion) : void
(+) getDatos() : String
(+) setDatos(String datos) : void
(+) to() : String
```

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

Class Anotations

```
@Entity,@Table(name = "data"),@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/persistence/model/Data.java

Detalle de la clase: DataPojo

Package: com.unitTestGenerator.persistence.model

Class type: class

Class Signature Line: public class DataPojo

Class Constructors

Constructors

```
+ public DataPojo() public DataPojo(String name, String descripcion, String
datos) public DataPojo(Long id, String name, String descripcion, String datos)
null null null null null null null null null null null
```

Class UML:

DataPojo

Attributes:

```
(-) id : Long
(-) name : String
(-) descripcion : String
(-) datos : String
```

Methods:

```
(+) getId() : Long
(+) setId(Long id) : void
(+) getName() : String
(+) setName(String name) : void
(+) getDescripcion() : String
(+) setDescripcion(String descripcion) : void
(+) getDatos() : String
(+) setDatos(String datos) : void
(+) equals(Object o) : boolean
(+) hashCode() : int
(+) to() : String
```

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

External Imports

```
import java.util.Objects
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/persistence/model/DataPojo.java

Detaille de la classe: SavedProjectMenu

Package: com.unitTestGenerator.menus

Class type: class

Class Signature Line: public class SavedProjectMenu implements IPrintService

Class Constructors

Constructors

+ public SavedProjectMenu(ObjectTransformer objectTransformer,
ProjectHolder projectHolder, AnalyzerProjectService analyzerProjectService) null
null null null null null null null null null

Class UML:

SavedProjectMenu

Attributes:

(-) objectTransformer : ObjectTransformer
(-) projectHolder : ProjectHolder
(-) analyzerProjectService : AnalyzerProjectService

Methods:

(+) started(Scanner scanner) : Project
(+) analyzeAgain(project, Scanner scanner) : Project
(-) askAnalyzeAgain(Scanner scanner) : boolean
(+) saveData(Project project) : Boolean
(+) updateData(Project project) : Boolean
(+) projectTo(Project project) : DataPojo
(+) printList() : void
(+) getByld(Long id) : Project

Relations:

Implement

-IPrintService

Strong Association

-DataPojo

Project Imports

Project Imports

```
import com.unitTestGenerator.analyzers.services.AnalyzerProjectService
```

```
import com.unitTestGenerator.core.ProjectHolder
```

```
import com.unitTestGenerator.ioc.ContextIOC
```

```
import com.unitTestGenerator.ioc.anotations.Component
```

```
import com.unitTestGenerator.persistence.model.DataPojo
```

```
import com.unitTestGenerator.persistence.repositories.  
DataDAOServicesImplement
```

```
import com.unitTestGenerator.persistence.repositories.IDaoService
```

```
import com.unitTestGenerator.pojos.Project
```

```
import com.unitTestGenerator.printers.interfaces.IPrintService
```

```
import com.unitTestGenerator.util.ObjectTransformer
```

External Imports

```
import java.util.ArrayList
```

```
import java.util.List
```

```
import java.util.Scanner
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/menus/SavedProjectMenu.java

Detalle de la clase: MainMenue

Package: com.unitTestGenerator.menus.interfaces

Class type: interface

Class Signature Line: public interface MainMenue

Class Constructors

Constructors

+ null null null null null null null

Class UML:

MainMenue

Attributes:

Methods:

(+) default welcomeMenu() : void

(+) default questionAboutUseMock(Scanner scanner) : boolean

(+) default askContinue(Scanner scanner) : boolean

(+) default getNumber(Scanner scanner) : Integer

(+) default questionOfMethodToTest(Scanner scanner) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/menus/interfaces/MainMenue.java

Detalle de la clase: App

Package: com.unitTestGenerator

Class type: class

Class Signature Line: public class App

Class Constructors

Constructors

+ null

Class UML:

App

Attributes:

Methods:

(+) static main(String[] args) : void

Project Imports

Project Imports

import com.unitTestGenerator.core.AppProjectStarted

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.ioc.anotations.EndebleIOC

Class Anotations

@EndebleIOC("com.unitTestGenerator"),

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/App.java

Detalle de la clase: Node

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class Node

Class Constructors

Constructors

```
+ public Node() public Node(String name, String className, List<String>
conexctions, List<String> useFor) null null null null null null null null
```

Class UML:

Node

Attributes:

(-) name : String

(-) className : String

Methods:

(+) getName() : String

(+) setName(String name) : void

(+) getClassName() : String

(+) setClassName(String className) : void

(+) setConexctions(List<String> conexctions) : void

(+) setUseFor(List<String> useFor) : void

(+) equals(Object o) : boolean

(+) hashCode() : int

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

External Imports
import java.util.ArrayList
import java.util.List
import java.util.Objects

Class Anotations
@Component ,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/pojos/Node.java

Detalle de la clase: Constructor

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class Constructor

Class Constructors

Constructors

+ public Constructor() null null null null null null null null null null

Class UML:

Constructor

Attributes:

(-) isNoneParam : Boolean
(-) costructorSignature : String
(-) costructorContent : String
(-) rawConstructor : String

Methods:

(+) getCostructorContent() : String
(+) setCostructorContent(String costructorContent) : void
(+) getCostructorSignature() : String
(+) setCostructorSignature(String costructorSignature) : void
(+) setParametros(List<ParametroMetodo> parametros) : void
(+) isNoneParam() : Boolean
(+) setIsNoneParam(Boolean isNoneParam) : void
(+) isEmptyParameters() : Boolean
(+) getRawConstructor() : String
(+) setRawConstructor(String rawConstructor) : void

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

```
import java.util.ArrayList
```

```
import java.util.List
```

Class Anotations

```
@Component,
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/Constructor.java

Detalle de la clase: ImportAnalyzePojo

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class ImportAnalyzePojo

Class Constructors

Constructors

```
+ public ImportAnalyzePojo() public ImportAnalyzePojo(List<String>
externalImports, List<String> projectImports) null null null null null null null null
null null null null null null
```

Class UML:

ImportAnalyzePojo

Attributes:

(-) projectImportsMap : String
(-) projectImportsMap : String

Methods:

(+) equals(Object o) : boolean
(+) hashCode() : int
(+) setExternalImports(List<String> externalImports) : void
(+) setProjectImports(List<String> projectImports) : void
(+) getProjectImportsMap() : String
(+) setProjectImportsMap(String projectImportsMap) : void
(+) externalImports(List<String> externalImports) : Builder
(+) projectImports(List<String> projectImports) : Builder
(+) projectImportsMap(String imports) : Builder
(+) build() : ImportAnalyzePojo
(+) externalImports(List<String> externalImports) : Builder
(+) projectImports(List<String> projectImports) : Builder
(+) projectImportsMap(String imports) : Builder
(+) build() : ImportAnalyzePojo

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.ArrayList

import java.util.List

import java.util.Objects

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/ImportAnalyzePojo.java

Detalle de la clase: PrinterProject

Package: com.unitTestGenerator.pojoos

Class type: class

Class Signature Line: public class PrinterProject

Class Constructors

Constructors

+ public PrinterProject() null null null null null null null null null

Class UML:

PrinterProject

Attributes:

(-) projectDirectoryTree : String

(-) projectClassTree : String

Methods:

(+) getProjectDirectoryTree() : String

(+) setProjectDirectoryTree(String projectDirectoryTree) : void

(+) getProjectClassTree() : String

(+) setProjectClassTree(String projectClassTree) : void

(+) getProjectUml() : String

(+) setProjectUml(String projectUml) : void

(+) setClaseList(List<String> claseList) : void

(+) addToClaseList(String className) : void

(+) addToClaseList(List<String> classNamesList) : void

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.ArrayList

import java.util.List

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/PrinterProject.java

Detalle de la clase: EstructuraControl

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class EstructuraControl

Class Constructors

Constructors

+ public EstructuraControl() null null null null

Class UML:

EstructuraControl

Attributes:

(-) tipo : String

Methods:

(+) getTipo() : String

(+) setTipo(String tipo) : void

(+) equals(Object o) : boolean

(+) hashCode() : int

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.Objects

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/pojos/EstructuraControl.java

Detalle de la clase: ParametroMetodo

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class ParametroMetodo

Class Constructors

Constructors

```
+ public ParametroMetodo() public ParametroMetodo(String nombre, String  
tipo) null null null null null null null null
```

Class UML:

ParametroMetodo

Attributes:

(-) nombre : String

(-) tipo : String

(-) nombre : String

(-) tipo : String

Methods:

(+) getNombre() : String

(+) setNombre(String nombre) : void

(+) getTipo() : String

(+) setTipo(String tipo) : void

(+) nombre(String nombre) : Builder

(+) tipo(String tipo) : Builder

(+) build() : ParametroMetodo

(+) nombre(String nombre) : Builder

(+) tipo(String tipo) : Builder

(+) build() : ParametroMetodo

(+) to() : String

Project Imports

Project Imports

```
import com.unitTestGenerator.ioc.anotations.Component
```

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/ParametroMetodo.java

Detalle de la clase: Dependency

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class Dependency

Class Constructors

Constructors

```
+ public Dependency() null null null null null null null null null null null null null null null null
```

Class UML:

Dependency

Attributes:

```
(-) groupId : String  
(-) artifactId : String  
(-) version : String  
(-) scope : String  
(-) groupId : String  
(-) artifactId : String  
(-) version : String  
(-) scope : String
```

Methods:

```
(+) getGroupId() : String  
(+) setGroupId(String groupId) : void  
(+) getArtifactId() : String  
(+) setArtifactId(String artifactId) : void  
(+) getVersion() : String  
(+) setVersion(String version) : void  
(+) getScope() : String  
(+) setScope(String scope) : void  
(+) equals(Object o) : boolean  
(+) hashCode() : int  
(+) groupId(String groupId) : Builder  
(+) artifactId(String artifactId) : Builder  
(+) version(String version) : Builder  
(+) scope(String scope) : Builder  
(+) build() : Dependency
```

(+) groupId(String groupId) : Builder
(+) artifactId(String artifactId) : Builder
(+) version(String version) : Builder
(+) scope(String scope) : Builder
(+) build() : Dependency

Relations:

Association static or patter Build

-Objects

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

External Imports

import java.util.Objects

Class Anotations

@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/Dependency.java

Detalle de la clase: InstanceMethodCall

Package: com.unitTestGenerator.pojos

Class type: class

Class Signature Line: public class InstanceMethodCall

Class Constructors

Constructors

```
+ public InstanceMethodCall() public InstanceMethodCall(String method, String  
variableInstace, List<ParametroMetodo> parametros, String operation) null null  
null null null null null null null null null null null null
```

Class UML:

InstanceMethodCall

Attributes:

(-) method : String
(-) variableInstace : String
(-) operation : String
(-) method : String
(-) variableInstace : String
(-) operation : String

Methods:

(+) getMethod() : String
(+) setMethod(String method) : void
(+) getVariableInstace() : String
(+) setVariableInstace(String variableInstace) : void
(+) setParametros(List<ParametroMetodo> parametros) : void
(+) getOperation() : String
(+) setOperation(String operation) : void
(+) method(String method) : Builder
(+) variableInstace(String variableInstace) : Builder
(+) parametros(List<ParametroMetodo> parametros) : Builder
(+) operation(String operation) : Builder
(+) build() : InstanceMethodCall
(+) method(String method) : Builder
(+) variableInstace(String variableInstace) : Builder
(+) parametros(List<ParametroMetodo> parametros) : Builder
(+) operation(String operation) : Builder
(+) build() : InstanceMethodCall

Project Imports
Project Imports
import com.unitTestGenerator.ioc.anotations.Component
External Imports
import java.util.ArrayList
import java.util.List
Class Anotations
@Component,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/pojos/InstanceMethodCall.java

Detaille de la classe: IMokitoSetUpBeforeEach

Package: com.unitTestGenerator.services

Class type: interface

Class Signature Line: public interface IMokitoSetUpBeforeEach

Class Constructors

Constructors

+ null null

Class UML:

IMokitoSetUpBeforeEach

Attributes:

(-) closeable : AutoCloseable

Methods:

(+) default getMokitoSetUpBeforeEach(boolean isAutoCloseable) : String

(+) setUp() : void

(+) tearDown() throws Exception : void

(+) setUp() : void

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/services/IMokitoSetUpBeforeEach.java

Detalle de la clase: MethodService

Package: com.unitTestGenerator.services

Class type: class

Class Signature Line: public class MethodService

Class Constructors

Constructors

+ public MethodService() null

Class UML:

MethodService

Attributes:

Methods:

Project Imports

Project Imports

import com.unitTestGenerator.ioc.anotations.Component

import com.unitTestGenerator.ioc.anotations.Singleton

import com.unitTestGenerator.pojos.InstanceMethodCall

import com.unitTestGenerator.pojos.ParametroMetodo

External Imports

import java.util.ArrayList

import java.util.Arrays

import java.util.List

import java.util.regex.Matcher

import java.util.regex.Pattern

Class Anotations

@Component,@Singleton,

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/services/MethodService.java

Detalle de la clase: IMethodServiceTools

Package: com.unitTestGenerator.interfaces

Class type: interface

Class Signature Line: public interface IMethodServiceTools

Class Constructors

Constructors

+ null null null null null null

Class UML:

IMethodServiceTools

Attributes:

Methods:

(+) default getImportInObject(input, Project project) : String

(+) default methodIsVoid(String methodName, String className, Project project) : Boolean

(+) default isMethodVoidOrNoExistInClassOrExistInInterface(List<Metodo> methods, String methodName) : boolean

(+) default methodParameterObject(Metodo method, Project project) : String

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/interfaces/IMethodServiceTools.java

Detalle de la clase: IReturnType

Package: com.unitTestGenerator.interfaces

Class type: interface

Class Signature Line: public interface IReturnType extends IValueExtractor

Class Constructors

Constructors

+ null null null null null null null null

Class UML:

IReturnType

Attributes:

Methods:

(+) default getDefaultValueName() : String

(+) default isValidTypeReturn(String typeReturn) : boolean

(+) default getAssertTypeNull(valorDeRetorno, result) : String

Relations:

Extends

-IValueExtractor

Project Imports

Project Imports

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.util.random.servicesRandom.IRandomService

import com.unitTestGenerator.util.random.sevicesrandomimplement.
IRandomServiceImplemet

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/interfaces/IReturnType.java

Detaille de la classe: IPorjectName

Package: com.unitTestGenerator.interfaces

Class type: interface

Class Signature Line: public interface IPorjectName

Class Constructors

Constructors

+ null null

Class UML:

IPorjectName

Attributes:

Methods:

(+) default getArtifatOrFileName() : String

(+) default getArtifatOrFileName(pathProject) : String

Project Imports

Project Imports

import com.unitTestGenerator.core.ProjectHolder

import com.unitTestGenerator.ioc.ContextIOC

import com.unitTestGenerator.util.interfaces.IConstantModel

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/interfaces/IPorjectName.java

Detaille de la classe: IGenerateVariable

Package: com.unitTestGenerator.interfaces

Class type: interface

Class Signature Line: public interface IGenerateVariable extends IBaseModel

Class Constructors

Constructors

+ null

Class UML:

IGenerateVariable

Attributes:

Methods:

(+) default generateVariable(type, name, boolean isClass, boolean useMock) : String

Relations:

Extends

-IBaseModel

Project Imports

Project Imports

import com.unitTestGenerator.util.interfaces.IBaseModel

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main/java/com/unitTestGenerator/interfaces/IGenerateVariable.java

Detalle de la clase: IApplicationTestProperties

Package: com.unitTestGenerator.interfaces

Class type: interface

Class Signature Line: public interface IApplicationTestProperties extends IFileManager

Class Constructors

Constructors

+ null null

Class UML:

IApplicationTestProperties

Attributes:

Methods:

(+) default generateApplicationTestPropertiesImport() : String

(+) default contentApplicationTestPropertiesFile() : String

Relations:

Extends

-IFileManager

Project Imports

Project Imports

import com.unitTestGenerator.analyzers.PomAnalyzer

import com.unitTestGenerator.builders.interfaces.IFileManager

import com.unitTestGenerator.pojos.Clasa

import com.unitTestGenerator.pojos.Project

External Imports

```
import java.io.File
```

```
import org.springframework.beans.factory.annotation.Autowired
```

```
import org.springframework.test.context.ActiveProfiles
```

```
import org.springframework.boot.test.context.SpringBootTest
```

```
import org.springframework.test.context.junit.jupiter.SpringExtension
```

Class ClassPath: /Users/user/Documents/REPOSITORY/Unit_Test/UnitTestGenerator/src/main
/java/com/unitTestGenerator/interfaces/IApplicationTestProperties.java

Project Directory Tree

- |__ .DS_Store
- |__ mydb.db
- |__ Makefile
- |__ data.db
- |__ pom.xml
- |__ cli
 - |__ unit
 - |__ unit-2.0.0.jar
 - |__ unit-2.0.0-jar-with-dependencies.jar
 - |__ unit.bat
- |__ UnitTestGenerator.pdf
- |__ notes
 - |__ note5272025.txt
- |__ .gitignore
- |__ src
 - |__ main
 - |__ resources
 - |__ indexTemplate.html
 - |__ templateBase.html
 - |__ hibernate.cfg.xml
 - |__ coverTemplate.html
 - |__ infoTemplate.html
 - |__ template1.html
 - |__ template.html
 - |__ relations.html
 - |__ java
 - |__ org
 - |__ hibernate
 - |__ dialect
 - |__ SQLiteDialect.java
 - |__ com
 - |__ unitTestGenerator
 - |__ analyzers
 - |__ TypeClass.java
 - |__ PomAnalyzer.java
 - |__ dependency
 - |__ interfaceanalyzer
 - |__ ClassRelationAnalyzer.java
 - |__ RelationType.java
 - |__ ClassNode.java

- |__ RelationInfo.java
- |__ Relation.java
- |__ locators
 - |__ PomLocator.java
 - |__ GradleLocator.java
- |__ parser
 - |__ PomParser.java
 - |__ DependencyAnalyzerParserUml.java
 - |__ GradleParser.java
 - |__ DependencyAnalyzerParser.java
- |__ reverse
 - |__ ReverseDependencyMenu.java
 - |__ ReverseDependencyNode.java
 - |__ ReverseDependencyScanner.java
 - |__ IReverseDependency.java
- |__ pojos
 - |__ DependencyInfo.java
 - |__ ProjectInfo.java
- |__ IDependencyAnalyzer.java
- |__ console
 - |__ DependencyAnalyzer.java
- |__ AnalyzeExtendsInInterfaces.java
- |__ GradleAnalyzer.java
- |__ AnalizadorProyecto.java
- |__ services
 - |__ ReverseDependencyServices.java
 - |__ ImportAnalyzeService.java
 - |__ SingletonDetectorService.java
 - |__ AnalyzerProjectService.java
 - |__ AnalyzeClassServiceService.java
- |__ interfaces
 - |__ IClassDetailBuilder.java
 - |__ IProjectAnalyzeService.java
 - |__ IToDoDetectorService.java
 - |__ IAnalyzeClassRelationsService.java
 - |__ IExtendsInInterfacesService.java
 - |__ IAnalyzerProjectServiceManager.java
 - |__ IAnalyzeCassMethodService.java
- |__ interfaces
 - |__ IGradleAnalyzer.java
- |__ core
 - |__ ProjectHolder.java

- |__ DependenceManager.java
- |__ AppProjectStarted.java
- |__ GeneradorPruebasUnitarias.java
- |__ uml
 - |__ sevicees
 - |__ ElementFormatter.java
 - |__ PrintClassToUML.java
 - |__ pojos
 - |__ Element.java
 - |__ Conect.java
 - |__ ClassUML.java
- |__ util
 - |__ ObjectTransformer.java
 - |__ random
 - |__ seviceesrandomimplement
 - |__ IAddressRandomServiceImplement.java
 - |__ IRandomServiceImplemet.java
 - |__ RealWordTextRandom.java
 - |__ servicesRandom
 - |__ IRandomService.java
 - |__ IAddressRandomService.java
 - |__ RandomRulesServices.java
- |__ Dependencies.java
- |__ interfaces
 - |__ DataTime.java
 - |__ IStringEnsambleService.java
 - |__ IRepeatLogic.java
 - |__ ICleanConsole.java
 - |__ IConstantModel.java
 - |__ IBaseModel.java
- |__ DetectSO.java
- |__ GenericUpdater.java
- |__ builders
 - |__ BuildTestFile.java
 - |__ PDFGenerator.java
 - |__ AddPatterBuilder.java
 - |__ TemplateBuilder.java
- |__ interfaces
 - |__ ITemplateBuilderTemplate.java
 - |__ ITemplateBuilderRelation.java
 - |__ IFileManagerDelete.java
 - |__ IFileManager.java

- |__ IFileContentEditor.java
- |__ printers
 - |__ PrintService.java
 - |__ PrintClassAnalyzers.java
 - |__ DirectoryTreeBuilder.java
 - |__ interfaces
 - |__ IPrintAnalyzeImports.java
 - |__ PrintProjectAnalyzers.java
 - |__ IPrintService.java
 - |__ IPrintProjectStructure.java
- |__ persistence
 - |__ mapper
 - |__ DataDaoMapper.java
 - |__ repositories
 - |__ IDaoService.java
 - |__ DataDAOServicesImplement.java
 - |__ model
 - |__ Data.java
 - |__ DataPojo.java
- |__ menus
 - |__ SavedProjectMenu.java
 - |__ AnalizerMenu.java
 - |__ interfaces
 - |__ MainMenue.java
- |__ App.java
- |__ pojos
 - |__ Metodo.java
 - |__ Node.java
 - |__ Constructor.java
 - |__ ImportAnalyzePojo.java
 - |__ TestFileContent.java
 - |__ Variable.java
 - |__ Clase.java
 - |__ PrinterProject.java
 - |__ EstructuraControl.java
 - |__ ParametroMetodo.java
 - |__ ClassRelations.java
 - |__ Project.java
 - |__ Dependency.java
 - |__ InstanceMethodCall.java
- |__ ioc
 - |__ anotations

- |__ ClassName.java
- |__ Singleton.java
- |__ Component.java
- |__ Inyect.java
- |__ EndebleIOC.java
- |__ ContextIOC.java
- |__ services
 - |__ ProjectNodeService.java
 - |__ GenerateContentMockService.java
 - |__ IImportInMockObjectService.java
 - |__ MethodParameterObject.java
 - |__ IMokitoSetUpBeforeEach.java
 - |__ GenerateContentWithoutMockService.java
 - |__ GeneratedVariableService.java
 - |__ MethodService.java
 - |__ GenerateMethodServiceI.java
 - |__ MockitoWhen.java
- |__ interfaces
 - |__ IMethodServiceTools.java
 - |__ IValueExtractor.java
 - |__ IReturnType.java
 - |__ IPorjectName.java
 - |__ IGenerateVariable.java
 - |__ IClassObject.java
 - |__ IManageMavenGadleAppProperties.java
 - |__ IApplicationTestProperties.java

Project Class Tree

```
|__ UnitTestGenerator
  |__ src
    |__ main
      |__ java
        |__ com
          |__ unitTestGenerator
            |__ App
            |__ analyzers
              |__ AnalyzeExtendsInInterfaces
              |__ GradleAnalyzer
              |__ dependency
                |__ IDependencyAnalyzer
                |__ interfaceanalyzer
                  |__ ClassNode
                  |__ ClassRelationAnalyzer
                  |__ Relation
                  |__ RelationInfo
              |__ locators
                |__ GradleLocator
              |__ parser
                |__ PomParser
              |__ pojos
                |__ DependencyInfo
                |__ ProjectInfo
              |__ reverse
                |__ IReverseDependency
                |__ ReverseDependencyMenu
                |__ ReverseDependencyNode
              |__ interfaces
                |__ IGradleAnalyzer
              |__ services
                |__ ImportAnalyzeService
                |__ ReverseDependencyServices
                |__ SingletonDetectorService
              |__ interfaces
                |__ IAnalyzerProjectServiceManager
                |__ IAnalyzeCassMethodService
                |__ IExtendsInInterfacesService
                |__ IProjectAnalyzeService
                |__ IToDoDetectorService
```

- |__ builders
 - |__ interfaces
 - |__ IFileManager
 - |__ ITemplateBuilderRelation
 - |__ ITemplateBuilderTemplate
- |__ core
 - |__ DependenceManager
 - |__ ProjectHolder
- |__ interfaces
 - |__ IApplicationTestProperties
 - |__ IGenerateVariable
 - |__ IMethodServiceTools
 - |__ IProjectName
 - |__ IReturnType
- |__ menus
 - |__ SavedProjectMenu
- |__ interfaces
 - |__ MainMenue
- |__ persistence
 - |__ mapper
 - |__ DataDaoMapper
 - |__ model
 - |__ Data
 - |__ DataPojo
 - |__ repositories
 - |__ DataDAOServicesImplement
 - |__ IDaoService
- |__ pojos
 - |__ Constructor
 - |__ Dependency
 - |__ EstructuraControl
 - |__ ImportAnalyzePojo
 - |__ InstanceMethodCall
 - |__ Node
 - |__ ParametroMetodo
 - |__ PrinterProject
- |__ printers
 - |__ DirectoryTreeBuilder
 - |__ PrintClassAnalyzers
 - |__ PrintService
- |__ interfaces
 - |__ IPrintAnalyzeImports

- |__ IPrintService
 - |__ PrintProjectAnalyzers
- |__ services
 - |__ IMokitoSetUpBeforeEach
 - |__ MethodService
- |__ uml
 - |__ pojos
 - |__ ClassUML
 - |__ Conect
 - |__ Element
- |__ util
 - |__ Dependencies
 - |__ GenericUpdater
 - |__ ObjectTransformer
- |__ interfaces
 - |__ DataTime
 - |__ IBaseModel
 - |__ ICleanConsole
 - |__ IRepeatLogic
 - |__ IStringEnsambleService
- |__ random
 - |__ servicesRandom
 - |__ IAddressRandomService
 - |__ IRandomService
 - |__ sevice randomimplement
 - |__ IAddressRandomServiceImplement

Project Dependencies

Dependencys: GroupId: junit, ArtifactId: junit, Version: 4.13.1
Dependencys: GroupId: org.mockito, ArtifactId: mockito-core, Version: 3.12.4
Dependencys: GroupId: commons-io, ArtifactId: commons-io, Version: 2.15.0
Dependencys: GroupId: org.apache.commons, ArtifactId: commons-lang3, Version: 3.12.0
Dependencys: GroupId: org.reflections, ArtifactId: reflections, Version: 0.10.2
Dependencys: GroupId: org.hibernate, ArtifactId: hibernate-core, Version: 4.1.4.Final
Dependencys: GroupId: org.xerial, ArtifactId: sqlite-jdbc, Version: 3.7.2
Dependencys: GroupId: org.modelmapper, ArtifactId: modelmapper, Version: 2.3.9
Dependencys: GroupId: com.google.code.gson, ArtifactId: gson, Version: 2.8.9
Dependencys: GroupId: ch.qos.logback, ArtifactId: logback-classic, Version: 1.2.10
Dependencys: GroupId: com.itextpdf, ArtifactId: itextpdf, Version: 5.5.13.3
Dependencys: GroupId: org.xhtmlrenderer, ArtifactId: flying-saucer-pdf-openpdf, Version: 9.1.22
Dependencys: GroupId: org.apache.pdfbox, ArtifactId: pdfbox, Version: 2.0.29
Dependencys: GroupId: com.github.javaparser, ArtifactId: javaparser-core, Version: 3.25.4
Dependencys: GroupId: guru.nidi, ArtifactId: graphviz-java, Version: 0.18.1