SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name TEMPRID® FX INSECTICIDE

Product code (UVP) 79521359

**SDS Number** 102000019505

**EPA Registration No.** 432-1544

Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide

**Restrictions on use**See product label for restrictions.

Information on manufacturer

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

**United States** 

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

SDS Information or Request SDSINFO.BCS-NA@bayer.com

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation : Category 2B Acute toxicity (Oral): Category 4



Signal word: Warning

#### **Hazard statements**

Harmful if swallowed. Causes eye irritation.

# **Precautionary statements**

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.





# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local regulation.

#### Other hazards

No other hazards known.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Average % by Weight
Imidacloprid	138261-41-3	21.00
Beta-Cyfluthrin	68359-37-5	10.50
Glycerine	56-81-5	10.00
Naphthalene and alkyl naphthalene sulphonic acids	68425-94-5	2.60
formaldehyde condensate, sodium salt		

#### **SECTION 4: FIRST AID MEASURES**

## Description of first aid measures

**General advice** When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

**Inhalation** Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

**Skin contact** Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20

minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

**Ingestion** Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.

SAFETY DATA SHEET



# **TEMPRID® FX INSECTICIDE**

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

## **SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media** 

Suitable Water spray, Foam, Carbon dioxide (CO2), Dry chemical

**Unsuitable** None known.

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

**Further information** Avoid contact with spilled product or contaminated surfaces. Evacuate

personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 93.3 °C

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE** 

SAFETY DATA SHEET



# **TEMPRID® FX INSECTICIDE**

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

# Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before

using again. Wash thoroughly and put on clean clothing.

## Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children.

preferably in a locked storage area.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Imidacloprid	138261-41-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Beta-Cyfluthrin	68359-37-5	50ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	50ug/m3 (ST ESL)	10 2003	TX ESL
Beta-Cyfluthrin (Particulate.)	68359-37-5	5ug/m3 (AN ESL)	10 2003	TX ESL
Beta-Cyfluthrin	68359-37-5	5ug/m3 (AN ESL)	10 2003	TX ESL
Beta-Cyfluthrin	68359-37-5	0.01 mg/m3 (TWA)		OES BCS*
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine	56-81-5	10 mg/m3	06 2008	TN OEL

SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

(Total dust and mist.)		(TWA)		
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine (Particulate.)	56-81-5	5ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL

<sup>\*</sup>OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

## **Exposure controls**

## Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

**Eye protection** Tightly fitting safety goggles

**Skin and body protection** Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** white to beige **Physical State** suspension Odor characteristic **Odour Threshold** no data available pН ca. 6.9 at 10 % **Vapor Pressure** no data available Vapor Density (Air = 1) no data available **Density** 1.16 g/cm3 at 20 °C

SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

Evapouration rate no data available

Boiling Point no data available

Melting / Freezing Point no data available

Water solubility dispersible

Minimum Ignition Energy not applicable

Decomposition temperature

not applicable

Partition coefficient: n-

octanol/water

no data available

**Viscosity** 500 - 1,100 mPa.s

Flash point > 93.3 °C

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

Thermal decomposition not applicable

**Chemical stability** Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** no data available

**Hazardous decomposition** 

products

No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Exposure routes** Skin Absorption, Eye contact, Ingestion

**Immediate Effects** 

**Eye** Moderate eye irritation.

**Skin** Harmful if absorbed through skin. May cause slight irritation.

**Ingestion** Harmful if swallowed.

Information on toxicological effects

SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

Acute oral toxicity LD50 (female rat) > 1,044 mg/kg

Acute inhalation toxicity LC50 (rat) > 2.03 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

highest concentration tested

No deaths

LC50 (rat) > 8.12 mg/l Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Acute dermal toxicityLD50 (rat) > 2,000 mg/kgSkin irritationSlight irritation (rabbit)Eye irritationMild eye irritation. (rabbit)SensitisationNon-sensitizing. (guinea pig)

#### Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. The toxic effects of beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

# **Assessment Mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### **Assessment Carcinogenicity**

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice. beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

#### **ACGIH**

None.

**NTP** 

None.

**IARC** 

None.

**OSHA** 

None.

## Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with beta-Cyfluthrin is related to parental toxicity.

### Assessment developmental toxicity

# Bayer Environmental Science SAFETY DATA SHEET



# **TEMPRID® FX INSECTICIDE**

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with beta-Cyfluthrin are related to maternal toxicity.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity to fish** LC50 (Rainbow trout (Oncorhynchus mykiss)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid. LC50 (Rainbow trout (Oncorhynchus mykiss)) 0.000068 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

Toxicity to aquatic invertebrates

EC50 (Water flea (Daphnia magna)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Water flea (Daphnia magna)) 0.00029 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

**Toxicity to aquatic plants** EC50 (Desmodesmus subspicatus) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

IC50 (Desmodesmus subspicatus) > 0.01 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient beta-cyfluthrin.

No acute toxicity was observed at its limit of water solubility.

**Biodegradability** Imidacloprid: ; not rapidly biodegradable

beta-Cyfluthrin: ; not rapidly biodegradable

**Koc** Imidacloprid: Koc: 225

beta-Cyfluthrin: Koc: 508 - 3179

**Bioaccumulation** Imidacloprid: ; Does not bioaccumulate.

beta-Cyfluthrin: Bioconcentration factor (BCF) 506; Does not

bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

beta-Cyfluthrin: Immobile in soil

SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

**Environmental precautions** Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Drift and runoff from treated areas may be hazardous to aquatic

organisms in adjacent sites.

Do not apply this product or allow it to drift to blooming crops or weeds if

bees are visiting the treatment area.

Apply this product as specified on the label.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Product** Pesticide, spray mixture or rinse water that cannot be used according to

label instructions may be disposed of on site or at an approved waste

disposal facility.

Never place unused product down any indoor or outdoor drain.

Follow advice on product label and/or leaflet.

**Contaminated packaging** Do not re-use empty containers.

Triple rinse containers.

Add washings to sprayer at time of filling. Puncture container to avoid re-use.

Dispose of empty container in a sanitary landfill or by incineration, or, if

allowed by State/Provincial and local authorities, by burning.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

## **SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG** 

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)

**IATA** 

UN number 3082 Class 9

SAFETY DATA SHEET



10/11

# **TEMPRID® FX INSECTICIDE**

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

Packaging group III Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S.

(BETA-CYFLUTHRIN, IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

#### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 432-1544

**US Federal Regulations** 

**TSCA list** 

Glycerine 56-81-5 Naphthalene and alkyl naphthalene 68425-94-5

sulphonic acids formaldehyde condensate, sodium salt

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Beta-Cyfluthrin 68359-37-5 1.0%

**US States Regulatory Reporting** 

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients** 

Beta-Cyfluthrin 68359-37-5 NJ Glycerine 56-81-5 MN

**Canadian Regulations** 

**Canadian Domestic Substance List** 

Glycerine 56-81-5 Naphthalene and alkyl naphthalene 68425-94-5

sulphonic acids formaldehyde condensate, sodium salt

Environmental

CERCLA

None.

**Clean Water Section 307 Priority Pollutants** 

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

# Bayer Environmental Science SAFETY DATA SHEET



# TEMPRID® FX INSECTICIDE

Version 2.0 / USA Revision Date: 03/20/2014 102000019505 Print Date: 12/15/2016

# International Regulations European Inventory of Existing Commercial Substances (EINECS)

Glycerine 56-81-5

#### **EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

**Hazard statements:** Harmful if absorbed through skin.

Harmful if swallowed. Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Wash thoroughly with soap and water after handling.

#### **SECTION 16: OTHER INFORMATION**

#### NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard

(29CFR1910.1200)

**Revision Date:** 03/20/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.