A. Executive Summary

SWBTL LLC's network is inadequately prepared for compliance with security standards and regulations. At this time, the company is utilizing data centers that are both unreliable and expensive, leading to a negative impact on operations and network security. As a result, there are critical security gaps which must be addressed. After the departure of the consultant who oversaw network infrastructure migrations, RBAC (Role Based Access Control) has been compromised. We have received reports that users can access data and assets outside of their roles. Additionally, our IT administrators have been unable to complete system backups, and vulnerability scanning requirements have not been reviewed in a few years. As a government contractor and organization that receives and sends payment data, SWBTL must comply with regulations such as the Federal Information Security Modernization Act (FISMA), Payment Card Industry Data Security Standard (PCI DSS), and NIST SP 800-53.

Due to the current state of the network, our organization is at an increased risk of compliance issues and cyber threats such as data breaches. Implementing an Azure cloud environment is strongly recommended to strengthen SWBTL's network and align with business requirements. In addition to improved access control, implementing Azure will provide security features that align with security regulations. The security benefits of Azure include data encryption, backup, disaster recovery, and regulatory compliance audits. Addressing these security challenges through Azure provides a streamlined and cost-efficient solution.

B. Proposed Course Of Action

Identification of the Service Model:

Given the current state of SWBTL's network and the business requirements, implementing an Infrastructure as a Service (IaaS) model is recommended. This approach gives the organization control over configuring and managing virtual servers, networks, and storage accounts. Through IaaS, the cloud environment can be tailored to meet the organization's specific business requirements and security needs. As SWBTL transitions to the cloud, the IaaS model will enhance network scalability and flexibility. Furthermore, this model enables the company to provision and configure cloud resources in alignment with regulatory mandates such as PCI DSS and FISMA.

Applicable Regulatory Compliance Directives:

SWBTL must maintain compliance with FISMA, PCI DSS, and NIST SP 800-53. FISMA requires all government agencies and contractors to conduct annual security reviews and perform regular risk assessments. NIST SP 800-53 outlines the baseline security controls that should be met to be in compliance (Carper & 113th Congress, 2014). FISMA and NIST SP 800-53 emphasize the importance of continuous security monitoring to detect, assess, and remediate vulnerabilities. To protect cardholder data, PCI DSS enforces security controls that the organization must adhere to as an entity that processes debit and credit transactions. One of the primary controls of PCI DSS is data encryption. Organizations must encrypt cardholder information at rest and while in transit to prevent fraudulent transactions. Furthermore, this regulation requires using RBAC to ensure that access to cardholder data is restricted to authorized users only (PCI Security Standards Council, 2024). To meet these regulatory requirements, several security solutions must be deployed.

Security *Benefits* of Transitioning to This Service Model:

Transitioning to an Azure hybrid model offers significant security benefits for SWBTL. Network segmentation and more substantial access control can be achieved with Azure Resource Manager (ARM) (Gao et al., 2025) and Azure Role Based Access Control (RBAC). These security solutions enforce the principle of least privilege, ensuring that users are granted access only to the data and assets necessary for their roles. Resource groups enhance Identity and Access Management (IAM) by simplifying user access control. IT administrators can reassign users between resource groups as needed, making management more efficient and secure. This solution reduces the risk of users having improper permissions and limits potential security attacks.

Encryption and secure data storage protocols are essential to ensure data security and confidentiality. Azure Key Vault aligns with security regulations like PCI DSS by encrypting data in transit and while at rest. Key Vault addresses the challenge of secret management by centralizing organizational credentials and encryption keys in a single secure solution (Baldwin et al., 2024). Key Vault minimizes the risk of unauthorized access or data breaches by securely storing passwords, tokens, certificates, and other secrets. One of the many benefits is that application developers can connect their codes to a key vault instead of embedding security information in the code itself. Key Vault also authenticates users with Microsoft Entra ID, reinforcing strong security through multi-factor authentication. In conjunction with multi-factor authentication, Key Vault promotes integrity and continuous monitoring through logging, which records who accessed keys and when.

Azure Backup provides an effective solution to meet the requirements of SWBTL's Recovery Point Objective (RPO) of 1 day and Recovery Time Objective (RTO) of 36 hours. The service allows organizations to backup a wide range of on-premises and cloud assets, such as database servers, virtual machines, and files. It also provides security for the backup with built-in monitoring and alerting capabilities to prevent ransomware attacks (Suri & et al., 2025). SWBTL currently lacks a comprehensive disaster recovery plan, and in the event of network failure, the organization risks losing access to sensitive data and critical assets. Adopting Azure Backup will address these gaps by providing reliable backup and recovery solutions.
Finally, Azure Policy should be implemented to proactively identify and mitigate vulnerabilities in alignment with regulatory compliance requirements. This service provides granularity by allowing administrators to assess the overall state of the cloud environment per policy (Smatlak et al., 2024). It also can automate security audits, which both FISMA and PCI DSS require. Automating security audits reduces the risk of human error and ensures that mandated risk assessments are completed promptly. With SWBTL's upcoming NIST SP 800-53 assessment, incorporating Azure Policy is a proactive approach to ensure the network is swiftly brought into compliance.

Security *Challenges* of transitioning to this service model:

When transitioning to a hybrid cloud environment, a significant risk is associated with migrating data to the cloud. Data integrity and security should be a top priority during the migration process to prevent data loss, corruption, or unauthorized access. Data Loss Prevention (DLP) policies must be reviewed and updated before migration to avoid data leakage. In addition, managing network assets across multiple environments and resources while adhering to regulatory frameworks such as FISMA and PCI DSS presents a new challenge for the

organization, which has traditionally relied solely on on-premises services. Regular audits and reviews will be required to stay abreast of ever-changing industry regulations. Lastly, migrating to a cloud environment means that SWBTL's systems will depend on both network connectivity and the cloud service provider to ensure continuous operation of the infrastructure. Disruptions in either area can negatively impact the performance of critical applications and servers. With these challenges in mind, it is important that the Service Level Agreement (SLA) clearly states the roles and responsibilities between Azure and SWBTL. A clear and transparent SLA ensures that both parties understand expectations regarding service delivery.

C. Role Based Access Control

C1. RBAC Recommendations

Several configuration changes have been made to improve network security and align the Azure cloud environment to business and regulatory requirements. Organizing users into their respective resource groups, assigning roles based on the principle of least privilege, and utilizing Privileged Identity Management (PIM) decreases the attack surface. In contrast, ensuring users have access to the necessary resources. Additional recommendations have been made, such as creating separate storage accounts to align further with industry best practices for a cloud network environment.

Recommendation #1: Move Users Into Their Correct Resource Groups

An initial review of SWBTL's Azure environment revealed that the Accounting, Marketing, and IT department resource groups contained resources that did not correspond with their respective resource groups. Additionally, users could view assets belonging to other departments, posting a significant security and access control risk. The first step to mitigating these risks was to move users into their correct resource groups. Within Azure, employees assigned to the Marketing, Accounting, and IT groups by HR have been granted access to their corresponding resource groups only. To further reinforce compliance with SWBTL's business requirements and best practices, users have been granted read-only access to resources within their Azure resource groups. This role prevents users from modifying, deleting, or writing data, which is important for data integrity. It also complies with SWBTL's regulatory obligations under PCI DSS and FISMA, which require strict access controls. By granting users access only to the resources relevant to their job functions, least privilege and network segmentation are enforced, reducing the risk of unauthorized data access.

Recommendation #2: Create Security Groups with Time-Bound Administrative Privileges

Although most users within the resource groups will not need more than read-only access, some personnel will need higher privileges to complete their job functions. With the principle of least privilege in mind, it is recommended that security groups and administrative user groups be created for administrators in the Marketing, Accounting, and IT departments. Employees who require higher privileges can be assigned to administrative user groups through Microsoft Entra ID and then added to their corresponding security groups. To prevent privilege misuse within the security groups and reduce the risk of privilege escalation attacks, these roles should be configured with Privileged Identity Management (PIM). PIM can enforce time-bound access, ensuring administrators never have more access than is required at any given point (Neira & et al., 2025).

The Marketing and Accounting security groups have been granted Contributor roles within their respective resource groups. While this role grants them permission to create, modify, and manage resources, they cannot change access control settings. PIM will require the administrators in these groups to request reactivation every 90 days to ensure that only users who actively require this role have it. This configuration supports the least privilege without impacting efficiency or creating unnecessary overhead for SWBTL's Azure administrators. IT administrators will require broader access to support and maintain the organization's cloud infrastructure. Therefore, they have been granted LOD Contributor access to all resource groups via the IT Security group with a 30-day reactivation period. This role contains the necessary permissions to manage and monitor resources such as virtual machines and storage accounts. IT administrators have access to the Owner role through PIM in scenarios requiring elevated privileges, such as access control. However, the Owner role can only be accessed for 4 hours at a time. This structured approach to resource management ensures that the IT department has the necessary permissions to perform their job duties while establishing strict controls over privileged access.

Recommendation #3: Tags in Resource Groups

To improve access management and data control, we recommend implementing resource tagging. Each resource group has been tagged based on department ownership, which will enhance visibility and data governance. All newly added resources should also be tagged based on department ownership and/or resource type. This approach allows efficient tracking of assets and enables administrators to identify ownership so they can enforce policies effectively and quickly. Furthermore, enforcing tags upholds the principle of least privilege by ensuring permissions are assigned based on department needs. Sensitive resources can be tagged accordingly, providing clear indicators to administrators that they need to modify RBAC for them. Tagging will decrease the risk of unauthorized access or incorrectly configured roles within Azure (Ekuan & et al., 2024).

***Additional Recommendation: Storage Account for Each Resource Group**

In addition to reconfiguring RBAC and creating tags, we recommend establishing separate storage accounts for each department. Creating separate storage accounts enhances security by preventing unauthorized access and isolating data within its respective departments. Also, it reinforces compliance with data governance policies and federal regulations. Provisioning dedicated storage accounts for each department maintains clear boundaries between resources and ensures that permissions align with RBAC policies and SWBTL's business requirements.

C2. RBAC Configuration Screenshots

Marketing User Group Assigned to Marketing Resource Group



Accounting User Group Assigned to Accounting Resource Group



IT User Group Assigned to IT Resource Group



Marketing Security_01 Group Created



Accounting Security_01 Group Created



IT Security_01 Group Created



Accounting Admins Contributor Role Time Bound



Marketing Admins Contributor Role Time Bound



IT Admins LOD Contributor for IT RG



Accounting Dept Tag Created



IT Dept Tag Created



Marketing Dept Tag Created



Accounting Storage Account Created



Marketing Storage Account Created



D. Encryption
D1. Encryption Implementation Screenshots

Accounting Key Vault Moved to Accounting Resource Group From Marketing Resource Group



Accounting KV Soft Delete and Purge Protect Enabled



Accounting KV Public Access Disabled



Marketing Key Vault Moved to Marketing Resource Group From Accounting Resource Group



Marketing KV Soft Delete and Purge Protect Enabled



Marketing KV Public Access Disabled



IT Key Vault Created



IT KV Soft Delete and Purge Protect Enabled



D2. Encryption Recommendations

Recommendation #1: Implement Customer-Managed Keys (CMK) in Azure Key Vault to Encrypt Data at Rest

According to SWBTL's business requirements and to ensure compliance with FISMA and PCI DSS, the organization should utilize customer-managed keys (CMK) within key vaults. Although FISMA and PCI DSS do not explicitly require CMK, both regulations emphasize the importance of secure key management and strong encryption controls. While all data is automatically encrypted using Platform-managed keys (PMK), adopting CMK grants SWBTL

control over its encryption keys rather than relying on Azure to manage them. PMK are managed entirely by Azure, and customers do not have any interaction with them (Baldwin & et al., 2023). In a security incident affecting Microsoft, sensitive data and keys could be exposed. By using CMK, SWBTL can modify, revoke, and delete keys as needed, which will enhance the security of encrypted data. Furthermore, access to the keys should be restricted in accordance with the rest of the organization's requirements. Users in each resource group should be granted the Key Vault Reader role to ensure they can access and retrieve secrets for applications and resources that require them while preventing them from modifying secrets.

Recommendation #2: Store and Manage TLS Certificates in Azure Key Vault to Encrypt Data in Transit

We recommend that the organization adopt Azure Key Vault to store and manage TLS/SSL certificates securely. Centralizing certificate management provides an additional layer of security by ensuring that all data transmitted between services, applications, and users remains encrypted across the cloud environment. This approach mitigates the risk of unauthorized access or data corruption by malicious actors. Other benefits of using Key Vault for certificates are automated renewals and preventing service disruptions caused by expired or invalid certificates. Employing Key Vault supports FISMA and PCI DSS compliance while also strengthening network security.

E. Backups

E1. File Backup Configuration Screenshots

SWBTL Backup Vault Created



SWBTL Backup Policy Created



E2. File Backup Explanation

The updated file backup configurations will ensure that SWBTL meets its business requirements, which include FISMA and PCI DSS compliance requirements. Aligning backup policies to the organization's business requirements creates a secure, reliable, and compliant cloud infrastructure. FISMA requires federal agencies and contractors to implement specific security controls in accordance with NIST SP 800-53. The backup policy has been reconfigured so that daily backups for all storage accounts will occur at 7 p.m. EST with a 1-day Recovery Point Objective (RPO). This backup policy supports control CP-6 (Alternate Storage Site), which requires organizations to establish recovery time objectives as part of an overall contingency plan in case of network interruptions (NIST, 2020). It also supports control CP-9 (Information System Backup), which requires organizations to back up system-level and user-level data (NIST, 2020). Backups will be retained for 45 days to assist with incident response and audit requirements.

As an organization that processes credit card transactions, payment data must be encrypted and securely stored to comply with PCI DSS. The updated backup policy aligns with PCI DSS Requirement 12.10, which obligates SWBTL to have a well-defined incident response plan. Retaining daily backups for 45 days strengthens the IT department's ability to conduct forensic investigations and maintain business continuity during security incidents. Maintaining backups in a single recovery vault enhances security by providing an access-controlled environment for efficient data restoration. Implementing a dedicated backup policy enforces consistent configurations across all virtual machines and storage accounts.

F. Division of Responsibility

In the selected service model, Azure and SWBTL each have their set of responsibilities, with some shared. As the cloud service provider, Azure is always responsible for maintaining the underlying physical infrastructure, such as data centers and other hardware (Baldwin & et al., 2024). By overseeing the physical, on-premise foundation of the cloud, Azure creates a secure

and reliable network upon which SWBTL can build and operate its services. Through the IaaS model, Azure shifts the responsibility of security in the cloud to the client. SWBTL is thus responsible for configuring and maintaining network assets within the cloud, such as devices, information and data, applications, and even operating systems. One of the major responsibilities SWBTL must handle is access and identity management (IAM) via Azure RBAC. Ensuring data is encrypted and access permissions are properly configured will fall entirely on our company's IT department. While Azure provides the tools to configure a secure cloud environment, we are responsible for ensuring that they are appropriately applied to decrease the network attack surface.

Regardless of the service model adopted, reliability is a responsibility that SWBTL and Azure will always share. As the service provider, Azure ensures the core platform is reliable by maintaining the underlying infrastructure, which includes redundant power, cooling, and network connections in the data centers (Harris & et al., 2025). With a resilient platform provided by Azure, SWBTL is responsible for leveraging these resilience-enhancing capabilities, such as backup policies, to meet specific business needs. Utilizing Azure's tools to create and implement disaster recovery and business continuity plans is SWBTL's sole responsibility. By leveraging Azure's capabilities, SWBTL can enhance its resilience and ensure continuous operations, but the responsibility for effective planning and execution remains with the company.

F1. Risks

Risk #1: Increased Vulnerability to Cyberattacks (High Impact)

As SWBTL transitions from on-premise infrastructure to Azure, the potential exposure to cyber threats will increase due to a larger attack surface. Additionally, as Azure manages and maintains the underlying infrastructure, SWBTL forfeits the ability to oversee and control the physical hardware that supports the cloud. Therefore, the company must accept that external attacks, such as Distributed Denial-of-Service (DDoS) and ransomware, targeting Azure, can also impact SWBTL's operations. In July 2024, a DDoS attack against Microsoft created a global, eight-hour outage affecting numerous enterprise services including Azure (O'Flaherty, 2024). A successful attack could result in data breaches, service disruptions and costly regulatory non-compliance fines, sevrrely affecting the organization's reputation.

Risk #2: Downtime Due to Network Availability (Medium-High Impact)

Unlike on-premises systems, which can be physically isolated and air-gapped, Azure is cloud-based, meaning it relies on an internet connection to operate. Any network failures, whether originating from Azure's physical infrastructure or our internet service provider, can completely shut down business operations. If network failures occur on Azure's end, SWBTL must rely on Azure to restore network operations. With a cloud network model, our company must rely on Azure's words outlined in the Service Level Agreement (SLA) regarding uptime guarantees and redundancy efforts. As an organization that processes customer transactions and cardholder data, this risk can negatively impact business operations.

Risk #3: Vendor Lock-In and Limited Flexibility (Low-Medium Impact)

Adopting Azure as a network infrastructure provider introduces the risk of vendor lock-in, where SWBTL becomes reliant on Microsoft's ecosystem. Azure-specific configurations, IAM controls, and applications may limit the company's ability to transition to another cloud provider. Moving to another cloud provider like AWS would not come without

significant time and cost investments. In the long run, this dependency can increase the cost of operations in the cloud if Azure services are discontinued, modified, or pricing changes.

***Additional Risk: Long-Term Cost Considerations (Medium Impact)**

Although cloud computing reduces upfront infrastructure costs, long-term spending can be more than maintaining an on-premises network. Many of Azure's resources, such as virtual machines, operate on a pay-as-you-go pricing model, which can offer cost savings as the client only pays for what they need. Since this differs from a fixed cost on-premises model, our organization should closely monitor usage and implement cost optimization strategies whenever possible.

F2. Compliance Recommendations

Recommendation #1: Implement Regulatory Compliance in Azure Policy

To enhance compliance with federal regulations and ensure alignment with industry best practices, SWBTL should leverage Azure's built-in regulatory compliance features. Azure Policy provides built-in initiatives mapped to various standards and regulations, including FISMA and NIST SP 800-53 (Matlak et al., 2024). Implementing these initiatives will automate compliance checks, ensuring that resources adhere to configurations and security controls that align with mandated requirements. Industry best practices recommend that all organizations closely follow cybersecurity laws, standards, and regulations to remain compliant. In addition, Azure Policy will prepare the company for audits by maintaining consistent and verifiable compliance documentation.

Azure also contains comprehensive documentation explaining different solutions available to meet specific compliance requirements for various regulations such as PCI DSS. This resource offers detailed information on how Azure meets compliance frameworks and what tools clients can use to strengthen their security posture for auditing purposes. Reviewing and understanding Azure's policy documentation will simplify the integration of the necessary controls to meet regulatory requirements.

Recommendation #2: Implement Microsoft Defender for Cloud

SWBTL can further strengthen compliance by utilizing Microsoft Defender for Cloud. This service provides a continuous assessment of the environment by identifying vulnerabilities and suggesting mitigation efforts (Curwin & et al., 2025). In addition, Microsoft Defender can suggest security configurations that meet specific compliance criteria. The NIST framework recommends continuously monitoring and assessing an organization's infrastructure to detect and neutralize security threats. Employing Defender for Cloud is a proactive approach to vulnerability management that aligns with industry best practices.

Defender for Cloud provides essential tools such as security alerts that can notify SWBTL's incident response team in real time of events that may threaten the environment. The security alerts are automatically categorized and assigned severity levels to ensure that responses are appropriately applied promptly. The NIST framework emphasized the importance of real-time threat and detection. Similarly, Defender for Cloud can integrate with third-party Security Information and Event Management (SIEM) and Security Orchestration Automated Response (SOAR) systems (Curwin & et al., 2025). This creates a streamlined, automated, and

efficient incident response policy that aligns with industry standards for threat detection, response, and recovery.

Recommendation #3: Establish Comprehensive Backup and Disaster Recovery Policies

SWBTL needs to develop Disaster Recovery (DR) and Business Continuity (BC) plans to strengthen incident response and disaster recovery capabilities. All security frameworks and best practices state that these plans are essential for ensuring operations can continue in the event of cyberattacks, emergencies, and service disruptions. PCI DSS Requirement 12.10 calls for a well-documented and tested incident response plan. Therefore, Azure Recovery Vault must be configured with redundancy in mind. SWBTL can meet regulatory compliance while aligning with industry best practices for disaster recovery by ensuring that data is stored securely and retrievable in an emergency. SWBTL can meet regulatory compliance while aligning with industry best practices for disaster recovery by ensuring that data is stored securely and retrievable in an emergency. Utilizing geo-redundant backups in Azure enhances business continuity by protecting critical data across multiple regions, mitigating the risks of data loss due to cyberattacks, accidental deletions, or service outages (Matthew & et al., 2025). This approach aligns with the widely recognized best practice of implementing geographically distributed data centers to increase data availability and resilience.

As an additional security step, SWBTL should also consider maintaining copies of backups on-premises and ensuring that the SLA explicitly states SWBTL's rights to the backups if the organization terminates its services with Azure. Industry best practices emphasize the importance of having reliable, secure, and scalable backup solutions that can be restored in compliance with recovery time objectives (RTO) and recovery point objectives (RPO).

G. Potential Threats

Threat #1: Unauthorized Access to Network Resources and Assets

Moving to the cloud from an on-premises environment increases exposure to numerous cyber threats. Attackers have the opportunity to exploit misconfigured access controls such as improper permissions, weak authentication, or unprotected storage to gain unauthorized access to sensitive data. Data breaches are costly and time-consuming as they can expose Personally Identifiable Information (PII) ─ A violation of FISMA and PCI DSS regulatory requirements.

Mitigation Countermeasures:

To reduce the risk of insider threats or unauthorized access to resources, Multi-Factor Authentication (MFA) must be enabled for all users in Azure, including SWBTL's customers. Requiring MFA aligns with the Zero Trust security model, which operates on the 'never trust, always verify' principle. This approach assumes that no user or device should be automatically trusted, even inside the organization's network (Hall, 2025). Instead, each access request is thoroughly authenticated and authorized before access is granted to the user. Implementing MFA enhances security by ensuring that access to critical systems and sensitive data is closely monitored and regulated. It reduces the risk of compromised credentials by providing multiple layers of security. Unfortunately, users often choose easily guessed passwords susceptible to brute-force attacks. In the event of a brute force attack, the malicious actor would need to bypass the second factor, significantly enhancing account security and mitigating privilege escalation.

Threat #2: Lack of Knowledge by Users of Azure Cloud

A significant threat to cloud security arises from users across the organization lacking proper knowledge of Azure Cloud services. Traditionally, SWBTL's network environment has always been on-premises. Without adequate training, technical and non-technical staff may inadvertently make security mistakes such as misconfiguring access controls, improperly handling sensitive data, or using weak authentication methods. Although unintentional, these mistakes may violate regulatory requirements and increase the risk of insider threats or data breaches.

Mitigation Countermeasures:

To mitigate this risk, the organization must develop comprehensive security training for all users to ensure they can safely operate within the Azure environment. This training should cover identity and access management (IAM), data protection, and secure configuration practices. It should also emphasize best practices and provide clear guidance on who to contact for any questions or additional assistance. A security training program tailored for Azure and SWBTL's specific business needs will empower users to exhibit safe behaviors in the cloud. In return, this will reduce the likelihood of security incidents and strengthen the network's overall security.

Threat #3: Denial-of-Service (DoS) and Distributed Denial-of-Service (DDoS) Attacks

Cloud environments are more susceptible than on-premises networks to DoS and DDoS attacks. These attacks can overwhelm cloud services with excessive traffic, potentially making critical applications unavailable and disrupting business operations. As discussed in previous sections of this report, prolonged service disruptions could prove disastrous for SWBTL, as we are bound to highly regulated requirements.

Mitigation Countermeasures:

Purchasing Azure DDoS Protection will strengthen the network against DoS and DDoS attacks. Implementing this service will protect the network at Layer 3 and Layer 4 through the use of Azure Web Application Firewalls (WAF) and network attack analytics (Bell et al., 2025). This service can detect and analyze attacks as they occur, providing a complete forensic analysis and a clear timeline. SWBTL can leverage this information to reconfigure network settings and prevent similar attacks from occurring.

In conclusion, the transition to cloud-based infrastructure, particularly with Azure, offers significant advantages for SWBTL, including scalability, flexibility, and compliance with regulatory standards such as PCI DSS and FISMA. However, this shift also introduces potential risks related to security misconfigurations and a lack of knowledge among users. By implementing best practices, such as utilizing Azure's built-in regulatory compliance tools, adopting Microsoft Defender for Cloud, and prioritizing user training, SWBTL can mitigate these risks and ensure a secure, compliant, and efficient cloud environment. With these measures in place, SWBTL will be better positioned to navigate the complexities of cloud security while maintaining the integrity and continuity of its business operations.

References

Baldwin, M., & et al. (2024, September 11). *Azure key vault overview - azure key vault*. Azure Key Vault Overview - Azure Key Vault | Microsoft Learn. https://learn.microsoft.com/en-us/azure/key-vault/general/overview

Baldwin, M., & et al. . (2023, June 29). *Overview of key management in Azure*. Overview of Key Management in Azure | Microsoft Learn. https://learn.microsoft.com/en-us/azure/security/fundamentals/key-management

Baldwin, M., & et al. . (2024, September 29). *Shared responsibility in the cloud - microsoft azure*. Microsoft Azure | Microsoft Learn. https://learn.microsoft.com/en-us/azure/security/fundamentals/shared-responsibility#division-of-responsibility

Bell, A., & et al. . (2025, February 12). *Azure Ddos Protection Overview*. Azure DDoS Protection Overview | Microsoft Learn. https://learn.microsoft.com/en-us/azure/ddos-protection/ddos-protection-overview

Carper, T. R., & 113th Congress. (2014, December 18). *S.2521 - 113th congress (2013-2014): Federal Information Security Modernization Act of 2014 | congress.gov | library of Congress*. Congress.gov. https://www.congress.gov/bill/113th-congress/senate-bill/2521

Curwin, D., & et al. (2025, January 29). *What is Microsoft Defender for Cloud? - microsoft defender for cloud*. Microsoft Defender for Cloud | Microsoft Learn. https://learn.microsoft.com/en-us/azure/defender-for-cloud/defender-for-cloud-introduction

Ekuan, M., & et al. (2024, May 29). *Resource naming and tagging decision guide - cloud adoption framework*. Cloud Adoption Framework | Microsoft Learn.

https://learn.microsoft.com/en-us/azure/cloud-adoption-framework/ready/azure-best-practices/resource-naming-and-tagging-decision-guide?toc=%2Fazure%2Fazure-resource-manager%2Fmanagement%2Ftoc.json

Federal Information Security Modernization Act: CISA. Cybersecurity and Infrastructure Security Agency CISA. (2025). https://www.cisa.gov/topics/cyber-threats-and-advisories/federal-information-security-modernization-act

Gao, J., & et al. (2025, January 23). *Azure resource manager overview - azure resource manager*. Azure Resource Manager overview - Azure Resource Manager | Microsoft Learn. https://learn.microsoft.com/en-us/azure/azure-resource-manager/management/overview

Hall, J. (2025, January 6). *Microsoft Entra Multifactor Authentication Overview - Microsoft entra ID*. Microsoft Entra multifactor authentication overview - Microsoft Entra ID | Microsoft Learn. https://learn.microsoft.com/en-us/entra/identity/authentication/concept-mfa-howitworks

Harris, A., & et al. (2025, February 4). *Shared responsibility for reliability*. Microsoft Learn. https://learn.microsoft.com/en-us/azure/reliability/concept-shared-responsibility

Lyon, R., & et al. (2024, March 12). *What is azure role-based access control (Azure rbac)?*. Microsoft Learn. https://learn.microsoft.com/en-us/azure/role-based-access-control/overview

Lyon, R., & et al. (2025, January 25). *Azure built-in roles - azure rbac*. Azure RBAC | Microsoft Learn. https://learn.microsoft.com/en-us/azure/role-based-access-control/built-in-roles#privileged

Malone, A. (2024, June 11). *Just published: PCI DSS V4.0.1*. PCI Perspectives. https://blog.pcisecuritystandards.org/just-published-pci-dss-v4-0-1

Matlak, D., & et al. (2024, March 21). *Regulatory compliance in initiative definitions - azure policy*. Regulatory Compliance in initiative definitions - Azure Policy | Microsoft Learn. https://learn.microsoft.com/en-us/azure/governance/policy/concepts/regulatory-compliance

Matthew, S., & et al. (2025, February 12). *Data Redundancy - Azure Storage*. Data redundancy - Azure Storage | Microsoft Learn. https://learn.microsoft.com/en-us/azure/storage/common/storage-redundancy

Microsoft. (2025). *Public cloud vs private cloud vs hybrid cloud: Microsoft azure*. Public Cloud vs Private Cloud vs Hybrid Cloud | Microsoft Azure. https://azure.microsoft.com/en-us/resources/cloud-computing-dictionary/what-are-private-public-hybrid-clouds

National Institute of Standards and Technology. (2020, December 10). *NIST.SP.800-53R5.PDF*. NIST Special Publication 800-53 Revision 5 . https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-53r5.pdf

Neira, B., & et al. (2025, January 7). *What is privileged identity management? - microsoft entra ID governance*. What is Privileged Identity Management? - Microsoft Entra ID Governance | Microsoft Learn. https://learn.microsoft.com/en-us/entra/id-governance/privileged-identity-management/pim-configure

O'Flaherty, K. (2024, August 1). *Microsoft confirms new outage was triggered by Cyberattack*. Forbes.

https://www.forbes.com/sites/kateoflahertyuk/2024/07/31/microsoft-confirms-new-outage-was-triggered-by-cyberattack/

Smatlak, D., & et al. (2024, April 17). *Overview of azure policy - azure policy*. Overview of Azure Policy - Azure Policy | Microsoft Learn. https://learn.microsoft.com/en-us/azure/governance/policy/overview

Suri, J., & et al. (2025, January 31). *What is azure backup? - azure backup*. What is Azure Backup? - Azure Backup | Microsoft Learn. https://learn.microsoft.com/en-us/azure/backup/backup-overview

Vidich, S., & et al. (2022, September 25). *National Institute of Standards and Technology (NIST) SP 800-53 - azure compliance*. Azure Compliance | Microsoft Learn. https://learn.microsoft.com/en-us/azure/compliance/offerings/offering-nist-800-53