


Project Structure – VS Code



The screenshot shows the VS Code interface with the Explorer view on the left displaying the project structure. The main editor shows the code for `orders.py`. The terminal at the bottom shows the command prompt output.

```
EXPLORED
APP
  __pycache__
  main.cpython-314.pyc
  api
    __pycache__
    schemas
    __pycache__
    order_schema.py
    orders.py
  database
    __pycache__
    db.py
    models
    __pycache__
    order.py
    main.py

main.py 5
db.py 3
order.py 2
orders.py 4
order_schema.py 1
```

```
api > orders.py > top_customers
1 from fastapi import APIRouter
2 from sqlalchemy import func
3
4 from app.database.db import SessionLocal
5 from app.models.order import Order
6
7 router = APIRouter()
8
9
10 @router.post("/orders")
11 def create_order():
12
13     db = SessionLocal()
14
15     order = Order(
16         customer_name="Rahul",
17         product_name="Laptop",
18         amount=50000
```

```
C:\Users\LENOVO\analytics-platform\app>cd analytics-platform
The system cannot find the path specified.


C:\Users\LENOVO\analytics-platform\app>cd ..

C:\Users\LENOVO\analytics-platform>dir
Volume in drive C is Windows-SSD
Volume Serial Number is F6ED-9B27

Directory of C:\Users\LENOVO\analytics-platform

06/14/2026  04:32 AM    <DIR>          .
06/14/2026  03:30 AM    <DIR>
```

Swagger UI – API Overview



GET /orders – Retrieve Orders

127.0.0.1:8000/docs#/default/get_orders_orders_get

GET /orders Get Orders

Parameters Try it out

No parameters

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/orders' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/orders
```

Server response

Code	Details
200	Response body <pre>{ "id": 1, "customer_name": "Rahul", "product_name": "Laptop", "amount": 50000 }</pre>

POST /orders – Create Order

POST /orders Create Order

Parameters Try it out

No parameters

Responses

Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/orders' \
  -H 'accept: application/json' \
  -d ''
```

Request URL

```
http://127.0.0.1:8000/orders
```

Server response

Code	Details
200	Response body <pre>{ "message": "Order inserted successfully" }</pre> Download

GET /analytics/kpi – KPI Dashboard

GET

/analytics/kpi

Get Kpi

Parameters

Try it out

No parameters

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/kpi' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/analytics/kpi

Server response

Code

Details

200

Response body

```
{
  "total_orders": 3,
  "total_revenue": 150000
}
```

Download

GET /analytics/top-customers – Top Customers

127.0.0.1:8000/docs#/default/top_customers_analytics_top_customers_get

GET

/analytics/top-customers

Top Customers

Parameters

Try it out

No parameters

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/top-customers' \
  -H 'accept: application/json'
```

Request URL

http://127.0.0.1:8000/analytics/top-customers

Server response

Code

Details

200

Response body

```
[
  {
    "customer_name": "Rahul",
    "revenue": 150000
  }
]
```

Download