

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

ALNET DOO

<https://alnetdoo.000webhostapp.com/>

Smer: Internet tehnologije

Modul: Web programiranje

Predmet: Web programiranje 2

Aleksa Levnajić 106/19

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

Sadrzaj:

## 1. Uvod

### 1.1 Programski jezici

Za izradu sajta korišćeni su:

- HTML5
- CSS
- BOOTSTRAP
- PHP
- MySQL
- JavaScript
- jQuery
- Ajax
- JSON

### 1.2 Opis funkcionalnosti

Svaka strana se sastoji od zaglavlja, menija i footera. Na svakoj strani meni je ucitan dinamicki iz baze podataka i nacin njegovog prikaza je zasnovan na tome da li ste ulogovani, da li ste obican korisnik ili admin.

Index.php stranica sadrzi slider i ponudu najprodavanijih proizvoda. Ukoliko je korisnik ulogovan na index.php stranici mu se takodje pojavljuje kratka anketa ciji se odgovori upisuju u bazu i na koju moze da odgovri samo jednom.

Na accaount.php stranici se obavlja registracija i login. Njoj se moze prestupiti preko Log in/Registration kartici menija koja, ukoliko se korisnik uloguje, skladnja a pojavljuje se kartica Log out.

Takodje imamo contact stranicu kao i stranicu o autoru. Popunjavanjem ispravnih podataka u contact formi poruka se upisuje u bazu i prikazuje u admin panelu u odseku messeges/survey.

Stranica product.php sluzi da se preko nje porucuju proizvodi. Ima izlistane sve prozivode u ponudi na stranice(pagination) kao i opciju pretrage proizvoda.

Klikom na korpu korisnik se odvodi na checkout.php gde moze da dovrsti svoju porudzbinu i time se ona upise u bazu podataka, ili da korpu obrise i pocne od pocetka.

Admin panel se sastoji od kartice koja prikazuje podatke o adminu i od kartica koje sluze da insert, update i delete tabela kao i link koji vodi nazad ka index.php stranici

Na svakoj stranici je odredjena klijentska kao i serverska validacija. Stranicma za koje korisnik nema pristup nije moguce pristupiti preko url adrese. Svaka stranica, ukoliko dodje do greske ili neovlascenog pristupa vodi na custom 404.php stranicu. Koristeni us try/catch blokovi. Svaki INSERT i UPDATE upit je obradjen sa prepare funkcijom i bindParam();

### 1.3 Template

Sa izradu sajta je koriscen bootstrap template koji je prepravljen za svrhe predmeta sa sajta:  
<https://w3layouts.com/>, kao i template za admin panel.

### 1.4 Kredencijali

SERVER: localhost

DATABASE: id20460939\_bazaphp

USERNAME: id20460939\_root

PASSWORD: 6=h<&k#oRBa93DNP

Admin nalog:

email: [admin@gmail.com](mailto:admin@gmail.com)

pass: admin123456

## 2.Organizaciona sema

### 2.1 Sitemap

```
❶ sitemap.xml
1   <?xml version="1.0" encoding="UTF-8"?>
2   <urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
3       <url>
4           <loc>index.php</loc>
5           <lastmod>2023-03-14</lastmod>
6           | <changefreq>monthly</changefreq>
7           | <priority>0.7</priority>
8       </url>
9       <url>
10          <loc>product.php</loc>
11          <lastmod>2023-03-16</lastmod>
12          | <changefreq>weekly</changefreq>
13          | <priority>0.9</priority>
14      </url>
15      <url>
16          <loc>author.php</loc>
17          <lastmod>2020-03-10</lastmod>
18          | <changefreq>weekly</changefreq>
19          | <priority>0.8</priority>
20      </url>
21      <url>
22          <loc>checkout.php</loc>
23          <lastmod>2020-03-15</lastmod>
24          | <changefreq>weekly</changefreq>
25          | <priority>0.8</priority>
26      </url>
27  </urlset>
28
```


## 2.2 Rss

```

rss.xml
1  <?xml version="1.0" encoding="utf-8"?>
2  <rss version="2.0">
3      <channel>
4          <title>Check out our new products</title>
5          <link>https://alnetdoo.000webhostapp.com/product.php</link>
6          <description> We just got some new lamps, so check them out! </description>
7      <item>
8          <title>Survey?</title>
9          <link> https://alnetdoo.000webhostapp.com/index.php </link>
10         <description> Log in and fill out are short survey! </description>
11     </item>
12   </channel>
13 </rss>
14


```

## 2.3 Sema baze podataka



### 3. Organizacija i izgled sajta

index.php



# Visoka škola strukovnih studija za informacione i komunikacione tehnologije



In a mood for a little survey? Feel free to answer.

How do you like our website?(Give us a grade 1-5)

- Very good - 5
- Good - 4
- Medicore - 3
- Bad - 2
- Very bad - 1

[Submit](#)

What is your experience with online shopping at our website?

Great experience. Website is very intuitive.

It was hard for me to find my way but I managed to complete the order.

I couldn't make my order.

None of the above

[Submit](#)

## Newsletter

Email

[Subscribe](#)

### About Us

We are a very professional young e-commerce company. Feel free to explore our website and try to find what best suits you. You can contact us via our contact form.

### Information

Track Order  
New Products  
Location  
Our Stores  
Best Sellers

### More Info

Login  
FAQ  
Contact  
Shipping  
Membership

### Categories

Bulbs  
LED Lights  
Camera  
Dwital Lights  
Lights

Home / Products

## Our Products

Search products

**CATEGORIES**

- Bulbs
- Camera
- Diwali Lights
- LED Lights
- Lights

**BRAND**

- Egger Licht
- Fabbian
- Grupa
- Marsel
- Martinelli Luce

	LIGHTING WOOD CARVED MOP GLASS DOUBLE WALL LAMP <b>35\$</b>		LIGHTING WOOD CARVED MOP GLASS SINGLE WALL LAMP <b>28\$</b>		LIGHTING BRASS CARVED MOP PORCELAIN SINGLE WALL LAMP <b>25\$</b>
	ÅRSTID <b>37\$</b>		BRIGHTLYTS SHERRY WALL LAMP <b>28\$</b>		WALL LAMP WENTWORTH DOUBLE <b>55\$</b>
	REFLECTOR BL-300UP BLACK <b>57\$</b>		VICTORIA LANTERN <b>39\$</b>		ANTIQUE NICKEL FINISH <b>27\$</b>

« 1 2 »

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

checkout.php

Continue shopping My Shopping Bag (1)

Price Details

Total:	\$39.00
Discount:	0%
Delivery Charges:	\$0

TOTAL \$39.00



**Lighting Wood Carved Mop Glass Double Wall Lamp**  
Brand : Marset  
Price : 39\$ Quantity : 1 X

Delivered in 2-3 business days

**Place Order**

OPTIONS


COUPONS Apply Coupons Clear cart

contact.php

Home / Contact

## Contact Us

**Find Us Here**



**Company Information :**

500 Lorem Ipsum Dolor Sit,  
22-56-2-9 Sit Amet, Lorem,  
USA  
Phone: (00) 222 666 444  
Fax: (000) 000 00 00  
Email: [info@mycompany.com](mailto:info@mycompany.com)  
Follow on: [Facebook](#), [Twitter](#)

NAME

E-MAIL

MOBILE

SUBJECT

**SUBMIT**

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

author.php

Home / Author



### Author of the page

Hello, my name is Alekса and I am student of ICT Collage in Belgrade. I am very interested in software and web development. You can contact me by sending email on [aleksa.levnajic.106.19@ict.edu.rs](mailto:aleksa.levnajic.106.19@ict.edu.rs) or message me on my social-media accounts.

account.php

Home / Log in/Register

#### New User? Create An Account

First Name
Last Name
Email Address
Password
Retype Password

**CREATE AN ACCOUNT**

#### Existing User - Log In Here

Email
Password

**LOG IN**

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

admin.php

The screenshot shows the 'User Profile' section of the admin interface. On the left, there is a sidebar with various database table icons and names: USER PROFILE, MESSAGES/SURVEY, MENU TABLE, CATEGORY TABLE, BRNAD TABLE, PRICE TABLE, USERS TABLE, ROLES TABLE, and PRODUCTS TABLE. At the bottom of the sidebar is a 'GO BACK TO SITE' link. The main content area is titled 'User Profile' and features a large placeholder icon of a person in a suit. Below the icon is a form containing the following data:

- First Name: Admin
- Last Name: Adminovic
- Email: admin@gmail.com
- Last Login: 2023-03-04 16:45:04

A dark blue 'UPDATE PROFILE' button is located at the bottom of the form.

- Stranica sa podacima o adminu

The screenshot shows the 'Messages And Survey' section of the admin interface. The sidebar on the left is identical to the previous screenshot. The main content area is titled 'Messages And Survey'. It contains two sections:

- Messages from users to you:** A table listing four messages from a user named Aleksa. The columns are #, FIRST NAME, EMAIL, PHONE, MESSAGE, and DATE. The data is as follows:

#	FIRST NAME	EMAIL	PHONE	MESSAGE	DATE	Actions
1	Aleksa	Aleksa	Aleksa	Aleksa	2023-03-04 16:29:16	<a href="#">Delete</a>
2	Aleksa	aleksa@gmail.com	1234567890	ja sam tu sam 2	2023-03-04 16:30:56	<a href="#">Delete</a>
3	Aleksa	aleksaaa@gmail.com	2234567890	ja sam tu sam 2	2023-03-04 16:32:09	<a href="#">Delete</a>
4	Aleksa	levnajic@gmail.com	7894561230	Ajde radi breeee breeeee	2023-03-16 16:13:28	<a href="#">Delete</a>
- Survey statistics:** Two survey questions with their respective results:

Q1: How do you like our website? (Give us a grade 1-5)	Very good - 5: 50%	Good - 4: 50%	Medicore - 3: 0%	Bad - 2: 0%	Very bad - 1: 0%
Q2: What is your experience with online shopping at our website?	Great experience. Website is very intuitive: 100%	It was hard for me to find my way but I managed to complete the order: 0%	I couldn't make my order: 0%	None of the above: 0%	

- Stranica na kojoj su izlistane poruke korisnika upucene adminu kao i statistika ankete

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

ALNET

Menu

ID_MENU	NAME_MENU	HREF_MENU	SHOW_MENU	Update	Delete
1	Home	index.php	1		
2	Products	product.php	1		
3	Admin panel	admin.php	3		
4	Contact	contact.php	1		
5	Log in/Register	account.php	0		
6	Author	author.php	2		
7	Log out	logout.php	2		
11	probaaa	proba	5		
12	probaw22	probaw2	5		
14	probaw3	probaw3	5		

Insert menu

Enter name:  Enter href:  Enter show\_menu:  Insert

- Stranica za INSERT, UPDATE i DELETE tabele menu

ALNET

Category Table

Category

ID_CATEGORY	NAME	Update	Delete
14	Bulbs		
1	Camera		
12	Diwali Lights		
11	LED Lights		
10	Lights		
13	Tube Lights		

Insert category

Enter name:  Insert

- Stranica za INSERT, UPDATE i DELETE tabele category

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

ALNET

USER PROFILE

MESSAGES/SURVEY

MENU TABLE

CATEGORY TABLE

BRAND TABLE

PRICE TABLE

USERS TABLE

ROLES TABLE

PRODUCTS TABLE

GO BACK TO SITE

**Brand**

Brand Table

ID_BRAND	BRAND_NAME	Update	Delete
6	Egger Licht	<a href="#">Update</a>	<a href="#">Delete</a>
4	Fabbian	<a href="#">Update</a>	<a href="#">Delete</a>
2	Grupa	<a href="#">Update</a>	<a href="#">Delete</a>
1	Marsel	<a href="#">Update</a>	<a href="#">Delete</a>
3	Martinelli Luce	<a href="#">Update</a>	<a href="#">Delete</a>
5	Top Light	<a href="#">Update</a>	<a href="#">Delete</a>

**Insert brand**

Enter name

[Insert](#)

- Stranica za INSERT, UPDATE i DELETE tabele brand

ALNET

USER PROFILE

MESSAGES/SURVEY

MENU TABLE

CATEGORY TABLE

BRAND TABLE

PRICE TABLE

USERS TABLE

ROLES TABLE

PRODUCTS TABLE

GO BACK TO SITE

**Price**

Price Table

ID_PRICE	NAME	PRICE	Update
2	Lighting Wood Carved Mop Glass Double Wall Lamp	39	<a href="#">Update</a>
3	Lighting Wood Carved Mop Glass Single Wall Lamp	28	<a href="#">Update</a>
4	Lighting Brass Carved Mop Porcelain Single Wall La	25	<a href="#">Update</a>
6	ÅRSTID	37	<a href="#">Update</a>
3	BrightLyts Sherry Wall Lamp	28	<a href="#">Update</a>
5	WALL LAMP WENTWORTH DOUBLE	55	<a href="#">Update</a>
7	Reflector BL-300UP Black	57	<a href="#">Update</a>
2	Victoria Lantern	39	<a href="#">Update</a>
8	Antique Nickel Finish	27	<a href="#">Update</a>
4	Night Lamp	25	<a href="#">Update</a>
6	LED Camping Lamp	37	<a href="#">Update</a>
2	Lampa Lampa	39	<a href="#">Update</a>

- Stranica za UPDATE tabele price

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

ALNET

User Table

ID_USER	FIRSTNAME	LASTNAME	EMAIL	ROLE	DATE
1	Aleksa	Levnajic	levnajic1997@gmail.com	Regular	2023-03-03 16:04:56
2	Aleksa	Levnajic	aleksa@gmail.com	Regular	2023-03-03 17:20:13
3	Pera	Peric	peraperic@gmail.com	Regular	2023-03-03 18:01:34
4	Admin	Adminovic	admin@gmail.com	Admin	2023-03-04 16:45:04
9	Aleksa	Levnajic	levnajic@gmail.com	Regular	2023-03-16 16:15:32

Users

ALNET

USER PROFILE

MESSAGES/SURVEY

MENU TABLE

CATEGORY TABLE

BRNAD TABLE

PRICE TABLE

USERS TABLE

ROLES TABLE

PRODUCTS TABLE

GO BACK TO SITE

- Stranica za DELETE tabele user

ALNET

Roles Table

ID_ROLES	ROLE_NAME
1	Admin
2	Regular

Roles

ALNET

USER PROFILE

MESSAGES/SURVEY

MENU TABLE

CATEGORY TABLE

BRNAD TABLE

PRICE TABLE

USERS TABLE

ROLES TABLE

PRODUCTS TABLE

GO BACK TO SITE

- Stranica za INSERT, UPDATE i DELETE tabele roles

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

ALNET

USER PROFILE

MESSAGES/SURVEY

MENU TABLE

CATEGORY TABLE

BRNAD TABLE

PRICE TABLE

USERS TABLE

ROLES TABLE

PRODUCTS TABLE

GO BACK TO SITE

**Products**

ID_PRODUCTS	NAME	PICTURE	CHANGE SRC	CATEGORY_NAME	DESCRIPTION	BRAND_NAME	Update	Delete
2	Light	images	Choose File	No file chosen	Diwall Lights	The most sti	Marsel	Update Delete
3	Light	images	Choose File	No file chosen	Diwall Lights	Lighting Wc	Martinelli Lu	Update Delete
4	Light	images	Choose File	No file chosen	Diwall Lights	Lighting Brz	Fabbian	Update Delete
5	ÄRST	images	Choose File	No file chosen	Lights	One of our r	Marsel	Update Delete
6	Bright	images	Choose File	No file chosen	Lights	This Wall fix	Egger Licht	Update Delete
7	WAL	images	Choose File	No file chosen	Lights	Invite bouti	Fabbian	Update Delete
8	Reflle	images	Choose File	No file chosen	LED Lights	Our Victoria	Crupa	Update Delete
9	Victc	images	Choose File	No file chosen	LED Lights	Ideal for all c	Crupa	Update Delete
10	Antic	images	Choose File	No file chosen	Diwall Lights	Throw away	Martinelli Lu	Update Delete
11	Nigh	images	Choose File	No file chosen	Lights	Decor Bedsi	Fabbian	Update Delete
12	LED	images	Choose File	No file chosen	LED Lights	Great LED L	Top Light	Update Delete
15	Lamj	images	Choose File	No file chosen	Bulbs	Lampa lamj	Egger Licht	Update Delete

- Stranica za INSERT, UPDATE i DELETE tabelle product

## 4.Kod

connection.php

```
1  <?php
2
3  define("SERVER", "localhost");
4  define("DATABASE", "id20460939_bazaphp");
5  define("USERNAME", "id20460939_root");
6  define("PASSWORD", "6=h<&k#oRBa93DNP");
7
8  //define("SERVER", "localhost");
9  //define("DATABASE", "bazaphp");
10 //define("USERNAME", "root");
11 //define("PASSWORD", "");
12
13 try {
14     $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME, PASSWORD);
15     $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
16     $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
17 }
18 catch(PDOException $ex){
19     echo $ex->getMessage();
20 }
21 ?>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

footer.php

```
1  <div class="subscribe">
2      <div class="container">
3          <h3>Newsletter</h3>
4          <form>
5              <input type="text" class="text" value="Email" onfocus="this.value = '';" onblur="if (this.value == '') {this.value = 'Email';}">
6              <a href="contact.php"><input type="button" value="Subscribe"></a>
7          </form>
8      </div>
9  </div>
10 <!-->
11 <div class="footer">
12     <div class="container">
13         <div class="footer-grids">
14             <div class="col-md-3 about-us">
15                 <h3>About Us</h3>
16                 <p>We are very professional young e-commerce company. Fill free to explore our website and try to find what best suit you. You can
17             </div>
18             <div class="col-md-3 ftr-grid">
19                 <h3>Information</h3>
20                 <ul class="nav-bottom">
21                     <li><a href="#">Track Order</a></li>
22                     <li><a href="#">New Products</a></li>
23                     <li><a href="#">Location</a></li>
24                     <li><a href="#">Our Stores</a></li>
25                     <li><a href="#">Best Sellers</a></li>
26                 </ul>
27             </div>
28             <div class="col-md-3 ftr-grid">
29                 <h3>More Info</h3>
30                 <ul class="nav-bottom">
31                     <li><a href="account.php">Login</a></li>
32                     <li><a href="#">FAQ</a></li>
33                     <li><a href="contact.php">Contact</a></li>
34                     <li><a href="#">Shipping</a></li>
35                     <li><a href="#">Membership</a></li>
36                 </ul>
37             </div>
38             <div class="col-md-3 ftr-grid">
39                 <h3>Categories</h3>
40                 <ul class="nav-bottom">
41                     <li><a href="product.php">Bulbs</a></li>
42                     <li><a href="product.php">LED Lights</a></li>
43                     <li><a href="product.php">Camera</a></li>
44                     <li><a href="product.php">Diwali Lights</a></li>
45                     <li><a href="product.php">Lights</a></li>
46                 </ul>
47             </div>
48             <div class="clearfix"></div>
49         </div>
50     </div>
51 </div>
52 <div class="copywrite">
53     <div class="container">
54         <div class="copy">
55             <p>© 2023 ALNET. All Rights Reserved Visoka ICT | Design by Alekса Levnajиć 106/19 </p>
56         </div>
57         <div class="social">
58             <a href="#"><i class="facebook"></i></a>
59             <a href="#"><i class="twitter"></i></a>
60             <a href="#"><i class="dribbble"></i></a>
61             <a href="#"><i class="google"></i></a>
62             <a href="#"><i class="youtube"></i></a>
63         </div>
64         <div class="clearfix"></div>
65     </div>
66 </div>
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

## footerAdmin.php

```
1 <script src="js/core/jquery.min.js"></script>
2 <script src="js/core/popper.min.js"></script>
3 <script src="js/core/bootstrap.min.js"></script>
4 <script src="https://maps.googleapis.com/maps/api/js"></script>
5 <script src="js/plugins/chartjs.min.js"></script>
6 <script src="js/plugins/bootstrap-notify.js"></script>
7 <script src="js/paper-dashboard.min.js?v=2.0.1" type="text/javascript"></script>
8 <script src="js/main.js" type="text/javascript"></script>
9 </body>
10 </html>
```

## head.php

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>ALNET Ecommerce </title>
5 <link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all" />
6 <!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
7 <script src="js/jquery.min.js"></script>
8 <link rel="shortcut icon" href="images/favicon2.png" type="image/x-icon">
9 <!-- Custom Theme files -->
10 <!--theme style-->
11 <link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
12 <!--//theme style-->
13 <meta name="viewport" content="width=device-width, initial-scale=1">
14 <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
15 <meta name="keywords" content="Wedding Store Responsive web template, Bootstrap Web Templates, Flat Web Templates, Andriod Compatible web template,
16 Smartphone Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson, Motorola web design" />
17 <script type="application/x-javascript"> addEventListener("load", function() { setTimeout(hideURLbar, 0); }, false); function hideURLbar(){ window.scrollTo(0,1); } </script>
18 <!-- start menu -->
19 <script src="js/simpleCart.min.js"> </script>
20 <!-- start menu -->
21 <link href="css/memenu.css" rel="stylesheet" type="text/css" media="all" />
22 <script type="text/javascript" src="js/memenu.js"></script>
23 <script type="text/javascript" src="js/main.js"></script>
24 <script>$(document).ready(function(){$(".memenu").memenu();});</script>
25 <!-- /start menu -->
26 <link href="css/form.css" rel="stylesheet" type="text/css" media="all" />
27 <!-- the jScrollPane script -->
28 <script type="text/javascript" src="js/jquery.jscrollpane.min.js"></script>
29 <script type="text/javascript" id="sourcecode">
30   $(function()
31   {
32     $('.scroll-pane').jScrollPane();
33   });
34 </script>
35 <!-- //the jScrollPane script -->
36
37 </head>
38 <body>
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

## headerAdmin.php

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="utf-8" />
5      <link rel="icon" type="image/png" href="images/favicon.png">
6      <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
7      <title>Admin Panel</title>
8      <meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0, shrink-to-fit=no' name='viewport' />
9      <link href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200" rel="stylesheet" />
10     <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-beta/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-gJF6kkqNQ0vvy+HMD7a" crossorigin="anonymous">
11     <link href="css/bootstrap.css" rel="stylesheet" />
12     <link href="css/paper-dashboard.css?v=2.0.1" rel="stylesheet" />
13     <link href="demo/demo.css" rel="stylesheet" />
14 </head>
15 <body>
16
```

## header.php

```
1  <?php
2      //require("models/login.php");
3      require("models/menu.php");
4      // $upit="SELECT * FROM menu WHERE display=1";
5      // $menu=$conn->query($upit)->fetchAll();
6  ?>
7
8  <div class="header-top">
9      <div class="header-bottom">
10         <div class="logo">
11             |     <h1><a href="index.php">ALNET</a></h1>
12         </div>
13         <!-->
14         <div class="top-nav">
15             <ul class="memenu skyblue">
16                 <?php
17                     foreach($menu as $m):
18                 ?>
19                     <li class="active">
20                         |     <a href=<?= $m->path_m?>><?= $m->name_menu?></a>
21                     </li>
22                 <?php
23                     endforeach;
24                 ?>
25             </ul>
26         </div>
27         <!-->
28         <div class="cart_box_1">
29             |     <a href="checkout.php">
30                 <div class="total">
31                     <span class="simpleCart_total"></span> (<span id="simpleCart_quantity" class="simpleCart_quantity"></span></div>
32                     <span class="glyphicon glyphicon-shopping-cart" aria-hidden="true"></span>
33                 </a>
34                 <p><a href="javascript:;" class="simpleCart_empty">Empty Cart</a></p>
35                 <div class="clearfix"> </div>
36             </div>
37             <div class="clearfix"> </div>
38             <!-->
39         </div>
40     </div>
41 </div>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

headerAdmin.php

```
1  <?php
2  // session_start();
3 ?
4  <div class="wrapper">
5      <div class="sidebar" data-color="white" data-active-color="danger">
6          <div class="logo">
7              <a href="https://www.creative-tim.com" class="simple-text logo-mini">
8                  </a>
9                  <a href="index.php" class="simple-text logo-normal">
10                      ALNET
11                  </a>
12          </div>
13          <div class="sidebar-wrapper">
14              <ul class="nav">
15                  <li>
16                      <a href="admin.php">
17                          <i class="nc-icon nc-circle-10">
18                          <p>User profile</p>
19                      </a>
20                  </li>
21                  <li>
22                      <a href="messageSurvey.php">
23                          <i class="nc-icon nc-email-85">
24                          <p>Messages/Survey</p>
25                      </a>
26                  </li>
27                  <li>
28                      <a href="menuTable.php">
29                          <i class="nc-icon nc-bullet-list-67">
30                          <p>Menu Table</p>
31                      </a>
32                  </li>
33                  <li>
34                      <a href="categoryTable.php">
35                          <i class="nc-icon nc-bullet-list-67">
36                          <p>Category Table</p>
37                      </a>
38                  </li>
39                  <li>
40                      <a href="brandTable.php">
41                          <i class="nc-icon nc-bullet-list-67">
42                          <p>Brnad Table</p>
43                      </a>
44                  </li>
45          </ul>

```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
34 |         <a href="categoryTable.php">
35 |             <i class="nc-icon nc-bullet-list-67"></i>
36 |             <p>Category Table</p>
37 |         </a>
38 |     </li>
39 |     <li>
40 |         <a href="brandTable.php">
41 |             <i class="nc-icon nc-bullet-list-67"></i>
42 |             <p>Brnad Table</p>
43 |         </a>
44 |     </li>
45 |     <li>
46 |         <a href="priceTable.php">
47 |             <i class="nc-icon nc-bullet-list-67"></i>
48 |             <p>Price Table</p>
49 |         </a>
50 |     </li>
51 |     <li>
52 |         <a href="usersTable.php">
53 |             <i class="nc-icon nc-bullet-list-67"></i>
54 |             <p>Users Table</p>
55 |         </a>
56 |     </li>
57 |     <li>
58 |         <a href="rolesTable.php">
59 |             <i class="nc-icon nc-bullet-list-67"></i>
60 |             <p>Roles Table</p>
61 |         </a>
62 |     </li>
63 |     <li>
64 |         <a href="productsTable.php">
65 |             <i class="nc-icon nc-bullet-list-67"></i>
66 |             <p>Products Table</p>
67 |         </a>
68 |     </li>
69 |     <li>
70 |         <a href="index.php">
71 |             <i class="nc-icon nc-spaceship"></i>
72 |             <p>Go back to site</p>
73 |         </a>
74 |     </li>
75 |     </ul>
76 | </div>
77 | </div>
78 | </div>
```

slider.php

```
1  <div class="slider">
2      <div class="callbacks_container">
3          <ul class="rsslides" id="slider">
4              <li>
5                  <div class="banner1">
6                      <div class="banner-info">
7                          <h3>Greetings</h3>
8                          <p>Welcome to our website where you can equip your house using both modern and vintage style.</p>
9                      </div>
10                 </div>
11             </li>
12             <li>
13                 <div class="banner2">
14                     <div class="banner-info">
15                         <h3>Greetings</h3>
16                         <p>Welcome to our website where you can equip your house using both modern and vintage style.</p>
17                     </div>
18                 </div>
19             </li>
20             <li>
21                 <div class="banner3">
22                     <div class="banner-info">
23                         <h3>Greetings</h3>
24                         <p>Welcome to our website where you can equip your house using both modern and vintage style.</p>
25                     </div>
26                     </div>
27                 </div>
28             </li>
29         </ul>
30     </div>
31 </div>
```

account.php

```
1 <?php
2     session_start();
3     require_once("includes/head.php");
4     require("includes/header.php");
5 ?>
6 <!--header-->
7 <script src="js/responsiveslides.min.js"></script>
8 <script>
9     $(function () {
10         $("#slider").responsiveSlides([
11             auto: false,
12             nav: true,
13             speed: 500,
14             namespace: "callbacks",
15             pager: false,
16         ]);
17     });
18 </script>
19
20
21 <!--
22 <div class="container">
23     <ol class="breadcrumb">
24         <li><a href="index.php">Home</a></li>
25         <li class="active">Log in/Register</li>
26     </ol>
27     <div class="registration">
28         <div class="registration_left">
29             <h2>new user? <span> create an account </span></h2>
30             <!-- [if IE]
31                 < link rel='stylesheet' type='text/css' href='ie.css' />
32             [endif] -->
33
34             <!-- [if lt IE 7]>
35                 < link rel='stylesheet' type='text/css' href='ie6.css' />
36             <! [endif] -->
37             <script>
38                 (function() {
39
40                     // Create input element for testing
41                     var inputs = document.createElement('input');
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
42
43     // Create the supports object
44     var supports = {};
45
46     supports.autofocus = 'autofocus' in inputs;
47     supports.required = 'required' in inputs;
48     supports.placeholder = 'placeholder' in inputs;
49
50     // Fallback for autofocus attribute
51     if(!supports.autofocus) {
52
53     }
54
55     // Fallback for required attribute
56     if(!supports.required) {
57
58     }
59
60     // Fallback for placeholder attribute
61     if(!supports.placeholder) {
62
63     }
64
65     // Change text inside send button on submit
66     var send = document.getElementById('register-submit');
67     if(send) {
68         send.onclick = function () {
69             this.innerHTML = '...Sending';
70         }
71     }
72
73 })(());
74 </script>
75 <div class="registration_form">
76 <!-- Form -->
77     <form>
78         <div>
79             <label>
80                 <input placeholder="first name" type="text" tabindex="1" id="first-Name" name="firstName">
81             </label>
82         </div>
83         <div>
84             <label>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
83 |         <div>
84 |             <label>
85 |                 <input placeholder="last name" type="text" tabindex="2" id="last-Name" name="lastName">
86 |             </label>
87 |         </div>
88 |         <div>
89 |             <label>
90 |                 <input placeholder="email address" type="email" tabindex="3" id="emailAdd" name="email">
91 |             </label>
92 |         </div>
93 |         <div>
94 |             <label>
95 |                 <input placeholder="password" type="password" tabindex="4" id="pass" name="password">
96 |             </label>
97 |         </div>
98 |         <div>
99 |             <label>
100 |                 <input placeholder="retype password" type="password" tabindex="4" id="rePass" name="rePassword">
101 |             </label>
102 |         </div>
103 |         <div>
104 |             <input type="submit" value="create an account" id="register" name="btnn">
105 |         </div>
106 |         <div class="alert alert-success" id="succ" role="alert">
107 |             <strong>Well done!</strong> Your registration was successfull.
108 |         </div>
109 |         <div id="success" class="green textcenter">
110 |             ...
111 |         </div>
112 |     </form>
113 |     ...
114 | </div>
115 | </div>
116 | <div class="registration_left">
117 |     <h2>existing user - <span> Log in here</span></h2></h2>
118 |     <div class="registration_form">
119 |         <!-- Form -->
120 |         <form>
121 |             <div>
122 |                 <label>
123 |                     <input placeholder="email" type="email" tabindex="3" id="emailLog" required>
124 |                 </label>
125 |             </div>
126 |             <div>
127 |                 <label>
128 |                     <input placeholder="password" type="password" tabindex="4" id="passwordLog" required>
129 |                 </label>
130 |             </div>
131 |             <div>
132 |                 <input type="submit" value="Log in" id="logIn">
133 |             </div>
134 |             <div class="alert alert-danger" id="err" role="alert">
135 |                 <strong>Something went wrong</strong> Please try again.
136 |             </div>
137 |         </form>
138 |         <!-- /Form -->
139 |     </div>
140 | </div>
141 | <div class="clearfix"></div>
142 | </div>
143 | <!-->
144 | <?php
145 |     require_once("includes/footer.php");
146 | ?>
147 | <!-->
148 | <!-->
149 |
150 | </body>
151 | </html>
```

```
1 <?php
2 session_start();
3 $user = $_SESSION['user'];
4 if(!isset($_SESSION['user'])){
5 header("location: models/404Page.php?notFound");
6 }
7 //else if($_SESSION['id_role']!=1)
8 else if($user->id_role!=1){
9 | var_dump($_SESSION['role']);
10 //header("location: models/404Page.php?notFound");
11 }
12 else{
13 include "includes/headAdmin.php";
14 include "includes/headerAdmin.php";
15 include "models/functions.php";
16 include "config/connection.php";
17 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
31 $user=getAdmin();
32 ?>
33 <div class="main-panel" style="height: 100vh;">
34     <!-- Navbar -->
35     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
36         <div class="container-fluid">
37             <div class="navbar-wrapper">
38                 <div class="navbar-toggle">
39                     <button type="button" class="navbar-toggler">
40                         <span class="navbar-toggler-bar bar1"></span>
41                         <span class="navbar-toggler-bar bar2"></span>
42                         <span class="navbar-toggler-bar bar3"></span>
43                     </button>
44                 </div>
45                 <a class="navbar-brand" href="adminPanel.php">User profile</a>
46             </div>
47             <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation" aria-controls="navigation-index" aria-expanded="false" aria-label="Toggle navigation">
48                 <span class="navbar-toggler-bar navbar-kebab"></span>
49                 <span class="navbar-toggler-bar navbar-kebab"></span>
50                 <span class="navbar-toggler-bar navbar-kebab"></span>
51             </button>
52         </div>
53     </nav>
54     <!-- End Navbar -->
55     <div class="content">
56         <div class="container">
57             <div class="row">
58                 <div class="col-md-12">
59                     <div class="card text-center mx-auto" style="width: 18rem;">
60                         
61                     </div>
62                     <div class="tm-container-inner-2 tm-contact-section">
63                         <div class="row">
64                             <div class="col-md-12" id="con">
65                                 <div class="content">
66                                     <div class="container">
67                                         <div class="row">
68                                             <div class="col-md-12">
69                                                 <div class="card text-center mx-auto" style="width: 18rem;">
70                                                     
71                                                 </div>
72                                                 <div class="tm-container-inner-2 tm-contact-section">
73                                         <div class="row">
74                                             <div class="col-md-12" id="con">
75                                                 <form>
76                                                     <div class="form-group">
77                                                         <input type="text" id="nameInputAdmin" class="form-control" placeholder="Name" value=<?=$user->firstName?>"/>
78                                                     </div>
79                                                     <div class="form-group">
80                                                         <input type="text" id="lastNameInputAdmin" class="form-control" placeholder="Last Name" value=<?=$user->lastName?>"/>
81                                                     </div>
82                                                     <div class="form-group">
83                                                         <input type="email" class="form-control" id="emailInputAdmin" placeholder="Email" value=<?=$user->email?>"/>
84                                                     </div>
85                                                     <div class="form-group">
86                                                         <input type="text" class="form-control" id="emailInputAdmin" placeholder="Email" value=<?=$user->dateOfRegistration?>" disabled/>
87                                                     </div>
88                                                     <p id="doneA"></p>
89                                                     <div class="form-group tm-d-flex">
90                                                         <button type="button" id="updateAdmin" class="btn tm-btn-right">Update profile</button>
91                                                     </div>
92                                                 </div>
93                                             </div>
94                                         </div>
95                                     </div>
96                                 </div>
97                             </div>
98                         </div>
99                     </div>
100                 </div>
101             </div>
102         </div>
103     </div>
104     <?php
105     |     |
106     |     include "includes/footerAdmin.php";
107     ?>
108 ?>
```

```
1  <?php
2      session_start();
3      require_once("includes/head.php");
4      require("includes/header.php");
5  ?>
6  <!--header-->
7  <script src="js/responsiveslides.min.js"></script>
8  <script>
9      $(function () {
10          $("#slider").responsiveSlides({
11              auto: true,
12              nav: true,
13              speed: 500,
14              namespace: "callbacks",
15              pager: false,
16          });
17      });
18  </script>
19  <!-- INCLUDE FOR HEADER, MENU AND CART -->
20  <?php
21      require_once("includes/header.php");
22  ?>
23
24  <div class="container">
25      <ol class="breadcrumb">
26          <li><a href="index.php">Home</a></li>
27          <li class="active">Author</li>
28      </ol>
29      <div class="author">
30          <div class="author_left">
31              <div class="tm-container-inner tm-history">
32                  <div class="row">
33                      <div class="col-12">
34                          <div class="tm-history-inner">
35                              
36                          </div>
37                      </div>
38                  </div>
39              </div>
40          </div>
41          <div class="author_right">
42              <div class="tm-history-text">
43                  <h4 class="tm-history-title">Author of the page</h4>
44                  <p class="tm-mb-p">Hello, my name is Alekса and I am student of ICT Collage in Belgrade. I am very interested in software .
45              </div>
46          </div>
47      </div>
48  </div>
```

brandTable.php

```
1 <?php
2 session_start();
3 $user = $_SESSION['user'];
4 if(!isset($_SESSION['user'])){
5 header("location: models/404Page.php?notFound");
6 }
7 //else if($_SESSION['id_role']!=1)
8 else if($user->id_role!=1){
9 header("location: models/404Page.php?notFound");
10 }
11 else{
12 include "includes/headAdmin.php";
13 include "includes/headerAdmin.php";
14 include "config/connection.php";
15 //include "models/functions.php";
16 }
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

```
30  $brands=>getAllFromTabel("brand");
31  ?>
32  <div class="main-panel" style="height: 100vh;">
33  |   <!-- Navbar -->
34  |   <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
35  |       <div class="container-fluid">
36  |           <div class="navbar-wrapper">
37  |               <div class="navbar-toggle">
38  |                   <button type="button" class="navbar-toggler">
39  |                       <span class="navbar-toggler-bar bar1"></span>
40  |                       <span class="navbar-toggler-bar bar2"></span>
41  |                       <span class="navbar-toggler-bar bar3"></span>
42  |                   </button>
43  |               </div>
44  |               <a class="navbar-brand" href="adminPanel.php">Brand Table</a>
45  |           </div>
46  |           <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation" aria-controls="navigation-index" aria-expanded="false"
47  |               <span class="navbar-toggler-bar navbar-kebab"></span>
48  |               <span class="navbar-toggler-bar navbar-kebab"></span>
49  |               <span class="navbar-toggler-bar navbar-kebab"></span>
50  |           </button>
51  |       </div>
52  |   </nav>
53  |   <!-- End Navbar -->
54  <div class="content">
55  |       <div class="container">
56  |           <div class="row">
57  |               <!-- update i delete -->
58  |               <div class="col-md-12">
59  |                   <h3>Brand</h3>
60  |                   <div id="artist">
61  |                       <table class="table">
62  |                           <thead>
63  |                               <tr>
64  |                                   <th scope="col" id="brand">id_brand</th>
65  |                                   <th scope="col">brand_name</th>
66  |                               </tr>
67  |                           </thead>
68  |                           <tbody>
69  |                               <?php
70  |                                   foreach($brands as $b):
71  |                               ?>
72  |                                   <tr>
73  |                                       <th scope="row"><?= $b->id_brand?></th>
74  |                                       <td><input type="text" id="nameArtist"?>=$b->id_brand?>" class="form-control" value="<?= $b->brand_name?>"></td>
75  |                                       <td><a href="#" data-id="<?= $b->id_brand?>" class="updateArtist">Update</a></td>
76  |                                       <td><a href="#" data-id="<?= $b->id_brand?>" class="deleteArtist">Delete</a></td>
77  |                                   </tr>
78  |                               <?php
79  |                                   endforeach;
80  |                               ?>
81  |                           </tbody>
82  |                       </table>
83  |                   </div>
84  |               </div>
85  |           </div>
86  |           <!-- kraj update i delete -->
87  |           <!-- insert -->
88  |           <div class="row">
89  |               <div class="col-md-12 mt-5">
90  |                   <table class="table">
91  |                       <h3>Insert brand</h3>
92  |                       <tbody>
93  |                           <tr>
94  |                               <td><input type="text" id="nameArtist" class="form-control" placeholder="Enter name"></td>
95  |                               <td><a href="#" id="insertArtist">Insert</a></td>
96  |                           </tr>
97  |                       </tbody>
98  |                   </table>
99  |               </div>
100 |           </div>
101 |           <!-- kraj inserta -->
102 |       </div>
103 |   </div>
104 <?php
105 |   }
106 |   include "includes/footerAdmin.php";
107 ?>
```

categoryTable.php

```
$category=getAllFromTabel("category");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-transparent fixed-top navbar-light">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">Category Table</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation" aria-controls="navigation" aria-expanded="false" data-bs-toggle="collapse" data-bs-target="#navigation">
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
    </nav>
    <!-- End Navbar -->
    <div class="content">
        <div class="container">
            <div class="row">
                <!-- update i delete -->
                <div class="col-md-12">
                    <h3>Category</h3>
                    <div id="category">
                        <table class="table">
                            <thead>
                                <tr>
                                    <th scope="col">id_category</th>
                                    <th scope="col">name</th>
                                </tr>
                            </thead>
                            <tbody>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
68 | <tbody>
69 | <?php
70 | | foreach($category as $c):
71 | ?>
72 | | <tr>
73 | | | <th scope="row"><?= $c->id_category?></th>
74 | | | <td><input type="text" id="nameCategory<?= $c->id_category?>" class="form-control" value="<?= $c->name_category?>"></td>
75 | | | <td><a href="#" data-id="<?= $c->id_category?>" class="updateCategory">Update</a></td>
76 | | | <td><a href="#" data-id="<?= $c->id_category?>" class="deleteCategory">Delete</a></td>
77 | | </tr>
78 | | <?php
79 | | | endforeach;
80 | | ?>
81 | | </tbody>
82 | | </table>
83 | | </div>
84 | | </div>
85 | | </div>
86 | | <!-- kraj update i delete -->
87 | | <!-- insert -->
88 | | <div class="row">
89 | | | <div class="col-md-12 mt-5">
90 | | | | <table class="table">
91 | | | | | <h3>Insert category</h3>
92 | | | | | <tbody>
93 | | | | | | <tr>
94 | | | | | | | <td><input type="text" id="nameCategory" class="form-control" placeholder="Enter name"></td>
95 | | | | | | | <td><a href="#" id="insertCategory">Insert</a></td>
96 | | | | | </tr>
97 | | | </tbody>
98 | | </table>
99 | | </div>
100 | | </div>
101 | | <!-- kraj inserta -->
102 | | </div>
103 | | </div>
104 | <?php
105 | | | []
106 | | | include "includes/footerAdmin.php";
107 | ?>
108 |
```

checkout.php

```
1  <?php
2  |     session_start();
3  |     require_once("includes/head.php");
4  |     require("includes/header.php");
5  ?>
6  |     <!-- header -->
7  |     <?php
8  |         require_once("includes/header.php");
9  |     ?>
10 |     <!-- check out -->
11 |     <div class="container">
12 |         <div class="check-sec">
13 |             <div class="col-md-3 cart-total">
14 |                 <a class="continue" href="product.php">Continue shopping</a>
15 |                 <div class="price-details">
16 |                     <h3>Price Details</h3>
17 |                     <span>Total:</span>
18 |                     <span class="total1 simpleCart_total"></span>
19 |                     <span>Discount:</span>
20 |                     <span class="total1">0%</span>
21 |                     <span>Delivery Charges:</span>
22 |                     <span class="total1">0$</span>
23 |                     <div class="clearfix"></div>
24 |                 </div>
25 |                 <ul class="total_price">
26 |                     <li class="last_price" > <h4>TOTAL</h4></li>
27 |                     <li class="last_price simpleCart_total" ><span></span></li>
28 |                 </ul>
29 |                 <div class="clearfix"></div>
30 |                 <div class="clearfix"></div>
31 |                 <a id="order" class="order" href="#">Place Order</a>
32 |                 <div class="total-item">
33 |                     <h3>OPTIONS</h3>
34 |                     <h4>COUPONS</h4>
35 |                     <a class="cpns" id="applyCupons" href="#">Apply Coupons</a>
36 |                 </div>
37 |             </div>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
37 |     </div>
38 |     <div class="col-md-9 cart-items">
39 |         <h1>My Shopping Bag (<span id="simpleCart_quantity" class="simpleCart_quantity"></span>)</h1>
40 |         <?php
41 |             //include_once("includes/shopping-cart.php");
42 |         ?>
43 |         <?php
44 |             require("models/functions.php");
45 |             $products = getProducts();
46 |         ?>
47 |         <input type="hidden" id="cartUser" value="<?= $_SESSION['user']->id_user?>">
48 |         <script>$(document).ready(function(c) {
49 |             $('.close1').on('click', function(c){
50 |                 $('.cart-header').fadeOut('slow', function(c){
51 |                     $('.cart-header').remove();
52 |                 });
53 |             });
54 |         });
55 |         </script>
56 |         <div class="cart-header">
57 |             <div id="cartWrite">
58 |
59 |             </div>
60 |             <div id="carterror">
61 |
62 |             </div>
63 |             </div>
64 |             <br><br>
65 |             <div class="total-item">
66 |                 <a class="cpns" id="clearCart" href="#">Clear cart</a>
67 |             </div>
68 |
69 |         </div>
70 |         <div class="clearfix"> </div>
71 |     </div>
72 |     <!-- //check out -->
73 |     <!---->
74 |     <?php
75 |         require_once("includes/footer.php");
76 |     ?>
77 |     <!---->
78 |     </body>
79 |     </html>
```

connection.php

```
1  <?php
2      session_start();
3      require_once("includes/head.php");
4      require("includes/header.php");
5  ?>
6  <!--header-->
7  <?php
8      require_once("includes/header.php");
9  ?>
10 <!---->
11 <div class="contact">
12     <div class="container">
13         <ol class="breadcrumb">
14             <li><a href="index.php">Home</a></li>
15             <li class="active">Contact</li>
16         </ol>
17         <!--start contact-->
18         <h3>Contact Us</h3>
19         <div class="section group">
20             <div class="col-md-6 span_1_of_3">
21                 <div class="contact_info">
22                     <h4>Find Us Here</h4>
23                     <div class="map">
24                         <iframe src="https://maps.google.co.in/maps?f=q&source=sat&t=m&q=12.9725005,77.6109134" width="100%" height="100%">
25                     </div>
26                 </div>
27                 <div class="company_address">
28                     <h4>Company Information :</h4>
29                     <p>500 Lorem Ipsum Dolor Sit,</p>
30                     <p>22-56-2-9 Sit Amet, Lorem,</p>
31                     <p>USA</p>
32             </div>
33         </div>
34     </div>
35 </div>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
37 |         </div>
38 |         <div class="col-md-6 span_2_of_3">
39 |             <div class="contact-form">
40 |                 <form>
41 |                     <div>
42 |                         <span><label>NAME</label></span>
43 |                         <span><input id="name" name="userName" type="text" class="textbox" class="placeHolder"></span>
44 |                     </div>
45 |                     <div>
46 |                         <span><label>E-MAIL</label></span>
47 |                         <span><input id="email" name="userEmail" type="text" class="textbox"></span>
48 |                     </div>
49 |                     <div>
50 |                         <span><label>MOBILE</label></span>
51 |                         <span><input id="mobile" name="userPhone" type="text" class="textbox"></span>
52 |                     </div>
53 |                     <div>
54 |                         <span><label>SUBJECT</label></span>
55 |                         <span><textarea id="subject" name="userMsg"> </textarea></span>
56 |                     </div>
57 |                     <div>
58 |                         <span><input type="submit" id="submitContact" class="mybutton" value="Submit"></span>
59 |                     </div>
60 |                 </form>
61 |                 <div class="alert alert-success" id="succ" role="alert">
62 |                     <strong>Message is sent!</strong> We will contact you as soon as possible.
63 |                 </div>
64 |
65 |             </div>
66 |         </div>
67 |     </div>
68 | <!-->
69 | <?php
70 |     require_once("includes/footer.php");
71 | ?>
```

index.php

```
1  <?php
2      session_start();
3      require_once("includes/head.php");
4      require("includes/header.php");
5      require("models/functions.php");
6      require_once("includes/slider.php");
7      $questionSurvey = surveyQuestion();
8      $answersSurvey = surveyAnswer();
9      $products = getProducts();
10     ?>
11     <!--header-->
12     <script src="js/responsiveslides.min.js"></script>
13     <script>
14         $(function () {
15             $("#slider").responsiveSlides({
16                 auto: true,
17                 nav: true,
18                 speed: 500,
19                 namespace: "callbacks",
20                 pager: false,
21             });
22         });
23     </script>
24     <!-- INCLUDE FOR HEADER, MENU AND CART -->
25
26     <!---->
27
28     <!---->
29
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

```
29 <div class="items">
30     <div class="container">
31         <div class="items-sec">
32             <?php
33                 $i=0;
34                 foreach($products as $p):
35                     if($i == 4)
36                     {
37                         break;
38                     }
39                     $i++;
40                 ?>
41             <div class="col-md-3 feature-grid">
42                 <a href="product.php">
43                     <div class="arrival-info">
44                         <h4>= $p-&gt;name ?</h4>
45                         <p>= $p-&gt;price ?</p>
46                     </div>
47                     <div class="view">
48                         <a href="product.php"><span class="glyphicon glyphicon-eye-open" aria-hidden="true"></span>View</a>
49                     </div>
50                 </a>
51             </div>
52             <?php
53                 endforeach;
54             ?>
55             <div class="clearfix"></div>
56         </div>
57     </div>
58 </div>
59
60
61
62 <div class="mx-0 mx-sm-auto sur">
63     <div class="card">
64         <input type="hidden" id="logedIn" value="= $_SESSION['user']-&gt;id_user ?">
65         <?php
66             if(isset($_SESSION['user'])):
67             ?>
68         <div class="modal-body">
69             <div class="text-center">
70                 <i class="far fa-file-alt fa-4x mb-3 text-primary"></i>
71                 <h4>In a mood for a little survey? Feel free to answer.</h4>
72             </div>
73
74             <hr />
75
76             <form class="px-4 survey-from" action="">
77                 <?php
78                     foreach($questionSurvey as $q):
79                 ?>
80                     <p class="text-center"><strong>= $q-&gt;question ?</strong></p>
81                     <br><br>
82
83                     <?php
84                         foreach($answersSurvey as $a):
85                             if($a->id_survey==$q->id_survey):
86                         ?>
87                         <div class="form-check mb-2">
88                             <label class="form-check-label" for="radio3Example1">
89                                 <?= $a->answer ?>
90                             </label>
91                             <input class="form-check-input survey" type="radio" name="survey= $a-&gt;id_survey ?" id="radio3Example1" value="= $a-&gt;id_answer ?" data-id="= $a-&gt;id_survey ?" />
92                         </div>
93                         <?php
94                             endif;
95                         endforeach;
96                     ?>
97             </form>
98     </div>
```

logout.php

```
logout.php
1 <?php
2     session_start();
3     include("config/pathRedirect.php");
4     include("models/functions.php");
5
6     if(isset($_SESSION['user'])){
7         unset($_SESSION['user']);
8         //header('Location:../index.php');
9         redirect($path."index.php");
10    }
11 ?>
```

menuTable.php

```
$menu=getAllFromTabel("menu");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">Menu Table</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation">
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
        <!-- End Navbar -->
        <div class="content">
            <div class="container">
                <div class="row">
                    <!-- update i delete -->
                    <div class="col-md-12">
                        <h3>Menu</h3>
                        <div id="menu">
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
58 |     <div class="col-md-12">
59 |         <h3>Menu</h3>
60 |         <div id="menu">
61 |             <table class="table">
62 |                 <thead>
63 |                     <tr>
64 |                         <th scope="col">id_menu</th>
65 |                         <th scope="col">name_menu</th>
66 |                         <th scope="col">href_menu</th>
67 |                         <th scope="col">show_menu</th>
68 |                     </tr>
69 |                 </thead>
70 |                 <tbody>
71 |                     <?php
72 |                         foreach($menu as $m):
73 |                     ?>
74 |                         <tr>
75 |                             <th scope="row"><?= $m->id_menu?></th>
76 |                             <td><input type="text" id="nameMenu<?= $m->id_menu?>" class="form-control" value="<?= $m->name_menu?>"></td>
77 |                             <td><input type="text" id="hrefMenu<?= $m->id_menu?>" class="form-control" value="<?= $m->path_m?>"></td>
78 |                             <td><input type="number" id="showMenu<?= $m->id_menu?>" class="form-control" value="<?= $m->display?>"></td>
79 |                             <td><a href="#" data-id="<?= $m->id_menu?>" class="updateMenu">Update</a></td>
80 |                             <td><a href="#" data-id="<?= $m->id_menu?>" class="deleteMenu">Delete</a></td>
81 |                         </tr>
82 |                     <?php
83 |                         endforeach;
84 |                     ?>
85 |                 </tbody>
86 |             </table>
87 |         </div>
88 |     </div>
89 |     </div>
90 |     <!-- kraj update i delete --&gt;
91 |     &lt;!-- insert --&gt;
92 |     &lt;div class="row"&gt;
93 |         &lt;div class="col-md-12 mt-5"&gt;
94 |             &lt;table class="table"&gt;
95 |                 &lt;h3&gt;Insert menu&lt;/h3&gt;
96 |                 &lt;tbody&gt;
97 |                     &lt;tr&gt;
98 |                         &lt;td&gt;&lt;input type="text" id="nameMenu" class="form-control" placeholder="Enter name"&gt;&lt;/td&gt;
99 |                         &lt;td&gt;&lt;input type="text" id="hrefMenu" class="form-control" placeholder="Enter href"&gt;&lt;/td&gt;
100 |                         &lt;td&gt;&lt;input type="number" id="showMenu" class="form-control" placeholder="Enter show_menu"&gt;&lt;/td&gt;
101 |                         &lt;td&gt;&lt;a href="#" id="insertMenu"&gt;Insert&lt;/a&gt;&lt;/td&gt;
102 |                     &lt;/tr&gt;
103 |                 &lt;/tbody&gt;
104 |             &lt;/table&gt;
105 |         &lt;/div&gt;
106 |     &lt;/div&gt;
107 |     &lt;!-- kraj inserta --&gt;
108 |     &lt;/div&gt;
109 |     &lt;/div&gt;
110 |     &lt;?php
111 |     }
112 |     include "includes/footerAdmin.php";
113 | ?&gt;
114 |</pre>
```

messageSurvey.php

```
$messages=messagesReturn();
$questions=getAllFromTabel("survey");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">Messages and Survey</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation" aria-controls="navigation" aria-expanded="false" data-white="true">
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
    </nav>
    <!-- End Navbar -->
    <div class="content">
        <div class="row">
            <div class="col-md-12">
                <h3>Messages from users to you</h3>
                <div id="messages">
                    <table class="table">
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<div class= "content">
  <div class="row">
    <div class="col-md-12">
      | <h3>Messages from users to you</h3>
      <div id="messages">
        <table class="table">
          <thead>
            <tr>
              | <th scope="col">#</th>
              | <th scope="col">First Name</th>
              | <th scope="col">Email</th>
              | <th scope="col">Phone</th>
              | <th scope="col">Message</th>
              | <th scope="col">Date</th>
            </tr>
          </thead>
          <tbody>
            <?php
              $rb=1;
              foreach($messages as $m):
            ?>
            <tr>
              | <th scope="row"><?-=$rb?></th>
              | <td><?=$m->name?></td>
              | <td><?=$m->email?></td>
              | <td><?=$m->phone?></td>
              | <td><?=$m->subject?></td>
              | <td><?=$m->datOfMessage?></td>
              | <td><a href="#" data-id=<?=$m->id_message?>" class="idDelete">Delete</a></td>
            </tr>
            <?php
              $rb++;
              endforeach;
            ?>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<!-- anketa -->
<div class="row">
<div class="col-md-12 mt-5">
<table class="table">
    <h3>Survey statistics</h3>
    <tbody>
        <?php
        $rb=1;
        foreach($questions as $q):
        $catchAnswer=catchAnswer($q->id_survey);
        ?>
        <tr>
        <td><input type="checkbox" class="activ" id="chb<?=$q->id_survey?>" value="<?=$q->id_survey?>"></td><td><?=$rb?></td>
        <td><?=$q->question?></td>
        <?php
            foreach($catchAnswer as $c):
            $countAll=countAll($c->id_answer);
            // var_dump($countAll);
        ?>
        <td><?=$c->answer?></td>
        <?php
            if($countAll==false){
                echo "<td>0%</td>";
            }
            else{
                echo "<td>".$countAll->numb."%</td>";
            }
        ?>
        <?php
            endforeach;
        ?>
        </tr>
        <?php
        $rb++;
        endforeach;
        ?>
    </tbody>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

priceTable.php

```
$price=priceProduct();  
?>  
<div class="main-panel" style="height: 100vh;">  
    <!-- Navbar -->  
    <nav class="navbar navbar-expand-lg navbar-transparent fixed-top">  
        <div class="container-fluid">  
            <div class="navbar-wrapper">  
                <div class="navbar-toggle">  
                    <button type="button" class="navbar-toggler">  
                        <span class="navbar-toggler-bar bar1"></span>  
                        <span class="navbar-toggler-bar bar2"></span>  
                        <span class="navbar-toggler-bar bar3"></span>  
                    </button>  
                </div>  
                <a class="navbar-brand" href="adminPanel.php">Price Table</a>  
            </div>  
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navba...>  
                <span class="navbar-toggler-bar navbar-kebab"></span>  
                <span class="navbar-toggler-bar navbar-kebab"></span>  
                <span class="navbar-toggler-bar navbar-kebab"></span>  
            </button>  
        </div>  
    </nav>  
    <!-- End Navbar -->  
    <div class="content">  
        <div class="container">  
            <div class="row">  
                <!-- update-->  
                60                <div class="col-md-12">  
                61                    <h3>Price</h3>  
                62                    <div id="price">  
                63                        <table class="table">  
                64                            <thead>  
                65                                <tr>  
                66                                    <th scope="col">id_price</th>  
                67                                    <th scope="col">name</th>  
                68                                    <th scope="col">price</th>  
                69                                </tr>  
                70                            </thead>  
                71                            <tbody>  
                72                                <?php  
                73                                    //var_dump($price);  
                74                                    foreach($price as $p):  
                75  
                76                                ?>  
                77                                    <tr>  
                78                                        <th scope="row"><?=$p->id_price?></th>  
                79                                        <td><input type="text" id="nameProducts<?=$p->id_price?>" class="form-control" value="<?=$p->name?>" disabled></td>  
                80                                        <td><input type="number" id="priceOld<?=$p->id_price?>" class="form-control" value="<?=$p->price?>"></td>  
                81                                        <td><a href="#" data-id="<?=$p->id_price?>" class="updatePrice">Update</a></td>  
                82                                    </tr>  
                83                                <?php  
                84                                    endforeach;  
                85                                ?>  
                86                            </tbody>  
                87                        </table>
```

product.php

```
1 <?php
2     session_start();
3     require_once("includes/head.php");
4     require_once("includes/header.php");
5     require("models/functions.php");
6     $products = getProducts();
7     $categories = getCategories();
8     $brands = getBrands();
9     $numPerPage = 9;
10    $totalNum = count($products);
11    //var_dump($totalNum);
12    $totalPages = ceil($totalNum / $numPerPage);
13    //var_dump($totalPages);
14
15    if(isset($_GET[ "page"]))
16    {
17        $page = $_GET[ "page"];
18    }
19    else
20    {
21        $page = 1;
22    }
23
24    $startFrom = ($page - 1) * $numPerPage;
25    $sql = "SELECT * FROM product p JOIN price pr ON p.id_price = pr.id_price
26    JOIN picture pi ON pi.id_picture = p.id_picture LIMIT $startFrom,$numPerPage";
27    $products = $conn->query($sql);
28
29 ?>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
30   <div class= "product-model">
31     <div class="container">
32       <ol class="breadcrumb">
33         <li><a href="index.php">Home</a></li>
34         <li class="active">Products</li>
35       </ol>
36       <h2>Our Products</h2>
37     <div class="col-md-9 product-model-sec productss">
38       <?php
39         $i = 2;
40         foreach($products as $p):
41           //var_dump($p->name);
42         ?>
43         <a href="single.php"><div class="product-grid">
44           <div class="more-product"><span> </span></div>
45           <div class="product-img b-link-stripe b-animate-go thickbox productL">
46             <img src=<?>$p->path>" class="img-responsive" alt=<?>$p->alt?>">
47             <div class="b-wrapper">
48               <h4 class="b-animate b-from-left b-delay03">
49                 <button class="quickView" data-id=<?= $p->id_product ?>><span class="glyphicon glyphicon-zoom-in" aria-hidden="true"></span>
50               </h4>
51             </div>
52           </div></a>
53           <div class="product-info simpleCart_shelfItem">
54             <div class="product-info-cust prt_name" >
55               <h4><?= $p->name?></h4>
56               <span class="item_price"><?= $p->price?>$</span>
57               <!--
58               <div class="ofr">
59                 <p class="pric1"><del>Rs 280</del></p>
60                 <p class="disc">[12% Off]</p>
61               </div>
62               -->
63               <input type="text" class="item_quantity" value="1" />
64               <input type="button" class="item_add items" value="ADD" id="buttonAdd" data-id=<?= $p->id_product ?>" />
65             <div class="clearfix" > </div>
66           </div>
67         </div>
68       </?php
69       $i++;
70       endforeach;
71     >>
72     <div class="pagenatin">
73       <div class="col-md-6 paging">
74         <nav>
75           <ul class="pagination pagination-lg">
76             <li><a href="product.php?page=1" aria-label="Previous"><span aria-hidden="true"><</span></a></li>
77             <?php
78               for($i=1;$i<=$totalPages;$i++)
79               {
80                 echo("<li><a href='product.php?page=". $i ."'>".$i."</a></li>");
81               }
82             ?>
83             <li><a href="product.php?page=<?php echo($totalPages)?>" aria-label="Next"><span aria-hidden="true">></span></a></li>
84           </ul>
85           </nav>
86         </div>
87       </div>
88     </div>
89   </div>
90
91
92
93
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
94
95     <section class="sky-form">
96         <div class="col-12 input-group rounded tm>Welcome-section">
97             <input type="search" id="search" class="form-control rounded border-bottom" placeholder="Search products" aria-label="Search"
98                 aria-describedby="search-addon" />
99             <span class="input-group-text border-0" id="search-addon">
100            </div>
101
102            </br></br>
103            <h4><span class="glyphicon glyphicon-minus" aria-hidden="true"></span>Categories</h4>
104            <div class="row row1 scroll-pane">
105                <?php
106                    foreach($categories as $c):
107                        //var_dump($p->name);
108                ?>
109                <div class="col col-4">
110                    <label class="checkbox"><input type="checkbox" class="cat" id="cat" name="checkbox" value=<?=$c->id_category?></input></label>
111                </div>
112            <?php
113                endforeach;
114            ?>
115        </div>
116    </section>
117    <section class="sky-form">
118        <h4><span class="glyphicon glyphicon-minus" aria-hidden="true"></span>Brand</h4>
119        <div class="row row1 scroll-pane">
120            <?php
121                foreach($brands as $b):
122                    <div class="col col-4">
123                        <label class="checkbox"><input type="checkbox" name="checkbox" value=<?=$b->id_brand?><i></i><?=$b->brand_name?></input></label>
124                    </div>
125            <?php
126                endforeach;
127            ?>
128        </div>
129    </section>
```

productTable.php

```
$products=getProducts();
$categories=getAllFromTabel("category");
$artist=getAllFromTabel("brand");
$price=getAllFromTabel("price");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">Products Table</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation">
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
    </nav>
    <!-- End Navbar -->
    <div class="content">
        <div class="container">
            <div class="row">
                <!-- update i delete -->
                <div class="col-md-12">
                    <h3>Products</h3>
                    <div id="productss">
                        <form action="#" enctype="multipart/form-data">
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<div class="col-md-12">
    <h3>Products</h3>
    <div id="productss">
        <form action="#" enctype="multipart/form-data">
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">id_products</th>
                        <th scope="col">name</th>
                        <th scope="col">picture</th>
                        <th scope="col">change src</th>
                        <th scope="col">category_name</th>
                        <th scope="col">description</th>
                        <th scope="col">brand_name</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    foreach($products as $p):
                    ?>
                    <tr>
                        <th scope="row"><?= $p->id_product?></th>
                        <td><input type="text" id="nameProducts<?= $p->id_product?>" class="form-control" value="<?=$p->name?>"></td>
                        <td><input type="text" id="srcProducts<?= $p->id_product?>" class="form-control" value="<?=$p->path?>" disabled></td>
                        <td><input type="file" id="fileProducts<?= $p->id_product?>" class="form-control-file"></td>
                        <td>
                            <!-- padajuca lista -->
                            <div class="form-group">
                                <select class="form-select product<?= $p->id_product?>" aria-label="Default select example">
                                    <option selected value="<?= $p->id_category?>"><?=$p->name_category?></option>
                                    <?php
                                    foreach($categories as $c):
                                    ?>
                                    <option value="<?= $c->id_category?>"><?=$c->name_category?></option>
                                    <?php
                                    endforeach;
                                    ?>
                                </select>
                            </div>
                            <!-- kraj padajuce liste -->
                        </td>
                        <td><input type="text" id="deliveryProducts<?= $p->id_product?>" class="form-control" value="<?=$p->description?>"></td>
                        <td><input type="text" id="artistProducts<?= $p->id_product?>" class="form-control" value="<?=$p->brand_name?>" disabled></td>
                        <td><a href="#" data-id="<?= $p->id_product?>" class="updateProduct">Update</a></td>
                        <td><a href="#" data-id="<?= $p->id_product?>" class="deleteProduct">Delete</a></td>
                    </tr>
                    <?php
                    endforeach;
                    ?>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<div class="row">
<div class="col-md-12 mt-5">
<form action="#" enctype="multipart/form-data">
<table class="table">
    <tbody>
        <tr>
            <td><input type="text" id="nameProduct" class="form-control" placeholder="Enter name"></td>
        </tr>
        <td><input type="text" id="descProduct" class="form-control" placeholder="Description"></td>
        </tr>
        <td><div class="form-group">
                <select class="form-select catInsert" id="catInsert" aria-label="Default select example">
                    <option selected value="0">Choose price</option>
                    <?php
                        foreach($price as $p):
                            ?>
                            <option value=<?= $c->id_price?>><?= $c->price?></option>
                        <?php
                            endforeach;
                        ?>
                </select>
            </div></td>
        </tr>
        <tr>
            <td><div class="form-group">
                <select class="form-select catInsert" id="priceInsert" aria-label="Default select example">
                    <option selected value="0">Choose category</option>
                    <?php
                        foreach($categories as $c):
                            ?>
                            <option value=<?= $c->id_category?>><?= $c->name_category?></option>
                        <?php
                            endforeach;
                        ?>
                </select>
            </div></td>
        </tr>
    ...

```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<td><div class="form-group">
    <select class="form-select catInsert" id="priceInsert" aria-label="Default select example">
        <option selected value="0">Choose category</option>
        <?php
            foreach($categories as $c):
        ?>
        <option value="<?= $c->id_category?>"><?= $c->name_category?></option>
        <?php
            endforeach;
        ?>
    </select>
</div></td>
</tr>
<tr>
    <td><div class="form-group">
        <select class="form-select artistInsert" id="artistInsert" aria-label="Default select example">
            <option selected value="0">Choose brand</option>
            <?php
                foreach($brand as $b):
            ?>
            <option value="<?= $b->id_brand?>"><?= $b->brand_name?></option>
            <?php
                endforeach;
            ?>
        </select>
    </div></td>
</tr>
<tr>
    <td><input type="file" id="fileProducts" class="form-control-file"></td>
    <td><a href="#" id="insertProduct">Insert</a></td>
</tr>
</tbody>
</table>
</form>
</div>
```

rolesTable.php

```
$roles=getAllFromTabel("roles");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">Roles Table</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation">
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
    </nav>
    <!-- End Navbar -->
    <div class="content">
        <div class="container">
            <div class="row">
                <!-- update i delete -->
                <div class="col-md-12">
                    <h3>Roles</h3>
                    <div id="roles">
                        <table border="1">
                            <thead>
                                <tr>
                                    <th>Role ID</th>
                                    <th>Role Name</th>
                                    <th>Description</th>
                                    <th>Actions</th>
                                </tr>
                            </thead>
                            <tbody>
                                <tr>
                                    <td>1</td>
                                    <td>Administrator</td>
                                    <td>Full access to all system features</td>
                                    <td><button>Edit</button> <button>Delete</button></td>
                                </tr>
                                <tr>
                                    <td>2</td>
                                    <td>User</td>
                                    <td>Access to basic user management</td>
                                    <td><button>Edit</button> <button>Delete</button></td>
                                </tr>
                            </tbody>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
<div class="col-md-12">
    <h3>Roles</h3>
    <div id="roles">
        <table class="table">
            <thead>
                <tr>
                    <th scope="col">id_roles</th>
                    <th scope="col">role_name</th>
                </tr>
            </thead>
            <tbody>
                <?php
                    foreach($roles as $r):
                ?>
                <tr>
                    <th scope="row"><?= $r->id_role?></th>
                    <td><input type="text" id="nameRole<?=$r->id_role?>" class="form-control" value="<?=$r->role_name?>"></td>
                    <td><a href="#" data-id=<?=$r->id_role?>" class="updateRole">Update</a></td>
                    <td><a href="#" data-id=<?=$r->id_role?>" class="deleteRole">Delete</a></td>
                </tr>
                <?php
                    endforeach;
                ?>
            </tbody>
        </table>
        <!-- update a role -->
        <!-- insert -->
        <div class="row">
            <div class="col-md-12 mt-5">
                <table class="table">
                    <h3>Insert role</h3>
                    <tbody>
                        <tr>
                            <td><input type="text" id="nameRole" class="form-control" placeholder="Enter name"></td>
                            <td><a href="#" id="insertRole">Insert</a></td>
                        </tr>
                    </tbody>
                </table>
            </div>
        </div>
        <!-- kraj inserta -->
    </div>
    </div>
    <?php
    }
    include "includes/footerAdmin.php";
?>
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

## userTable.php

```

$users=usersAll();
$roles=getAllFromTabel("roles");
?>
<div class="main-panel" style="height: 100vh;">
    <!-- Navbar -->
    <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-transparent">
        <div class="container-fluid">
            <div class="navbar-wrapper">
                <div class="navbar-toggle">
                    <button type="button" class="navbar-toggler">
                        <span class="navbar-toggler-bar bar1"></span>
                        <span class="navbar-toggler-bar bar2"></span>
                        <span class="navbar-toggler-bar bar3"></span>
                    </button>
                </div>
                <a class="navbar-brand" href="adminPanel.php">User Table</a>
            </div>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navigation" aria-cont
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
                <span class="navbar-toggler-bar navbar-kebab"></span>
            </button>
        </div>
    </nav>
    <!-- End Navbar -->
<div class="content">
    <div class="col-md-12">
        <h3>Users</h3>
        <div id="users">
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">id_user</th>
                        <th scope="col">firstName</th>
                        <th scope="col">lastName</th>
                        <th scope="col">email</th>
                        <th scope="col">role</th>
                        <th scope="col">date</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                        foreach($users as $u):
                    ?>
                    <tr>
                        <th scope="row"><?= $u->id_user?></th>
                        <td id="nameUser<?= $u->id_user?>"><?= $u->firstName?></td>
                        <td id="lastNameUser<?= $u->id_user?>"><?= $u->lastName?></td>
                        <td id="emailUser<?= $u->id_user?>"><?= $u->email?></td>
                        <td id="roleUser<?= $u->id_user?>"><?= $u->role_name?></td>
                        <td><input type="text" class="form-control" id="timeUser<?= $u->id_user?>" value="<?= $u->dateOfRegistration?>" disabled/></td>
                    <td>
                        <div>
                            <div>
                                <div>
                                    <a href="#" data-id="<?= $u->id_user?>" class="deleteUser">Delete</a>
                                </div>
                            </div>
                        </div>
                    </td>
                <?php
                    endforeach;
                ?>
        </div>
    </div>
</div>

```

functions.php

```
1  <?php
2      include("../config/connection.php");
3      //include "config/connection.php";
4
5      function redirect($path)
6      {
7          header("Location: $path");
8      }
9
10     function getSingleProduct($id)
11     {
12         global $conn;
13         try{
14             $upit="SELECT * FROM product p JOIN price pr ON p.id_price = pr.id_price
15             | JOIN picture pi ON pi.id_picture = p.id_picture WHERE id_product=$id";
16             $data=$conn->query($upit)->fetchAll();
17             return $data;
18
19         }
20         catch(PDOException $e){
21             $data="Error";
22             $code=500;
23         }
24     }
25     function getProducts(){
26         global $conn;
27         try{
28             $upit="SELECT * FROM product p JOIN price pr ON p.id_price = pr.id_price
29             | JOIN picture pi ON pi.id_picture = p.id_picture";
30             $data=$conn->query($upit)->fetchAll();
31             return $data;
32
33         }
34         catch(PDOException $e){
35             $data="Error";
36             $code=500;
37         }
38     }
```

```
25     function getProducts(){
26         global $conn;
27         try{
28             $upit="SELECT * FROM product p JOIN price pr ON p.id_price = pr.id_price
29             | JOIN picture pi ON pi.id_picture = p.id_picture";
30             $data=$conn->query($upit)->fetchAll();
31             return $data;
32         }
33     }
34     catch(PDOException $e){
35         $data="Error";
36         $code=500;
37     }
38 }
39 function getCategories()
40 {
41     global $conn;
42     try{
43         $upit = "SELECT * FROM category";
44         $data = $conn->query($upit)->fetchAll();
45         return $data;
46     }
47     catch(PDOException $e){
48         $data="Error";
49         $code=500;
50     }
51 }
52 function getBrands()
53 {
54     global $conn;
55     try{
56         $upit = "SELECT * FROM brand";
57         $data = $conn->query($upit)->fetchAll();
58         return $data;
59     }
60     catch(PDOException $e){
61         $data="Error";
62         $code=500;
63     }
64 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
68 //ANKETA
69 function surveyQuestion(){
70     global $conn;
71     try{
72         $upit="SELECT * FROM survey WHERE active=1";
73         $result=$conn->query($upit)->fetchAll();
74         //var_dump($result);
75         return $result;
76     }
77     catch(PDOException $e){
78         $message="Server error";
79     }
80 }
81
82 function surveyAnswer(){
83     global $conn;
84     try{
85         $upit="SELECT * FROM survey s INNER JOIN answer a ON s.id_survey=a.id_survey";
86         $result=$conn->query($upit)->fetchAll();
87         return $result;
88     }
89     catch(PDOException $e){
90         $message="Server error";
91     }
92 }
93
94 function alreadyAnswered($id, $user){
95     global $conn;
96
97     try{
98         $upit="SELECT * FROM surveyvotes v INNER JOIN answer a ON v.id_answer=a.id_answer WHERE v.id_user=:user AND a.id_survey=:id";
99         $send=$conn->prepare($upit);
100        $send->bindParam(":user", $user);
101        $send->bindParam(":id", $id);
102
103        $send->execute();
104        $result=$send->fetchAll();
105        return $result;
106    }
107    catch(PDOException $e){
108        $message="Server error";
109    }
110 }
```

```
112     function sendSurvey($value, $user){
113         global $conn;
114         var_dump($conn);
115         try{
116             $upit="INSERT INTO surveyvotes (id_user, id_answer) VALUES(:idU, :idA)";
117             $send=$conn->prepare($upit);
118             $send->bindParam(":idU", $user);
119             $send->bindParam(":idA", $value);
120
121             $result= $send->execute();
122             return $result;
123         }
124         catch(PDOException $e){
125             $message="Server error";
126         }
127     }
128
129     function proveraRegEx($input, $regEx)
130     {
131         if($input = "")
132         {
133             $ispravno = false;
134             $message = "Error occurred while data was processed. Try again.";
135             $statusCode = 500;
136         }
137         else if(!preg_match($regEx, $input))
138         {
139             $ispravno = false;
140             $message = "Error occurred while data was processed. Try again.";
141             $statusCode = 500;
142         }
143     }
144 }
```

```
145 //////
146     function getAdmin(){
147         global $conn;
148
149         try{
150             $query="SELECT * FROM user WHERE id_role=1";
151             $result=$conn->query($query)->fetch();
152             return $result;
153         }
154         catch(PDOException $e){
155             $message="Server error";
156         }
157     }
158
159     function getAllFromTabel($nameTabel){
160         global $conn;
161
162         try{
163             $query="SELECT * FROM $nameTabel";
164             $result=$conn->query($query)->fetchAll();
165             return $result;
166         }
167         catch(PDOException $e){
168             $message="Server error";
169         }
170     }
171
172 //////
173     function messagesReturn(){
174         global $conn;
175
176         try{
177             $query="SELECT * FROM messagecontact";
178             $result=$conn->query($query)->fetchAll();
179             return $result;
180         }
181         catch(PDOException $e){
182             $message="Server error";
183         }
184     }
```

```
186     function catchAnswer($id){
187         global $conn;
188
189         try{
190             $query="SELECT a.* FROM survey s INNER JOIN answer a ON s.id_survey=a.id_survey WHERE s.id_survey=:id";
191             $send=$conn->prepare($query);
192             $send->bindParam(":id", $id);
193             $result=$send->execute();
194             $result=$send->fetchAll();
195             return $result;
196         }
197         catch(PDOException $e){
198             $message="Server error";
199         }
200     }
201     //////
202     function catchSurvey($id){
203         global $conn;
204
205         try{
206             $query="SELECT s.id_survey FROM survey s INNER JOIN answer a ON s.id_survey=a.id_survey WHERE a.id_answer=:id";
207             $send=$conn->prepare($query);
208             $send->bindParam(":id", $id);
209             $result=$send->execute();
210             $result=$send->fetch();
211             return $result;
212         }
213
214         catch(PDOException $e){
215             echo $e->getMessage();
216             $message="Server error";
217         }
218     }
219     /////
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
219 //////
220 function countAlls($idS){
221     global $conn;
222
223     try{
224         $query="SELECT COUNT(v.id_answer) as surv FROM survey s INNER JOIN answer a ON s.id_survey=a.id_survey
225             | INNER JOIN surveyvotes v ON v.id_answer=a.id_answer WHERE s.id_survey=:id";
226         $send=$conn->prepare($query);
227         $send->bindParam(":id", $idS);
228         $result=$send->execute();
229         $result=$send->fetch();
230         return $result;
231     }
232
233     catch(PDOException $e){
234         echo $e->getMessage();
235         $message="Server error";
236     }
237 }
238 //////
239 function countAll($id){
240     global $conn;
241
242     try{
243         $idS=catchSurvey($id);
244         $idS=$idS->id_survey;
245         $countAlls=countAlls($idS);
246         $countAlls=$countAlls->surv;
247         $query="SELECT ROUND((SELECT COUNT(v.id_answer) FROM surveyvotes v INNER JOIN
248             answer a ON v.id_answer=a.id_answer WHERE v.id_answer=:id)/:countAlls*100)
249             as numb";
250         $send=$conn->prepare($query);
251         $send->bindParam(":id", $id);
252         $send->bindParam(":countAlls", $countAlls);
253         $result=$send->execute();
254         $result=$send->fetch();
255         return $result;
256     }
257     catch(PDOException $e){
258         echo $e->getMessage();
259         $message="Server error";
260     }
261 }
262 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
264     function priceProduct(){
265         global $conn;
266
267         try{
268             $query="SELECT * FROM price p INNER JOIN product pr ON p.id_price = pr.id_price";
269             $products=$conn->query($query)->fetchAll();
270             //var_dump($products);
271             return $products;
272         }
273         catch(PDOException $e){
274             $message="Server error";
275         }
276     }
277
278
279     function usersAll(){
280         global $conn;
281
282         try{
283             $query="SELECT * FROM user u INNER JOIN roles r ON u.id_role=r.id_role";
284             $products=$conn->query($query)->fetchAll();
285             return $products;
286         }
287         catch(PDOException $e){
288             $message="Server error";
289         }
290     }
291
292     function delete($table, $column, $id){
293         global $conn;
294
295         try{
296             $query="DELETE FROM $table WHERE $column=:id";
297             $send=$conn->prepare($query);
298             $send->bindParam(":id", $id);
299
300             $result=$send->execute();
301             return $result;
302         }
303         catch(PDOException $e){
304             echo $e->getMessage();
305             $message="Server error";
306         }
307     }
308 }
```

```
309     function deleteMenu($dataMenu){
310         global $conn;
311
312         try{
313             $query="DELETE FROM menu WHERE id_menu=:menu";
314             $send=$conn->prepare($query);
315             $send->bindParam(":menu", $dataMenu);
316
317             $result=$send->execute();
318             return $result;
319         }
320         catch(PDOException $e){
321             $message="Server error";
322         }
323     }
324
325     function deleteMessage($idMessage){
326         global $conn;
327
328         try{
329             $query="DELETE FROM messagecontact WHERE id_message=:id";
330             $send=$conn->prepare($query);
331             $send->bindParam(":id", $idMessage);
332
333             $result=$send->execute();
334             return $result;
335         }
336         catch(PDOException $e){
337             $message="Server error";
338         }
339     }
340
341     function messagesReturn(){
342         global $conn;
343
344         try{
345             $query="SELECT * FROM messagecontact";
346             $result=$conn->query($query)->fetchAll();
347             return $result;
348         }
349         catch(PDOException $e){
350             $message="Server error";
351         }
352     }
```

```
353     function filterCat($id){
354         global $conn;
355
356         try{
357             $query="SELECT * FROM product p INNER JOIN category c ON p.id_category=c.id_category
358             INNER JOIN brand b ON p.id_brand=b.id_brand INNER JOIN price pr ON p.id_price=pr.id_price
359             WHERE c.id_category=:id";
360             $send=$conn->prepare($query);
361             $send->bindParam(":id", $id);
362             $send->execute();
363             $result=$send->fetchAll();
364             return $result;
365
366         }
367         catch(PDOException $e){
368             $message="Server error";
369         }
370     }
371
372     function insertBrand($nameBrand){
373         global $conn;
374
375         try{
376             $query="INSERT INTO brand(id_brand, brand_name) VALUES(NULL, :nameBrand)";
377             $send=$conn->prepare($query);
378             $send->bindParam(":nameBrand", $nameBrand);
379
380             $result=$send->execute();
381             return $result;
382         }
383         catch(PDOException $e){
384             $message="Server error";
385         }
386     }
387
388 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
390     function insertUser($idUser){
391         global $conn;
392
393         try{
394             $query="INSERT INTO finishshopping(id_finishshop, id_user) VALUES(NULL, :idUser)";
395             $send=$conn->prepare($query);
396             $send->bindParam(':idUser', $idUser);
397
398             $result=$send->execute();
399             if($result){
400                 $lastId=$conn->lastInsertId();
401                 return $lastId;
402             }
403             else{
404                 return $result;
405             }
406         }
407         catch(PDOException $e){
408             $message="Server error";
409         }
410     }
411
412
413
414     function insertToCart($insertUser, $quantity, $idProducts){
415         global $conn;
416
417         try{
418             $query="INSERT INTO cart(id_cart, id_finishshop, id_product, quantity) VALUES(NULL, :insertUser, :idProducts, :quantity)";
419             $send=$conn->prepare($query);
420             $send->bindParam(":insertUser", $insertUser);
421             $send->bindParam(":idProducts", $idProducts);
422             $send->bindParam(":quantity", $quantity);
423
424
425             $result=$send->execute();
426             return $result;
427         }
428         catch(PDOException $e){
429             $message="Server error";
430         }
431     }
432 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
432
433     function insertCategory($nameCategory){
434         global $conn;
435
436         try{
437             $query="INSERT INTO category(id_category, name_category) VALUES(NULL, :nameCategory)";
438             $send=$conn->prepare($query);
439             $send->bindParam(":nameCategory", $nameCategory);
440
441             $result=$send->execute();
442             return $result;
443         }
444         catch(PDOException $e){
445             $message="Server error";
446         }
447     }
448
449     function insertMenu($nameMenu, $hrefMenu, $showMenu){
450         global $conn;
451
452         try{
453             $query="INSERT INTO menu(id_menu, name_menu, path_m, display) VALUES(NULL, :nameMenu, :path_m, :display)";
454             $send=$conn->prepare($query);
455             $send->bindParam(":nameMenu", $nameMenu);
456             $send->bindParam(":path_m", $hrefMenu);
457             $send->bindParam(":display", $showMenu);
458             //$send->bindParam(":priorityMenu", $priorityMenu);
459
460             $result=$send->execute();
461             return $result;
462         }
463         catch(PDOException $e){
464             $message="Server error";
465         }
466     }
467 }
```

```
187
468     function insertRole($nameRole){
469         global $conn;
470
471         try{
472             $query="INSERT INTO roles(id_role, role_name) VALUES(NULL, :nameRole)";
473             $send=$conn->prepare($query);
474             $send->bindParam(":nameRole", $nameRole);
475
476             $result=$send->execute();
477             return $result;
478         }
479         catch(PDOException $e){
480             $message="Server error";
481         }
482     }
483
484     function getSingleProduct($id)
485     {
486         global $conn;
487         try{
488             $upit="SELECT * FROM product p JOIN price pr ON p.id_price = pr.id_price
489             | JOIN picture pi ON pi.id_picture = p.id_picture WHERE id_product=$id";
490             $data=$conn->query($upit)->fetch();
491             return $data;
492
493         }
494         catch(PDOException $e){
495             $data="Error";
496             $code=500;
497         }
498     }
499 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
499 |     function search($values){
500 |         global $conn;
501 |
502 |
503 |         try{
504 |             $query="SELECT * FROM product p INNER JOIN category c ON p.id_category=c.id_category INNER JOIN brand b ON p.id_brand=b.id_brand
505 |                 INNER JOIN price r ON p.id_price=r.id_price INNER JOIN picture pc ON p.id_picture=pc.id_picture
506 |                 WHERE p.name LIKE '%$values%' OR b.brand_name LIKE '%$values%'";
507 |             $result=$conn->query($query)->fetchAll();
508 |             return $result;
509 |         }
510 |         catch(PDOException $e){
511 |             $message="Server error";
512 |         }
513 |
514 |
515 |         function updateBrand($dataBrand, $nameBrand){
516 |             global $conn;
517 |
518 |             try{
519 |                 $query="UPDATE brand SET brand_name = :nameBrand WHERE id_brand=:dataBrand";
520 |                 $send=$conn->prepare($query);
521 |                 $send->bindParam(":nameBrand", $nameBrand);
522 |                 $send->bindParam(":dataBrand", $dataBrand);
523 |
524 |                 $result=$send->execute();
525 |                 return $result;
526 |             }
527 |             catch(PDOException $e){
528 |                 $message="Server error";
529 |             }
530 |         }
531 |     }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
532     function updateCategory($dataCategory, $nameCategory){
533         global $conn;
534
535         try{
536             $query="UPDATE category SET name_category = :nameCategory
537             WHERE id_category=:dataCategory";
538             $send=$conn->prepare($query);
539             $send->bindParam( ":nameCategory" , $nameCategory);
540             $send->bindParam( ":dataCategory" , $dataCategory);
541
542             $result=$send->execute();
543             return $result;
544         }
545         catch(PDOException $e){
546             $message="Server error";
547         }
548     }
549
550     function updateMenu($dataMenu, $nameMenu, $hrefMenu, $showMenu){
551         global $conn;
552
553         try{
554             $query="UPDATE menu SET name_menu = :nameMenu, path_m = :hrefMenu, display = :showMenu
555             WHERE id_menu=:dataMenu";
556             $send=$conn->prepare($query);
557             $send->bindParam( ":nameMenu" , $nameMenu);
558             $send->bindParam( ":hrefMenu" , $hrefMenu);
559             $send->bindParam( ":showMenu" , $showMenu);
560             $send->bindParam( ":dataMenu" , $dataMenu);
561
562             $result=$send->execute();
563             return $result;
564         }
565         catch(PDOException $e){
566             $message="Server error";
567         }
568     }
569 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
function updatePrice($dataPrice, $price){
    global $conn;

    try{
        $query="UPDATE price SET price = :price WHERE id_price=:dataPrice";
        $send=$conn->prepare($query);
        $send->bindParam(":price", $price);
        $send->bindParam(":dataPrice", $dataPrice);

        $result=$send->execute();
        return $result;
    }
    catch(PDOException $e){
        $message="Server error";
    }
}

function updateProduct($dataProducts, $nameProducts, $catValue, $description, $brand, $name){
    global $conn;

    try{
        $query="UPDATE product SET name = :nameProducts, description = :descriptionn, id_category = :catValue, id_brand = :brandValue,
        | path=:name WHERE id_product=:dataProduct";
        $send=$conn->prepare($query);
        $send->bindParam(":nameProducts", $nameProducts);
        // $send->bindParam(":name", $name);
        $send->bindParam(":catValue", $catValue);
        $send->bindParam(":descriptionn", $description);
        $send->bindParam(":brand", $brand);
        $send->bindParam(":dataProducts", $dataProducts);

        $result=$send->execute();
        return $result;
    }
    catch(PDOException $e){
        $message=$e->getMessage();
        echo $e->getMessage();
    }
}
```

```
610     function updateRoleUser($dataRole, $nameRole){
611         global $conn;
612
613         try{
614             $query="UPDATE roles SET role_name = :nameRole WHERE id_role=:dataRole";
615             $send=$conn->prepare($query);
616             $send->bindParam(":nameRole", $nameRole);
617             $send->bindParam(":dataRole", $dataRole);
618
619             $result=$send->execute();
620             return $result;
621         }
622         catch(PDOException $e){
623             $message="Server error";
624         }
625     }
626
627     function updateRole($dataUser, $role){
628         global $conn;
629
630         try{
631             $query="UPDATE user SET id_role = :dataId WHERE id_user=:dataUser";
632             $send=$conn->prepare($query);
633             $send->bindParam(":dataId", $role);
634             $send->bindParam(":dataUser", $dataUser);
635
636             $result=$send->execute();
637             return $result;
638         }
639         catch(PDOException $e){
640             $message="Server error";
641         }
642     }
643
644
645 ?>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

404.php

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="utf-8">
5      <meta http-equiv="X-UA-Compatible" content="IE=edge">
6      <meta name="viewport" content="width=device-width, initial-scale=1">
7      <title>404 Error</title>
8      <link href="https://fonts.googleapis.com/css?family=Nunito:400,700" rel="stylesheet">
9      <link type="text/css" rel="stylesheet" href="../css/style.css" />
10 </head>
11 <body>
12     <div id="notfound">
13         <div class="notfound">
14             <div class="notfound-404"></div>
15             <h1>404</h1>
16             <h2>Oops! Page Not Be Found</h2>
17             <p>Sorry but the page you are looking for does not exist, have been removed, name changed or is temporarily unavailable</p>
18             <a href="../index.php">Go back!</a>
19         </div>
20     </div>
21 </body>
22 </html>
23
```

deleteBrand.php

```
-->      /////
36      if($_SERVER[ 'REQUEST_METHOD' ]=='POST'){
37          $dataBrand=$_POST[ 'dataBrand' ];
38          $msg="";
39          $code=200;
40
41          $deleteBrand=delete("brand", "id_brand", $dataBrand);
42
43          if($deleteBrand){
44              $brands=getAllFromTabel("brand");
45              $msg=$brands;
46              $code=200;
47          }
48          else{
49              $msg="Server error.";
50              $code=500;
51          }
52      }
53      http_response_code($code);
54      echo json_encode($msg);
55  }
56  else{
57      header("location: 404.php");
58      $code=404;
59      $msg="Page not found.";
60  }
61
62 ?>
```

deleteCategory.php

```
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataCat=$_POST['dataCat'];
    $msg="";
    $code=200;

    $deleteCategory=delete("category", "id_category", $dataCat);

    if($deleteCategory){
        $category=getAllFromTabel("category");
        $msg=$category;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404Page.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

deleteMenu.php

```
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataMenu=$_POST['dataMenu'];
    $msg="";
    $code=200;

    $deleteMenu=deleteMenu($dataMenu);

    if($deleteMenu){
        $menu=getAllFromTabel("menu");
        $msg=$menu;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

deleteMessage.php

```
if($_SERVER['REQUEST_METHOD']=='POST'){
    $idMessage=$_POST['id'];
    $msg="";
    $code=200;

    $deleteMessage=deleteMessage($idMessage);

    if($deleteMessage){
        $messages=messagesReturn();
        $msg=$messages;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

deleteProduct.php

```
//////  
if($_SERVER['REQUEST_METHOD']=='POST'){  
    $dataProduct=$_POST['dataProduct'];  
    $msg="";  
    $code=200;  
  
    $deleteProduct=delete("product", "id_product", $dataProduct);  
  
    if($deleteProduct){  
        $products=getProducts();  
        $cat=getAllFromTabel("category");  
        $arrayBack=[  
            "products"=>$products,  
            "cat"=>$cat  
        ];  
        $msg=$arrayBack;  
        $code=200;  
    }  
    else{  
        $msg="Server error.";  
        $code=500;  
    }  
    http_response_code($code);  
    echo json_encode($msg);  
}  
else{  
    header("location: 404.php");  
    $code=404;  
    $msg="Page not found.";  
}  
?  
?
```

deleteRole.php

```
//////  
if($_SERVER['REQUEST_METHOD']=='POST'){  
    $dataRole=$_POST['dataRole'];  
    $msg="";  
    $code=200;  
  
    $deleteRole=delete("roles", "id_role", $dataRole);  
  
    if($deleteRole){  
        $roles=getAllFromTabel("roles");  
        $msg=$roles;  
        $code=200;  
    }  
    else{  
        $msg="Server error.";  
        $code=500;  
    }  
    http_response_code($code);  
    echo json_encode($msg);  
}  
else{  
    header("location: 404.php");  
    $code=404;  
    $msg="Page not found.";  
}  
?  
?>
```

deleteUser.php

```
/////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataUser=$_POST['dataUser'];
    $msg="";
    $code=200;

    $deleteUser=delete("user", "id_user", $dataUser);
    if($deleteUser){
        $user=usersAll();
        $msg=$user;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
////
if($_SERVER['REQUEST_METHOD']=='POST'){
    if($_POST['value']){
        $id=$_POST['value'];
        $msg="";
        $code=200;
        $valueCat=filterCat($id);
        //var_dump($valueCat);
        if($valueCat){
            $msg=$valueCat;
            $code=200;
            //var_dump($code);
        }
        else{
            $msg="Server error!!!";
            $code=500;
        }
    }
    else{
        $msg="No value";
        $code=500;
    }
}

http_response_code($code);
echo json_encode($msg);
//var_dump($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $nameBrand=$_POST['nameArtist'];
    $msg="";
    $code=200;
    $valid=true;

    if($nameBrand==""){
        $valid=false;
    }

    if($valid){
        $insertBrand=insertBrand($nameBrand);
    }

    if($insertBrand){
        $msg="You have successfully inserted one row in table brands!";
        $code=201;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

insertCart.php

```
header('Content-Type: application/json');
if($_SERVER['REQUEST_METHOD']=='POST'){
    $idUser=$_POST['idUser'];
    $msg="";
    $code=200;
    $valid=true;
    $insertUser=insertUser($idUser);
    if($insertUser){
        for($i=0; $i<count($_POST)-1; $i++){
            $quantity=$_POST['cart'.$i]['quantity'];
            $idProducts=$_POST['cart'.$i]['id'];
            $insertToCart=insertToCart($insertUser, $quantity, $idProducts);
            if($insertToCart==false){
                $code=500;
            }
            else{
                $msg="Thank you for supporting us.";
                $code=201;
            }
        }
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404Page.php");
    $code=404;
    $msg="Page not found.";
}
```

insertCategory.php

```
///
if($_SERVER['REQUEST_METHOD']=='POST'){
    $nameCategory=$_POST['nameCategory'];
    $msg="";
    $code=200;
    $valid=true;

    if($nameCategory==""){
        $valid=false;
    }

    if($valid){
        $insertCategory=insertCategory($nameCategory);
    }

    if($insertCategory){
        $msg="You have successfully inserted one row in table category!";
        $code=201;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

insertMenu.php

```
//////  
if($_SERVER['REQUEST_METHOD']=='POST'){  
    $nameMenu=$_POST['nameMenu'];  
    $hrefMenu=$_POST['hrefMenu'];  
    $showMenu=$_POST['showMenu'];  
    //priorityMenu=$_POST['priorityMenu'];  
    $msg="";  
    $code=200;  
    $valid=true;  
  
    if($nameMenu=="" || $hrefMenu=="" || $showMenu==""){  
        $valid=false;  
    }  
  
    if($valid){  
        $insertMenu	insertMenu($nameMenu, $hrefMenu, $showMenu);  
    }  
  
    if($insertMenu){  
        $msg="You have successfully inserted one row in table menu!";  
        $code=201;  
    }  
    else{  
        $msg="Server error.";  
        $code=500;  
    }  
    http_response_code($code);  
    echo json_encode($msg);  
}  
else{  
    header("location: 404.php");  
    $code=404;  
    $msg="Page not found.";  
}  
  
?>
```

```
////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $nameRole=$_POST['nameRole'];
    $msg="";
    $code=200;
    $valid=true;

    if($nameRole==""){
        $valid=false;
    }

    if($valid){
        $insertRole=insertRole($nameRole);
    }

    if($insertRole){
        $msg="You have successfully inserted one row in table roles!";
        $code=201;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404Page.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

login.php

```
<?php
    session_start();
    include("../config/connection.php");

    if(isset($_POST['btn']))
    {
        $email = $_POST['email'];
        $password = $_POST['password'];

        $emailRegexLog = '/^[\w.\d\w]*@[a-z]{2,10}(\.[a-z]{2,3})+$/';
        $passwordRegexLog='^.{8,20}$/';

        $ispravno = true;
        $message = "";
        $statusCode = 200;

        function proveraRegEx($input, $regEx)
        {
            if($input == "")
            {
                $ispravno = false;
                $message = "Error occurred while data was processed. Try again.";
                $statusCode = 500;
            }
            else if(!preg_match($regEx, $input))
            {
                $ispravno = false;
                $message = "Error occurred while data was processed. Try again.";
                $statusCode = 500;
            }
        }

        proveraRegEx($email,$emailRegexLog);
        proveraRegEx($password,$passwordRegexLog);
```

```
if($ispravno)
{
    global $conn;
    $upit = "SELECT * FROM user WHERE email = :email AND passwordCrypt = :pass";
    $pass = md5($password);

    $priprema = $conn->prepare($upit);
    $priprema->bindParam(":email", $email);
    $priprema->bindParam(":pass", $pass);
}

try{
    $priprema->execute();
    if($priprema->rowCount() == 1){
        $user = $priprema->fetch();
        $message = "You have successfully logged in!";
        $_SESSION['user'] = $user;
        //var_dump($_SESSION);
        //header("Location: ../index.php");
        //header("Location:../index.php");
        header('Location: http://localhost/web/index.php');
    }
    else{
        $message = "No user found!";
        $statusCode = 400;
    }
}
catch(PDOException $e){
    $message = $e;
    $statusCode = 500;
}
http_response_code($statusCode);
echo json_encode($message);
}

?>
```

menu.php

```
1 <?php
2     include "./config/connection.php";
3
4     global $conn;
5
6     $upit="SELECT * FROM menu WHERE display=1";
7     //Provera da li je korisnik ulogovan
8     if(isset($_SESSION['user'])){
9         $user=$_SESSION['user'];
10        if($user->id_role == 1){
11            //Ako je admin
12            $upit.=" OR display=3 OR display=2";
13
14        }
15        else{
16            //Ako je korisnik
17            $upit.=" OR display=2";
18        }
19    }
20    | //Nije ulogovan
21    else{
22        $upit.=" OR display=0";
23    }
24    try{
25        //global $conn;
26        $menu=$conn->query($upit)->fetchAll();
27        //var_dump($menu);
28    }
29    catch(PDOException $e){
30        $greska=$e;
31    }
32
33
34 ?>
```

```
if(isset($_POST['btn']))
{
    $name = $_POST['ime'];
    $email = $_POST['email'];
    $phone = $_POST['phone'];
    $subject = $_POST['subject'];

    $nameRegEx = '/^([A-Z][a-z]{2,19})(\s[A-Z][a-z]{2,19})*$/';
    $emailRegEx = '/^(\w[\.\d\w]*@[a-z]{2,10}(\.[a-z]{2,3})+$/';
    $phoneRegEx = '/^(\\+\\d{1,3}[- ]?)?\\d{10}$/';
    $subjectRegEx = '/^([\w\\d\\s.]){5,150}$/';

    $ispravno = true;

    $message = "";
    $statusCode = 200;

    function proveraRegEx($input, $regEx)
    {
        if($input == "")
        {
            $ispravno = false;
            $message = "Error occurred while data was processed. Try again.";
            $statusCode = 500;
        }
        else if(!preg_match($regEx, $input))
        {
            $ispravno = false;
            $message = "Error occurred while data was processed. Try again.";
            $statusCode = 500;
        }
    }

    proveraRegEx($name,$nameRegEx);
    proveraRegEx($email,$emailRegEx);
    proveraRegEx($phone,$phoneRegEx);
    proveraRegEx($subject,$subjectRegEx);
```

```
42     if($ispravno)
43     {
44         $upit ="INSERT INTO messagecontact VALUES(NULL, :namee, :email, :phone, :subjecttt, NULL)";
45
46         $priprema = $conn->prepare($upit);
47         $priprema->bindParam(":namee", $name);
48         $priprema->bindParam(":email", $email);
49         $priprema->bindParam(":phone", $phone);
50         $priprema->bindParam(":subjecttt", $subject);
51
52         try
53         {
54             $priprema->execute();
55             $statusCode = 200;
56             $message = "Message has been sent!";
57         }
58         catch(PDOException $ex)
59         {
60             $message = "Server error, try later.";
61             $statusCode = 500;
62         }
63     }
64     http_response_code($statusCode);
65     echo json_encode($message);
66 }
67 else
68 {
69     header("Location: ../404.php");
70 }
72 ?>
```

```
4     header('Content-Type: application/json');
5     if($_SERVER['REQUEST_METHOD']=='POST'){
6         $valuePag=$_POST['valuePag'];
7         $msg="";
8         $code=200;
9
10        $products=returnProductsPag($valuePag);
11        $numPages=returnNumberPages();
12        $arrayBack=[
13            "products"=>$products,
14            "numPages"=>$numPages
15        ];
16        if($arrayBack){
17            $msg=$arrayBack;
18            $code=200;
19        }
20        else{
21            $msg="Server error";
22            $code=500;
23        }
24        http_response_code($code);
25        echo json_encode($msg);
26    }
27    else{
28        header("location: 404Page.php");
29        $code=404;
30        $msg="Page not found.";
31    }
32
33 ?>
```

quickView.php

```
//////  
if($_SERVER['REQUEST_METHOD']=='POST')[  
    $id=$_POST['valueId'];  
    $msg="";  
    $code=200;  
  
    $productId=getSingleProduct($id);  
  
    if($productId){  
        $msg=$productId;  
        $code=200;  
    }  
    else{  
        $msg="Server error.";  
        $code=500;  
    }  
    http_response_code($code);  
    echo json_encode($msg);  
}  
else{  
    header("location: 404.php");  
    $code=404;  
    $msg="Page not found.";  
}  
?  
?
```

```
1 <?php
2     include("../config/connection.php");
3
4     //echo "usli";
5     //var_dump($_POST['btn']);
6     if(isset($_POST['btn']))
7     {
8         echo "usli";
9         $firstName = $_POST["ime"];
10        $lastName = $_POST["prezime"];
11        $email = $_POST["email"];
12        $password = $_POST["password"];
13
14        $firstNameRegEx = '/^([A-Z][a-z]{2,19})(\s[A-Z][a-z]{2,19})*$/';
15        $lastNameRegEx = '/^([A-Z][a-z]{2,19})(\s[A-Z][a-z]{2,19})*$/';
16        $emailRegEx = '/^\w+.\d\w*\@\w{2,10}(\.\w{2,3})+$/';
17        $passwordRegEx = '/^\w{8,20}$/';
18
19        $ispravno = true;
20
21        $message = "";
22        $statusCode = 200;
23
24        function proveraRegEx($input, $regEx)
25        {
26            if($input == "")
27            {
28                $ispravno = false;
29                $message = "Error occurred while data was processed. Try again.";
30                $statusCode = 500;
31            }
32            else if(!preg_match($regEx, $input))
33            {
34                $ispravno = false;
35                $message = "Error occurred while data was processed. Try again.";
36                $statusCode = 500;
37            }
38        }
39
40        proveraRegEx($firstName,$firstNameRegEx);
41        proveraRegEx($lastName,$lastNameRegEx);
42        proveraRegEx($email,$emailRegEx);
43        proveraRegEx($password,$passwordRegEx);
44
45    }
```

```
45 |     if($ispravno)
46 |     {
47 |         $upit = "INSERT INTO user VALUES(null,:firstName,:lastName,:email,:passwordd,null, 2)";
48 |         $pass = md5($password);
49 |
50 |
51 |         $priprema = $conn->prepare($upit);
52 |         $priprema->bindParam(":firstName", $firstName);
53 |         $priprema->bindParam(":lastName", $lastName);
54 |         $priprema->bindParam(":email", $email);
55 |         $priprema->bindParam(":passwordd", $pass);
56 |         try
57 |         {
58 |             $priprema->execute();
59 |             $statusCode = 201;
60 |             $message = "You have been registered successfully!";
61 |         }
62 |         catch(PDOException $ex)
63 |         {
64 |             $message = "Server error, try later.";
65 |             $statusCode = 500;
66 |         }
67 |
68 |     }
69 |     http_response_code($statusCode);
70 |     echo json_encode($message);
71 | }
72 | else
73 | {
74 |     header("Location: ../404.php");
75 | }
76 |
77 ?>
```

```
/////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $valueS=$_POST['values'];
    $msg="";
    $code=200;

    $valueSearch=search($valueS);
    if($valueSearch){
        $msg=$valueSearch;
        $code=200;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

## survey.php

```
1 <?php
2 //include("functions.php");
3 include("../config/connection.php");
4
5 header('Content-Type: application/json');
6 if($_SERVER['REQUEST_METHOD']=='POST'){
7     $id=$_POST['id'];
8     $value=$_POST['value'];
9     $user=$_POST['user'];
10    $msg="";
11    $code=200;
12
13    try{
14        $upit="SELECT * FROM surveyvotes v INNER JOIN answer a ON v.id_answer=a.id_answer WHERE v.id_user=:user AND a.id_survey=:id";
15        $send=$conn->prepare($upit);
16        $send->bindParam(":user", $user);
17        $send->bindParam(":id", $id);
18
19        $send->execute();
20        $result=$send->fetchAll();
21        $answerSurvey = $result;
22    }
23    catch(PDOException $e){
24        $message="Server error";
25    }
26
27    try{
28        $upit="INSERT INTO surveyvotes (id_user, id_answer) VALUES(:idU, :idA)";
29        $send=$conn->prepare($upit);
30        $send->bindParam(":idU", $user);
31        $send->bindParam(":idA", $value);
32
33        $result= $send->execute();
34        $sendSurvey = $result;
35    }
36    catch(PDOException $e){
37        $message="Server error";
38    }
39}
```

```
59
60     // $answerSurvey=alreadyAnswered($id, $user);
61     if(count($answerSurvey)){
62         $msg="You have already answered.";
63     }
64     else{
65         // $sendSurvey=sendSurvey($value, $user);
66         if($sendSurvey){
67             $msg="Thank you for your feedback.";
68             $code=201;
69         }
70         else{
71             $msg="Server error.";
72             $code=500;
73         }
74     }
75     http_response_code($code);
76     echo json_encode($msg);
77 }
78 else{
79     header("location: 404.php");
80     $code=404;
81     $msg="Page not found.";
82 }
83
84 ?>
```

updates...

```
/////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataBrand=$_POST['dataArtist'];
    $nameBrand=$_POST['nameArtist'];

    $msg="";
    $code=200;

    $updateBrand=updateBrand($dataBrand, $nameBrand);
    if($updateBrand){
        $brands=getAllFromTabel("brand");
        $msg=$brands;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataCategory=$_POST['dataCategory'];
    $nameCategory=$_POST['nameCategory'];

    $msg="";
    $code=200;

    $updateCategory=updateCategory($dataCategory, $nameCategory);
    if($updateCategory){
        $category=getAllFromTabel("category");
        $msg=$category;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}
```

```
        //////
        if($_SERVER['REQUEST_METHOD']=='POST'){
            $dataMenu=$_POST['dataMenu'];
            $nameMenu=$_POST['nameMenu'];
            $hrefMenu=$_POST['hrefMenu'];
            $showMenu=$_POST['showMenu'];
            //$priorityMenu=$_POST['priorityMenu'];

            $msg="";
            $code=200;

            $updateMenu=updateMenu($dataMenu, $nameMenu, $hrefMenu, $showMenu);

            if($updateMenu){
                $menu=getAllFromTabel("menu");
                $msg=$menu;
                $code=200;
            }
            else{
                $msg="Server error.";
                $code=500;
            }
            http_response_code($code);
            echo json_encode($msg);
        }
        else{
            header("location: 404.php");
            $code=404;
            $msg="Page not found.";
        }
    }

?>
```

```
////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataPrice=$_POST['dataPrice'];
    $price=$_POST['priceOld'];

    $msg="";
    $code=200;

    $updatePrice=updatePrice($dataPrice, $price);
    if($updatePrice){
        $msg="You have successfully updated this row!";
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
/////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataProducts=$_POST['dataProducts'];
    $nameProducts=$_POST['nameProducts'];
    $catValue=$_POST['catValue'];
    $msg="";
    $code=200;
    $valid=true;

    if(empty($_FILES['filePicture'])){
        $name=$_POST['filePicture'];
    }
    else{
        $filePicture=$_FILES['filePicture'];
        $tmpName=$filePicture['tmp_name'];
        $type=$filePicture['type'];
        $name=$filePicture['name'];
        $src="../img/gallery/";
        $typeNew=explode("/", $type);

        if($typeNew[1]!="png" && $typeNew[1]!="jpg" && $typeNew[1]!="jpeg"){
            $valid=false;
        }
    }
    if($valid){
        $updateProduct=updateProduct($dataProducts, $nameProducts, $catValue, $delivery, $name);
    }
}
```

```
if($updateProduct){
    if(!empty($_FILES['filePicture'])){
        $result=move_uploaded_file($tmpName, $src.$name);
    }
    $products=getProducts();
    $cat=getAllFromTabel("category");
    $arrayBack=[ 
        "products"=>$products,
        "cat"=>$cat,
        "msg"=>"You have successfully updated this row!"
    ];
    $msg=$arrayBack;
    $code=200;
}
http_response_code($code);
echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataUser=$_POST['dataUser'];
    $role=$_POST['role'];

    $msg="";
    $code=200;

    $updateRole=updateRole($dataUser, $role);
    if($updateRole){
        $msg="You have successfully updated this users role!";
        $code=200;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

```
////
if($_SERVER['REQUEST_METHOD']=='POST'){
    $dataRole=$_POST['dataRole'];
    $nameRole=$_POST['nameRole'];

    $msg="";
    $code=200;

    $updateRoleUser=updateRoleUser($dataRole, $nameRole);
    if($updateRoleUser){
        $rolesUser=getAllFromTabel("roles");
        $msg=$rolesUser;
        $code=200;
    }
    else{
        $msg="Server error.";
        $code=500;
    }
    http_response_code($code);
    echo json_encode($msg);
}
else{
    header("location: 404Page.php");
    $code=404;
    $msg="Page not found.";
}

?>
```

main.js

```
1  $(document).ready(function(){
2      console.log("proba");
3
4
5      function ajaxCallBAck(url, method, data, result){
6          $.ajax({
7              url:url,
8              method:method,
9              dataType:"json",
10             data:data,
11             success:result,
12             error:function(xhr){
13                 console.log(xhr);
14             }
15         });
16     }
17
18
19
20    $(document).ready(function(){
21        $('#succ').css('display','none');
22    });
23
24
```

```
25 //REGISTRACIJA PROVERA
26 $(document).on('click','#register',function(e){
27     e.preventDefault();
28     console.log("PROSO");
29
30
31     var ime = $("#first-Name");
32     var prezime = $("#last-Name");
33     var email = $("#emailAdd");
34     var password = $("#pass");
35     var rePassword = $("#rePass");
36
37     // ime.focus().attr("placeholder", "");
38     //mail.focus().attr("placeholder", "");
39
40     let imeProvera = /^[A-Z][a-z]{2,19}(\s[A-Z][a-z]{2,19})*$/;
41     let prezimeProvera = /^[A-Z][a-z]{2,19}(\s[A-Z][a-z]{2,19})*$/;
42     let emailProvera = /^[\w.\d\w]*@[a-z]{2,10}(\.[a-z]{2,3})+$/;
43     let passwordProvera = /^[\w.{8,20}]/;
44
45     var ispravno = true;
46
47     function proveraReqEx(data,messgEmpty,messgWrong,regEx)
48     {
49         if(data.val() == '')
50         {
51             data.val('');
52             data.attr('placeholder', messgEmpty);
53             ispravno = false;
54         }
55         else if(regEx.test(data.val()))
56         {
57             ispravno = true;
58         }
59         else
60         {
61             data.val('');
62             data.attr('placeholder', messgWrong);
63             ispravno = false;
64             //ime.val("");
65             //ime.attr('placeholder', 'First name');
66         }
67     }
68 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
68
69     if(password.val() == rePassword.val())
70     {
71         ispravno = true;
72     }
73     else
74     {
75         ispravno = false;
76         password.attr('placeholder', 'Password doesn\'t match');
77         rePassword.attr('placeholder', 'Password doesn\'t match');
78     }
79
80     proveraReqEx(ime,'First name can\'t be empty. ','You didn\'t fill your name correctly (eg. Chris). ',imeProvera);
81     proveraReqEx(prezime,'Last name can\'t be empty. ','You didn\'t fill your last name correctly (eg. Prath). ',prezimeProvera);
82     proveraReqEx(email,'Email can\'t be empty. ','You didn\'t fill your email correctly (eg. something@gmail.com). ',emailProvera);
83     proveraReqEx(password,'Password is required ','You didn\'t fill your password correctly (eg. ABCdef123). ',passwordProvera);
84
85     var imeVal = ime.val();
86     var prezimeVal = prezime.val();
87     var emailVal = email.val();
88     var passwordVal = password.val();
89
90     if(ispravno)
91     {
92         console.log("uspeh")
93         $(document).ready(function(){
94             $('#succ').css('display','block');
95         });
96     }
97
98
99
100
```

```
85
90     if(ispravno)
91     {
92         console.log("uspeh")
93         $(document).ready(function(){
94             $('#succ').css('display','block');
95         });
96
97         $.ajax({
98             url:"models/register.php",
99             method:'POST',
100            dataType:'json',
101            data:{
102                 'ime': imeVal,
103                 'prezime': prezimeVal,
104                 'email':emailVal,
105                 'password':passwordVal ,
106                 'btn':true
107             },
108             success:function(data){
109                 console.log("poslato");
110                 // console.log(data)
111                 //$("#success").html(data);
112
113             },
114             error:function(xhr){
115                 console.log("greska");
116                 //$("#error").html(xhr.responseText);
117
118             }
119         });
120     }
121     else
122     {
123         $(document).ready(function(){
124             $('#succ').css('display','none');
125         });
126     }
127 });
128
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
131 //LOGOVANJE PROVERA
132 $(document).ready(function(){
133     $('#err').css('display','none');
134 });
135 $(document).on('click', '#logIn',function(e){
136     e.preventDefault();
137     var ispravno = true;
138
139     var email = $("#emailLog");
140     var password = $("#passwordLog");
141
142     let emailProveraLog = /^w[\d\w]*@[a-z]{2,10}(\.[a-z]{2,3})+$/;
143     let passwordProveraLog = /^w.{8,20}$/;
144
145     function proveraReqEx(data,messgEmpty,messgWrong,regEx)
146     {
147         if(data.val() == '')
148         {
149             data.val('');
150             data.attr('placeholder', messgEmpty);
151             ispravno = false;
152         }
153         else if(regEx.test(data.val()))
154         {
155             ispravno = true;
156         }
157         else
158         {
159             data.val('');
160             data.attr('placeholder', messgWrong);
161             ispravno = false;
162             //ime.val("");
163             //ime.attr('placeholder', 'First name');
164         }
165     }
166
167     proveraReqEx(email,'Email can\'t be empty. ','You didn\'t fill your email correctly (eg. something@gmail.com). ',emailProveraLog);
168     proveraReqEx(password,'Password is required ','You didn\'t fill your password correctly (eg. ABCdef123). ',passwordProveraLog);
169 }
```

```
170     var emailVal = email.val();
171     var passwordVal = password.val();
172
173     if(ispravno)
174     {
175         console.log("uspeh")
176         // $(document).ready(function(){
177         //     $('#err').css('display','none');
178         // });
179
180
181     $.ajax({
182         url:"models/login.php",
183         method:'POST',
184         dataType:'json',
185         data:{
186             'email':emailVal,
187             'password':passwordVal ,
188             'btn':true
189         },
190         success:function(data){
191             console.log("poslato");
192             if(data == "You have successfully logged in")
193             {
194                 window.location.href="index.php";
195             }
196
197         },
198         error:function(xhr){
199             console.log("greska");
200             //$("#error").html(xhr.responseText);
201
202         }
203     });
204 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
215
216     function writeProductsPag(arrayP){
217         var html="";
218         if(arrayP.length==0){
219             html+=`<div class="col-12">
220                 <div class="alert text-center mt-5">Sorry, we will be back in stock soon with new arrivals.</div>
221             </div>`
222         }
223         else{
224             for(var obj2 of arrayP){
225                 html+=`<a href="single.php"><div class="product-grid">
226                     <div class="more-product"><span> </span></div>
227                     <div class="product-img b-link-stripe b-animate-go thickbox productL" >
228                         
229                         <div class="b-wrapper">
230                             <h4 class="b-animate b-from-left b-delay03">
231                             <button><span class="glyphicon glyphicon-zoom-in" aria-hidden="true"></span>Quick View</button>
232                         </h4>
233                         </div>
234                     </div></a>
235                     <div class="product-info simpleCart_shelfItem">
236                         <div class="product-info-cust prt_name" >
237                             <h4>${obj2.name}</h4>
238                             <span class="item_price">${obj2.price}</span>
239                             <input type="text" class="item_quantity" value="1" />
240                             <input type="button" class="item_add items" value="ADD" id="buttonAdd" data-id="${obj2.id_product}" />
241                             <div class="clearfix"> </div>
242                         </div>
243                     </div>
244                 </div> `
245             }
246         }
247     }
248     $(".productss").html(html);
249     //$('.addToCart').click(toCart);
250 }

251     function writeProduct(obj2)
252     {
253         var html=`<div class="col-md-7 single-top">
254             <div class="flexslider">
255                 <ul class="slides">
256                     <li data-thumb="${obj2.path}">
257                         <div class="thumb-image">  </div>
258                     </li>
259                 </ul>
260             </div>
261             <div class="col-md-5 single-top-in simpleCart_shelfItem">
262                 <div class="single-para">
263                     <h4>${obj2.name}</h4>
264                     <h5 class="item_price">${obj2.price}</h5>
265                     <p class="para">${obj2.description} </p>
266                     <div class="prdt-info-grid">
267                         <ul>
268                             <li>- Brand : ${obj2.brand_name}</li>
269                             <li>- Category : ${obj2.name_category}</li>
270                         </ul>
271                     </div>
272                     <a href="#" class="add-cart item_add">ADD TO CART</a>
273                 </div>
274             </div>
275             <div class="clearfix"> </div> `
276         }
277     }
278
279     $(".productss").html(html);
280     //$('.product-price1').html(html);productss
281     //$('.productss').html(html);productss
282
283 }
```

```
285  $(document).on("click", ".quickView", function(e){
286      console.log("uso");
287      e.preventDefault();
288      let id = $(this).data('id');
289      //var id = $(this).attr("data-idQ");
290      var valueToSend={
291          valueId:id
292      };
293      console.log(valueToSend);
294      ajaxCallBAck("models/quickView.php", "post", valueToSend, function(result){
295
296          writeProduct(result);
297          //window.location.href="single.php";
298          //console.log(result);
299      });
300  });
301
302
303
304  function searchProducts(){
305      var valueSearch=$(this).val().toLowerCase();
306      var valueSearchToSend={
307          valueS:valueSearch
308      };
309      ajaxCallBAck("models/search.php", "post", valueSearchToSend, function(result){
310          writeProductsPag(result);
311      });
312  }
313  $("#search").keyup(searchProducts);
314  |
```

```
316  function filterCat(){
317      //console.log("uso");
318      var valueCat=$("input[id='cat']:checked").val();
319      //console.log(valueCat);
320      var valueToSend={
321          value:valueCat
322      };
323      ajaxCallBAck("models/filterCat.php", "post", valueToSend, function(result){
324          writeProductsPag(result);
325      });
326  }
327  $(".cat").change(filterCat);
328
329 //funckija za anketu
330 $(document).on('click','.send',function(e){
331     e.preventDefault(e);
332     console.log("uso");
333     var logedIn=$("#logedIn").val();
334     var idSurvey=this.dataset.id;
335     var value=$("#input[name='survey?"+idSurvey+"']:checked").val();
336
337     var sendId = parseInt(idSurvey);
338     console.log(sendId);
339     var sendValue = parseInt(value);
340
341     $.ajax({
342         url:"models/survey.php",
343         method: 'POST',
344         dataType:'json',
345         data:{
346             "id":idSurvey,
347             "value":value,
348             "user":logedIn
349         },
350         success:function(result){
351             console.log("success");
352             alert(result);
353             $('.survey').prop('checked', false);
354
355         },
356         error:function(xhr){
357             console.log("greska");
358             console.error(xhr);
359             //$("#error").html(xhr.responseText);
360         }
361     }
```

```
370  $(document).on("click", "#applyCupons", function(e)
371  {
372      e.preventDefault(e);
373      console.log("uso");
374      alert("Sorry, this action is not currently available.");
375  });
376
377 //DOHVATANJE PODATAKA IZ LOCAL STORAGE
378
379 function LocalStorageDohvatanje(name){
380     return JSON.parse(localStorage.getItem(name));
381 }
382 //console.log(LocalStorageDohvatanje("simpleCart_items"));
383 function LocalStorageUpis(name, data){
384     localStorage.setItem(name, JSON.stringify(data));
385 }
386
387 function orderNow(id){
388     //let id = $(this).data('id');
389     var porudzbine = LocalStorageDohvatanje("productsCart");
390
391     if(porudzbine){
392         if(proizvodiVecUKorpi())
393         {
394             let porudzbineLS = LocalStorageDohvatanje("productsCart");
395             for(let poruObj of porudzbineLS)
396             {
397                 if(poruObj.id == id)
398                 {
399                     poruObj.quantity++;
400                     break;
401                 }
402             }
403
404             LocalStorageUpis("productsCart", porudzbineLS)
405         }
406         else
407         {
408             dodavanjeLS();
409             //orderNavBroj();
410         }
411     }
412 }
```

```
412     else
413     {
414         dodavanjePrvogProizvoda();
415         //orderNavBroj();
416     }
417
418     function dodavanjePrvogProizvoda(){
419         let porudzbina = [];
420         porudzbina[0] = {
421             id : id,
422             quantity : 1
423         };
424
425
426         LocalStorageUpis("productsCart", porudzbina);
427     }
428
429
430     function proizvodiVecUKorpi(){
431         //console.log(porudzbine);
432         return porudzbine.filter(p => p.id == id).length;
433     }
434
435
436     function dodavanjeLS(){
437         let hranaLS = LocalStorageDohvatanje("productsCart");
438         hranaLS.push({
439             id : id,
440             quantity : 1
441         });
442
443         LocalStorageUpis("productsCart", hranaLS);
444     }
445
446 }
```

```
440  });
441  $(document).on("click", "#buttonAdd", function(e){
442      console.log("uso");
443      e.preventDefault();
444      let id = $(this).data('id');
445      orderNow(id);
446  });
447
448
449
450
451
452
453
454  $(document).on("click", ".simpleCart_empty", function(e){
455      e.preventDefault();
456      localStorage.removeItem("productsCart");
457      location.reload();
458      $("#cartWrite").html("<h2>Your order cart is empty</h2>");
459  });
460  console.log(LocalStorageDohvatanje("productsCart"));
461 //var slanjeZaPhp = LocalStorageDohvatanje("prductsCart")[0];
462 //console.log(slanjeZaPhp);
463
464  $.ajax({
465      url:"models/getProducts.php",
466      method:"get",
467      dataType:"json",
468      success:function(result){
469          LocalStorageUpis("products", result);
470      },
471      error:function(xhr){
472          console.log(xhr);
473      }
474  });
475
476
477  if(document.URL.includes("checkout.php")){
478      console.log("radiCart");
479      var cartItems=LocalStorageDohvatanje("productsCart");
480      console.log(cartItems);
481      if(cartItems==null){
482          $("#cartError").html("Your cart is empty - go back to shopping.");
483      }
484      else{
485          checkCart();
486          //console.log("jjb")
487      }
488  }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
489     function checkCart(){
490         var productsC = LocalStorageDohvatanje("products");
491         var cartItems=LocalStorageDohvatanje("productsCart");
492         html8="";
493         console.log(cartItems)
494         for(var obj1 of cartItems){
495             for(var obj2 of productsC){
496                 if(obj1.id == obj2.id_product)
497                     html8+= ` 
498                     <div class="close1"> </div>
499                     <div class="cart-sec simpleCart_shelfItem">
500                         <div class="cart-item cyc">
501                             
502                         </div>
503                         <div class="cart-item-info">
504                             <h3><a href="single.php">${obj2.name}</a><span>Brand : ${obj2.brand_name}</span></h3>
505                             <ul class="qty">
506                                 <li><p>Price : ${obj2.price}</p></li>
507                                 <li><p>Quantity : ${obj1.quantity}</p></li>
508                             </ul>
509                             <div class="delivery">
510                                 <span>Delivered in 2-3 bussiness days</span>
511                                 <div class="clearfix"></div>
512                             </div>
513                         <div class="clearfix"></div>
514
515                     </div>`;
516                     //console.log(obj.name)
517                 }
518             }
519         }
520         //console.log("mm")
521         //console.log(html8);
522         $("#cartWrite").html(html8);
523     }
```

```
524     };
525     $(document).on("click", "#clearCart", function(e){
526         e.preventDefault();
527         localStorage.removeItem("productsCart");
528         $("#cartWrite").html("<h2>Empty your cart!</h2>");
529     });
530
531     function emptyCheckout()
532     {
533         var ls = LocalStorageDohvatanje("productsCart");
534         if(ls == null)
535         {
536             $("#cartWrite").html("<h2>Your order cart is empty!</h2>");
537         }
538     }
539     emptyCheckout();
540
541
542     function alertFinish(e){
543         e.preventDefault();
544         //var cartItems=LocalStorageDohvatanje("productsCart");
545         if(cartItems.length!=0){
546             var idUser=$("#cartUser").val();
547             var data={
548                 idUser:idUser
549             };
550             let cart;
551             for(let i=0; i<cartItems.length; i++){
552                 cart="cart"+i;
553                 data[cart]=cartItems[i];
554             }
555             ajaxCallBAck("models/insertCart.php", "POST", data, function(result){
556                 alert(result);
557                 localStorage.removeItem("productsCart");
558                 location.reload();
559             })
560         }
561     }
562     $("#order").click(alertFinish);
563
564
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
777
578 //ADMIN PANEL
579
580     // funkcija za poruke(delete) i statistika ankete
581     if(document.URL.includes("messageSurvey.php")){
582         $(document).on("click", ".idDelete", function(e){
583             e.preventDefault();
584             var idMessage=$(this).attr("data-id");
585             var idToSend={
586                 id:idMessage
587             }
588
589             ajaxCallBAck("models/deleteMessage.php", "post", idToSend, function(result){
590                 writeMsgAfterDelete(result);
591             });
592         })
593
594         //delete poruke
595         function writeMsgAfterDelete(arrayMsg){
596             var html9="";
597             var rb=1;
598             html9+=`<table class="table">
599             <thead>
600                 <tr>
601                     <th scope="col">#</th>
602                     <th scope="col">First Name</th>
603                     <th scope="col">Last Name</th>
604                     <th scope="col">Email</th>
605                     <th scope="col">Message</th>
606                 </tr>
607             </thead>
608             <tbody>;
609             for(var obj9 of arrayMsg){
610                 html9+=`<tr>
611                     <th scope="row">${rb}</th>
612                     <td>${obj9.name}</td>
613                     <td>${obj9.email}</td>
614                     <td>${obj9.phone}</td>
615                     <td>${obj9.subject}</td>
616                     <td>${obj9.dateOfMessage}</td>
617                     <td><a href="#" data-id="${obj9.id_message}" class="idDelete">Delete</a></td>
618                 </tr>`;
619             rb++;
620         }
621     }
622 }
```

```
621 |         html9+=`</tbody>
622 |         </table>`;
623 |         $("#messages").html(html9);
624 |     }
625 |
626 |
627 //anketa
628 ajaxCallBAck("models/getActivNoActiv.php", "get", {button:true}, function(result){
629     var valueC;
630     for(var obj16 of result){
631         valueC=$("#chb"+obj16.idSurvey).val();
632         if(obj16.idSurvey==valueC{
633             if(obj16.activ==1){
634                 $("#chb"+obj16.idSurvey).prop('checked', true);
635             }
636             else{
637                 $("#chb"+obj16.idSurvey).prop('checked', false);
638             }
639         }
640     }
641 });
642
643 $(document).on("click", ".activ", function(){
644     var value=$(this).val();
645     var check;
646     if($('.activ').is(':checked')){
647         console.log("da")
648         check=1;
649     }
650     else{
651         console.log("ne")
652         check=0;
653     }
654
655     var dataToSendA={
656         value:value,
657         check:check
658     }
659
660     ajaxCallBAck("models/activeSurvey.php", "post", dataToSendA, function(result){
661         alert(result);
662     });
663 })
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
664
665 //funkcija za update admin profila
666 if(document.URL.includes("adminPanel.php")){
667
668     $("#updateAdmin").click(updateAdmin);
669
670     function updateAdmin(){
671         var nameAdmin=$("#nameInputAdmin").val();
672         var lastNameAdmin=$("#lastNameInputAdmin").val();
673         var emailAdmin=$("#emailInputAdmin").val();
674         var valid=true;
675         if(nameAdmin=="" || lastNameAdmin=="" || emailAdmin==""){
676             valid=false;
677         }
678         else{
679             valid=true;
680         }
681
682         if(valid){
683             var dataToSendA={
684                 nameAdmin:nameAdmin,
685                 lastNameAdmin:lastNameAdmin,
686                 emailAdmin:emailAdmin
687             }
688
689             ajaxCallBAck("modals/updateAdmin.php", "post", dataToSendA, function(result){
690                 alert(result);
691                 location.reload();
692             });
693         }
694     }
695 }
696 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
697 //funckija za menu(delete, insert, update)
698 if(document.URL.includes("menuTable.php")){
699     //delete menu
700     $(document).on("click", ".deleteMenu", function(e){
701         e.preventDefault();
702         var dataMenu=$(this).attr("data-id");
703         var dataToSendM={
704             dataMenu:dataMenu
705         }
706
707         ajaxCallBAck("models/deleteMenu.php", "post", dataToSendM, function(result){
708             writeMenu(result);
709         });
710     })
711     function writeMenu(arrayMenu){
712         var html10="";
713         html10+=`<table class="table">
714             <thead>
715                 <tr>
716                     <th scope="col">id_menu</th>
717                     <th scope="col">name_menu</th>
718                     <th scope="col">href_menu</th>
719                     <th scope="col">show_menu</th>
720                     <th scope="col">priority_menu</th>
721                 </tr>
722             </thead>
723             <tbody>;
724             for(var obj10 of arrayMenu){
725                 html10+=`<tr>
726                     <th scope="row">${obj10.id_menu}</th>
727                     <td><input type="text" id="nameMenu${obj10.id_menu}" class="form-control" value="${obj10.name_menu}"></td>
728                     <td><input type="text" id="hrefMenu${obj10.id_menu}" class="form-control" value="${obj10.path_m}"></td>
729                     <td><input type="text" id="showMenu${obj10.id_menu}" class="form-control" value="${obj10.display}"></td>
730                     <td><a href="#" data-id="${obj10.id_menu}" class="updateMenu">Update</a></td>
731                     <td><a href="#" data-id="${obj10.id_menu}" class="deleteMenu">Delete</a></td>
732                 </tr>
733             }
734             html10+=` </tbody>
735             </table>;
736             $("#menu").html(html10);
737         }
738     
```

```
738 //update menu
739 $(document).on("click", ".updateMenu", function(e){
740     e.preventDefault();
741     var dataMenu=$(this).attr("data-id");
742     var nameMenu=$("#nameMenu"+dataMenu).val();
743     var hrefMenu=$("#hrefMenu"+dataMenu).val();
744     var showMenu=$("#showMenu"+dataMenu).val();
745     //var priorityMenu=$("#priorityMenu"+dataMenu).val();
746
747     var dataToSendM={
748         dataMenu:dataMenu,
749         nameMenu:nameMenu,
750         hrefMenu:hrefMenu,
751         showMenu:showMenu,
752         //priorityMenu:priorityMenu
753     }
754
755     ajaxCallBAck("models/updateMenu.php", "post", dataToSendM, function(result){
756         writeMenu(result);
757     });
758 })
759 //insert menu
760 $(document).on("click", "#insertMenu", function(e){
761     e.preventDefault();
762     var nameMenu=$("#nameMenu").val();
763     var hrefMenu=$("#hrefMenu").val();
764     var showMenu=$("#showMenu").val();
765     //var priorityMenu=$("#priorityMenu").val();
766     var valid=true;
767
768     if(nameMenu=="" || hrefMenu=="" || showMenu==""){
769         valid=false;
770     }
771     else{
772         valid=true;
773     }
774
775     if(valid){
776         var dataToSendM={
777             nameMenu:nameMenu,
778             hrefMenu:hrefMenu,
779             showMenu:showMenu,
780             //priorityMenu:priorityMenu
781         }
782     }
783 })
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
784     ajaxCallBAck("models/insertMenu.php", "post", dataToSendM, function(result){
785         alert(result);
786         location.reload();
787     });
788 }
789 }
790 }
791
792 //funckija za category(delete, insert, update)
793 if(document.URL.includes("categoryTable.php")){
794     //delete category
795     $(document).on("click", ".deleteCategory", function(e){
796         e.preventDefault();
797         var dataCat=$(this).attr("data-id");
798         var dataToSendC={
799             dataCat:dataCat
800         }
801
802         ajaxCallBAck("models/deleteCategory.php", "post", dataToSendC, function(result){
803             writeCategory(result);
804         });
805     })
806     function writeCategory(arrayCat){
807         var html11="";
808         html11+=`<table class="table">
809             <thead>
810                 <tr>
811                     <th scope="col">id_cat</th>
812                     <th scope="col">name_cat</th>
813                 </tr>
814             </thead>
815             <tbody>`;
816             for(var obj11 of arrayCat){
817                 html11+=` <tr>
818                     <th scope="row">${obj11.id_category}</th>
819                     <td><input type="text" id="nameCategory${obj11.id_category}" class="form-control" value="${obj11.name_category}"></td>
820                     <td><a href="#" data-id="${obj11.id_category}" class="updateCategory">Update</a></td>
821                     <td><a href="#" data-id="${obj11.id_category}" class="deleteCategory">Delete</a></td>
822                 </tr>`;
823             }
824             html11+=` </tbody>
825         </table>`;
826         $("#category").html(html11);
827     }
}
```

```
828     //update category
829     $(document).on("click", ".updateCategory", function(e){
830         e.preventDefault();
831         var dataCategory=$(this).attr("data-id");
832         var nameCategory=$("#nameCategory"+dataCategory).val();
833
834         var dataToSendC={
835             dataCategory:dataCategory,
836             nameCategory:nameCategory,
837         }
838
839         ajaxCallBAck("models/updateCategory.php", "post", dataToSendC, function(result){
840             writeCategory(result);
841         });
842     })
843     //insert category
844     $(document).on("click", "#insertCategory", function(e){
845         e.preventDefault();
846         var nameCategory=$("#nameCategory").val();
847         var valid=true;
848
849         if(nameCategory==""){
850             valid=false;
851         }
852         else{
853             valid=true;
854         }
855
856         if(valid){
857             var dataToSendC={
858                 nameCategory:nameCategory,
859             }
860         }
861
862         ajaxCallBAck("models/insertCategory.php", "post", dataToSendC, function(result){
863             alert(result);
864             location.reload();
865         });
866     })
867 })
868 }
869 }
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
870 //funckija za artist(delete, insert, update)
871 if(document.URL.includes("brandTable.php")){
872     //delete brand
873     $(document).on("click", ".deleteArtist", function(e){
874         e.preventDefault();
875         var dataBrand=$(this).attr("data-id");
876         var dataToSendA={
877             dataBrand:dataBrand
878         }
879
880         ajaxCallBACk("models/deleteBrand.php", "post", dataToSendA, function(result){
881             writeArtist(result);
882         });
883     })
884     function writeArtist(arrayBrand){
885         var html12="";
886         html12+=`<table class="table">
887             <thead>
888                 <tr>
889                     <th scope="col">id_cat</th>
890                     <th scope="col">name_cat</th>
891                 </tr>
892             </thead>
893             <tbody>;
894             for(var obj12 of arrayBrand){
895                 html12+=` <tr>
896                     <th scope="row">${obj12.id_brand}</th>
897                     <td><input type="text" id="nameArtist${obj12.name_category}" class="form-control" value="${obj12.brand_name}"></td>
898                     <td><a href="#" data-id="${obj12.id_brand}" class="updateArtist">Update</a></td>
899                     <td><a href="#" data-id="${obj12.id_brand}" class="deleteArtist">Delete</a></td>
900                 </tr>
901             }
902             html12+=` </tbody>
903         </table>;
904         $("#artist").html(html12);
905     }
906     //update brand
907     $(document).on("click", ".updateArtist", function(e){
908         e.preventDefault();
909         var dataArtist=$(this).attr("data-id");
910         var nameArtist=$("#nameArtist"+dataArtist).val();
911         var dataToSendA={
912             dataArtist:dataArtist,
913             nameArtist:nameArtist,
914         }
915     })
916 }
```

```
916     ajaxCallBAck("models/updateBrand.php", "post", dataToSendA, function(result){
917         writeArtist(result);
918     });
919 }
920 //insert brand
921 $(document).on("click", "#insertArtist", function(e){
922     e.preventDefault();
923     var nameArtist=$("#nameArtist").val();
924     var valid=true;
925
926     if(nameArtist==""){
927         valid=false;
928     }
929     else{
930         valid=true;
931     }
932
933     if(valid){
934         var dataToSendA={
935             nameArtist:nameArtist,
936         }
937     }
938
939     ajaxCallBAck("models/insertBrand.php", "post", dataToSendA, function(result){
940         alert(result);
941         location.reload();
942     });
943
944 })
945 }
946
947 //funckija za price(insert)
948 if(document.URL.includes("priceTable.php")){
949     //update price
950     $(document).on("click", ".updatePrice", function(e){
951         e.preventDefault();
952         var dataPrice=$(this).attr("data-id");
953         var priceOld=$("#priceOld"+dataPrice).val();
954         //var priceNow=$("#priceNow"+dataPrice).val();
955         var dataToSendP={
956             dataPrice:dataPrice,
957             priceOld:priceOld,
958         }
959     });
960 }
```

```
959
960         ajaxCallBAck("models/updatePrice.php", "post", dataToSendP, function(result){
961             alert(result);
962         });
963     });
964 }
965
966 //funckija za usere(delete)
967 if(document.URL.includes("usersTable.php")){
968     //delete artist
969     $(document).on("click", ".deleteUser", function(e){
970         e.preventDefault();
971         var dataUser=$(this).attr("data-id");
972         var dataToSendU={
973             dataUser:dataUser
974         };
975
976         ajaxCallBAck("models/deleteUser.php", "post", dataToSendU, function(result){
977             writeUsers(result);
978         });
979     });
980
981     function writeUsers(arrayUsers){
982         var html13="";
983         html13+=`<table class="table">
984             <thead>
985                 <tr>
986                     <th scope="col">id_user</th>
987                     <th scope="col">name</th>
988                     <th scope="col">last name</th>
989                     <th scope="col">email</th>
990                     <th scope="col">role</th>
991                     <th scope="col">time</th>
992                 </tr>
993             </thead>
994             <tbody>`;
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
994     <tbody> ;
995     for(var obj13 of arrayUsers){
996         html13+=` <tr>
997             <th scope="row">${obj13.id_user}</th>
998             <td id="nameUser${obj13.id_user}">${obj13.firstName}</td>
999             <td id="lastNameUser${obj13.id_user}">${obj13.lastName}</td>
1000             <td id="emailUser${obj13.id_user}">${obj13.email}</td>
1001             <td id="roleUser${obj13.id_user}">${obj13.role_name}</td>
1002             <td id="timeUser${obj13.id_user}">${obj13.dateOfRegistration}</td>
1003             <td><a href="#" data-id="${obj13.id_user}" class="updateUser">Update role</a></td>
1004             <td><a href="#" data-id="${obj13.id_user}" class="deleteUser">Delete</a></td>
1005         </tr>
1006     }
1007     html13+=` </tbody>
1008     </table>;
1009     $("#users").html(html13);
1010 }
1011 }

1012

1013 //funckija za roles(delete, insert, update)
1014 if(document.URL.includes("rolesTable.php")){
1015     //delete role
1016     $(document).on("click", ".deleteRole", function(e){
1017         e.preventDefault();
1018         var dataRole=$(this).attr("data-id");
1019         var dataToSendR={
1020             dataRole:dataRole
1021         }
1022
1023         ajaxCallBAck("models/deleteRole.php", "post", dataToSendR, function(result){
1024             writeRoles(result);
1025         });
1026     })
1027     function writeRoles(arrayRoles){
1028         var html13="";
1029         html13+=`<table class="table">
1030             <thead>
1031                 <tr>
1032                     <th scope="col">id_roles</th>
1033                     <th scope="col">role</th>
1034                 </tr>
1035             </thead>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
1027     }
1028     function writeRoles(arrayRoles){
1029         var html13="";
1030         html13+=`<table class="table">
1031             <thead>
1032                 <tr>
1033                     <th scope="col">id_role</th>
1034                     <th scope="col">role</th>
1035                 </tr>
1036             </thead>
1037             <tbody>';
1038             for(var obj13 of arrayRoles){
1039                 html13+=`<tr>
1040                     <th scope="row">${obj13.id_role}</th>
1041                     <td><input type="text" id="nameRole${obj13.id_role}" class="form-control" value="${obj13.role_name}"></td>
1042                     <td><a href="#" data-id="${obj13.id_role}" class="updateRole">Update</a></td>
1043                     <td><a href="#" data-id="${obj13.id_role}" class="deleteRole">Delete</a></td>
1044                 </tr>
1045             }
1046             html13+=` </tbody>
1047             </table>;
1048             $("#roles").html(html13);
1049         }
1050         //update role
1051         $(document).on("click", ".updateRole", function(e){
1052             e.preventDefault();
1053             var dataRole=$(this).attr("data-id");
1054             var nameRole=$("#nameRole"+dataRole).val();
1055             var dataToSendR={
1056                 dataRole:dataRole,
1057                 nameRole:nameRole,
1058             }
1059             ajaxCallBAck("models/updateRoleUser.php", "post", dataToSendR, function(result){
1060                 writeRoles(result);
1061             });
1062         })
1063         //insert role
```

```
1049 //update role
1050 $(document).on("click", ".updateRole", function(e){
1051     e.preventDefault();
1052     var dataRole=$(this).attr("data-id");
1053     var nameRole=$("#nameRole"+dataRole).val();
1054     var dataToSendR={
1055         dataRole:dataRole,
1056         nameRole:nameRole,
1057     }
1058
1059     ajaxCallBAck("models/updateRoleUser.php", "post", dataToSendR, function(result){
1060         writeRoles(result);
1061     });
1062 })
1063 //insert role
1064 $(document).on("click", "#insertRole", function(e){
1065     e.preventDefault();
1066     var nameRole=$("#nameRole").val();
1067     var valid=true;
1068
1069     if(nameRole==""){
1070         valid=false;
1071     }
1072     else{
1073         valid=true;
1074     }
1075
1076     if(valid){
1077         var dataToSendR={
1078             nameRole:nameRole,
1079         }
1080     }
1081
1082     ajaxCallBAck("models/insertRole.php", "post", dataToSendR, function(result){
1083         alert(result);
1084         location.reload();
1085     });
1086 })
1087 })
1088 }
```

# Visoka škola strukovnih studija za informacione i komunikacione tehnologije

```
1089 //funckija za products(delete, insert, update)
1090 if(document.URL.includes("productsTable.php")){
1091     //delete product
1092     $(document).on("click", ".deleteProduct", function(e){
1093         e.preventDefault();
1094         var dataProduct=$(this).attr("data-id");
1095         var dataToSendP={
1096             dataProduct:dataProduct
1097         }
1098
1099         ajaxCallBAck("models/deleteProduct.php", "post", dataToSendP, function(result){
1100             writeProducts(result.products, result.cat);
1101         });
1102     })
1103     function writeProducts(arrayProducts, arrayCat){
1104         var html14="";
1105         html14+=`<table class="table">
1106             <thead>
1107                 <tr>
1108                     <th scope="col">id_products</th>
1109                     <th scope="col">name_products</th>
1110                     <th scope="col">picture_src</th>
1111                     <th scope="col">change_src</th>
1112                     <th scope="col">name_cat</th>
1113                     <th scope="col">delivery</th>
1114                     <th scope="col">name_artist</th>
1115                 </tr>
1116             </thead>
1117             <tbody>`;
1118             for(var obj14 of arrayProducts){
1119                 html14+=`<tr>
1120                     <th scope="row">${obj14.id_product}</th>
1121                     <td><input type="text" id="nameProducts${obj14.id_product}" class="form-control" value="${obj14.name}"></td>
1122                     <td><input type="text" id="srcProducts${obj14.id_product}" class="form-control" value="${obj14.path}" disabled></td>
1123                     <td><input type="file" id="fileProducts${obj14.id_product}" class="form-control-file"></td>
1124                     <td>
1125                         <div class="form-group">
1126                             <select class="form-select product${obj14.id_product}" aria-label="Default select example">
1127                                 <option selected value="${obj14.id_category}">${obj14.name_category}</option>
1128                         for(var obj15 of arrayCat{
1129                             html14+=`<option value="${obj15.id_category}">${obj15.name_category}</option>`}
1130                         }
1131                     html14+=`</select>
```

Visoka škola strukovnih studija  
za informacione i komunikacione  
tehnologije

```
1130
1131     }
1132     html14+=` </select>
1133     </div>
1134     </td>
1135     <td><input type="number" id="deliveryProducts${obj14.id_product}" class="form-control" value="${obj14.description}"></td>
1136     <td><input type="text" id="artistProducts${obj14.id_product}" class="form-control" value="${obj14.brand_name}" disabled></td>
1137     <td><a href="#" data-id="${obj14.id_product}" class="updateProduct">Update</a></td>
1138     <td><a href="#" data-id="${obj14.id_product}" class="deleteProduct">Delete</a></td>
1139   </tr>
1140 }
1141 html14+=` </tbody>
1142 </table>;
1143 $("#productss").html(html14);
1144
1145 //update products
1146 $(document).on("click", ".updateProduct", function(e){
1147   e.preventDefault();
1148   var dataProducts=$(this).attr("data-id");
1149   var nameProducts=document.getElementById("nameProducts"+dataProducts).value;
1150   // var catValue=getItemFromLocalStorage("catValue");
1151   // var catValue=document.getElementById("product").value;
1152   var catValue($(".product"+dataProducts).val());
1153   console.log(catValue)
1154   var delivery=document.getElementById("deliveryProducts"+dataProducts).value;
1155   var filePicture=document.getElementById("fileProducts"+dataProducts).files[0];
1156   var srcProducts=document.getElementById("srcProducts"+dataProducts).value;
1157   var picture;
1158   var valid=true;
1159
1160   if(nameProducts==""){
1161     valid=false;
1162   }
1163   else{
1164     valid=true;
1165   }
1166   if(filePicture==undefined){
1167     picture=srcProducts;
1168   }
1169   else{
1170     picture=filePicture;
1171   }
1172 }
```

```
1172     if(valid){
1173         var dataToSend=new FormData();
1174         dataToSend.append("dataProducts",dataProducts)
1175         dataToSend.append("nameProducts",nameProducts)
1176         dataToSend.append("catValue",catValue)
1177         dataToSend.append("delivery",delivery)
1178         dataToSend.append("filePicture",picture)
1179     }
1180
1181     $.ajax({
1182         url:"modals/updateProduct.php",
1183         method:"post",
1184         dataType:"json",
1185         data:dataToSend,
1186         processData:false,
1187         contentType:false,
1188         success:function(result){
1189             alert(result.msg);
1190             writeProducts(result.products, result.cat);
1191             localStorage.removeItem("catValue");
1192         },
1193         error:function(xhr){
1194             console.log(xhr);
1195         }
1196     });
1197 })
1198
1199 $(document).on("change", "#catInsert", function(){
1200     var catValueInsert=document.getElementById("catInsert").value;
1201     setItemToLocalStorage("catValueInsert", catValueInsert);
1202 })
1203 $(document).on("change", "#artistInsert", function(){
1204     var artistValueInsert=document.getElementById("artistInsert").value;
1205     setItemToLocalStorage("artistValueInsert", artistValueInsert);
1206 })
1207 //insert product
1208 $(document).on("click", "#insertProduct", function(e){
1209     e.preventDefault();
1210     var nameProduct=document.getElementById("nameProduct").value;
1211     var priceProduct=document.getElementById("descProduct").value;
```

```
1208     $(document).on("click", "#insertProduct", function(e){  
1209         e.preventDefault();  
1210         var nameProduct=document.getElementById("nameProduct").value;  
1211         var priceProduct=document.getElementById("descProduct").value;  
1212         var catValue=getItemFromLocalStorage("catValueInsert");  
1213         var priceValue=getItemFromLocalStorage("catValueInsert");  
1214         var artistValue=getItemFromLocalStorage("artistValueInsert");  
1215         var filePicture=document.getElementById("fileProducts").files[0];  
1216         var valid=true;  
1217  
1218         if(nameProduct==""){  
1219             valid=false;  
1220             if(catValue=="0" || artistValue=="0"){  
1221                 valid=false;  
1222             }  
1223             else{  
1224                 valid=true;  
1225             }  
1226         }  
1227         else{  
1228             valid=true;  
1229         }  
1230  
1231         if(valid){  
1232             var dataToSendP=new FormData();  
1233             dataToSendP.append("filePicture",filePicture)  
1234             dataToSendP.append("nameProduct",nameProduct)  
1235             dataToSendP.append("priceProduct",priceProduct)  
1236             dataToSendP.append("delivery",delivery)  
1237             dataToSendP.append("catValue",catValue)  
1238             dataToSendP.append("artistValue",artistValue)  
1239         }  
1240  
1241         $.ajax({  
1242             url:"modals/insertProduct.php",  
1243             method:"post",  
1244             dataType:"json",  
1245             data:dataToSendP,  
1246             processData:false,  
1247             contentType:false,  
1248             success:function(result){  
1249                 alert(result);  
1250                 location.reload();  
1251                 localStorage.removeItem("catValueInsert");  
1252                 localStorage.removeItem("artistValueInsert");  
1253             },
```