

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE
TEHNOLOGIJE

DOKUMENTACIJA

<https://baggage-shop.000webhostapp.com/index.php>
Web programiranje PHP1

Student: Aleksandar kandic
Broj indeksa: 10/21
Smer: Internet tehnologije
Modul: Web programiranje

Sadrzaj:

<i>Uvod</i>	3
Korišćene tehnologije:	3
Template:	4
Opis funkcionalnosti:	4
<i>Organizacija</i>	5
Dizajn baze podataka:.....	5
Struktura projekta	5
Sitemap	8
Opis funkcionalnosti na stranicama.....	9
<i>Kodovi</i>	23
CSS.....	23
JavaScript.....	68
PHP	92
footer.php	92
footerAdmin.php.....	95
headAdmin.php.....	96
header.php.....	96
headerAdmin.php	99
admin.php	101
author.php	102
contact.php	103
home.php.....	105
login.php	108
register.php.....	108
shop.php	110
single.php.....	111
survey.php.....	113
addBrand.php	114
addCategory.php.....	115
addColor.php.....	116
addImage.php	117
addMorePool.php	119
addNavigation.php.....	120
addProducts.php	121
addPromotion.php.....	127
addSurvey.php	128
answers.php.....	129
gallery.php	130
manageBrands.php	131
manageCategories.php	132
manageColors.php	133
manageNavigation.php	134
managePromotions.php.....	135
messages.php.....	136
newsletter.php.....	137
orders.php.....	138
products.php.....	139

removeColor.php	140
survay.php.....	141
updateBrand.php	142
updateCategory.php	144
updateColor.php	145
updateGallery.php	147
updateNavigation.php	149
updatePool.php.....	151
updateProduct.php.....	152
updatePromotion.php.....	159
users.php.....	160
index.php	161
addMorePool.php.....	162
addSurvay.php	163
anketaOdgovor.php	164
artikliZaKorpu.php.....	165
blockUser.php	165
filteri.php.....	166
functionAdmin.php	168
functions.php	168
islogin.php.....	170
kontakt.php.....	170
logout.php.....	171
logovanje.php.....	171
narudzbina.php	172
newsletter.php.....	173
registracija.php	174
removeAnswer.php.....	175
removeBrand.php	176
removeCategory.php	176
removeContact.php	177
removeNavigation.php	177
remoweNewsletter.php.....	178
removeOrder.php	178
removePicture.php	179
removePool.php.....	179
removeProduct.php	180
removePromotion.php.....	181
removeSurvey.php.....	181
unlockUser.php.....	182
updatePool.php.....	183

Uvod

Korišćene tehnologije:

- HTML
- CSS
- Bootstrap
- JAVASCRIPT + JQUERY+AJAX
- PHP

Template:

Za izradu sajta korišćen je template, preuzet sa:

<https://w3layouts.com/template/baggage-an-e-commerce-category-bootstrap-responsive-web-template/>


Opis funkcionalnosti:

- Sav ključan sadrzaj se generise iz optimizovane baze podataka
- Dinamicka galerija koja se generise sa slikama unetim preko admin panela
- Dinamicki meni koji se generise iz baze podataka, moguce menjati linkove i naziv stranica na admin panelu
- Registracija i prijava korisnika realizovana preko AJAX-a sa klijentskom i serverskom proverom
- Upotreba AJAX-a na svim bitnim mestima
- Kontakt stranica i kontakt forma sa klijentskom i serverskom validacijom, poruka se unosi u bazu i ispisuje se na admin panelu u odeljku za poruke
- Anketa koju postavlja administrator, svaki registrovani korisnik može samo jednom da odgovori na jednu anketu, administrator može da dodaje, menja i briše ankete, da dodaje nova pitanje za postojeću anketu i da ih briše, sve je realizovano preko AJAX-a
- Zastita od neovlašcenog pristupa za potrebne stranice kao sto su admin sekcija
- Promena izgleda sajta u odnosu na projavljenog korisnika, odnosno po ulozi korisnika. Dok se korisnik ne prijavi, u navigacionom baru mu pise Sign in i Sign up, kada se korisnik prijavi ili se registruje, na tom mestu mu pise ime i opcija da se odjavi – logout. Prijavom administratora u navigaciji se pojavljuje link ka admin panelu.
- Prijava na newsletter sa klijentskom i serverskom proverom, prijavljeni korisnici se ispisuju u admin panelu administratoru, ukoliko mejl nije u ispravnom formatu, korisnik se obavestava da je negde pogresio, u suprotnom obavestava se da je uspesno prijavljen
- Na stranici shop, ispis proizvoda iz baze podataka, moguce filtriranje i sortiranje proizvoda, pretraga po imenu proizvoda
- Klikom na proizvod otvara se single stranica o kliknutom proizvodu sa dodatnik opisom
- Klikom na add to cart, proizvod se dodaje u korpu, klikom na checkout, proizvodi se narucuju i ta narudzbina se upisuje u bazu i prikazuje administratoru na admin panelu
- Admin panel za upravljanje celokupnim sadrzajem sajta, za unosene novih boja, kategorija, marki, promocija, linkova...
- Unos proizvoda, izmena i brisanje preko admin panela, bira se vrsta promocije i u odnosu na nju, pa promocija se prikazuje na ispisu proizvoda
- Postavljanje, brisanje i izmena anketa, dodavanje novih odgovora na postojeću anketu kao i brisanje i izmena odgovora, na stranici za ankete se prikazuje samo POSLEDNJA uneta anketa

- Administrator moze videti odgovore na ankete, moguce videti i odgovore obrisanih anketa
- Prikaz poruka, narudzbina i prijavljenih na newsletter sa mogucnosti brisanja
- celokupni CRUD za proizvode, novigaciju, boje, kategorije, brendove, promocije
- Unos slika i nazivom slike u galeriju, koje se dinamicki ispisuju na pocetnoj strani
- Prikaz registrovanih korisnika sa mogucnoscu blokiranja i odblokiranja korisnika, blokiran korisnik ne moze da se prijavi na sajt, ispisuje mu se poruka prilikom prijave da je blokiran

Organizacija

Dizajn baze podataka:



Struktura projekta

✓ config	
⚙ .env	
🐘 configuration.php	
🐘 konekcija.php	
✓ const	
🐘 const.php	
✓ css	
> css	
# bootstrap.css	
# font-awesome.css	
# style.css	
> fonts	
> images	
✓ js	
JS main.js	
✓ models	
🐘 addMorePool.php	
🐘 addSurvey.php	
🐘 anketaOdgovor.php	
	🐘 artikliZaKorpu.php
	🐘 blockUser.php
	🐘 filteri.php
	🐘 functionAdmin.php
	🐘 functions.php
	🐘 isLogIn.php
	🐘 kontakt.php
	🐘 logout.php
	🐘 logovanje.php
	🐘 narudzbina.php
	🐘 newsletter.php
	🐘 registracija.php
	🐘 removeAnswer.php
	🐘 removeBrand.php
	🐘 removeCategory.php
	🐘 removeContact.php
	🐘 removeNavigation.php
	🐘 removeNewsletter.php
	🐘 removeOrder.php

	removePicture.php
	removePool.php
	removeProduct.php
	removePromotion.php
	removeSurvey.php
	unblockUser.php
	updatePool.php
✓	views
✓	fixed
	footer.php
	footerAdmin.php
	headAdmin.php
	header.php
	headerAdmin.php
✓	pages
>	adminPages
	admin.php
	author.php
	contact.php
	adminPages
	addBrand.php
	addCategory.php
	addColor.php
	addImage.php
	addMorePool.php
	addNavigation.php
	addProducts.php
	addPromotion.php
	addSurvey.php
	answers.php
	gallery.php
	manageBrands.php
	manageCategories....
	manageColors.php
	manageNavigation....
	managePromotions....
	messages.php
	newsletter.php

newsletter.php	
orders.php	
products.php	
removeColor.php	
survey.php	
updateBrand.php	
updateCategory.php	
updateColor.php	
updateGallery.php	
updateNavigation.p...	
updatePool.php	
updateProduct.php	
updatePromotion.p...	
users.php	
admin.php	admin.php
author.php	author.php
contact.php	contact.php
home.php	home.php
login.php	login.php
register.php	register.php
shop.php	shop.php
single.php	single.php
survey.php	survey.php
	index.php

Sitemap

```

<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  ...
    <url>
      <loc>https://baggage-shop.000webhostapp.com/</loc>
      <lastmod>2023-06-03</lastmod>
      <changefreq>weekly</changefreq>
      <priority>0.8</priority>
    </url>
    <url>
      <loc>https://baggage-shop.000webhostapp.com/?page=shop</loc>
      <lastmod>2023-06-03</lastmod>
      <changefreq>daily</changefreq>
      <priority>1</priority>
    </url>
    <url>
      <loc>https://baggage-shop.000webhostapp.com/?page=author</loc>
      <lastmod>2023-06-03</lastmod>
      <changefreq>monthly</changefreq>
      <priority>.05</priority>
    </url>
    <url>
      <loc>https://baggage-shop.000webhostapp.com/?page=contact</loc>
      <lastmod>2023-06-03</lastmod>
      <changefreq>weekly</changefreq>
      <priority>0.8</priority>
    </url>
  </urlset>

```

Opis funkcionalnosti na stranicama



Na pocetku svake stranice nalazi se dinamicki navigacioni meni koji se generise iz baze, linkovi sign in i sign up koji se menjaju sa logout prilikom prijave ili registracije korisnika. U zavisnosti od uloge korisnika u navigacionom meniju se dodaju linkovi kao sto su admin panel, anketa, shop, kontakt



OUR GALLERY

Click on the image to see it in a larger format



Luis Vuitton bag




Na pocetnoj stanici nalazi se dinamicka galerija, koja se generise sa slikama unetim u admin panelu.

Subscribe to the Handbags Store mailing list to receive updates on new arrivals, special offers and other discount information.

Enter Your Email..

SUBSCRIBE

Prijava za newsletter, klikom na subscribe korisnik se obavestava da se prijavio, ukoliko nije napravio gresku.




Subscribe to the Handbags Store mailing list to receive updates on new arrivals, special offers and other discount information.


Enter Your Email..

SUBSCRIBE


Ispis poruke prilikom unosa neispravnog mejla, mejl se salje putem ajaxa, klijentska i serverska provera, zatim unos u bazu i ispis prijavljenih na admin panel.



Ukoliko kliknemo na dugme shop now, ukoliko niste prijavljeni izaci ce Vam odgovarajuca poruka, u suprotnom vodi Vas na stranicu shop.



Stranica za prijavu registrovanog korisnika, podaci se salju putem ajax-a, klijentska i serverska provera, ukoliko dodje do greske, greske se ispisuju korisniku.





User Name

User Lastname

User Email

Password

Confirm Password

SIGN UP

BY CLICKING SIGNUP, I AGREE TO YOUR TERMS

Stranica za registraciju, unos imena, prezimena, mejla i lozinke. Klijentska i serverska provera, slanje podataka putem mejla, unos korisnika u bazu i ispis u admin panel.



User Name

**The first and last name must start with a capital letter and contain at least three characters,
example:
Aleksandar**

User Lastname

**The first and last name must start with a capital letter and contain at least three characters,
example:
Kandic**

User Email

Email must be in the format: user@gmail.com

Password

The password must contain at least 8 characters

Confirm Password

SIGN UP

BY CLICKING SIGNUP, I AGREE TO YOUR TERMS

Ispis gresaka ukoliko do njih dodje.

Baggage
ONLINE STORE

HELLO Administrator! Logout

HOME SHOP CONTACT AUTHOR ADMIN PANEL SURVEY

Search Here...

Filters:

SHOP NOW

Brand

- Gucci
- Luis vuitton
- Dior
- Dolce&gabbana
- Nike
- Adidas

Color

- Green
- Yellow
- Brown
- Purple
- Gray
- Blue
- Black



DIOR bag

540€ **518€**



Gucci bag

1230€ **1119€**



Luis Vuitton bag

870€ **774€**



Dolce&gabbana bag

1560€ **1404€**

Stranica shop na kojoj se ispisuju svi proizvodi, sa mogucnoscu filtriranja, sortiranja i pretrage po imenu

Filters:

Brand

- Gucci
- Luis vuitton
- Dior
- Dolce&gabbana
- Nike
- Adidas

Color

- Green
- Yellow
- Brown
- Purple
- Gray
- Blue
- Black

Category

- Man
- Woman
- Kids
- Unisex

Sort by

Select sort type



Luis Vuitton bag

700€ **651€**

Save 49€

Free shipping

Add to cart

Filtriranje, sortiranje i pretraga po imenu za proizvode.

Your cart

	Louis Vuitton bag	Price per piece: 870 €	- 1 +	Remove item
	Dolce&Gabbana bag	Price per piece: 1560 €	- 1 +	Remove item
	Louis Vuitton bag	Price per piece: 700 €	- 1 +	Remove item

Total price: 3130 €

[Checkout](#) [Empty the cart](#)

Korpa u vidu modala, omogucava povecavanj i smanjenje kolicine proizvoda, brisanje pojedinacno ili svih proizvoda, kao i kupovina proizvoda, koja se unosi u bazu i prikazuje na admin panelu.

You have successfully placed an order, one of the employees will contact you soon

Prikaz uspesne kupovine.

FILL IN THE FORM INFORMATION

Name and surname

Enter your e-mail

Enter your address and number


Enter your Phone

Physical person
 Company

Your Message Here...

remaining letters:
20

SUBMIT



Na stranici kontakt se nalazi kontakt forma, sa klijentskom i serverskom proverom, podaci se salju putem ajaxa i posle provere se upisuju u bazu.

FILL IN THE FORM INFORMATION

The first and last name must start with a capital letter and contain at least three characters, example:
Aleksandar Kandic

Email must be in the format: user@gmail.com

The address must be in the format:
Oxford Street 32B

The phone number must be in the format::
+381658255131 or 0658255131

Physical person
 Company

Select a status

Your Message Here...

remaining letters:
20

Belgrade

View larger map

Directions

Use ⌘ + scroll to zoom the map

Ispis gresaka ukoliko do njih dodje.

Baggage
ONLINE STORE


[HELLO Administrator!](#) [Logout](#)

[HOME](#) [SHOP](#) [CONTACT](#) [AUTHOR](#) [ADMIN PANEL](#) [SURVEY](#)

Do you like our site ?

- Yes
- No

Na stranici anketa se nalazi anketa, koju unosi administrator, korisnik moze samo jednom da odgovori na jednu anketu.



Do you like our site ?

- Yes
- No

Poruka ukoliko ste vec odgovarali na anketu.

ADMIN PANEL

Administrator

Products:							Discount	Price		
ID	Image	Label	Brand	Category	Color	Description				
200		DIOR bag	Dior	Woman	Brown	New for the Cruise 2024 collection, the Miss Dior Top Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a D.I.O.R. charm, revealing two compartments and a zipp	4 %	540 €	<button>Remove</button>	<button>Change</button>
201		Gucci bag	Gucci	Woman	Brown	New for the Cruise 2024 collection, the Miss Gucci Top Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a Gucci. charm, revealing two compartments and a zipp	9 %	1230 €	<button>Remove</button>	<button>Change</button>
202		Luis Vuitton bag	Luis vuitton	Woman	Purple	New for the Cruise 2024 collection, the Miss Luis Vuitton Top Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a Luis Vuitton. charm, revealing two compartments	11 %	870 €	<button>Remove</button>	<button>Change</button>
203		Dolce&gabbana bag	Dolce&gabbana	Woman	Blue	New for the Cruise 2024 collection, the Miss Dolce&gabbanaTop Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a Dolce&gabbana. charm, revealing two compartments	10 %	1560 €	<button>Remove</button>	<button>Change</button>
204		Nike bag	Nike	Kids	Blue	New for the Cruise 2024 collection, the Miss Nike Top Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a NIKE. charm, revealing two compartments and a zipp	0 %	520 €	<button>Remove</button>	<button>Change</button>

Stranica admin panel, na kojoj se nalazi kompletan CRUD za proizvode, anketu, navigaciju, boje, kategorije, brendove, promocije, galeriju, poruke, korisnike, newsletter i poruke.

ADMIN PANEL

Administrator

Insert new product

Products	Label for product:
Survey	Product label
Answers to surveys	
Messages	Select brand:
Orders	Select brand
Newsletter	Select category:
Manage navigation	Select category
Manage colors	Select promotion:
Manage categories	Select promotion
Manage brands	Select color:
Manage promotions	Select color
Gallery	Insert price of product:
Users	Product price
	Insert discount for product:
	Product discount
	Select image for product:
	<input type="file"/> Choose file No file chosen
	Product description:

Dodavanje novog proizvoda, slican je izgled i za dodavanje ostalih kategorija.

ADMIN PANEL

Administrator ▾

Products
Survey
Answers to surveys
Messages
Orders
Newsletter
Manage navigation
Manage colors
Manage categories
Manage brands
Manage promotions
Galerij
Users

Insert new product

Label for product:
Product label

Name is required!

Select brand:
Select brand

Brand is required!

Select category:
Select category


Brand is required!

Select promotion:
Select promotion

Promotion is required!

Select color:
Select color

Color is required!



Ispis gresaka ukoliko do njih dodje.

ADMIN PANEL

Administrator ▾

Products
Survey
Answers to surveys
Messages
Orders
Newsletter
Manage navigation
Manage colors
Manage categories
Manage brands
Manage promotions
Galerij
Users

Update product

Label for product:
DIOR bag

Select brand:
Dior

Select category:
Woman

Select promotion:
Sale


Select color:
Brown

Insert price of product:
540

Insert discount for product:
4

Select image for product:
 No file chosen

Product description:
New for the Cruise 2024 collection, the Miss Dior Top Handle bag presents an elegant and functional design. The bag is crafted in black lambskin with Cannage stitching and features a flap enhanced by a



Stranica za izmenu proizvoda, takodje postoji ispis gresaka kao na slici iznad.

ADMIN PANEL

- Products
- Survey
- Answers to surveys
- Messages
- Orders
- Newsletter
- Manage navigation
- Manage colors
- Manage categories
- Manage brands
- Manage promotions
- Gallery
- Users

Current survey:

[Add new survey](#)

Do you like our site ?

Yes	Remove	Change
No	Remove	Change

[Remove survey](#) [Add more answers](#)

© Baggage, All Right Reserved.

Stranicu za CRUD za anketu, sa mogucnoscu brisanja, dodavanja i izmene ankete, kao i dodavanje brisanje i izmenu pojedinacnih odgovora.

Dodavanje i izmena anketa su identicni kao za proizvod, odnosno kao i za ostale kategorije.

ADMIN PANEL

- Products
- Survey
- Answers to surveys
- Messages
- Orders
- Newsletter
- Manage navigation
- Manage colors
- Manage categories
- Manage brands
- Manage promotions
- Gallery
- Users

Insert more pools:

Answers:

maybe

Enter answer

[Add another answer for survey](#)

[Update survey](#)

© Baggage, All Right Reserved.

Dodavanje novog odgovora na postojeću anketu, može se dodati proizvoljan broj odgovora.

ADMIN PANEL

- Products
- Survey
- Answers to surveys
- Messages
- Orders
- Newsletter
- Manage navigation
- Manage colors
- Manage categories

Messages:

#	Name and lastname	Mail	Phone	Type	Message	Adress
1	Aleksandar Kandić	aleksa_kandic@yahoo.com	0658255131	Physical person	Pozdrav	Gavrila principa 2B

[Remove](#)

© Baggage, All Right Reserved.

Stranica za poruke iz kontakt forme sa mogucnoscu brisanja poruka.

ADMIN PANEL

Products

Survey

Answers to surveys

Messages

Orders

Newsletter

Manage navigation

Manage colors

Manage categories

Manage brands

Manage promotions

Gallery

Users

Orders:								
#	Product name	Id product	User	Quantity	Price per piece	Total price	Date	
1	Dolce&gabbana bag	203	administrator@gmail.com	1	1560€	1560€	1900-01-01 00:00:00	<button>Remove</button>
2	Dolce&gabbana bag	203	administrator@gmail.com	1	1560€	1560€	1900-01-01 00:00:00	<button>Remove</button>
3	Dolce&gabbana bag	203	administrator@gmail.com	2	1560€	3120€	1900-01-01 00:00:00	<button>Remove</button>
4	Luis Vuitton bag	207	administrator@gmail.com	1	700€	700€	1900-01-01 00:00:00	<button>Remove</button>
5	Dolce&gabbana bag	203	administrator@gmail.com	1	1560€	1560€	1900-01-01 00:00:00	<button>Remove</button>

© Baggage, All Right Reserved.

Stranica za narudzbine sa mogucnoscu brisanja narudzbina.

ADMIN PANEL

Products

Survey

Answers to surveys

Messages

Orders

Newsletter

Manage navigation

Manage colors

Manage categories

Manage brands

Subscribed to the newsletter:				
#	Name	Lastname	Mail	
1	Administrator	Administrator	aleksa_kandic@yahoo.com	<button>Remove</button>

© Baggage, All Right Reserved.

Stranica newsletter za prikaz projavljenih korisnika, sa mogucnoscu brisanja.

ADMIN PANEL

Products

Survey

Answers to surveys

Messages

Orders

Newsletter

Manage navigation

Manage colors

Manage categories

Manage brands

Manage promotions

Gallery

Users

Navigation:				
Add new link				
#	Text	Href	Remove	Change
1	Home	index.php	<button>Remove</button>	<button>Change</button>
2	Shop	shop.php	<button>Remove</button>	<button>Change</button>
3	Contact	contact.php	<button>Remove</button>	<button>Change</button>
4	Author	author.php	<button>Remove</button>	<button>Change</button>
5	Admin panel	admin.php	<button>Remove</button>	<button>Change</button>
6	Survey	anketa.php	<button>Remove</button>	<button>Change</button>

© Baggage, All Right Reserved.

Stranice za CRUD za navigaciju, boje, kategorije, brendove, promocije su identicne, kao i unos njih i izmena.

ADMIN PANEL

Administrator

#	Image	Name	Remove	Change
1		Dior bag	<button>Remove</button>	<button>Change</button>
2		Dolce&gabbana bag	<button>Remove</button>	<button>Change</button>
3		Luis Vuitton bag	<button>Remove</button>	<button>Change</button>
4		Dior bag	<button>Remove</button>	<button>Change</button>

Stranica za galeriju, sa kompletnim CRUD-om.

ADMIN PANEL

Administrator

Users:					
ID	Email	Name	Surname	Status	
6	aleksa@gmail.com	Aleksasndar	Kandic	Active	<button>Block</button>
7	pera@gmail.com	Aleksandar	Kandic	Active	<button>Block</button>
9	nikola@gmail.com	Nikola	Nikolic	Blocked	<button>Unblock</button>
10	aleksa_kandic@yahoo.com	Aleksa	Kandic	Active	<button>Block</button>
11	mikica@gmail.com	Mikica	Mikica	Active	<button>Block</button>
12	mike@gmail.com	Mile	Mile	Blocked	<button>Unblock</button>
14	gamagaja@gmail.com	Gaja	Gajic	Active	<button>Block</button>
15	mile@gmail.com	Mile	Mile	Active	<button>Block</button>

© Baggage, All Right Reserved.

Stranica za korisnike, sa mogucnoscu blokiranja i odblokiranja korisnika.

Kodovi

CSS

```
html,
body {
    margin: 0;
    font-size: 100%;
    background: #fff;
    font-family: 'Hind', sans-serif;
    scroll-behavior: smooth;
}

body a {
```

```
text-decoration: none;
transition: 0.5s all;
-webkit-transition: 0.5s all;
-moz-transition: 0.5s all;
-o-transition: 0.5s all;
-ms-transition: 0.5s all;
}

a:hover {
    text-decoration: none;
}

input[type="button"],
input[type="submit"],
input[type="text"],
input[type="email"],
input[type="search"] {
    transition: 0.5s all;
    -webkit-transition: 0.5s all;
    -moz-transition: 0.5s all;
    -o-transition: 0.5s all;
    -ms-transition: 0.5s all;
    font-family: 'Hind', sans-serif;
}

h1,
h2,
h3,
h4,
h5,
h6 {
    margin: 0;
    letter-spacing: 1px;
    font-family: 'Hind', sans-serif;
}

p {
    font-size: 0.9em;
    color: #777;
    line-height: 1.9em;
    letter-spacing: 1px;
    margin-bottom: 0;
}

ul {
    margin: 0;
    padding: 0;
}

.breadcrumb,
```

```
ol {
  margin-bottom: 0 !important;
}

/* header */
/*-- header --*/
.forms {
  margin-top: 1.4em;
}

.top-w3pvt {
  border-bottom: 1px solid #8bb4df;
  padding-bottom: 0.5em;
}

.nav-top-wthree {
  margin: 1em 0;
}
#navg{
  width: 55% !important;
}

header a.btn {
  border-radius: 4px;
  color: #4d6171;
  letter-spacing: 1px;
  border: none;
  outline: none;
}

header a.btn span {
  color: #fff;
}

.search-form {
  width: 100%;
}

form.newsletter {
  background: #fff;
  padding: 0.3em;
  display: flex;
}

header .search {
  outline: none;
  padding: 6px 20px;
  font-size: 14px;
  color: #000;
  width: 85%;
  background: transparent;
```

```
text-transform: capitalize;
border: none;
letter-spacing: 2px;
float: left;
}

header button.btn {
    color: #fff;
    border: none;
    padding: 7px 0px;
    text-transform: uppercase;
    text-decoration: none;
    background: transparent;
    -webkit-transition: 0.5s all;
    -moz-transition: 0.5s all;
    -o-transition: 0.5s all;
    -ms-transition: 0.5s all;
    transition: 0.5s all;
    float: right;
    cursor: pointer;
    width: 15%;
    font-size: 14px;
    text-align: center;
    background: #ec1c24;
}

.toggle,
[id^=drop] {
    display: none;
}

/* Giving a background-color to the nav container. */
nav {
    margin: 0;
    padding: 0;
    margin-top: 10px;
    float: left;
}

#logo a {
    float: left;
    font-size: .8em;
    display: initial;
    margin: 0;
    letter-spacing: 0px;
    color: #333;
    font-weight: 300;
    padding: 3px 0;
    border: none;
}
```

```

#logo a span {
  color: #fff;
  font-size: 1.4em;
  font-weight: 700;
  text-shadow: 3px 1px 3px rgba(19, 18, 18, 0.19);
}

.sub-des {
  text-transform: uppercase;
  display: block;
  font-size: 0.3em;
  margin: 0;
  color: #5b7a9a;
  letter-spacing: 4px;
  font-weight: 600;
  text-shadow: 3px 1px 3px rgba(78, 73, 73, 0.21);
}

/* Since we'll have the "ul li" "float:left"
 * we need to add a clear after the container. */

nav:after {
  content: "";
  display: table;
  clear: both;
}

/* Removing padding, margin and "list-style" from the "ul",
 * and adding "position:reltive" */
nav ul {
  padding: 0;
  margin: 0;
  list-style: none;
  position: relative;
}

/* Positioning the navigation items inline */
nav ul li {
  margin: 0px;
  display: inline-block;
}

/* Styling the links */
nav a {
  letter-spacing: 2px;
  padding-left: 0;
  padding-right: 0;
  padding: 10px 0;
  font-weight: 400;
  font-size: 0.9em;
}

```

```

margin: 0 1em;
color: #515152;
text-transform: uppercase;
}

nav ul li ul li:hover {
background: #f8f9fa;
}

/* Background color change on Hover */
nav a:hover {
color: #ec1c24;
}

.menu li.active a {

color: #ec1c24;
font-weight: 600;
}

/* Hide Dropdowns by Default
* and giving it a position of absolute */
nav ul ul {
display: none;
position: absolute;
top: 30px;
background: #fff;
padding: 10px;
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
-webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
}

/* Display Dropdowns on Hover */
nav ul li:hover > ul {
display: inherit;
}

/* First Tier Dropdown */
nav ul ul li {
width: 200px;
float: none;
display: list-item;
position: relative;
}

nav ul ul li a {
color: #333;
padding: 5px 10px;
display: block;
}

```

```

}

ul.menu li span {
  color: #fff;
}

/* Second, Third and more Tiers
 * We move the 2nd and 3rd etc tier dropdowns to the left
 * by the amount of the width of the first tier.
*/
nav ul ul ul li {
  position: relative;
  top: -60px;
  /* has to be the same number as the "width" of "nav ul ul li" */
  left: 170px;
}

/* Change '+' in order to change the Dropdown symbol */
li > a:only-child:after {
  content: "+";
}

/* Media Queries
----- */

@media all and (max-width : 992px) {
  .foot{
    flex-direction: column !important;
  }
  .naziv{
    text-align: center;
  }
  .cene{
    text-align: center;
  }
  .row3{
    flex-direction: column !important;
    height: fit-content !important;
    padding: 20px;
  }
  #modalCart{
    width: 90% !important;
    left: 5% !important;
  }
  .obrisi{
    margin-top: 20px;
  }
  .kup{
    flex-direction: column !important;
  }
}

```

```
.menu li.active a {
    color: #3369e7;
}

nav {
    margin: 0;
}

nav a {
    color: #333;
}

/* Hide the navigation menu by default */
/* Also hide the  */
.toggle + a,
.menu {
    display: none;
}

/* Styling the toggle label */
.toggle {
    display: inline-block;
    padding: 9px 15px;
    font-size: 20px;
    text-decoration: none;
    border: none;
    float: none;
    background-color: rgba(22, 21, 21, 0.43137254901960786);
    color: #fff;
    margin-bottom: 0;
    cursor: pointer !important;
}

.menu .toggle {
    float: none;
    text-align: center;
    margin: auto;
    width: 90%;
    padding: 5px;
    font-weight: normal;
    font-size: 15px;
    letter-spacing: 1px;
}

.toggle:hover {
    color: #fff;
    background-color: #3369e7;
}

.nav-top-w3pvt {
    margin: 1em 0;
```

```

        position: absolute;
        width: 71%;
    }

/* Display Dropdown when clicked on Parent Lable */
[id^=drop]:checked + ul {
    display: block;
    background: #fff;
    padding: 15px 0;
    width: 100%;
    text-align: center;
    border: 1px solid #ddd;
}

/* Change menu item's width to 100% */
nav ul li {
    display: block;
    width: 100%;
    padding: 7px 0;
}

nav a {
    padding: 5px 0;
}

nav a:hover {
    color: #3369e7;
}

.login-icon {
    text-align: center;
}

nav ul ul .toggle,
nav ul ul a {
    padding: 0 40px;
}

nav ul ul ul a {
    padding: 0 80px;
}

nav a:hover,
nav ul ul ul a {
    background-color: transparent;
}

nav ul li ul li .toggle,
nav ul ul a,
nav ul ul ul a {
    padding: 14px 20px;
}

```

```

        color: #FFF;
        font-size: 17px;
    }

nav ul li ul li .toggle,
nav ul ul a {
    background-color: #fff;
}

nav ul li a {
    font-size: 15px;
}

ul.inner-ul {
    padding: 0 !important;
}

/* Hide Dropdowns by Default */
nav ul ul {
    float: none;
    position: static;
    color: #fffff;
    /* has to be the same number as the "line-height" of "nav a" */
}

/* Hide menus on hover */
nav ul ul li:hover > ul,
nav ul li:hover > ul {
    display: none;
}

/* First Tier Dropdown */
nav ul ul li {
    display: block;
    width: 100%;
    padding: 0;
}

nav ul ul ul li {
    position: static;
    /* has to be the same number as the "width" of "nav ul ul li" */

}

nav {
    margin: 0;
    padding: 0;
    margin-top: 0;
    float: left;
    width: 48%;
}

```

```
position: absolute;
z-index: 99;
}

}

@media all and (max-width : 330px) {

nav ul li {
    display: block;
    width: 94%;
}

.user span.fa {
    font-size: 25px;
    color: #fff;
}

/*-- //header --*/

/*--banner--*/
.main-sec {
    background: #74d2e7;
    position: relative;

}

.main-sec.inner-page {
    background: #74d2e7;
    min-height: 10em;
    position: relative;
}

.banner-left-info {
    margin-top: 14em;
}

.banner-wthree-info h3 {
    font-size: 2.5em;
    text-transform: uppercase;
    color: #333;
    margin-bottom: 0.7em;

}

.banner-wthree-info h3 span {
    color: #fff;
}
```

```

.btn.shop {
    background: #ec1c24;
    -moz-transition: all 0.25s ease;
    -o-transition: all 0.25s ease;
    -webkit-transition: all 0.25s ease;
    transition: all 0.25s ease;
    color: #fff;
    padding: 0.6em 2.5em;
    text-transform: uppercase;
    font-size: 0.9em;
    letter-spacing: 2px;
    font-weight: 600;
    -moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
}

/*--//banner--*/

/*--about--*/
.ab-content-img {
    background: url(..../images/banner1.jpg) no-repeat center;
    background-size: cover;
    -webkit-background-size: cover;
    -o-background-size: cover;
    -moz-background-size: cover;
    -ms-background-size: cover;
    min-height: 27em;
}

.title-wthree,
.title-wthree.two {
    font-size: 2.5em;
    text-transform: uppercase;
    color: #333;
    margin-bottom: 0.7em;
    font-weight: 600;
}

.title-wthree.two {
    color: #fff;
}

.ab-content h4 {
    font-size: 1.2em;
    color: #4c4d4e;
    margin: 2em 0 1em 0;
    text-transform: uppercase;
    font-weight: 600;
}

```

```
.ab-info-con {  
    padding: 0 0.5em;  
}  
  
.ab-info-con.ab-inf-page h4 {  
    font-size: 1.4em;  
    color: #4c4d4e;  
    margin: 0em 0 1.2em 0;  
    text-transform: uppercase;  
    font-weight: 600;  
}  
  
.ab-info-con.ab-inf-page {  
    margin-top: 7em;  
}  
  
/*--//about--*/  
/*--blogs--*/  
  
/*--//blogs--*/  
/*--/mid--*/  
.bottom-w3pvt-left {  
    position: relative;  
}  
  
h4.text-wthree {  
    font-size: 2em;  
    color: #fff;  
    font-weight: 300;  
}  
  
.pos-wthree {  
    position: absolute;  
    bottom: 20%;  
    left: 10%;  
}  
  
.pos-w3pvt {  
    right: 10%;  
    position: absolute;  
    bottom: 20%;  
}  
  
h4.text-w3pvt {  
    font-size: 2em;  
    color: #fff;  
    font-weight: 300;  
}  
  
/*--//mid--*/
```

```
/*--/collection--*/  
  
/*--//collection--*/  
/* gallery page */  
.gal-img img,  
.popup img {  
    width: 100%;  
}  
  
/* popup */  
.popup-effect {  
    position: fixed;  
    top: 0;  
    bottom: 0;  
    left: 0;  
    right: 0;  
    background: rgba(0, 0, 0, 0.7);  
    transition: opacity 0ms;  
    visibility: hidden;  
    opacity: 0;  
    z-index: 99;  
}  
  
.popup-effect:target {  
    visibility: visible;  
    opacity: 1;  
}  
  
.popup {  
    background: #fff;  
    border-radius: 4px;  
    max-width: 430px;  
    position: relative;  
    margin: 8em auto;  
    padding: 3em 2em;  
    z-index: 999;  
    text-align: center;  
}  
  
.popup .close {  
    position: absolute;  
    top: 5px;  
    right: 15px;  
    transition: all 200ms;  
    font-size: 30px;  
    font-weight: bold;  
    text-decoration: none;  
    color: #000;  
}
```

```

/* //popup */
/* //gallery page */
/*--shipping-grids--*/
.shiopping-w3pvt-gd {
    background: #080808;
    padding: 2em;
}

.shiopping-w3pvt-gd.sec {
    background: #333;
}

.shiopping-w3pvt-gd:hover {
    background: #74d2e7;
    -moz-transition: all 0.25s ease;
    -o-transition: all 0.25s ease;
    -webkit-transition: all 0.25s ease;
    transition: all 0.25s ease;
}

.shiopping-w3pvt-gd h3 {
    font-size: 1.2em;
    color: #fff;
    margin: 0.5em 0;
    text-transform: uppercase;
    font-weight: 600;
}

.icon-gd span {
    font-size: 2em;
    text-align: center;
    color: #ec1c24;
    margin-bottom: 0.3em;
}

/*--shipping-grids--*/
/*--newsletter--*/
.newsletter-w3pvt,
.collections {
    background: #f7f7f7;
}

.newsletter-w3pvt form {
    margin: 0 auto;
    width: 60%;
}

.newsletter-w3pvt p {
    font-size: 1.2em;
}

```

```

margin-bottom: 2em;
color: #777;
font-weight: 600;
}

.subscribe-sec input {

padding: 0.85em 1em;
color: #495057;
border-radius: 0.25rem;
font-size: 0.9em;
border: none;
outline: none;
letter-spacing: 2px;
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
-webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
-webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
}
}

.btn.submit {

background: #74d2e7;
-moz-transition: all 0.25s ease;
-o-transition: all 0.25s ease;
-webkit-transition: all 0.25s ease;
transition: all 0.25s ease;
color: #fff;
padding: 0.8em 3em;
text-transform: uppercase;
font-size: 0.9em;
letter-spacing: 2px;
font-weight: 600;
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
-webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
}
}

.btn.submit:hover,
.btn.shop:hover {
opacity: 0.9;
}

/*--//newsletter--*/

.content-grid {
max-width: 500px;
margin: 6em auto;
}

```

```
ul.links-unordered-list li.active a {  
    background: rgba(255, 255, 255, 0.05);  
    padding: 5px 20px;  
    color: #fff;  
}  
  
.icon span.fa {  
    font-size: 3em;  
    color: #555;  
}  
  
.icon {  
    margin-bottom: 3em;  
}  
  
.content-bottom {  
    padding: 0em 4em;  
    margin: 0 1em;  
    position: relative;  
    z-index: 1;  
}  
  
.logo h1 a {  
    font-size: 25px;  
    color: #fff;  
    text-transform: capitalize;  
    font-weight: 600;  
    letter-spacing: 1px;  
}  
  
.content-grid ul li {  
    display: inline-block;  
}  
  
li.switch-slide {  
    float: left;  
}  
  
ul.list-login li:nth-child(2) {  
    float: right;  
}  
  
ul.list-login-bottom li:nth-child(2) {  
    float: right;  
}  
  
.field-group label {  
    font-size: 15px;  
}  
  
.check {
```

```
margin: .5em 0;
}

.checkbox input,
.radio input {
  position: absolute;
  left: -9999px;
}

.checkbox i {
  position: absolute;
  bottom: 5px;
  left: 2px;
  display: block;
  width: 14px;
  height: 14px;
  outline: none;
  border: none;
  background: #fff;
}

.check label {
  margin: 0;
  font-size: 1em;
  text-transform: capitalize;
  color: #fff;
  letter-spacing: 1px;
  font-weight: 300;
}

.checkbox {
  position: relative;
  padding-left: 28px !important;
  cursor: pointer;
}

.checkbox input:checked + i:after,
.radio input:checked + i:after {
  opacity: 1;
}

.checkbox input + i:after,
.radio input + i:after {
  position: absolute;
  opacity: 0;
  transition: opacity 0.1s;
  -o-transition: opacity 0.1s;
  -ms-transition: opacity 0.1s;
  -moz-transition: opacity 0.1s;
  -webkit-transition: opacity 0.1s;
```

```
}
```

```
/*////////////////// FORM STYLES //////////////////*/
```

```
ul.list-login {
```

```
    margin-top: 1.5em;
```

```
    margin-bottom: 1em;
```

```
}
```



```
.content-input-field button.btn {
```

```
    background: #ec1c24;
```

```
    border: none;
```

```
    color: #fff;
```

```
    padding: 15px 15px;
```

```
    text-transform: uppercase;
```

```
    font-size: 16px;
```

```
    width: 100%;
```

```
    margin-top: 10px;
```

```
    letter-spacing: 2px;
```

```
    cursor: pointer;
```

```
    transition: 0.5s all;
```

```
    -webkit-transition: 0.5s all;
```

```
    -moz-transition: 0.5s all;
```

```
    -o-transition: 0.5s all;
```

```
    -ms-transition: 0.5s all;
```

```
    border-radius: 0px;
```

```
}
```



```
.bottom-grid,
```

```
.bottom-grid1 {
```

```
    display: flex;
```

```
    display: -webkit-box;
```

```
    display: -moz-box;
```

```
    display: -ms-flexbox;
```

```
    display: -webkit-flex;
```

```
    justify-content: space-between;
```

```
    margin: 0em 10em;
```

```
}
```



```
ul.links-unordered-list li {
```

```
    display: inline-block;
```

```
    margin-right: 10px;
```

```
}
```



```
ul.links-unordered-list li a {
```

```
    font-size: 16px;
```

```
    color: #ccc;
```

```
    font-weight: normal;
```

```
    letter-spacing: 1px;
```

```
    padding: 0 5px;
```

```
    text-transform: capitalize;
```

```
}

.content-input-field input {
    font-size: 16px;
    font-weight: 300;
    color: #888;
    letter-spacing: 1px;
    border: none;
    box-sizing: border-box;
    width: 100%;
    outline: none;
    background: rgba(0, 123, 255, 0.06);
    margin-bottom: 20px;
    padding: 15px 20px;
    border-radius: 0px;
}

::webkit-input-placeholder {
    /* Chrome/Opera/Safari */
    color: #888;
}

::moz-placeholder {
    /* Firefox 19+ */
    color: #888;
}

::ms-input-placeholder {
    /* IE 10+ */
    color: #888;
}

::moz-placeholder {
    /* Firefox 18- */
    color: #888;
}

/* switch */

label.switch {
    position: relative;
    display: inline-block;
    height: 18px;
    padding-left: 3em;
    cursor: pointer;
    color: #ccc;
    font-weight: 300;
}

.content-bottom li:nth-child(2) a,
label.switch {
```

```
font-size: 15px;
letter-spacing: 1px;
font-weight: 300;
color: #999 !important;
text-transform: capitalize;
}

ul.list-login-bottom li:nth-child(1) a,
ul.list-login-bottom li:nth-child(2) a,
.list-login-bottom a {
    font-size: 12px;
    letter-spacing: 2px;
    font-weight: normal;
    text-transform: uppercase;
    color: #333;
}

.content-bottom li:nth-child(2) a,
.content-bottom li:nth-child(1) a {
    color: #333;
}

.switch input {
    display: none;
}

.slider {
    position: absolute;
    cursor: pointer;
    top: 2px;
    left: 0;
    right: 0;
    bottom: 0;
    width: 21%;
    background-color: #cfcd7d9;
    -webkit-transition: .4s;
    transition: .4s;
}

.slider:before {
    position: absolute;
    content: "";
    height: 10px;
    width: 10px;
    left: 4px;
    bottom: 3px;
    background-color: #555;
    -webkit-transition: .4s;
    transition: .4s;
}
```

```
input:checked + .slider {  
    background-color: #cf7d9;  
}  
  
input:focus + .slider {  
    box-shadow: 0 0 1px #555;  
}  
  
input:checked + .slider:before {  
    -webkit-transform: translateX(14px);  
    -ms-transform: translateX(14px);  
    transform: translateX(14px);  
}  
  
/* Rounded sliders */  
  
.slider.round {  
    border-radius: 34px;  
}  
  
.slider.round:before {  
    border-radius: 50%;  
}  
  
/* //switch */  
/*--shop-page--*/  
.item-info-product h4 a {  
    color: #080808;  
    font-size: 15px;  
    letter-spacing: 1px;  
    text-transform: uppercase;  
    font-weight: 700;  
}  
  
span.money {  
    font-size: 1em;  
    font-weight: 800;  
    color: #ff4c4c;  
    letter-spacing: 2px;  
}  
  
ul.stars li {  
    display: inline-block;  
}  
  
ul.stars li a span {  
    font-size: 0.7em;  
    color: #6a6c6d;
```

```
margin: 0 0.2em;
}

ul.stars li a span:hover {
    opacity: 0.8;
}

.product_price {
    margin: 1em 0 0 0;
    padding: 1em 0 0 0;
    border-top: 1px solid #ddd;
}

.product-shoe-info {
    background: #f7f7f7;
    padding: 1em;
}

.item-info-product {
    padding: 1em 0 1em 0;
}

span.line {
    text-decoration: line-through;
    color: #999;
    font-weight: 300;
}

.men-thumb-item {
    padding: 1em;
}

ul.pagination li a {
    color: #555;
}

/*--single--*/
h3.shop-sing {
    text-transform: uppercase;
    font-size: 1.2em;
    letter-spacing: 2px;
    margin: 1.5em 0 2em 0;
    color: #323a40;
}

p.italic-blue {
    font-style: italic;
    color: #89bff3;
    font-weight: 500;
}
```

```
.available span a {  
    margin: 4% 0;  
    display: block;  
    color: #555555;  
    font-size: 0.8725em;  
    text-transform: uppercase;  
    text-shadow: 0 1px 0 #ffffff;  
    text-decoration: underline;  
}  
  
.desc1-right h3 {  
    text-shadow: 0 1px 0 #ffffff;  
    color: #1e272e;  
    font-size: 1.1em;  
    margin-bottom: 15px;  
}  
  
.desc1-right h5 {  
    font-size: 1.3em;  
    color: #62676b;  
    line-height: 1.5em;  
    -webkit-text-stroke: 0.2px;  
    font-weight: 400;  
}  
  
.desc1-right h5 a {  
    margin-left: 5px;  
    color: #555555;  
    text-transform: capitalize;  
    font-size: 14px;  
    -webkit-text-stroke: 0px;  
    letter-spacing: 0px;  
}  
  
.share h4 {  
    font-size: 0.9em;  
    color: #555555;  
    margin-bottom: 10px;  
    text-transform: uppercase;  
    text-shadow: 0 1px 0 #ffffff;  
    font-weight: 400;  
}  
  
h3.title-wthree-single {  
    font-size: 1.8em;  
    text-transform: uppercase;  
    color: #333;  
    margin-bottom: 0.7em;  
    font-weight: 600;  
}
```

```
.desc1-right h5 span {
    text-decoration: line-through;
}

.newsletter-w3pvt p.get-inf {
    font-weight: 300;
    font-size: 1em;
}

/*--//single--*/
/*--//shop-page--*/
/*--//contact--*/
.contact_right,
.contact_left {
    border: 2px solid #f7f7f7;
}

.contact_left iframe {
    width: 100%;
    outline: none;
    border: none;
    height: 100%;
}

.information-wthree h4 {
    font-size: 1.2em;
    font-weight: 600;
    letter-spacing: 1px;
    color: #333;
}

.information-wthree label {
    font-size: 1.2em;
    color: #ec1c24;
    margin-bottom: 0;
    margin-top: 1em;
}

textarea {
    min-height: 120px;
    resize: none;
    font-size: 16px;
    font-weight: 300;
    color: #888;
    letter-spacing: 1px;
    border: none;
    box-sizing: border-box;
    width: 100%;
    outline: none;
    background: rgba(0, 123, 255, 0.06);
    padding: 15px 20px;
```

```
border-radius: 0px;
}

p.cont-wthree-para a {
    font-size: 1.1em;
    color: #ec1c24;
    line-height: 3em;
}

/*--//contact--*/
/* footer */
/* footer logo */
.footer_wthree_gridf h2 a {
    display: inline-block;
    font-weight: 300;
    font-size: 1em;
    letter-spacing: 1px;
    color: #333;
    text-shadow: 2px 5px 3px rgba(0, 0, 0, 0.06);
    padding: 0;
}

.footer_wthree_gridf h2 a span {
    font-weight: 700;
    color: #74d2e7;
    font-size: 1.4em;
}

.sub-des2 {
    text-transform: uppercase;
    display: block;
    font-size: 0.7em;
    margin: 0;
    color: #999;
    letter-spacing: 7px;
    font-weight: 600;
    text-shadow: 3px 1px 3px rgba(78, 73, 73, 0.21);
}

/* //footer logo */
.cpy-right {
    background: #eff1f1;
}

/* footer navigation */
.footer_wthree_gridf_list{
    display: flex;
    justify-content: space-between;
    flex-direction: row;
}
.footer_wthree_gridf_list li {
```

```
list-style: none;
margin-right: 20px;
}

.footer_wthree_gridf_list li span.fa {
  color: #ee4f4f;
  padding-right: 1em;
}

.footer_wthree_gridf_list li a {
  color: #555;
  text-decoration: none;
  text-transform: uppercase;
  letter-spacing: 1px;
  font-size: 0.75em;
  display: block;
  font-weight: 600;
  margin: 1.8em 0;
}

.footer_wthree_gridf_list li a:hover {
  color: #EA4335;
}

.footer_wthree_gridf_list li:last-child {
  margin-bottom: 0;
}

.addressf-agileits-wthree p span.fa {
  margin-right: .2em;
  color: #ee4f4f;
  display: inline-block;
  text-align: center;
  font-size: 3em;
  vertical-align: middle;
}

h3.sub-w3ls-headf {
  color: #3a3a3a;
  font-size: 1.5em;
  font-weight: 600;
  letter-spacing: 1.5px;
  margin-bottom: .7em;
  line-height: 30px;
  text-shadow: 0 1px 2px rgba(0, 0, 0, 0.29);
}

/* //footer navigation */
.move-top span {
  color: #212529;
```

```
text-align: center;
border: none;
line-height: 2em;
}

/* social icons */
.w3ls-fsocial-grid {
padding: 2em 0;
border-top: 1px solid #edeff1;
margin: 3em 0 0 0;
text-align: center;
border-bottom: 1px solid #edeff1;
}

.social-ficons ul {
padding: 0;
margin: 0;
}

.social-ficons ul li {
display: inline-block;
margin: 0 1em;
}

.social-ficons ul li a {
color: #333;
text-align: center;
font-size: 15px;
}

.social-ficons ul li a span.fa.fa-facebook {
height: 32px;
width: 32px;
line-height: 32px;
background: transparent;
margin-right: 4px;
color: #3b5998;
transition: 0.5s all;
-webkit-transition: 0.5s all;
-moz-transition: 0.5s all;
-o-transition: 0.5s all;
-ms-transition: 0.5s all;
}

.social-ficons ul li a:hover span.fa.fa-facebook {
height: 32px;
width: 32px;
line-height: 32px;
background: #3b5998;
color: #FFFFFF;
```

```
.social-ficons ul li a span.fa.fa-twitter {  
    height: 32px;  
    width: 32px;  
    line-height: 32px;  
    background: transparent;  
    margin-right: 4px;  
    color: #1da1f2;  
    transition: 0.5s all;  
    -webkit-transition: 0.5s all;  
    -moz-transition: 0.5s all;  
    -o-transition: 0.5s all;  
    -ms-transition: 0.5s all;  
}  
  
.social-ficons ul li a:hover span.fa.fa-twitter {  
    height: 32px;  
    width: 32px;  
    line-height: 32px;  
    background: #1da1f2;  
    color: #FFFFFF;  
}  
  
.social-ficons ul li a span.fa.fa-google {  
    height: 32px;  
    width: 32px;  
    line-height: 32px;  
    background: transparent;  
    margin-right: 4px;  
    color: #ea4335;  
    transition: 0.5s all;  
    -webkit-transition: 0.5s all;  
    -moz-transition: 0.5s all;  
    -o-transition: 0.5s all;  
    -ms-transition: 0.5s all;  
}  
  
.social-ficons ul li a:hover span.fa.fa-google {  
    height: 32px;  
    width: 32px;  
    line-height: 32px;  
    background: #ea4335;  
    color: #FFFFFF;  
}  
  
.cpy-right a {  
    color: #888;  
}  
  
/* //social icons */  
/* footer */
```

```
/*--//footer --*/
/*--responsive--*/

@media(max-width:1450px) {

    .title-wthree,
    .title-wthree.two {
        font-size: 2.3em;
    }

    h4.text-w3pvt,
    h4.text-wthree {
        font-size: 1.6em;
    }
}

@media(max-width:1366px) {

    .banner-left-info {
        margin-top: 12em;
    }

    .main-sec.inner-page {
        min-height: 16em;
    }
}

@media(max-width:1280px) {

    .banner-wthree-info h3 {
        font-size: 2.3em;
        margin-bottom: 0.7em;
    }

    .ab-content h4 {
        font-size: 1em;
        margin: 2em 0 1em 0;
    }
}

@media(max-width:1080px) {

    .newsletter-w3pvt form {
        margin: 0 auto;
        width: 90%;
    }
}

@media(max-width:1050px) {

    .social-ficons ul li {
        margin: 0 0.5em;
    }
}
```

```
@media(max-width:1024px) {}
```

```
@media(max-width:992px) {
```

```
.banner-left-info {
```

```
    margin: 3em 0;
```

```
}
```

```
.banner-img img {
```

```
    width: 70%;
```

```
}
```

```
.banner-wthree-info h3 {
```

```
    font-size: 2.5em;
```

```
    padding: 0 2em 0 0em;
```

```
}
```

```
.ab-content-img {
```

```
    min-height: 20em;
```

```
}
```

```
.bottom-w3pvt-left img {
```

```
    width: 100%;
```

```
}
```

```
.social-ficons ul li {
```

```
    margin: 0 0.3em;
```

```
}
```

```
.shop-info-grid {
```

```
    float: left;
```

```
    width: 50%;
```

```
}
```

```
}
```

```
@media(max-width:900px) {
```

```
.title-wthree,
```

```
.title-wthree.two {
```

```
    font-size: 2em;
```

```
}
```

```
h4.text-wthree {
```

```
    font-size: 1.6em;
```

```
}
```

```
}
```

```
@media(max-width:800px) {
```

```
.search-form {
```

```
    width: 40%;
```

```
    float: right;
```

```
}

.item-info-product h4 a {
    font-size: 12px;
}
}

@media(max-width:768px) {}

@media(max-width:767px) {
    .content-gd-wthree {
        margin: 2em 0;
    }

    .contact_left.p-4 {
        margin-top: 2em;
    }

    .newsletter-w3pvt p {
        font-size: 1em;
    }

    .subscribe-sec input {
        margin-bottom: 1em;
    }
}

@media(max-width:736px) {
    .banner-wthree-info h3 {
        font-size: 2.3em;
        padding: 0 2em 0 0em;
    }
}

@media(max-width:600px) {
    .banner-wthree-info h3 {
        font-size: 2em;
        padding: 0 2em 0 0em;
    }

    .title-wthree,
    .title-wthree.two {
        font-size: 1.8em;
    }

    .btn.shop {
        padding: 0.6em 2em;
    }

    .content-grid {
        max-width: 500px;
    }
}
```

```
margin: 3em auto;
}

nav a {
    font-size: 0.8em;
}

.content-bottom {
    padding: 0em 0em;
    margin: 0 1em;
}

.btn.shop {
    padding: 0.6em 1.5em;
    font-size: 0.8em;
}

.ab-content-img {
    min-height: 15em;
}
}

@media(max-width:568px) {
    .main-sec.inner-page {
        min-height: 13em;
    }
}

#logo a {
    float: left;
    font-size: .7em;
}

.shop-info-grid {
    float: left;
    width: 80%;
    margin: 0 auto;
}

.page-link {
    padding: 0.5rem 0.5rem;
    margin-left: -1px;
}

header .search {
    padding: 6px 10px;
    font-size: 12px;
    width: 85%;
}
}

@media(max-width:480px) {
```

```
.sub-des {
    font-size: 0.27em;
    letter-spacing: 4px;
}

header a.btn {
    font-size: 0.85em;
}
}

@media(max-width:440px) {
    .banner-wthree-info h3 {
        font-size: 1.8em;
        padding: 0 2em 0 0em;
    }

    .banner-left-info {
        margin: 2em 0 1.5em 0;
    }

    h4.text-w3pvt,
    h4.text-wthree {
        font-size: 1.2em;
    }
}

@media(max-width:414px) {

    .title-wthree,
    .title-wthree.two {
        font-size: 1.6em;
    }

    .banner-wthree-info h3 {
        font-size: 1.6em;
        padding: 0 2em 0 0em;
    }

    .search-form {
        width: 55%;
        float: right;
    }
}

@media(max-width:384px) {}

@media(max-width:375px) {}

@media(max-width:320px) {

    .title-wthree,
```

```
.title-wthree.two {  
    font-size: 1.4em;  
}  
  
.banner-wthree-info h3 {  
    font-size: 1.4em;  
    padding: 0 2em 0 0em;  
}  
}  
  
/*--//responsive--*/  
  
/*--MOJ CSS--*/  
  
#modalCart{  
    width: 60%;  
    height: fit-content;  
    background-color: rgb(236, 236, 236);  
    position: fixed;  
    top: 100px;  
    left: 20%;  
    height: 500px;  
    z-index: 100;  
    display: none;  
    box-shadow: 0 0 20px #8e8989;  
}  
#modalError{  
    width: 50%;  
    height: fit-content;  
    background-color: rgb(236, 236, 236);  
    position: fixed;  
    top: 100px;  
    left: 25%;  
    height: 150px;  
    z-index: 100;  
    display: none;  
    box-shadow: 0 0 20px #8e8989;  
}  
#modalMail{  
    width: 50%;  
    height: fit-content;  
    background-color: rgb(236, 236, 236);  
    position: fixed;  
    top: 100px;  
    left: 25%;  
    z-index: 100;  
    display: none;  
    box-shadow: 0 0 20px #8e8989;  
    font-size: 20px;  
    padding-bottom: 30px;
```

```
}

.row2{
    width: 100%;
    height: 50px;
    background-color: white;
    margin-left: 0px;
    display: flex !important;
    justify-content: space-between !important;
    align-items: center;
}

#closeModal{
    width: 60px;
    height: 100%;
    background-color: red;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
}

#closeModal2{
    width: 60px;
    height: 100%;
    background-color: red;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
}

#closeModal3{
    width: 60px;
    height: 100%;
    background-color: red;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
    float: right;
}

#closeModal4{
    width: 60px;
    height: 100%;
    background-color: red;
```

```
display: flex;
justify-content: center;
align-items: center;
color: white;
font-size: 25px;
cursor: pointer;
float: right;
}
.block{
    display: block !important;
}

#cart{
    cursor: pointer;
    display: flex;
    justify-content: center;
    align-items: start;
}
#cart>i{
    font-size: 40px;
}

#sort{
    width: 100%;
    margin: 0px auto;
    display: flex;
    flex-direction: column;
    margin-top: 70px !important;
}

.wid{
    width: 100%;
    display: flex;
    justify-content: center;
}

#fot{
    display: flex;
    justify-content: space-between;
    align-items: center;
}
#list{
    margin-top: 70px;
    font-size: 25px;
    flex-wrap: wrap;
}
#broj{
    position: relative;
    font-weight: 700;
    color: black;
    font-size: 15px;
}
```

```
}

#krug{
    position: relative;
    right: 5px;
    width: 25px;
    height: 25px;
    border-radius: 50%;
    background-color: yellow;
    display: flex;
    justify-content: center;
    align-items: center;
}

#krug>p{
    margin-top: 2px;
}

#plus{
    width: 30px;
    height: 30px;
    margin: 0px auto;
    background-color: red;
    cursor: pointer;
}

#poruka{
    margin: 0px auto;
}

.err{
    color: red !important;
}

.save{
    color: green;
}

.col{
    height: 100% !important;
}

.red{
    margin: 10px auto;
    width: 80%;

}

#izlaz{
    display: flex;
    flex-direction: row;
}

output{
    margin-left: 20px;
}

.cena{
    font-size: 15px;
    color: black;
    font-weight: 600;
}
```

```
#rangeValue{
    margin-top: 4px;
}
#range{
    margin-left: 15px;
}
.new{
    width: 100px;
    opacity: 0.7;
    color: white;
    font-weight: 600;
    position: absolute;
}
.dodatak{
    color: #767b94 !important;
    font-size: 20px !important;
    font-weight: 600;
    font-style: italic;
}
#opis{
    font-size: 18px !important;
}
.nas{
    min-height: 70px;
}
.blk{
    display: flex;
    justify-content: center;
}
.crvena{
    background-color: red;
}
.plava{
    background-color: rgb(110, 110, 255);
}
.zelena{
    background-color: rgb(110, 177, 10);
}
.red>h2{
    font-size: 20px;
}
.display-block{
    display: block;
}
.okvir-greska{
    background-color: rgb(255, 97, 97) !important;
}
.in{
    color: #000 !important;
    font-weight: 600;
}
```

```

.erir{
    margin-bottom: 10px;
    font-weight: 600;
}

input[type=radio] {
    border: 3px;
    width: 15px;
    height: 15px;
    accent-color: red !important;
}

#sel5{
    background-color: rgba(0, 123, 255, 0.06);
}

.okvir{
    border: 2px solid red;
    padding: 20px;
}

.okvirTA{
    border: 2px solid red;
}

#modalKontakt{
    width: 50%;
    height: fit-content;
    background-color: rgb(236, 236, 236);
    position: fixed;
    top: 100px;
    left: 25%;
    z-index: 100;
    display: none;
    box-shadow: 0 0 20px #8e8989;
    font-size: 20px;
    text-align: center;
    padding-bottom: 30px;
}

#ispis{
    margin-top: 20px;
}

.ja{
    background-image: url("../images/ja.jpg");
    background-size: cover;
    min-height: 400px;
}

.mreze{
    color: #74d2e7 !important;
    font-size: 35px !important;
}

.txtt{
    color: #74d2e7 !important;
}

.block-none{
    display: none !important;
}

```

```
}

#ban{
    min-height: 500px !important;
    margin: 0px auto;
}

#nas{
    margin-left: 11% !important;
}

#brend{
    margin-top: 10px;
}

#reset{
    width: 80%;
    margin: 0px auto !important;
    margin-top: 20px;
    height: 40px;
    background-color: #74d2e7;
    cursor: pointer;
    transition: 0.1s;
    color: rgb(255, 255, 255);
    font-size: 20px;
    font-weight: 500;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    border: 0px;
}

#reset:hover{
    scale: 1.01;
}

.link{
    text-decoration: none !important;
    color: #000;
}

.link:hover{
    text-decoration: none !important;
    color: #000;
}

.art{
    transition: 0.2s;
}

.art:hover{
    transform: scale(1.01);
}

.shoe:hover{
    background-color: #ececfc;
}

.shoe{
    transition: 0.2s;
    box-shadow: 0px 4px 10px rgba(121, 121, 121, 0.25);
}

#cene{
```

```
display: flex;
flex-direction: row;
justify-content: space-between;
width: 130px;

}

#modalContent{
    overflow-y: auto;
    word-break: break-all;
    height: 85%;

}

.aa{
    height: 100px;
    background-color: #000;
    margin-top: 10px;
}

.add-to-cart-button {
    background-color: #74d2e7;
    border: none;
    color: white;
    width: 100px;
    height: 50px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 14px;
    cursor: pointer;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    position: static;
    margin-top: 20px;
}

#add-to-cart-button {
    background-color: #74d2e7;
    border: none;
    color: white;
    width: 100px;
    height: 50px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 14px;
    cursor: pointer;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    position: static;
    margin-top: 20px;
}

.nazziv{
    min-height: 80px !important;
```

```
}

.aki{
    min-height: 300px;
}

.kup{
    width: 100%;
    padding: 10px 20px;
    min-height: 100px;
    border-top: 1px solid rgb(177, 177, 177);
    border-bottom: 1px solid rgb(177, 177, 177);
    margin: 0px auto;
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    align-items: center;
}

.cartSlika>img{
    width: 100px !important;
}

.row3{
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    height: 50px;
    background-color: rgb(201, 201, 201);
    align-items: center;
}

#obrisi{
    padding-top: 12px !important;
    height: 100%;
    background-color: red;
    padding: 0px 20px;
    display: flex;
    justify-content: center;
    align-items: center !important;
    cursor: pointer;
    color: white;
}

#naruci{
    height: 100%;
    background-color: green;
    padding: 0px 20px;
    display: flex;
    justify-content: center;
    align-items: center;
    cursor: pointer;
    color: white;
}

#em{
    text-align: center;
    margin-top: 10%;
```

```
    font-size: 30px;
}
.kocka{
    width: 30px;
    height: 30px;
    background-color: #000;
}

#dodato{
    padding: 20px;
    background-color: rgb(41, 255, 41);
    position: fixed;
    right: 2%;
    bottom: 2%;
    display: none;
}
#dodato > p{
    color: white !important;
}
.brojac{
    display: flex;
    flex-direction: row;
    width: 100px;
    justify-content: space-between;
    background-color: #f9f9f9;
}
.kol{
    border: 0px !important;
    cursor: pointer;
    background-color: #ced8e0;
    width: 30px;
    height: 30px;
}
.broj{
    display: flex;
    justify-content: center;
    align-items: center;
}
.tot{
    display: flex;
    flex-direction: row;
    margin-left: 10px;
}
.obrisi{
    border: 0px !important;
    cursor: pointer;
    height: 30px;
    background-color: #ced8e0;
}
#izlaz{
    display: flex;
```

```
flex-direction: row;
height: 100%;
}
.naziv{
width: 100px;
word-break: keep-all !important;
}
.foot{
display: flex;
justify-content: space-between;
padding: 0% 5%;
}
#doc{
color: red;
font-size: 20px;
}
#raz{
width: 120px;
}
.navv{
display: flex !important;
justify-content: space-between !important;
flex-direction: row !important;
align-items: center !important;
}
#osoba{
margin-left: 60%;
margin-top: 25px;
}
.menu{
width: 100% !important;
}
#navigation{
width: 100% !important;
}
#pretraga{
width: 200px;
display: flex;
flex-direction: row;
justify-content: space-between;
align-items: flex-end !important;
}
#tt{
width: 300px !important;
height: 40px;
margin-left: 15% !important;
}
#trazi{
width: 300px;
height: 40px;
}
```

```

}

#preusmeri{
    display: none;
}

#obrisi{
    display: none;
}

.plavo{
    background-color: #74d2e7;
    padding: 0px 200px !important;
}

.slika{
    cursor: pointer;
}

.shop{
    color: white !important;
}

```

JavaScript

```

const BASEURL = "data/";

var url = window.location.search;
//console.log(url)
let buttonCloseModal = document.getElementById("closeModal");
let modalCart = document.getElementById("modalCart");
let buttonCart = document.getElementById("cart");
if(buttonCart!=null){
    buttonCart.addEventListener("click",function(){
        if(modalCart.hasAttribute("class")){
            modalCart.classList.remove("block");
            modalCart.removeAttribute("class");
        }
        else {
            modalCart.classList.add("block");
            $("#modalContent").html( showProducts )
        }
    });
}
if(buttonCloseModal!=null){
    buttonCloseModal.addEventListener("click",function(){
        modalCart.classList.remove("block");
        modalCart.removeAttribute("class");
    });
}
//callback funkcija
function ajaxCallBack(url,method,result){
    $.ajax({

```

```

url: url,
method: method,
dataTyte: "json",
success: result,
error: function(x){
    let buttonCloseModalError = document.getElementById("closeModal4");
    let modalError = document.getElementById("modalError");
    buttonCloseModalError.addEventListener("click", function(){
        modalError.classList.add("block")
        $("#cont").html(x)
    })
}
});

function ajaxCallBackPHP(url,method,data,result){
$.ajax({
    url: url,
    method: method,
    dataTyte: "json",
    data: data,
    success: result,
    error: function(x){
        let buttonCloseModalError = document.getElementById("closeModal4");
        let modalError = document.getElementById("modalError");
        buttonCloseModalError.addEventListener("click", function(){
            modalError.classList.add("block")
            $("#cont").html(x)
        })
    }
});
}

//local storage
function saveToLocalStorage(naziv, vrednost){
    localStorage.setItem(naziv, JSON.stringify(vrednost));
}

function getFromLocalStorage(naziv){
    return JSON.parse(localStorage.getItem(naziv));
}

// ajaxCallBack(BASEURL+"navigation.json","get",function(result){
//     //printNavigation(result, "#navigation");
//     //printNavigation(result, "#list");
// });
// ajaxCallBack(BASEURL+"social.json","get",function(result){
//     printSocialNetwork(result);
// });

let productsCart = getFromLocalStorage("cart")
if(productsCart!=null){
    let number = productsCart.length
    $("#broj").html(` ${number}`)
}

```

```

else{
    $("#broj").html('0')
}
//funkcija za ispis navigacije
// function printNavigation(x, id){
//     let ispis = "";
//     for(let el of x){
//         ispis+=`<li class=""><a class="d-flex justify-content-center" href="${el.href}">${el.text}</a></li>`;
//     }
//     //$(id).html(ispis);
// }
//funkcija za ispis socijalnih mreza u futeru
function printSocialNetwork(x){
    let ispis = "";
    for(el of x){
        ispis+=`<li><a href="${el.href}"><span class="${el.className}">${el.name}</a></li>`;
    }
    $("#social").html(ispis);
}
//single stranica
if(url.indexOf("single")!=-1 || url=="/single"){
    let urlParametar = new URLSearchParams(window.location.search)
    let productId = urlParametar.get("id")
    var brands = []
    var products= []
    var colors = []
    var types = []
    //console.log(productId)
    let dugme = document.getElementById("add-to-cart-button");
    dugme.setAttribute("data-id", productId);
    dugme.addEventListener("click",addToCart)
    dugme.addEventListener("click",addToCartAnimation)
    dugme.addEventListener("click",showProducts)

    function nadji(data){
        let products = data;

        var trazeniProizvod = products.find(function(p) {
            return p.id == productId;
        });
        $("#slika").attr("src", trazeniProizvod.image.src)
        $("#naziv").html(trazeniProizvod.name)
        $("#opis").html(trazeniProizvod.description)
        $("#nova").html(trazeniProizvod.price.current+" &euro;")
        $("#stara").html(trazeniProizvod.price.old!=null?trazeniProizvod.price.old+" &euro;":"")

        $("#add-to-cart-button").attr("data-id",trazeniProizvod.id);
    }

    dugme.addEventListener("click",addToCart)
    dugme.addEventListener("click",addToCartAnimation)
    dugme.addEventListener("click",showProducts)
}

```

```

setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#preusmeri").addClass("block")
    }else{
        $("#preusmeri").removeClass("block")
    }
},100)
setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#obrisi").addClass("block")
    }else{
        $("#obrisi").removeClass("block")
    }
},100)

}

if(url.indexOf("home")!=-1 || url=="index.php" || url=="/"){

let shopButtons = $(".shop")

shopButtons.click(openModalOrRedirect)

function openModalOrRedirect(){
$.ajax({
    url: "models/isLogin.php",
    method: "GET",
    dataTyle: "json",
    data : {
        logovanje : 1
    },
    success: function(x){
        if(x){
            window.location = "index.php?page=shop"
        }else{
            let modal = document.getElementById("modalKontakt")
            modal.classList.add("block")
            $("#ispis").html("You must be logged in to access the shop page")
            let buttonCloseModal2 = document.getElementById("closeModal2")
            buttonCloseModal2.addEventListener("click",function(){
                modal.classList.remove("block");
            });
        }
    },
    error: function(x){
    }
});
}

function top6Products(x, id){
    let ispis =""

```

```

let sortiran = []
sortiran = x.sort(function(a,b){
    return b.stars - a.stars
})
let prvih6 = sortiran.slice(0,6)

for(let e of prvih6){
    ispis+=`

!\[\${e.image.alt}\]\(\${e.image.src}\)<br>



\${countOfStars\(e.stars\)}


`
}

$(id).html(ispis)
}

function countOfStars(x){
    let ispis=""
    for(let i=1 ; i<=5;i++){
        if(i<=x){
            ispis+=`<li><span class="fa fa-star" aria-hidden="true"></span></li>`
        }
        else if(i>x && parseInt(x)==i-1 && x%(i-1)!=0){
            ispis+=`<li><span class="fa fa-star-half-o" aria-hidden="true"></span></li>`
        }
        else{
            ispis+=`<li><span class="fa fa-star-o" aria-hidden="true"></span></li>`
        }
    }
    return ispis
}

let slike = $(".slika");
slike.click(gallery)

function gallery(){
    let trenutna = (this).src
    let trenutniNaslov = $(this).data("naslov")
    let naslov = $("#naslov")
    //console.log(trenutniNaslov)
    naslov.html(trenutniNaslov)
    let glavna = $("#glavna")
    glavna.attr("src", trenutna)
}
}

//stranica za shop
if(url.indexOf("shop")!=-1 || url=="?page=shop"){

```

```

window.onload = function(){

$.ajax({
    url:"models/artikliZaKorpu.php",
    method:"POST",
    type:"JSON",
    success:function(result){
        saveToLocalStorage("artikli", result)
    },
    error:function(x){
        console.log(x);
    }
})

$.ajax({
    url:"models/filteri.php",
    method:"POST",
    type:"JSON",
    data:{
        vrati : 1
    },
    success:function(result){
        let p = JSON.parse(result)
        printProducts(p.proizvodi, p.promocije, p.staraCena, p.popusti)

    },
    error:function(x){
        console.log(x);
    }
}

}

let chcBoxes = document.getElementsByClassName("chc");
for(let i=0;i<chcBoxes.length;i++){
    chcBoxes[i].addEventListener("change", filteri);
}

$("#trazi").keyup(filteri)

```

```

$("#sor").change(filteri)

function filteri(){

let marke = $('input[type=checkbox][name=marka]:checked').map(function() {
    return $(this).val();
}).get();

let boje = $('input[type=checkbox][name=boja]:checked').map(function() {
    return $(this).val();
}).get();

let kategorije = $('input[type=checkbox][name=kat]:checked').map(function() {
    return $(this).val();
}).get();

let unos = $("#trazi").val()
var sort = $("#sor").val()

$.ajax({
    url:"models/filteri.php",
    method:"POST",
    type:"JSON",
    data:{
        marke : marke,
        boje : boje,
        kategorije : kategorije,
        unos : unos,
        sort : sort
    },
    success:function(result){

        let p = JSON.parse(result)

        printProducts(p.proizvodi, p.promocije, p.staraCena, p.popusti)

        //console.log(p.staraCena)
    },
    error:function(x){
        console.log(x);
    }
})
}

```

```

//funkcija za stampanje proizvoda
function printProducts(x, prom, cena, popust){
    let redObj = document.getElementById("baner");
    let z=0
    let b = 0
    if(x.length==0){
        redObj.innerHTML = `<div class="row">
            <div class="col-12">
                <p class="alert alert-danger">
                    There is currently no product for the selected category</p>
            </div>
        </div>`
    }
    else{
        let ispis='
            <h3 class="title-wthree mb-lg-2 mb-2 text-center">Shop Now</h3>
            <div class="row shop-wthree-info text-center">
            `;

        for(let element of x){
            ispis += `<div class="col-lg-3 col-sm-6 shop-info-grid text-center mt-4 art" >
                <div class="col product-shoe-info shoe"><div class="aki">
                    <a class="link" href="index.php?page=single&id=${element.id_proizvod}">
                        <div class="men-thumb-item blk">
                            ${badge(prom[z])}
                            
                        </div>
                    <div class="item-info-product gore">
                        <div class="nas">
                            <h4 class="nazziv">
                                ${element.naziv}
                            </h4>
                        </div>

                        <div class="product_price">
                            <div class="grid-price">
                                ${getPrice(cena[z].cena, popust[z].procenat)}
                            </div>
                        </div>

                        <h6 class="mt-4">${isFreeShipping(cena[z].cena)}</h6>
                    </div>
                    </a>
                </div>
                <button class="add-to-cart-button" data-id="${element.id_proizvod}">Add to cart</button>
            </div>
        `;
        }
    }
}

```

```

        `
```

```

    z++
```

```

        if(!(++b%4 && b!=0)) {ispis += `</div><div class="row shop-wthree-info text-center">`}
```

```

    }
```

```

    redObj.innerHTML=ispis+="</div>";
```

```

    $(".add-to-cart-button").click(addToCart);
    $(".add-to-cart-button").click(addToCartAnimation);
    $(".add-to-cart-button").click(showProducts);
    `}
//funkcija za vracanje trendinga, sta je novo, poslednji model
```

```

function badge(x){
```

```

    if(x!=null){
        return `<div class="new ${x.boja}">${x.promocija}</div>`
    }
    else{
        return ""
    }
}
```

```

//funkcija koja vraca cene
function getPrice(cena, popust){
    //console.log(popust)
    let ispis =""
    if(popust>0){
        ispis+=`<span class="line">${cena}&euro;</span>&ampnbsp&ampnbsp<span
class="money">${Math.round(cena * (1- (popust/100)),0)}&euro;</span><br/>
        <span class="save">Save ${Math.round(cena - cena * (1- (popust/100)))}&euro;</span>`
```

```

    }
    else{
        ispis+=`<span class="money">${cena}&euro;</span>`
```

 }
 return ispis
}

//funkcija za proveru da li je dostava besplatna
function isFreeShipping(x){
 //console.log(x)
 let ispis="";
 if(x>500){
 ispis = `Free shipping`
 }
 return ispis
}
//funkcija za ispis liste za sort

```

function sortPrint(array, id){
    let ispis =""
    for(let i=0; i<array.length;i++){
        if(i==0){
            ispis+=`<option value="${i}" hidden>${array[i]}</option>`
        }
        else{
            ispis+=`<option value="${i}">${array[i]}</option>`
        }
    }
    $(id).html(ispis);
}

let nizSort = ["Select sort type", "Sort by name A-Z", "Sort by name Z-A"]
sortPrint(nizSort, "#sor");
let resetFilterObj = document.getElementById("reset")
//resetFilterObj.addEventListener("click", resetFilters)
function resetFilters(){
    let proizvodi = getFromLocalStorage("sviProizvodi");
    let ddlObj = document.getElementsByClassName("ddl")
    for(let d of ddlObj){
        d.selectedIndex=0
    }
    let chcObj = document.getElementsByClassName("chc")
    for(let c of chcObj){
        c.checked=false
    }
    let rangeValue = document.getElementById("rangeValue");
    rangeValue.value = findMaxPrice(getFromLocalStorage("sviProizvodi"))
    var slider = document.getElementById("range");
    slider.value = slider.max;
    //printProducts(proizvodi)
}
}

if(url.indexOf("contact")!==-1 || url=="?page=contact"){
    window.onload=function(){
        // ajaxCallBack(BASEURL+"cities.json", "get", function(result){
        //     printCities(result, "#sel5");
        // });
        let dugme = document.getElementById("dugme")
        dugme.addEventListener("click", obradaForme)
    }
    function printCities(x, id){
        let ispis=`<option value="0">Select your city</option>`
        for(let e of x){
            ispis+=`<option value="${e.id}">${e.name}</option>`
        }
        $(id).html(ispis)
    }
    let greskaTA = false
    let objTA = document.getElementById("ta")
    let brojSlova = document.getElementById("slova").textContent
}

```

```

let brojObj = document.getElementById("slova")
let broj = Number(brojSlova)
let konacno = 0
let brojac = 20
objTA.addEventListener("keydown", function(){
    let taValue = document.getElementById("ta").value.length
    let taNum = Number(taValue)
    if(taNum==0){taNum+=1}
    konacno = brojac - (taNum)
    brojObj.innerHTML=konacno
    if(taValue>20){
        brojObj.innerHTML=0
        greskaTA = true
        objTA.parentElement.parentElement.classList.add("okvirTA")
    }
    else{
        objTA.parentElement.parentElement.classList.remove("okvirTA")
        greskaTA = false
    }
})
function obradaForme(){
    //elementi forme koji se proveravaju
    let objImePrezime = document.getElementById("text1");
    let objMail = document.getElementById("text2");
    let objRadio = document.getElementsByName("rbtn");
    let objTel = document.getElementById("text3");
    let objAdresa = document.getElementById("text5")
    //regularni izrazi za sve elemente forme
    let regIzrazImePrezime = /^[A-ZŠĐŽĆĆ][a-zđććž]{2,19}(\s[A-ZŠĐŽĆĆ][a-zđććž]{2,19}){1,3}$/;
    let regBrojTelefona = /^(\+381|0)(6[0-9])([0-9]{6,8})$/;
    let regAdresa = /^[A-Z][a-z]+(\s[A-Z][a-z]+)*(\s[a-z]+)*(\s\d+[A-Za-z]?)?$/;
    let greskalmePrez = false;
    let greskaBroj = false;
    let greskaRadio = false;
    let greskaSelect = false;
    let greskaMejl = false;
    let greskaAdresa = false;

    if(!regIzrazImePrezime.test(objImePrezime.value)){
        objImePrezime.nextElementSibling.classList.add("display-block");
        objImePrezime.nextElementSibling.innerHTML = "The first and last name must start with a capital letter and contain at least three characters, example:<br/>Aleksandar Kandic";
        objImePrezime.classList.add("okvir-greska");
        greskalmePrez=true;
    }
    else{
        objImePrezime.nextElementSibling.classList.remove("display-block");
        objImePrezime.nextElementSibling.innerHTML = "";
        objImePrezime.classList.remove("okvir-greska");
        greskalmePrez=false;
    }
}

```

```

//provera broja telefona
if(!regBrojTelefona.test(objTel.value)){
    objTel.nextElementSibling.classList.add("display-block");
    objTel.nextElementSibling.innerHTML = "The phone number must be in the format:<br/>
+381658255131 or 0658255131";
    objTel.classList.add("okvir-greska");
    greskaBroj=true;
}
else{
    objTel.nextElementSibling.classList.remove("display-block");
    objTel.nextElementSibling.innerHTML = "";
    objTel.classList.remove("okvir-greska");
    greskaBroj=false;
}

//prevera adresu
if(!regAdresa.test(objAdresa.value)){
    objAdresa.nextElementSibling.classList.add("display-block");
    objAdresa.nextElementSibling.innerHTML = "The address must be in the format:<br/>Oxford Street
32B";
    objAdresa.classList.add("okvir-greska");
    greskaAdresa=true;
}
else{
    objAdresa.nextElementSibling.classList.remove("display-block");
    objAdresa.nextElementSibling.innerHTML = "";
    objAdresa.classList.remove("okvir-greska");
    greskaAdresa=false;
}

//provera mejla
if(!regMail.test(objMail.value)){
    objMail.nextElementSibling.classList.add("display-block");
    objMail.nextElementSibling.innerHTML = "Email must be in the format: user@gmail.com";
    objMail.classList.add("okvir-greska");
    greskaMejl=true;
}
else{
    objMail.nextElementSibling.classList.remove("display-block");
    objMail.nextElementSibling.innerHTML = "";
    objMail.classList.remove("okvir-greska");
    greskaMejl=false;
}

//radio kupljenje vrednosti
let radioValue = "";
for(let i=0;i<objRadio.length;i++){
    if(objRadio[i].checked){
        radioValue = objRadio[i].value;
        break;
    }
}

//provera radio buttona
if(radioValue == ""){

```

```

        objRadio[0].parentElement.nextElementSibling.classList.add("display-block");
        objRadio[0].parentElement.classList.add("okvir");
        objRadio[0].parentElement.nextElementSibling.innerHTML = "Select a status"
        greskaRadio = true;
    }
    else{
        objRadio[0].parentElement.nextElementSibling.classList.remove("display-block");
        objRadio[0].parentElement.nextElementSibling.innerHTML = "";
        objRadio[0].parentElement.classList.remove("okvir");
        greskaRadio=false;
    }
    //console.log(radioValue)
    if(!greskalmePrez && !greskaBroj && !greskaMejl && !greskaSelect && !greskaRadio && !greskaTA &&
!greskaAdresa){
        let brojSlova = document.getElementById("slova")
        brojSlova.innerHTML=20

        let modal = document.getElementById("modalKontakt")
        modal.classList.add("block")
        $("#ispis").html("You have successfully sent a message, one of the employees will contact you soon")
        let buttonCloseModal2 = document.getElementById("closeModal2")
        buttonCloseModal2.addEventListener("click",function(){
            modal.classList.remove("block");
        });
    }

    $.ajax({
        url:"logic/kontakt.php",
        method:"post",
        type:"json",
        data:{
            imePrezime : objImePrezime.value,
            mail : objMail.value,
            adresa : objAdresa.value,
            telefon : objTel.value,
            tip : radioValue,
            poruka : objTA.value
        },
        success:function(x){
            //console.log(x)
        },
        error:function(){

        }
    })

    document.getElementById("formaNova").reset();
}
}

```

```

}

if(url.indexOf("author.php")!=-1 || url=="/author.php"){
    window.onload = function(){
        let listaObj = document.getElementById("mrz")
        let nizMreza = ["instagram mreze","facebook-box mreze ml-3","twitter-box mreze ml-3","linkedin mreze ml-3"]
        let ispis = ""
        for(let x of nizMreza){
            ispis+=`<li><a href="#"><i class="zmdi zmdi-${x}"></i></a></li>`
        }
        listaObj.innerHTML=ispis
    }
}
let regMail = /^[a-zA-Z0-9_\-.]+@[([0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.([a-zA-Z]{2,4})|[0-9]{1,3}\.){1,2}]/;
let mailobj = document.getElementById("email");

if(url.indexOf("admin")==-1){
    let buttonCloseModal3 = document.getElementById("closeModal3");
    var modalCart2 = document.getElementById("modalMail");
    var upis = document.getElementById("suc")
    buttonCloseModal3.addEventListener("click",function(){
        modalCart2.classList.remove("block");
        $("#suc").removeClass("err");
    });
}
$("#su").click(function(){
    if(regMail.test(mailobj.value)){
        modalCart2.classList.add("block")
        upis.innerHTML="You have successfully subscribe to the Handbags Store mailing list"
        $.ajax({
            url:"models/newsletter.php",
            method:"POST",
            type:"json",
            data:{
                mejl : mailobj.value
            },
            success:function(x){
                //console.log(x)
            },
            error:function(x){
                console.log(x);
            }
        })
    }
})

```

```

        })
    }
    else{
        $("#suc").addClass("err");
        modalCart2.classList.add("block")
        upis.innerHTML="You made a mistake when entering your email address, the address must be in the
following format: user@gmail.com"
    }
})
function cartEmpty(){
    return modalContent.innerHTML = `<p id="em">Your cart is empty</p>`
}
function showProducts(){
    let products = getFromLocalStorage("cart");
    let modalContent = document.getElementById("modalContent")
    if(products==null){
        $("#total").html("0 &euro;")
        return cartEmpty()
    }
    else{
        ispis=""
        let allProduct = getFromLocalStorage("artikli")
        let filtrirani=[]
        allProduct = JSON.parse(allProduct)

        //console.log(allProduct)
        for(let pa of allProduct){
            for(let pc of products){
                if(pa.id_proizvod ==pc.id){
                    filtrirani.push(pa)
                }
            }
        }
        function quantity(id){
            for(let p of products){
                if(p.id == id){
                    return p.quantity
                }
            }
        }
        let suma=0
        for(p of filtrirani){
            ispis+=`<div class="kup">
                <div class="cartSlika">
                    
                </div>
                <p class="naziv">${p.naziv}</p>
                <div>
                    <p>
                        Price per piece: ${p.cena} &euro;

```

```

        </p><br/>
        <p>
            Total price for quantity: ${p.cena * quantity(p.id_proizvod)} &euro;
        </p>
    </div>

    <div class="brojac">
        <button class="minus kol" data-id="${p.id_proizvod}">-</button>
        <div class="broj">${quantity(p.id_proizvod)}</div>
        <button class="pluss kol" data-id="${p.id_proizvod}">+</button>
    </div>

    <button class="obrisi" data-id="${p.id_proizvod}">
        Remove item
    </button>

</div>
suma += p.cena * quantity(p.id_proizvod)
$("#total").html(suma + " &euro;")

}

modalContent.innerHTML = ispis
let buttonsObrisi = document.getElementsByClassName('obrisi');
let obrisi = Array.from(buttonsObrisi)
obrisi.forEach(function(button) {
    button.addEventListener('click', removeItemFromCart);
});

let buttonsPlus = document.getElementsByClassName('pluss');
let niz1 = Array.from(buttonsPlus)
niz1.forEach(function(button) {
    button.addEventListener('click', plus);
});

let buttonsMinus = document.getElementsByClassName('minus');
let niz2 = Array.from(buttonsMinus)
niz2.forEach(function(button) {
    button.addEventListener('click', minus);
});

function removeItemFromCart(){
    let id = $(this).data("id")
    let svi = getFromLocalStorage("cart")
    let fil = svi.filter(x=> x.id != id)
    saveToLocalStorage("cart",fil)
    $("#broj").html(fil.length)
    if(fil.length==0){
        $("#total").html("0 &euro;")
        localStorage.removeItem("cart")
        return cartEmpty()
    }
}

```

```

        showProducts()
    }
    function plus(){
        let id = $(this).data("id")
        let svi = getFromLocalStorage("cart")
        let fil = svi.filter(x=>x.id == id)
        fil[0] = {
            id:id,
            quantity: fil[0].quantity++
        }
        saveToLocalStorage("cart", svi)
        showProducts()
    }
    function minus(){
        let id = $(this).data("id")
        let svi = getFromLocalStorage("cart")
        let fil = svi.filter(x=>x.id == id)
        if(fil[0].quantity>1){
            fil[0] = {
                id:id,
                quantity: fil[0].quantity--
            }
        }
        if(fil[0].quantity<2){
            let fil2 = svi.filter(x=>x.id != id)
            saveToLocalStorage("cart", fil2)
            showProducts()
            if(fil2.length==0){
                $("#total").html("0 &euro;")
                localStorage.removeItem("cart")
                cartEmpty()
            }
            $("#broj").html(fil2.length)
        }
        else{
            saveToLocalStorage("cart", svi)
            showProducts()
        }
    }
}
setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#preusmeri").addClass("block")
    }else{
        $("#preusmeri").removeClass("block")
    }
},100)
setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#obrisi").addClass("block")
    }else{

```

```

        $("#obrisi").removeClass("block")
    }
},100)

$("#obrisi").click(function(){
    localStorage.removeItem("cart")
    showProducts()
    $("#total").html("0 &euro;")
    $("#broj").html("0")
})

function addToCart(){
    let prouctId = $(this).data("id");
    let cart = getFromLocalStorage("cart");

    if(cart == null){
        firstItem();
        numberOfProducts();
    }
    else{
        if(productIsInCart()){
            update();
        }
        else{
            addltemToCart();
            numberOfProducts();
        }
    }
}

function firstItem(){
    let products = [
        {
            id: prouctId,
            quantity: 1
        }
    ];

    saveToLocalStorage("cart", products);
}

function productIsInCart(){
    return cart.filter(el => el.id == prouctId).length;
}

function update(){
    let productsLS = getFromLocalStorage("cart");

    for(let p of productsLS){
        if(p.id == prouctId){
            p.quantity++;
            break;
        }
    }
    saveToLocalStorage("cart", productsLS);
}

```

```

    }

    function addItemToCart(){
        let productLS = getFromLocalStorage("cart");
        productLS.push({
            id: prouctId,
            quantity: 1
        });
        saveToLocalStorage("cart", productLS);
    }
}

function numberOfProducts(){
    let productsCart = getFromLocalStorage("cart");
    //console.log(productsCart)
    if(productsCart == null){
        $("#broj").html('0');
    }
    else{
        let numberOfProducts = productsCart.length;
        $("#broj").html(`${numberOfProducts}`)
        //console.log(numberOfProducts)
    }
}

var dodato = document.getElementById("dodato");
function addToCartAnimation() {
    dodato.classList.add("block");
    setTimeout(function() {
        dodato.classList.remove("block");
    }, 1000);
}

let buttonCloseModalError = document.getElementById("closeModal4");
let modalError = document.getElementById("modalError");

if(url.indexOf("admin") == -1){
    buttonCloseModalError.addEventListener("click", function(){
        modalError.classList.remove("block")
    })
}

if(url.indexOf("register") != -1 || url == "?page=register"){
    $("#registruj").click(function(){

        let objIme = document.getElementById("ime");
        let objPrezime = document.getElementById("prezime");
        let objMail = document.getElementById("mail");
        let objPass = document.getElementById("pass");
        let objRePass = document.getElementById("pass2");

        let reglZrazlme = /^[A-Z][a-z]{2,19}$/;

```

```

let regMail = /^[a-zA-Z0-9_\-.]+@[([0-9]{1,3}.[0-9]{1,3}.[0-9]{1,3}\.)(([a-zA-Z0-9\-.]+\.)+)([a-zA-Z]{2,4})|[0-9]{1,3}\}(\]?)$/;

let greskalme = false;
let greskaPrezime = false;
let greskaMejl = false;
let greskaPass = false;
let greskaPass2 = false;

//provera imena i prezimena
if(!regIzrazlme.test(objIyme.value)){
    objIyme.nextElementSibling.classList.add("display-block");
    objIyme.classList.add("okvir-greska");
    objIyme.nextElementSibling.innerHTML = "The first and last name must start with a capital letter and contain at least three characters, example:<br/>Aleksandar";
    greskalme=true;
}
else{
    objIyme.nextElementSibling.classList.remove("display-block");
    objIyme.classList.remove("okvir-greska");
    objIyme.nextElementSibling.innerHTML = "";
    greskalme=false;
}

if(!regIzrazlme.test(objPrezime.value)){
    objPrezime.nextElementSibling.classList.add("display-block");
    objPrezime.classList.add("okvir-greska");
    objPrezime.nextElementSibling.innerHTML = "The first and last name must start with a capital letter and contain at least three characters, example:<br/>Kandic";
    greskaPrezime=true;
}
else{
    objPrezime.nextElementSibling.classList.remove("display-block");
    objPrezime.classList.remove("okvir-greska");
    objPrezime.nextElementSibling.innerHTML = "";
    greskaPrezime=false;
}

if(!regMail.test(objMail.value)){
    objMail.nextElementSibling.classList.add("display-block");
    objMail.nextElementSibling.innerHTML = "Email must be in the format: user@gmail.com";
    objMail.classList.add("okvir-greska");
    greskaMejl=true;
}
else{
    objMail.nextElementSibling.classList.remove("display-block");
    objMail.nextElementSibling.innerHTML = "";
    objMail.classList.remove("okvir-greska");
}

```

```

greskaMejl=false;
}

if(objPass.value.length<8){
    objPass.nextElementSibling.classList.add("display-block");
    objPass.nextElementSibling.innerHTML = "The password must contain at least 8 characters";
    objPass.classList.add("okvir-greska");
    greskaPass=true;
}
else{
    objPass.nextElementSibling.classList.remove("display-block");
    objPass.nextElementSibling.innerHTML = "";
    objPass.classList.remove("okvir-greska");
    greskaPass=false;
}

if(objPass.value != objRePass.value){
    objRePass.nextElementSibling.classList.add("display-block");
    objRePass.nextElementSibling.innerHTML = "Passwords do not match";
    objRePass.classList.add("okvir-greska");
    greskaPass2=true;
}
else{
    objRePass.nextElementSibling.classList.remove("display-block");
    objRePass.nextElementSibling.innerHTML = "";
    objRePass.classList.remove("okvir-greska");
    greskaPass2=false;
}

if(!greskalme && !greskaPrezime && !greskaMejl && !greskaPass && !greskaPass2){

}

```

```

let imee = objIme.value
let prezimee = objPrezime.value
let maill = objMail.value
let passwordd = objPass.value
let passwordd2 = objRePass.value

```

```

//console.log(imee)
$.ajax({
    url:"models/registracija.php",
    method:"POST",
    type:"json",
    data:{
        ime:imee,
        prezime:prezimee,
        mail:maill,
        password:passwordd,
    }
})

```

```

        password2:passwordd2
    },
    success:function(x){
        $("#prijava").html(x)
        $("#prijava").addClass("display-block")
    },
    error:function(x){
        console.log(x);
    }
})

document.getElementById("formaRegister").reset();
}
else{
    $("#prijava").html("")
    $("#prijava").removeClass("display-block")
}

})
}

if(url.indexOf("login")!=-1 || url=="?page=login"){

$("#signin").click(function(){

let objMail = document.getElementById("mail");
let objPass = document.getElementById("password");

let regMail = /^[a-zA-Z0-9_\-.]+@[([0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.\.)|(([a-zA-Z0-9\-\+.]+\.)+)([a-zA-Z]{2,4})|[0-9]{1,3}\.\?]\$/;

let greskaMejl = false;
let greskaPass = false;

if(!regMail.test(objMail.value)){
    objMail.nextElementSibling.classList.add("display-block");
    objMail.nextElementSibling.innerHTML = "Email must be in the format: user@gmail.com";
    objMail.classList.add("okvir-greska");
    greskaMejl=true;
}
else{
    objMail.nextElementSibling.classList.remove("display-block");
    objMail.nextElementSibling.innerHTML = "";
    objMail.classList.remove("okvir-greska");
    greskaMejl=false;
}

if(objPass.value.length<8){

}
})
}

```

```

        objPass.nextElementSibling.classList.add("display-block");
        objPass.nextElementSibling.innerHTML = "The password must contain at least 8 characters";
        objPass.classList.add("okvir-greska");
        greskaPass=true;
    }
else{
    objPass.nextElementSibling.classList.remove("display-block");
    objPass.nextElementSibling.innerHTML = "";
    objPass.classList.remove("okvir-greska");
    greskaPass=false;
}

if(!greskaMejl && !greskaPass){

    let maill = objMail.value
    let passwordd = objPass.value

    $.ajax({
        url:"models/logovanje.php",
        method:"POST",
        type:"json",
        data:{
            mail:maill,
            password:passwordd,
        },
        success:function(x){
            if(x=="redirect"){
                window.location.href = "index.php?page=shop";
            }
            else{
                $("#prijava").html(x)
                $("#prijava").addClass("display-block")
            }
        },
        error:function(x){
            console.log(x);
        }
    })

    //document.getElementById("formaRegister").reset();
}
else{
    $("#prijava").html("")
    $("#prijava").removeClass("display-block")
}
})//?page=admin&adminPage=addMorePool

```

```

}

if(url.indexOf("?page=admin&adminPage=addSurvey")!=-1 ||
url.indexOf("?page=admin&adminPage=addMorePool")!=-1 || url=="?page=admin&adminPage=addSurvey"){
    let dugme = $("#dodaj")

    dugme.click(function(){
        let dodatno = document.getElementById("dodatniOdgovori");

        var novoPolje = document.createElement("input");
        novoPolje.type = "text";
        novoPolje.placeholder = "Enter answer";
        novoPolje.classList.add("form-control");
        novoPolje.classList.add("mb-3");
        novoPolje.name = "odgovori[]";
        dodatno.appendChild(novoPolje);

    })
}

if(url.indexOf("survay")!=-1 || url=="?page=survey"){
    $(".ank").change(function(){
        let idAnkete = $("#skriven").val()
        let izabran = $(".ank:checked").val()
        $.ajax({
            url:"models/anketaOdgovor.php",
            method:"POST",
            type:"json",
            data:{
                odgovor:izabran,
                id:idAnkete
            },
            success:function(x){
                let modal = document.getElementById("modalKontakt")
                modal.classList.add("block")
                $("#ispis").html(x)
                let buttonCloseModal2 = document.getElementById("closeModal2")
                buttonCloseModal2.addEventListener("click",function(){
                    modal.classList.remove("block");
                });
            },
            error:function(x){
                console.log(x);
            }
        })
    })
}

```

```

}

$("#preusmeri").click(function(event){
    event.stopPropagation()
    let porudzbina = JSON.stringify(getFromLocalStorage("cart"))
    $.ajax({
        url:"models/narudzbina.php",
        method:"POST",
        type:"JSON",
        data:{
            porudzbina : porudzbina
        },
        success:function(result){
            let modal = document.getElementById("modalKontakt")
            modal.classList.add("block")
            $("#ispis").html("You have successfully placed an order, one of the employees will contact you soon")
            let buttonCloseModal2 = document.getElementById("closeModal2")
            buttonCloseModal2.addEventListener("click",function(){
                modal.classList.remove("block");
                localStorage.removeItem("cart")
                showProducts()
                $("#broj").html("0")
            });
        },
        error:function(x){
            let modal = document.getElementById("modalKontakt")
            modal.classList.add("block")
            $("#ispis").html(x)
            let buttonCloseModal2 = document.getElementById("closeModal2")
            buttonCloseModal2.addEventListener("click",function(){
                modal.classList.remove("block");
            });
        }
    })
})
}

```

PHP

footer.php

```

<!--newsletter -->

<?php
if(isset($_SESSION['korisnik'])){?>
<section class="newsletter-w3pvt py-5">
<div class="container py-md-5">

```

```

<form method="post" action="#">
    <p class="text-center">Subscribe to the Handbags Store mailing list to receive updates on new
arrivals, special offers and other discount information.</p>
    <div class="row subscribe-sec">
        <div class="col-md-9">
            <input type="email" class="form-control" id="email" placeholder="Enter Your Email.."
name="email" >

        </div>
        <div class="col-md-3">
            <button type="button" class="btn submit" id="su">Subscribe</button>
        </div>
    </div>
    <div class="row p-3">
        <p id="poruka"></p>
    </div>
</form>
</div>
</section>
<?php } ?>

<!--//newsletter -->
<!--shipping-->
<section class="shipping-wthree">
    <div class="shiopping-grids d-lg-flex">
        <div class="col-lg-4 shiopping-w3pvt-gd text-center">
            <div class="icon-gd"><span class="fa fa-truck" aria-hidden="true"></span>
            </div>
            <div class="icon-gd-info">
                <h3>FREE SHIPPING</h3>
                <p>On all order over 500&euro;</p>
            </div>
        </div>
        <div class="col-lg-4 shiopping-w3pvt-gd sec text-center">
            <div class="icon-gd"><span class="fa fa-bullhorn" aria-hidden="true"></span></div>
            <div class="icon-gd-info">
                <h3>FREE RETURN</h3>
                <p>On 1st exchange in 10 days</p>
            </div>
        </div>
        <div class="col-lg-4 shiopping-w3pvt-gd text-center">
            <div class="icon-gd"> <span class="fa fa-gift" aria-hidden="true"></span></div>
            <div class="icon-gd-info">
                <h3>MEMBER DISCOUNT</h3>
                <p>Register to receive notifications</p>
            </div>
        </div>
    </div>
</div>

```

```

</section>
<!--//shipping-->
<!-- footer -->
<div class="footer_agileinfo_topf py-5">
    <div class="container py-md-5">
        <div class="row" id="fot">
            <div class="col-lg-3 footer_wthree_gridf">
                <h2><a href="index.php?page=home"><span>B</span>aggage
                </a> </h2>
                <label class="sub-des2">Online Store</label>
            </div>
            <div class="col-lg-5 f-flex align-items-center col-sm-12 footer_wthree_gridf mt-md-0 mt-4" >
                <ul class="footer_wthree_gridf_list">
                    <?php
                        $result = ispisNavigacije();
                        foreach($result as $r): ?>
                        <li><a class='d-flex justify-content-center' href='?page=<?=$r->page?>'><?= $r-
>text?></a></li>
                    <?php endforeach ?>
                </ul>
            </div>

        </div>
    </div>

    <div class="move-top text-center mt-lg-4 mt-3">
        <a href="#"><span class="fa fa-angle-double-up" aria-hidden="true"></span></a>
    </div>
</div>
<!-- //footer -->

<!-- copyright -->
<div class="cpy-right text-center py-3 foot">
    <div><a id="doc" target="_blank" href="dokumentacija.docx">Documentation</a></div>
    <p>© 2019 Baggage. All rights reserved | Design by
        <a href="http://w3layouts.com"> W3layouts.</a>
    </p>
    <div id="raz"></div>
</div>
<!-- //copyright -->
<script
    src="https://code.jquery.com/jquery-3.6.1.js"
    integrity="sha256-3zIB5s2uwoUzrXK3BT7AX3FyvojsraNFxCc2vC/7pNI="
    crossorigin="anonymous">
</script>
<script src="js/main.js" type="text/javaScript"></script>

```

```

</body>

</html>
footerAdmin.php

<!-- Footer Start -->
<div class="container-fluid col-12 pt-4 px-4">
    <div class="bg-light rounded-top p-4">
        <div class="row">
            <div class="col-12 col-sm-6 text-center text-sm-start">
                &copy; <a href="index.php?page=home">Baggage</a>, All Right Reserved.
            </div>

            </div>
        </div>
    </div>

</div>
<!-- Content End -->

<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>
</div>

<!-- JavaScript Libraries -->
<script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>
<!-- <script src="lib/chart/chart.min.js"></script> -->
<!-- <script src="lib/easing/easing.min.js"></script> -->
<!-- <script src="lib/waypoints/waypoints.min.js"></script> -->
<!-- <script src="lib/owlcarousel/owl.carousel.min.js"></script> -->
<!-- <script src="lib/tempusdominus/js/moment.min.js"></script> -->
<!-- <script src="lib/tempusdominus/js/moment-timezone.min.js"></script> -->
<!-- <script src="lib/tempusdominus/js/tempusdominus-bootstrap-4.min.js"></script> -->

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>

</html>

<script>
    $(".obrisi").click(function(){
        $(this).closest("tr").remove()
    })

    function obrisi(id, link) {

        $.ajax({
            url : "models/" + link,

```

```

method: "POST",
data: { id: id },
success: function(x) {
    //console.log(x)
},
error: function(x){
    }
})
}
}

</script>

```

headAdmin.php

```

<div class="content col-12">

<nav class="navbar navbar-expand bg-light navbar-light sticky-top px-4 py-0">
    <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">
        <h2 class="text-primary mb-0"><i class="fa fa-hashtag"></i></h2>
    </a>

    <div class="navbar-nav align-items-center ms-auto">

        <div class="nav-item dropdown">
            <a href="#" class="nav-link dropdown-toggle" data-bs-toggle="dropdown">
                <i class="zmdi zmdi-account-circle "></i>
                <span class="d-none d-lg-inline-flex"><?php echo $_SESSION['korisnik']->ime;?></span>
            </a>
            <div class="dropdown-menu dropdown-menu-end bg-light border-0 rounded-0 rounded-bottom m-0">
                <a href="models/logout.php" class="dropdown-item">Log Out</a>
            </div>
        </div>
    </div>
</nav>

```

header.php

```

<?php
ob_start();
include("models/functions.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
    <title>Baggage Ecommerce | Home</title>

```

```

<meta charset="UTF-8"/>
<meta http-equiv="X-UA-Compatible" content="IE=edge"/>
<meta name="author" content="Aleksandar Kandić"/>
<meta name="language" content="english"/>
<meta name="copyright" content="gags store"/>
<meta name="description" content="bags store, all bags in our stole"/>
<meta name="viewport" content="width=device-width, initial-scale=1"/>
<meta name="keywords" content="Baggage Responsive web template, Bootstrap Web Templates, Flat Web
Templates, Android Compatible web template, Smartphone Compatible web template, free webdesigns for
Nokia, Samsung, LG, SonyEricsson, Motorola web design, bags,adidas,nike,versace,dior,gucci,dolce and
gabana" />
<link rel="stylesheet" href="css/bootstrap.css"/>
<link rel="stylesheet" href="css/bootstrap.css"/>
<link rel="stylesheet" href="css/style.css" type="text/css" media="all"/>
<link href="css/font-awesome.css" rel="stylesheet"/>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-
design-iconic-font.min.css"/>
<link href="//fonts.googleapis.com/css?family=Hind:300,400,500,600,700" rel="stylesheet"/>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-
design-iconic-font.min.css"/>
<link rel="icon" type="image/x-icon" href="images/favicon.ico"/>

</head>

<body>

<div id="modalCart">
    <div class="row2">
        <h4 class="ml-2">Your cart</h4>
        <div id="closeModal">X</div>
    </div>
    <div id="modalContent">
        </div>
    </div>
    <div class="row3">
        <div class="tot">
            <h3>Total price:&ampnbsp</h3>
            <h3 id="total"></h3>
        </div>
        <div id="izlaz">
            <a id="preusmeri"><div id="naruci">Checkout</div></a>
            <div id="obrisi">Empty the cart</div>
        </div>
    </div>
</div>
<div id="modalError" >
    <div class="row2">
        <h4 class="ml-2"></h4>
        <div id="closeModal4">X</div>
        <div id="cont"></div>
    </div>
</div>

```

```

<p class="text-center pt-4 py-3 px-3"></p>
</div>
<div id="modalMail" >
  <div class="row2">
    <h4 class="ml-2"></h4>
    <div id="closeModal3">X</div>
  </div>
  <p class="text-center pt-4 py-3 px-3" id="suc"></p>
</div>
<div class="main-sec">
  <!-- //header -->
  <header class="py-sm-3 pt-3 pb-2" id="home">
    <div class="container">
      <!-- nav -->

      <div class="top-w3pvt d-flex navv">
        <div id="logo">
          <h1> <a href="index.html"><span class="log-w3pvt">B</span>aggage</a> <label class="sub-des">Online Store</label></h1>
        </div>

        <?php
        if(isset($_SESSION["korisnik"])){?>
          <p id="osoba">HELLO <?= $_SESSION["korisnik"]->ime ?>!</p>
        <?php }?>
        <?php
        if(!isset($_SESSION["korisnik"])){?>
          <div class="forms ml-auto">
            <a href="?page=login" class="btn"><span class="fa fa-user-circle-o"></span> Sign In</a>
            <a href="?page=register" class="btn"><span class="fa fa-pencil-square-o"></span> Sign
Up</a>
          </div>
        <?php }
        else{?>
          <div class="forms ml-auto">
            <a href="models/logout.php" class="btn"><span class="fa fa-user-circle-o"></span>
Logout</a>
          </div>
        <?php } ?>

        <?php
        if(isset($_SESSION["korisnik"])):{?>
          <div class="forms ml-auto" id="cart">
            <i class="zmdi zmdi-shopping-cart"></i><div id="krug"><p id="broj">0</p></div>
          </div>
        <?php endif?>

```

```

        </div>

        <div class="nav-top-wthree navv">
            <nav id="navg">
                <label for="drop" class="toggle"><span class="fa fa-bars"></span></label>
                <input type="checkbox" id="drop" />
                <ul class="menu" id="navigation">
                    <?php
                        $result = ispisNavigacije();
                        foreach($result as $r): ?>
                            <li><a class='d-flex justify-content-center' href='?page=<?=$r->page?>'><?= $r-
                    >text?></a></li>
                    <?php endforeach ?>
                </ul>

            </nav>
            <div id="pretraga">

                <?php
                    if(strpos($_SERVER['QUERY_STRING'], 'shop')){?>
                        <form id="tt" action="#" method="post" class="newsletter">
                            <input class="search" id="trazi" type="search" placeholder="Search here..." required="">
                        </form>
                    <?php }?>

                </div>
                <div class="clearfix"></div>

            </div>
            </div>
        </header>
    </div>

```

headerAdmin.php

```

<?php
    @session_start();
    ob_start();
    if($_SESSION["korisnik"]->uloga != "admin"){
        header("Location: index.php?page=home");
        exit;
    }
    include("models/functionAdmin.php");
?>
<!DOCTYPE html>
<html lang='en'>

```

```

<head>
    <meta charset="utf-8">
    <title>Admin Panel Baggage</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Favicon -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-iconic-font.min.css"/>
    <link rel="icon" type="image/x-icon" href="images/favicon.ico"/>

    <!-- Google Web Fonts -->
    <!-- <link rel="preconnect" href="https://fonts.googleapis.com"> -->
    <!-- <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin> -->
    <!-- <link href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600;700&display=swap" rel="stylesheet"> -->

    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

    <!-- Libraries Stylesheet -->
    <!-- <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet"> -->
    <!-- <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css" rel="stylesheet" /> -->

    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-design-iconic-font/2.2.0/css/material-design-iconic-font.min.css">
    <!-- Template Stylesheet -->
    <link href="css/css/style.css" rel="stylesheet">
</head>

<body>
    <div class="position-relative bg-white d-flex p-0">
        <!-- Spinner Start -->
        <!-- <div id="spinner" class="show bg-white position-fixed translate-middle w-100 vh-100 top-50 start-50 d-flex align-items-center justify-content-center">
            <div class="spinner-border text-primary" style="width: 3rem; height: 3rem;" role="status">
                <span class="sr-only">Loading...</span>
            </div>
        </div> -->
        <!-- Spinner End -->

        <!-- Sidebar Start -->
        <div class="sidebar pe-4 pb-3">
            <nav class="navbar bg-light navbar-light">
                <a href="index.php?page=admin&adminPage=products" class="navbar-brand mx-4 mb-3">

```

```

<h3 class="text-primary"><i class="fa fa-hashtag me-2"></i>ADMIN PANEL</h3>
</a>
<div class="d-flex align-items-center ms-4 mb-4">

</div>
<div class="navbar-nav w-100">
    <a href="?page=admin&adminPage=products" class="nav-item nav-link">Products</a>
    <a href="?page=admin&adminPage=survey" class="nav-item nav-link">Survey</a>
    <a href="?page=admin&adminPage=answers" class="nav-item nav-link">Answers to surveys</a>
    <a href="?page=admin&adminPage=messages" class="nav-item nav-link">Messages</a>
    <a href="?page=admin&adminPage=orders" class="nav-item nav-link">Orders</a>
    <a href="?page=admin&adminPage=newsletter" class="nav-item nav-link">Newsletter</a>
    <a href="?page=admin&adminPage=manageNavigation" class="nav-item nav-link">Manage
navigation</a>
        <a href="?page=admin&adminPage=manageColors" class="nav-item nav-link">Manage colors</a>
        <a href="?page=admin&adminPage=manageCategories" class="nav-item nav-link">Manage
categories</a>
        <a href="?page=admin&adminPage=manageBrands" class="nav-item nav-link">Manage
brands</a>
        <a href="?page=admin&adminPage=managePromotions" class="nav-item nav-link">Manage
promotions</a>
        <a href="?page=admin&adminPage=gallery" class="nav-item nav-link">Gallery</a>
        <a href="?page=admin&adminPage=users" class="nav-item nav-link">Users</a>

    </div>
</nav>
</div>

```

admin.php

```

<?php
include("views/fixed/headerAdmin.php");
include("config/konekcija.php");
$upitProizvod = "SELECT DISTINCT p.id_proizvod, opis, naziv, slika, naziv_brend, boja, naziv_kategorija
    FROM proizvod p
    JOIN brend b ON p.id_brend = b.id_brend
    JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod
    JOIN boja bo ON pb.id_boja = bo.id_boja
    JOIN kategorija k ON p.id_kategorija = k.id_kategorija";
$rez = $konekcija->query($upitProizvod);
$proizvodi = $rez->fetchAll();
?>    <?php
        include("views/fixed/headAdmin.php");
    ?>

<div class="container-fluid pt-4 px-4">
    <?php
        if(isset($_GET["adminPage"])){
            if(in_array($_GET["adminPage"], straniceAdmin)){

```

```

        include "views/pages/adminPages/" . $_GET["adminPage"] . ".php";
        //echo("views/pages/adminPages/" . $_GET["adminPage"] . ".php");
    }else{
        include "views/pages/adminPages/products.php";
    }
}else{
    include "views/pages/adminPages/products.php";
}
?>

</div>

<?php
    include("views/fixed/footerAdmin.php");
?>

```

author.php

```

<div id="modalKontakt">
    <div class="row2">
        <div id="closeModal2">X</div><br/>
    </div>
    <p id="ispis"></p>
</div>
</div>
<section class="banner-bottom py-5">
    <div class="container py-md-5">
        <div class="row mr-0">
            <div class="col d-flex flex-column">
                <h1 class="text-center mt-5">About Me</h1>
                <hr class="mx-auto"/>
            </div>
        </div>
        <div class="container my-5">
            <div class="row ">
                <div class="col-lg-5 col-sm-12 col-12 ja radr">

```

- </div>
- <div class="col-lg-7 col-sm-12 col-12 pt-5 pl-5 pr-5 pb-2 radl bg-light">
- <h1 class="mb-4">Something about me</h1>
- <h3>Name:</h3>
- <h5 class="mb-4 text-black-50">Aleksandar</h5>
- <h3>Lastname:</h3>
- <h5 class="mb-4 text-black-50">Kandic</h5>
- <h3>Adress:</h3>
- <h5 class="mb-4 text-black-50">Kosmajska 123, Sopot</h5>
- <h3 class="mb-2">Social</h3>

```
<ul class="d-flex list-unstyled flex-row" id="mrz">
</ul>
<p class="txt">
    Here you can check out my <span id="portfolio"><a target="_blank"
href="https://aleksandar1021.github.io/portfolio/" class="txtt">portfolio.</a></span>
</p>
</div>
</div>
</div>
</div>
</div>
</section>
```

contact.php

```

<div class="content-input-field">
    <input class="in" name="text3" id="text3" type="text" value="" placeholder="Enter your
Phone"/>
    <span class="err"></span>
</div>
<div id="rad" class="field-group">
    <input type="radio" name="rbtn" class="rbtn" id="rbtn1" value="Physical
person">&nbsp;&nbsp;<label for="rbtn1">Physical person</label><br/>
    <input type="radio" name="rbtn" class="rbtn" id="rbtn2"
value="Company">&nbsp;&nbsp;<label for="rbtn2"></label>Company
</div>
<span class="err"></span>

<div class="field-group mt-3">
    <div class="content-input-field" >
        <textarea id="ta" placeholder="Your Message Here..."></textarea>
    </div>
</div>
<p>remaining letters: </p><span id="slova">20</span>
<div class="content-input-field">
    <button type="button" class="btn" id="dugme">Submit</button>
</div>

</form>
</div>
</div>
<div class="col-md-6 contact_left p-4">
    <iframe
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d181140.1199807135!2d20.2825129413256
35!3d44.81515972783491!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x475a7aa3d7b53fb%3A0x1d
b8645cf2177ee4!2sBelgrade!5e0!3m2!1sen!2srs!4v1676498894245!5m2!1sen!2srs" allowfullscreen=""
loading="lazy" referrerpolicy="no-referrer-when-downgrade"></iframe>
</div>

<div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
    <div class="mt-5 information-wthree">
        <h4 class="text-uppercase mb-4"><span class="fa fa-comments"></span> Communication</h4>
        <p class="cont-wthree-para mb-3 text-capitalize">for general queries, including property Sales
and constructions, please email us at <a href="mailto:info@example.com">info@example.com</a></p>
    </div>
</div>
<div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
    <div class="mt-5 information-wthree">
        <h4 class="text-uppercase mb-4"><span class="fa fa-life-ring"></span> Technical Support</h4>
        <p class="cont-wthree-para mb-3 text-capitalize">we are ready to help! if you have any queries or
issues, contact us for support <label>+12 388 455 6789</label>. </p>
    </div>
</div>
<div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
    <div class="mt-5 information-wthree">

```

```

        <h4 class="text-uppercase mb-4"><span class="fa fa-map"></span> Others</h4>
        <p class="cont-wthree-para mb-3 text-capitalize">we are ready to help! if you have any queries or
issues, contact us for support <label>+12 388 455 6789</label>.</p>
    </div>
</div>
</div>
</div>
</section>

```

home.php

```

<div id="modalKontakt">
    <div class="row2">
        <div id="closeModal2">X</div><br/>
    </div>
    <p id="ispis"></p>
</div>
<div class="banner-wthree-info container-fluid plavo">
    <div class="row">
        <div class="col-lg-5 banner-left-info">
            <h3>The Largest Range <span>of HandBags</span></h3>
            <a class="btn shop">Shop Now</a>
        </div>

        <div class="col-lg-7 banner-img">
            
        </div>
    </div>
</div>

<section class="banner-bottom py-5">
    <div class="container py-md-5">

        <div class="row d-flex flex-column mb-5">
            <?php
                $prvaSlika = getFirstImage();
            ?>
            <div class="col-lg-12 gallery-content-info text-center mt-lg-8">
                <h3 class="title-wthree mb-2 ">OUR GALLERY</h3>
                <p class="mb-5">Click on the image to see it in a larger format</p>
            </div>
            <div class="row col-lg-4 mx-auto">
                 naziv ?>">
            <div data-naslov="<?= $prvaSlika->naziv ?>" id="naslov" class="mx-auto"><?= $prvaSlika->naziv ?></div>
            </div>
        </div>
    </div>

```

```

<div class="row col-lg-10 mx-auto d-flex flex-row justify-content-center">
    <?php
        $slike = getAll("galerija");
        foreach($slike as $s): ?>
            <div class="col-2">
                <img data-naslov="<?= $s->naziv ?>" src="images/gallery/<?= $s -> src ?>" alt="<?= $s ->
naziv ?>" class="col-12 slika">
            </div>

            <?php endforeach ?>
        </div>

    </div>
</section>

<section class="collections mb-5">
    <div class="container-fluid">
        <div class="row">
            <div class="col-md-8 ab-content-img">

            </div>
            <div class="col-md-4 ab-content text-center p-lg-5 p-3 my-lg-5">
                <h4>Travel Must Haves</h4>
                <p>Our bags will make every trip easier, they are practical and can hold a lot of things.</p>
                <a class="btn shop mt-3">Shop Now</a>

            </div>
        </div>
    </div>
</section>
<section class="banner-bottom py-5 bg-light mt-5">
    <div class="container py-md-3">
        <div class="row grids-wthree-info text-center">
            <div class="col-lg-4 ab-content">
                <div class="ab-info-con">
                    <h4>Fast & Free Delivery</h4>
                    <p>We provide you with faster and safe delivery to your home by a verified courier service.</p>
                </div>
            </div>
            <div class="col-lg-4 ab-content">
                <div class="ab-info-con">
                    <h4>Safe & Secure Payments</h4>
                    <p>Payment is safe, it takes place on the site's platform.</p>
                </div>
            </div>
            <div class="col-lg-4 ab-content">
                <div class="ab-info-con">
                    <h4>100% Money Back Guarantee</h4>
                    <p>If you are not satisfied with the product, you can exchange it within 10 days or get your money
back.</p>
                </div>
            </div>
        </div>
    </div>
</section>

```

```

        </div>
    </div>

        </div>
    </div>
</section>
<!-- /banner-bottom -->
<!--/collections -->
<section class="banner-bottom py-5">
    <div class="container py-md-5">

        <h3 class="title-wthree mb-lg-5 mb-4 text-center">Safety Meets Style </h3>
        <div class="row text-center">

            <div class="col-md-4 content-gd-wthree">
                
            </div>
            <div class="col-md-4 content-gd-wthree ab-content py-lg-5 my-lg-5">
                <h4>Need Extra Space ?</h4>
                <p>Our cords are designed for your every situation, everything fits in them comfortably, without
overcrowding.</p>
                <a class="btn shop mt-3">Shop Now</a>

            </div>
            <div class="col-md-4 content-gd-wthree">
                
            </div>
        </div>

        </div>
    </div>
</section>
<!-- //collections-->
<!-- /mid-section -->
<section class="mid-section">
    <div class="d-lg-flex p-0">
        <div class="col-lg-6 bottom-w3pvt-left p-lg-0">
            
            <div class="pos-wthree">
                <h4 class="text-wthree">Every Friday, 50% Off Any <br> Women's Bags</h4>
                <a class="btn shop mt-3">Shop Now</a>
            </div>
        </div>
        <div class="col-lg-6 bottom-w3pvt-left bottom-w3pvt-right p-lg-0">
            
            <div class="pos-w3pvt">
                <h4 class="text-w3pvt">Every Friday, 30% Off Any <br> Men's Bags</h4>
                <a class="btn shop mt-3">Shop Now</a>
            </div>
        </div>
    </div>
</section>

```

```
</section>
```

login.php

```
</div>

<!-- //banner-->
<!--/login -->
<section class="banner-bottom py-5">
    <div class="container">
        <div class="content-grid bg-light p-3">
            <div class="text-center icon">
                <span class="fa fa-unlock-alt"></span>
            </div>
            <div class="content-bottom">
                <form action="#" method="post">
                    <div id="prijava" class="alert-danger my-5 "></div>
                    <div class="field-group">

                        <div class="content-input-field">
                            <input name="mail" id="mail" type="text" value="" placeholder="User Email"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="password" id="password" type="Password" placeholder="Password">
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="content-input-field">
                        <button id="signin" type="button" class="btn">Sign In</button>
                    </div>

                    <ul class="list-login-bottom">
                        <li class="mb-5 mt-3 ">
                            <a href="index.php?page=register" class="text-danger">Don't have an Account?</a>
                        </li>
                    </ul>
                </form>
            </div>
        </div>
    </div>
</section>
```

register.php

```

</div>

<!-- //banner-->
<!--/login -->
<section class="banner-bottom py-5">
    <div class="container">
        <div class="content-grid bg-light pb-5 pt-5">
            <div class="text-center icon">
                <span class="fa fa-user-circle-o"></span>
            </div>
            <div class="content-bottom">
                <form action="#" method="post" id="formaRegister">
                    <div id="prijava" class="alert-success my-5"></div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="ime" id="ime" type="text" placeholder="User Name"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="prezime" id="prezime" type="text" placeholder="User Lastname"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="mail" id="mail" type="text" placeholder="User Email"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="pass" id="pass" type="Password" placeholder="Password"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="field-group">
                        <div class="content-input-field">
                            <input name="pass2" id="pass2" type="Password" placeholder="Confirm Password"/>
                            <span class="err"></span>
                        </div>
                    </div>
                    <div class="content-input-field" id="registruj">
                        <button type="button" class="btn">Sign Up</button>
                    </div>
                    <div class="list-login-bottom text-center mt-lg-5 mt-4">
                        <a href="#" class="">By clicking Signup, I agree to your terms</a>
                    </div>
                </form>
            </div>
        </div>
    </div>
</section>

```

```

        </form>
    </div>
</div>
</div>
</section>

```

shop.php

```

<?php
    @session_start();

    if(!isset($_SESSION['korisnik'])){
        header("Location: index.php?page=home");
    }
?>

</div>

<div id="modalKontakt">
    <div class="row2">
        <div id="closeModal2">X</div><br/>
    </div>
    <p id="ispis"></p>
</div>

<section class="banner-bottom py-2">
    <div class="row col-12" id="ban">

        <div id="sort" class="row col-lg-3 col-sm-12 my-0">
            <h1 id="nas">Filters:</h1>
            <div class="red border py-2 px-2">
                <h2 class="ml-2 mt-2 mb-2">Brand</h2>
                <?php
                    ispisChcBrend("brend");
                ?>
                <h2 class="ml-2 mt-2 mb-2">Color</h2>
                <?php
                    ispisChcBoja("boja");
                ?>
                <h2 class="ml-2 mt-2 mb-2">Category</h2>
                <?php
                    ispisChcKategorija("kategorija");
                ?>
            </div>

            <div class="red">
                <h2>Sort by</h2>
                <select name="sort" id="sor" class="wid ddl">

```

```

        </select>
    </div>
</div>

<div class="container py-5 col-lg-9 col-sm 12" id="baner">

    </div>
</div>

<div id="dodata">
    <p>The product has been added to the cart</p>
</div>

</section>

```

single.php

```

<?php
    @session_start();
    $id = $_GET["id"];
    $upitProizvod = "SELECT opis, naziv, slika, naziv_brend, boja, naziv_kategorija
        FROM proizvod p
        JOIN brend b ON p.id_brend = b.id_brend
        JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod
        JOIN boja bo ON pb.id_boja = bo.id_boja
        JOIN kategorija k ON p.id_kategorija = k.id_kategorija
        WHERE p.id_proizvod = $id";
    $rez = $konekcija->query($upitProizvod);
    $proizvod = $rez->fetch();

    $scena = "SELECT cena FROM cena c JOIN proizvod p ON c.id_proizvod = p.id_proizvod WHERE
    p.id_proizvod = $id ORDER BY datum desc LIMIT 0,1";
    $result2 = $konekcija->query($scena);
    $trenutna = $result2->fetch();

    $upitPopust = "SELECT procenat FROM popust po JOIN proizvod p ON po.id_proizvod = p.id_proizvod
    WHERE p.id_proizvod = $id ORDER BY datum_popust desc LIMIT 0,1";
    $popust = $konekcija->query($upitPopust);
    $pop = $popust->fetch();
?>
</div>
</div>
<!-- //banner-->
<!--/banner-bottom -->
<div id="modalKontakt">
    <div class="row2">
        <div id="closeModal2">X</div><br/>
    </div>

```

```

<p id="ispis"></p>
</div>
<section class="banner-bottom py-5">
    <div class="container py-md-5">
        <!-- product right -->
        <div class="left-ads-display wthree">
            <div class="row">
                <div class="desc1-left col-md-6">
                    naziv?>">
                </div>

                <div class="desc1-right col-md-6 pl-lg-3">
                    <h1 id="naziv"></h1>
                    <h2 class="mt-2">Brand:</h2>
                    <h3 class="mt-1 dodatak" id="brand"><?=$proizvod->naziv_brend?></h3>
                    <h2 class="mt-2 ">Color:</h2>
                    <h3 class="mt-1 dodatak" id="color"><?=$proizvod->boja?></h3>
                    <h2 class="mt-2 ">Intended for:</h2>
                    <h3 class="mt-1 dodatak" id="za"><?=$proizvod->naziv_kategorija?></h3>
                    <h2 class="mt-2 ">Price:</h2>
                    <div id="cene">
                        <?php
                            if($pop->procenat>0){
                                $saPopustomCena = round($trenutna->cena - ($trenutna->cena * ($pop->procenat/100)));
                                echo "<del class='mt-2 dodatak' id='stara'>$trenutna->cena &euro;</del>";
                                echo "<h3 class='mt-2 dodatak' id='nova'>$saPopustomCena &euro;</h3>";
                            }
                            else{
                                echo "<span class='mt-2 dodatak' id='stara'>$trenutna->cena &euro;</span>";
                            }
                        ?>
                    </div>
                    <button id="add-to-cart-button">Add to cart</button>
                </div>
            </div>
            <div id="dodatao">
                <p>The product has been added to the cart</p>
            </div>
        </div>
        <div class="sub-para-w3pvt my-5">
            <h2 class="shop-sing mb-4 mb-3">Description:</h2>
            <p id="opis"><?=$proizvod->opis?></p>
        </div>
    </div>
</section>
```

```
<!-- /banner-bottom -->
```

survey.php

```
<?php
    @session_start();
    if(!isset($_SESSION['korisnik'])){
        header("Location: index.php");
    }

?>
</div>
<div class="row col-12 my-5">
    <div class=" mx-auto p-5 col-10 my-5 bg-light anketa">
        <?php
            $upitAnketa = "SELECT * FROM anketa ORDER BY datum DESC LIMIT 0,1";
            $rez = $konekcija->query($upitAnketa);
            $result = $rez->fetch();
            if($result){
                $pitanje = $result->pitanje;
            }
        ?>
        <div id="modalKontakt">
            <div class="row2">
                <div id="closeModal2">X</div><br/>
            </div>
            <p id="ispis"></p>
        </div>
        <h3 class="mb-3"><?= $result?$pitanje:""?></h3>

        <?php
            if($result){
                $idAnkete = $result->id_anketa;

                $odgovoriUpit = "SELECT * FROM odgovor WHERE id_anketa = $idAnkete";
                $rezOdgovori = $konekcija->query($odgovoriUpit);
                $resultOdgovori = $rezOdgovori->fetchAll();
                echo "<input id='skriven' type='hidden' value='".$idAnkete.'"/>';
                foreach($resultOdgovori as $o){
                    echo "<p><input type='radio' class='ank' name='odgovor' value ='$o->id_odgovor'/> $o-
                >odgovor</p>";
                }
            }else{
                echo("<p class='alert alert-danger'>There are currently no polls posted</p>");
            }
        ?>
    </div>
</div>
```

addBrand.php

```
<?php
$greske = [];
if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {

    $brand = $_POST['label'];

    $upitBrand="INSERT INTO brend(naziv_brend) VALUES (:brand)";
    $stmt = $konekcija->prepare($upitBrand);
    $stmt->bindParam(":brand", $brand);
    $result = $stmt->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageBrands");
    }
}
}

?>
<div class="container-fluid p-0">
<h2 class="mb-4">Insert new brand</h2>
<form method="post" action="?page=admin&adminPage=addBrand" enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">Brand name:</label>
        <input type="text" class="form-control" id="color" name="label" placeholder="Brand name">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        ?>
    </div>

    <button type="submit" name="potvrdi" class="btn btn-danger">Insert Brand</button>

</form>
</div>
```

addCategory.php

```
<?php
$greske = [];

if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }

    if(!count($greske)) {

        $brand = $_POST['label'];

        $upitBrand="INSERT INTO kategorija(naziv_kategorija) VALUES (:brand)";
        $stmt = $konekcija->prepare($upitBrand);
        $stmt->bindParam(":brand", $brand);
        $result = $stmt->execute();

        if(!$result) {
            $errors["greske"] = "An error has occurred.";
        } else {
            $errors["success"] = "Successful entry.";
            header("Location: ?page=admin&adminPage=manageCategories");
        }
    }
}

?>

<div class="container-fluid p-0">
<h2 class="mb-4">Insert new category</h2>
<form method="post" action="?page=admin&adminPage=addCategory" enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">Category name:</label>
        <input type="text" class="form-control" id="color" name="label" placeholder="Category name">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        </?php
    </div>
</form>
```

```

    ?>
</div>

<button type="submit" name="potvrdi" class="btn btn-danger">Insert category</button>

</form>
</div>

```

addColor.php

```

<?php
$greske = [];
if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST["label"]) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(count($greske)) {

    $color = $_POST["label"];

    $upitBoja="INSERT INTO boja(boja) VALUES (:boja)";
    $stmt = $konekcija->prepare($upitBoja);
    $stmt->bindParam(":boja", $color);
    $result = $stmt->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageColors");
    }
}
}

?>
<div class="container-fluid p-0">
<h2 class="mb-4">Insert new color</h2>
<form method="post" action="index.php?page=admin&adminPage=addColor" enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">Color name:</label>
        <input type="text" class="form-control" id="color" name="label" placeholder="Color name">
    </div>

```

```

<?php
if(isset($greske['label'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
}
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-danger">Insert color</button>

</form>
</div>

```

addImage.php

```

<?php
$greske = [];
if(isset($_POST["potvrdi"])) {

    $greske = [];

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST["label"]) {
            $greske['label'] = "Name is required!";
        }
    }

    if($_FILES["slika"]["error"] == UPLOAD_ERR_NO_FILE) {
        $greske["slika"] = "Image is required!";
    }else {

        $dozvoljeniTipovi = ["image/jpeg", "image/png", "image/jpg"];
        $slikaFajl = $_FILES["slika"];

        $tipSlike = $slikaFajl["type"];
        $velicina = $slikaFajl["size"];
        $tmpPutanja = $slikaFajl["tmp_name"];

        if(!in_array($tipSlike, $dozvoljeniTipovi)) {
            $greske[] = "File type not allowed. Allowed types are: jpg, jpeg, png.";
        }

        if($velicina > 2000000) {
            $greske[] = "The file must not exceed 2mb.";
        }
    }
}

```

```

$tipFajla = explode(".", $slikaFajl["name"])[1];

$noviNazivSlike = time() . uniqid() . "." . $tipFajla;

$novaPutanjaSlike = "images/gallery/" . $noviNazivSlike;

$premestaj = move_uploaded_file($tmpPutanja, $novaPutanjaSlike);

if(!$premestaj) {
    $greske[] = "Error uploading image.";
}

if(!count($greske)) {

    $label = $_POST["label"];

    $upitProizvod = "INSERT INTO galerija (src, naziv) VALUES (:src, :naziv)";

    $stmt = $konekcija->prepare($upitProizvod);
    $stmt->bindParam(":naziv", $label);
    $stmt->bindParam(":src", $noviNazivSlike);

    if(!$stmt->execute()) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: index.php?page=admin&adminPage=gallery");
        exit;
    }
}

?>

<div class="container-fluid p-0">
    <h2 class="mb-4">Insert new product</h2>
    <form method="post" action="index.php?page=admin&adminPage=addImage"
        enctype="multipart/form-data">
        <div class="form-group mb-3">
            <label for="exampleFormControlInput1">Label for product:</label>
            <input type="text" class="form-control" id="label" name="label" placeholder="Product label">
            <?php
                if(isset($greske['label'])){
                    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
                }
            </?php
        </div>
    </form>
</div>

```

```

        }
    ?>
</div>

<div class="form-group">
    <label for="exampleFormControlFile1">Select image for gallery:</label><br/>
    <input type="file" name="slika" class="form-control-file mb-3" id="exampleFormControlFile1">
    <?php
        if(isset($greske['slika'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['slika'] . "</p>";
        }
    ?>
</div>
<button type="submit" name="potvrdi" class="btn btn-danger">Insert picture</button>

</form>
</div>

```

addMorePool.php

```

<div class="container-fluid p-0">
    <h2 class="mb-4">Insert more pools:</h2>
    <form method="post" action="models/addMorePool.php?id=<?= $_GET['id'] ?>" enctype="multipart/form-data">
        <div class="form-group mb-3">
            <label for="exampleFormControlInput1">Answers:</label>
            <input type="text" class="form-control mb-4" name="odgovori[]" placeholder="Enter answer">

            <div id="dodatniOdgovori"></div>

            <button type="button" name="dodaj" class="btn btn-success" id="dodaj">Add another answer for
            survey</button>
        </div>
        <?php
            if(isset($_SESSION["greskeUnos"])){
                $ispis = "<p class='alert alert-danger'>";
                foreach($_SESSION["greskeUnos"] as $g){
                    $ispis .= $g."<br>";
                }
                $ispis .= "<p>";
                echo($ispis);
                unset($_SESSION["greskeUnos"]);
            }
        ?>
        <button type="submit" name="potvrdi" class="btn btn-danger">Update survey</button>
    </form>
</div>

```

```
</form>
</div>
```

addNavigation.php

```
<?php
$greske = [];

if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Href is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Href is required!";
        }
    }

    if(!isset($_POST['text'])) {
        $greske['text'] = "Text is required!";
    }else {
        if(!$_POST['text']) {
            $greske['text'] = "Text is required!";
        }
    }
}

if(!count($greske)) {

    $href = $_POST["label"];
    $text = $_POST["text"];

    $upitBoja="INSERT INTO navigacija(text, link) VALUES (:text, :link)";
    $stmt = $konekcija->prepare($upitBoja);
    $stmt->bindParam(":link", $href);
    $stmt->bindParam(":text", $text);
    $result = $stmt->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageNavigation");
    }
}

?>
<div class="container-fluid p-0">
<h2 class="mb-4">Insert new link</h2>
```

```

<form method="post" action="?page=admin&adminPage=addNavigation" enctype="multipart/form-data">

    <div class="form-group mb-3">
        <label for="exampleFormControllInput1">Link name:</label>
        <input type="text" class="form-control" id="color" name="label" placeholder="Link name">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        ?>

        <label class="mt-3" for="exampleFormControllInput1">Text name:</label>
        <input type="text" class="form-control" id="text" name="text" placeholder="Text name">
        <?php
            if(isset($greske['text'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['text'] . "</p>";
            }
        ?>

    </div>

    <button type="submit" name="potvrdi" class="btn btn-danger">Insert link</button>

</form>
</div>

```

addProducts.php

```

<?php
$greske = [];
if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }

    if($_POST["brand"] == "0") {
        $greske["brand"] = "Brand is required!";
    }

    if($_POST["prom"] == "-1") {
        $greske["prom"] = "Promotion is required!";
    }
}

```

```

if($_POST["cat"] == "0") {
    $greske["cat"] = "Brand is required!";
}

if($_POST["boja"] == "0") {
    $greske["boja"] = "Color is required!";
}

if(!isset($_POST["price"])) {
    $greske["price"] = "Price is required!";
}else {
    if(!$POST["price"]) {
        $greske["price"] = "Price is required!";
    }
}

if(!isset($_POST["opis"])) {
    $greske["opis"] = "Description is required!";
}else {
    if(!$POST["opis"]) {
        $greske["opis"] = "Description is required!";
    }
}

if($_FILES["slika"]["error"] == UPLOAD_ERR_NO_FILE) {
    $greske["slika"] = "Image is required!";
}else {

    $dozvoljeniTIPovi = ["image/jpeg", "image/png", "image/jpg"];
    $slikaFajl = $_FILES["slika"];

    $tipSlike = $slikaFajl["type"];
    $velicina = $slikaFajl["size"];
    $tmpPutanja = $slikaFajl["tmp_name"];

    if(!in_array($tipSlike, $dozvoljeniTIPovi)) {
        $greske[] = "File type not allowed. Allowed types are: jpg, jpeg, png.";
    }

    if($velicina > 2000000) {
        $greske[] = "The file must not exceed 2mb.";
    }

    $tipFajla = explode(" ", $slikaFajl["name"])[1];

    $noviNazivSlike = time() . uniqid() . "." . $tipFajla;
}

```

```

$novaPutanjaSlike = "images/" . $noviNazivSlike;

$premestaj = move_uploaded_file($tmpPutanja, $novaPutanjaSlike);

if(!$premestaj) {
    $greske[] = "Error uploading image.";
}

}

if(!count($greske)) {

    $label = $_POST["label"];
    $opis = $_POST["opis"];
    $idKat = $_POST["cat"];
    $idBoje = $_POST["boja"];
    $idBrand = $_POST["brand"];
    $cena=$_POST["price"];
    $popust = $_POST["discount"];
    $promocija=$_POST["prom"];

    $upitProizvod="";
    if($promocija>0){
        $upitProizvod = "INSERT INTO proizvod (naziv, opis, id_brend, slika, id_kategorija, id_promocija)
VALUES (:naziv, :opis, :id_brend, :slika, :id_kategorija, :id_promocija)";
    }
    else{
        $upitProizvod = "INSERT INTO proizvod (naziv, opis, id_brend, slika, id_kategorija) VALUES (:naziv,
:opis, :id_brend, :slika, :id_kategorija)";
    }

    $stmt = $konekcija->prepare($upitProizvod);
    $stmt->bindParam(":naziv", $label);
    $stmt->bindParam(":opis", $opis);
    $stmt->bindParam(":id_brend", $idBrand);
    $stmt->bindParam(":slika", $noviNazivSlike);
    $stmt->bindParam(":id_kategorija", $idKat);
    if($promocija>0){
        $stmt->bindParam(":id_promocija", $promocija);
    }
    $result = $stmt->execute();

    $lastInsertedId=$konekcija->lastInsertId();

    $upitSnizenje="INSERT INTO popust(procenat,id_proizvod) VALUES (:procenat, :id_proizvod)";
    $stmt1 = $konekcija->prepare($upitSnizenje);
    $stmt1->bindParam(":procenat", $popust);
}

```

```

$stmt1->bindParam(":id_proizvod", $lastInsertedId);
$result1 = $stmt1->execute();

$upitCena="INSERT INTO cena(cena, id_proizvod) VALUES (:cena, :id_proizvod)";
$stmt2 = $konekcija->prepare($upitCena);
$stmt2->bindParam(":cena", $cena);
$stmt2->bindParam(":id_proizvod", $lastInsertedId);
$result2 = $stmt2->execute();

$upitProizvodBoja="INSERT INTO proizvod_boja(id_proizvod ,id_boja) VALUES (:id_proizvod,:id_boja)";
$stmt3 = $konekcija->prepare($upitProizvodBoja);
$stmt3->bindParam(":id_proizvod", $lastInsertedId);
$stmt3->bindParam(":id_boja", $idBoje);
$result3 = $stmt3->execute();

if(!$result) {
    $errors["greske"] = "An error has occurred.";
} else {
    $errors["success"] = "Successful entry.";
    header("Location: index.php?page=admin&adminPage=products");
    exit;
}
}

}

?>

<div class="container-fluid p-0">
<h2 class="mb-4">Insert new product</h2>
<form method="post" action="index.php?page=admin&adminPage=addProducts"
enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">Label for product:</label>
        <input type="text" class="form-control" id="label" name="label" placeholder="Product label">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        ?>
    </div>

    <div class="form-group mb-3">
        <label for="exampleFormControlSelect1">Select brand:</label>
        <select class="form-control" id="brand" name="brand">
            <?php
                $upitBrend ="SELECT * FROM brend";
                $rez = $konekcija->query($upitBrend);
                $brendovi = $rez->fetchAll();
                echo "<option hidden value='0'>Select brand</option>";
                foreach($brendovi as $b){
                    echo "<option value='$b->id_brend'>$b->naziv_brend</option>";
```

```

        }
    ?>
</select>
<?php
if(isset($greske['brand'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['brand'] . "</p>";
}
?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select category:</label>
    <select class="form-control" id="cat" name="cat">
<?php
$upitBrend ="SELECT * FROM kategorija";
$rez = $konekcija->query($upitBrend);
$brendovi = $rez->fetchAll();
echo "<option hidden value='0'>Select category</option>";
foreach($brendovi as $b){
    echo "<option value='".$b->id_kategorija'>$b->naziv_kategorija</option>";
}
?>
</select>
<?php
if(isset($greske['cat'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['cat'] . "</p>";
}
?>
</div>
<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select promotion:</label>
    <select class="form-control" id="prom" name="prom">
<?php
$upitBrend ="SELECT * FROM promocija";
$rez = $konekcija->query($upitBrend);
$brendovi = $rez->fetchAll();
echo "<option hidden value='-1'>Select promotion</option>";
echo "<option value='0'>Without promotion</option>";
foreach($brendovi as $b){
    echo "<option value='".$b->id_promocija'>$b->promocija</option>";
}
?>
</select>
<?php
if(isset($greske['prom'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['prom'] . "</p>";
}
?>
</div>

<div class="form-group mb-3">

```

```

<label for="exampleFormControlSelect1">Select color:</label>
<select class="form-control" id="boja" name="boja">
<?php
    $upitBrend ="SELECT * FROM boja";
    $rez = $konekcija->query($upitBrend);
    $brendovi = $rez->fetchAll();
    echo "<option hidden value='0'>Select color</option>";
    foreach($brendovi as $b){
        echo "<option value='".$b->id_boja'>$b->boja</option>";
    }
?
</select>
<?php
    if(isset($greske['boja'])){
        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['boja'] . "</p>";
    }
?
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Insert price of product:</label>
    <input type="text" class="form-control" id="price" name="price" placeholder="Product price">
    <?php
        if(isset($greske['price'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['price'] . "</p>";
        }
    ?
    </div>

<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Insert discount for product:</label>
    <input type="text" class="form-control" id="discount" name="discount" placeholder="Product discount">
    </div>

<div class="form-group">
    <label for="exampleFormControlFile1">Select image for product:</label><br/>
    <input type="file" name="slika" class="form-control-file mb-3" id="exampleFormControlFile1">
    <?php
        if(isset($greske['slika'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['slika'] . "</p>";
        }
    ?
    </div>

<div class="form-group mb-5">
    <label for="exampleFormControlTextarea1">Product description:</label>

```

```

<textarea name="opis" class="form-control" id="exampleFormControlTextarea1"
rows="7"></textarea>
<?php
if(isset($greske['opis'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['opis'] . "</p>";
}
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-danger">Insert product</button>

</form>
</div>

```

addPromotion.php

```

<?php
$greske = [];
if(isset($_POST["potvrdi"])) {

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {

    $prom = $_POST["label"];

    $upit="INSERT INTO promocija(promocija) VALUES (:promocija)";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":promocija", $prom);
    $result = $stmt->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=managePromotions");
    }
}

```

```

        }
    ?>

    <div class="container-fluid p-0">
        <h2 class="mb-4">Insert new color</h2>
        <form method="post" action="index.php?page=admin&adminPage=addPromotion"
        enctype="multipart/form-data">
            <div class="form-group mb-3">
                <label for="exampleFormControllInput1">Promotion name:</label>
                <input type="text" class="form-control" id="color" name="label" placeholder="Promotion name">
                <?php
                    if(isset($greske['label'])){
                        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
                    }
                ?>
            </div>

            <button type="submit" name="potvrdi" class="btn btn-danger">Insert promotion</button>

        </form>
    </div>

```

addSurvey.php

```

<div class="container-fluid p-0">
    <h2 class="mb-4">Insert new survey</h2>
    <form method="post" action="models/addSurvey.php" enctype="multipart/form-data">
        <div class="form-group mb-3">
            <label for="exampleFormControllInput1">Question:</label>
            <input type="text" class="form-control mb-4" id="pitanje" name="pitanje" placeholder="Enter question">

            <label for="exampleFormControllInput1">Answers:</label>
            <input type="text" class="form-control mb-4" name="odgovori[]" placeholder="Enter answer">

            <div id="dodatniOdgovori"></div>

            <button type="button" name="dodaj" class="btn btn-success" id="dodaj">Add another answer for
            survey</button>

        </div>
    <?php
        if(isset($_SESSION["greskeUnos"])){
            $ispis = "<p class='alert alert-danger'>";
            foreach($_SESSION["greskeUnos"] as $g){
                $ispis .= $g."<br>";
            }
            $ispis .= "<p>";

```

```

        echo($ispis);
        unset($_SESSION['greskeUnos']);
    }
?>

    <button type="submit" name="potvrdi" class="btn btn-danger">Insert survey</button>
</form>
</div>

```

answers.php

```

<?php
$upitAnkete = "SELECT * FROM pitanje_odgovor po JOIN korisnik k ON po.id_korisnik = k.id_korisnik";
$stmt = $konekcija->prepare($upitAnkete);
$stmt->execute();
$ankete = $stmt->fetchAll();

?>
<div class="container-fluid p-0">
<div class="row g-4">
<div class="col-sm-12 col-xl-12">
    <div class="bg-light rounded h-100 p-4">
        <h6 class="mb-4">Answers:</h6>
        <table class="table">
            <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">User Name</th>
                    <th scope="col">User Email</th>
                    <th scope="col">Question</th>
                    <th scope="col">Answer</th>
                    <th scope="col"></th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <?php
                        foreach($ankete as $index => $a){?>
                        <tr>
                            <td scope="row"><?= $index+1 ?></td>
                            <td><?= $a->ime ?></td>
                            <td><?= $a->mail ?></td>
                            <td><?= $a->pitanje ?></td>
                            <td><?= $a->odgovor ?></td>
                            <td><a onclick="obrisi(<?= $a->id_po ?>, 'removeAnswer.php')"><button
type="button" class="btn obrisi btn-danger">Remove</button></a></td>

```

```

<?php } ?>

</tr>

</tbody>
</table>
</div>
</div>
</div>
</div>

```

gallery.php

```

<div class="row g-4">
    <div class="col-sm-12 col-xl-12">
        <div class="bg-light rounded h-100 p-4">
            <h6 class="mb-4">Pictures:</h6>
            <a href="index.php?page=admin&adminPage=addImage"><button type="button" class="btn btn-primary mb-4">Add new picture</button></a>
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">#</th>
                        <th scope="col">Image</th>
                        <th scope="col">Name</th>
                        <th scope="col"></th>
                        <th scope="col"></th>
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <?php
                            $upitSlike = "SELECT * FROM galerija";
                            $stmt = $konekcija -> prepare($upitSlike);
                            $stmt -> execute();
                            $slike = $stmt -> fetchAll();

                            foreach($slike as $index => $s){

                                ?>
                                <tr>
                                    <td scope="row"><?= $index +1 ?></td>
                                    <td></td>
                                    <td><?= $s->naziv ?></td>
                                    <td><a onclick="obrisi(<?= $s->id_galerija ?>,'removePicture.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td>

```

```

        <td><a href="index.php?page=admin&adminPage=updateGallery&id=<?= $s->id_galerija?>"><button type="button" class="btn btn-success">Change</button></a></td>
        </tr>
        <?php } ?>

        </tr>

        </tbody>
        </table>
        </div>
        </div>
    </div>

```

manageBrands.php

```

<?php
$brendovi = getAll("brend");
?>


###### Brands:</h6> | # | Brand | | | |---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--|--| | <?php foreach\(\\$brendovi as \\$index => \\$p\){?> <tr> <td scope="row"><?= \\$index + 1 ?></td> <td><?= \\$p->naziv\_brend ?></td> <td><a onclick="obrisi\(<?= \\$p->id\_brend ?>, 'removeBrand.php'\)"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td> <td><a href="?page=admin&adminPage=updateBrand&id=<?= \\$p->id\_brend ?>"><button type="button" class="btn btn-success">Change</button></a></td> | | | |


```

```

<?php } ?>

        </tr>

    </tbody>
</table>
</div>
</div>
</div>
</div>

```

manageCategories.php

```

<?php
    $kategorije = getAll("kategorija");
?>


<div class="row g-4">
        <div class="col-sm-12 col-xl-12">
            <div class="bg-light rounded h-100 p-4">
                <h6 class="mb-4">Colors:</h6>
                <a href="?page=admin&adminPage=addCategory"><button type="button" class="btn btn-primary mb-4">Add new category</button></a>

                <table class="table">
                    <thead>
                        <tr>
                            <th scope="col">#</th>
                            <th scope="col">Category</th>
                            <th></th>
                            <th></th>
                        </tr>
                    </thead>
                    <tbody>
                        <tr>
                            <?php
                                foreach($kategorije as $index => $p){?>
                                    <tr>
                                        <td scope="row"><?= $index + 1 ?></td>
                                        <td><?= $p->naziv_kategorija ?></td>
                                        <td><a onclick="obrisi(<?= $p->id_kategorija ?,'
'removeCategory.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td>
                                            <td><a href="?page=admin&adminPage=updateCategory&id=<?= $p-
>id_kategorija ?>"><button type="button" class="btn btn-success">Change</button></a></td>
                                        </tr>
                            <?php } ?>


```

```

        </tr>

    </tbody>
</table>
</div>
</div>
</div>
</div>

```

manageColors.php

```

<?php
$boje = getAll("boja");

?>
<div class="container-fluid p-0">
<div class="row g-4">
<div class="col-sm-12 col-xl-12">
<div class="bg-light rounded h-100 p-4">
<h6 class="mb-4">Colors:</h6>
<a href="?page=admin&adminPage=addColor"><button type="button" class="btn btn-primary mb-4">Add new color</button></a>
<table class="table">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Color</th>
<th></th>
<th></th>
</tr>
</thead>
<tbody>
<tr>
<?php
foreach($boje as $index => $p){?>
<tr>
<td scope="row"><?= $index + 1 ?></td>
<td><?= $p->boja ?></td>
<td><a onclick="obrisi(<?= $p->id_boja ?>, 'removeColor.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td>
<td><a href="?page=admin&adminPage=updateColor&id=<?= $p->id_boja ?>"><button type="button" class="btn btn-success">Change</button></a></td>
</tr>
<?php } ?>

</tr>

```

```

        </tbody>
    </table>
</div>
</div>
</div>
</div>

```

manageNavigation.php

```

<?php
$boje = getAll("navigacija");

?>
<div class="container-fluid p-0">
<div class="row g-4">
<div class="col-sm-12 col-xl-12">
<div class="bg-light rounded h-100 p-4">
<h6 class="mb-4">Navigation:</h6>
<a href="?page=admin&adminPage=addNavigation"><button type="button" class="btn btn-primary mb-4">Add new link</button></a>

<table class="table">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Text</th>
<th scope="col">Href</th>
<th scope="col"></th>
<th scope="col"></th>

</tr>
</thead>
<tbody>
<tr>
<?php
//var_dump($proizvodi);
foreach($boje as $index => $p){?>
<tr>
<td scope="row"><?= $index + 1 ?></td>
<td><?= $p->text ?></td>
<td><?= $p->link ?></td>
<td><a onclick="obrisi(<?= $p->id_nav ?>, 'removeNavigation.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td>
<td><a href="?page=admin&adminPage=updateNavigation&id=<?= $p->id_nav ?>"><button type="button" class="btn btn-success">Change</button></a></td>
</tr>
<?php } ?>
</tr>

```

```

        </tbody>
    </table>
</div>
</div>
</div>
</div>

```

managePromotions.php

```

<?php
$promocije = getAll("promocija");
?>


###### Colors:</h6> <button type="button" class="btn btn-primary mb-4">Add new promotion</button></a> | # | Color | | |-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--| | <?php //var_dump(\$proizvodi); foreach(\$promocije as \$index => \$p){?> <tr> <td scope="row"><?= \$index + 1 ?></td> <td><?= \$p->promocija ?></td> <td><a onclick="obrisi(<?= \$p->id_promocija ?>, 'removePromotion.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td> <td><a href="?page=admin&adminPage=updatePromotion&id=<?= \$p->id_promocija ?>"><button type="button" class="btn btn-success">Change</button></a></td> </tr> <?php } ?> </tr> | | |


```

```
</div>
</div>
</div>
```

messages.php

```
<?php
$upitPoruke = "SELECT * FROM kontakt";
$stmt = $konekcija->prepare($upitPoruke);
$stmt->execute();
$poruke = $stmt->fetchAll();

?>

<div class="col-sm-12 col-xl-12">
    <div class="bg-light rounded h-100 p-4">
        <h6 class="mb-4">Messages:</h6>
        <table class="table">
            <thead>
                <tr>
                    <th scope="col">#</th>
                    <th scope="col">Name and lastname</th>
                    <th scope="col">Mail</th>
                    <th scope="col">Phone</th>
                    <th scope="col">Type</th>
                    <th scope="col">Message</th>
                    <th scope="col">Adress</th>
                    <th scope="col"></th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <?php
                        //var_dump($proizvodi);
                        foreach($poruke as $index => $p){?>
                    <tr>
                        <td scope="row"><?= $index+1 ?></td>
                        <td><?= $p->ime_prezime ?></td>
                        <td><?= $p->k_mail ?></td>
                        <td><?= $p->telefon ?></td>
                        <td><?= $p->tip_korisnika ?></td>
                        <td><?= $p->poruka ?></td>
                        <td><?= $p->adresa?></td>
                        <td><a onclick="obrisi(<?= $p->id_kontakt ?, 'removeContact.php')"><button
type="button" class="btn obrisi btn-danger">Remove</button></a></td>
                    </tr>
                <?php } ?>
```

```

        </tr>

    </tbody>
</table>
</div>
</div>
```

newsletter.php

```

<?php
$upitPoruke = "SELECT n.mail, n.id_novosti, k.ime, k.prezime FROM novosti n JOIN korisnik k on
k.id_korisnik = n.id_korisnik";
$stm = $konekcija->prepare($upitPoruke);
$stm->execute();
$poruke = $stm->fetchAll();

?>

<div class="container-fluid p-0">
<div class="row g-4">
<div class="col-sm-12 col-xl-12">
<div class="bg-light rounded h-100 p-4">
<h6 class="mb-4">Subscribed to the newsletter:</h6>
<table class="table">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Name</th>
<th scope="col">Lastname</th>
<th scope="col">Mail</th>
<th scope="col"></th>
</tr>
</thead>
<tbody>
<tr>
<?php
//var_dump($proizvodi);
foreach($poruke as $index => $p){?>
<tr>
<td scope="row"><?= $index + 1 ?></td>
<td><?= $p->ime ?></td>
<td><?= $p->prezime ?></td>
<td><?= $p->mail ?></td>
<td><a onclick="obrisi(<?= $p->id_novosti ?>, 'removeNewsletter.php')"><button
type="button" class="btn btn-danger">Remove</button></a></td>
</tr>
<?php } ?>

</tr>
```

```
        </tbody>
    </table>
</div>
</div>
</div>
```

orders.php

```
<?php
$upit = "SELECT *, k.datum as dat FROM kupovina k JOIN korisnik ko ON ko.id_korisnik = k.id_korisnik JOIN
proizvod p ON k.id_proizvod = p.id_proizvod";
$stmt = $konekcija->prepare($upit);
$stmt->execute();
$kupovine = $stmt->fetchAll();

?>
<div>

<div class="container-fluid p-0">
<div class="row g-4">
<div class="col-sm-12 col-xl-12">
<div class="bg-light rounded h-100 p-4">
<h6 class="mb-4">Orders:</h6>
<table class="table">
<thead>
<tr>
<th scope="col">#</th>
<th scope="col">Product name</th>
<th scope="col">Id product</th>
<th scope="col">User</th>
<th scope="col">Quantity</th>
<th scope="col">Price per piece</th>
<th scope="col">Total price</th>
<th scope="col">Date</th>
<th scope="col"></th>
</tr>
</thead>
<tbody>
<tr>
<?php
//var_dump($proizvodi);
foreach($kupovine as $index => $k){?>
<tr>
```

```

<td><?= $index+1 ?></td>
<td scope="row"><?= $k->naziv ?></td>
<td scope="row"><?= $k-> id_proizvod?></td>
<td><?= $k->mail ?></td>
<td><?= $k->kolicina ?></td>
<td><?= $k->cena_komad ?>&euro;</td>
<td><?= $k->ukupna_cena ?>&euro;</td>
<td><?= $k->dat ?></td>
<td><a onclick="obrisi(<?= $k->id_kupovina ?>, 'removeOrder.php')"><button
type="button" class="btn obrisi btn-danger">Remove</button></a></td>

</tr>
<?php } ?>

</tr>

</tbody>
</table>
</div>
</div>
</div>
</div>
</div>

```

products.php

```

<div class="row g-4">
    <div class="col-sm-12 col-xl-12">
        <div class="bg-light rounded h-100 p-4">
            <h6 class="mb-4">Products:</h6>
            <a href="index.php?page=admin&adminPage=addProducts"><button type="button" class="btn
btn-primary mb-4">Add new product</button></a>
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col">Id</th>
                        <th scope="col">Image</th>
                        <th scope="col">Label</th>
                        <th scope="col">Brand</th>
                        <th scope="col">Category</th>
                        <th scope="col">Color</th>
                        <th scope="col">Description</th>
                        <th scope="col">Discount</th>
                        <th scope="col">Price</th>
                        <th scope="col"></th>

```

```

        <th scope="col"></th>
    </tr>
</thead>
<tbody>
    <tr>
        <?php
            //var_dump($proizvodi);
            foreach($proizvodi as $p){
                $cena = "SELECT cena FROM cena c JOIN proizvod p ON c.id_proizvod =
p.id_proizvod WHERE p.id_proizvod = $p->id_proizvod ORDER BY datum DESC LIMIT 0,1";
                $result2 = $konekcija->query($cena);
                $trenutna = $result2->fetch();

                $upitPopust = "SELECT procenat FROM popust po JOIN proizvod p ON
po.id_proizvod = p.id_proizvod WHERE p.id_proizvod = $p->id_proizvod ORDER BY datum_popust DESC LIMIT
0,1";
                $popust = $konekcija->query($upitPopust);
                $pop = $popust->fetch();

            ?>
        <tr>
            <td scope="row"><?= $p->id_proizvod ?></td>
            <td></td>
            <td><?= $p->naziv ?></td>
            <td><?= $p->naziv_brend ?></td>
            <td><?= $p->naziv_kategorija ?></td>
            <td><?= $p->boja ?></td>
            <td><?= $p->opis ?></td>
            <td><?= $pop->procenat?> %</td>
            <td><?= $trenutna->cena?> &euro;</td>
            <td><a onclick="obrisi(<?= $p->id_proizvod ?>,'removeProduct.php')"><button
type="button" class="btn btn-danger">Remove</button></a></td>
            <td><a href="index.php?page=admin&adminPage=updateProduct&id=<?= $p-
>id_proizvod ?>"><button type="button" class="btn btn-success">Change</button></a></td>
        </tr>
        <?php } ?>

    </tr>

</tbody>
</table>
</div>
</div>
</div>

```

removeColor.php

```

<?php

include "../config/konekcija.php";

if(isset($_POST["id"])){
    $id_boje = $_POST["id"];


    $upit = "DELETE from boja where id_boja = :id_boja";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_boja", $id_boje);
    $result = $stmt->execute();


    if(!$result){
        http_response_code(500);
    }
    else{
        http_response_code(200);
    }

} else {
    http_response_code(500);
}

?>

```

survay.php

```

<?php

$upit = "SELECT * FROM anketa a ORDER BY a.datum DESC LIMIT 0,1";
$stmt = $konekcija -> prepare($upit);
$stmt -> execute();
$anketa = $stmt -> fetch();


if($anketa){
    $id = strval($anketa -> id_anketa);
    $upitPitanja = "SELECT * FROM odgovor WHERE id_anketa = $id";
    $stmt1 = $konekcija -> prepare($upitPitanja);
    $stmt1 -> execute();
    $pitanja = $stmt1 -> fetchAll();
}

?>

<div class="row g-4">
    <div class="col-sm-12 col-xl-12">

```

```

<div class="bg-light rounded h-100 p-4">
    <h6 class="mb-4">Current survey:</h6>
    <a href="index.php?page=admin&adminPage=addSurvey"><button type="button" class="btn btn-primary mb-4">Add new survey</button></a>
    <?php
        if($anketa){?>
            <table class="table">
                <thead>
                    <tr>
                        <th scope="col"><?= $anketa -> pitanje ?></th>
                        <th></th>
                        <th></th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                        foreach($pitanja as $p){ ?>
                            <tr>
                                <td scope="row"><?= $p -> odgovor ?></td>
                                <td><a onclick="obrisi(<?= $p->id_ogovor ?>, 'removePool.php')"><button type="button" class="btn obrisi btn-danger">Remove</button></a></td>
                                <td><a href="?page=admin&adminPage=updatePool&id=<?= $p->id_ogovor ?>"><button type="button" class="btn btn-success">Change</button></a></td>
                            </tr>
                        <?php } ?>
                    </tbody>
                </table>
                <a href="models/removeSurvey.php?id=<?= $anketa->id_anketa ?>"><button type="button" class="btn btn-danger">Remove survey</button></a>
                <a href="index.php?page=admin&adminPage=addMorePool&id=<?= $anketa->id_anketa ?>"><button type="button" class="btn btn-success">Add more answers</button></a>
                <?php }
                else {?
                    <p class="alert alert-danger">There are currently no polls posted</p>
                <?php } ?>
            </div>
        </div>
    </div>

```

updateBrand.php

```

<?php
$greske = [];
if(isset($_GET["id"])){

```

```

$id = $_GET["id"];
}
else{
    header("Location: ?page=admin&adminPage=manageBrands");
}

$id = $_GET["id"];
$upitBoja ="SELECT naziv_brend FROM brand WHERE id_brend = :id";

$stm = $konekcija->prepare($upitBoja);
$stm->bindParam(":id", $id);
$stm->execute();
$proizvod = $stm->fetch();

if(isset($_POST["potvrdi"]))
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {
    $label = $_POST["label"];
    $upit="UPDATE brand SET naziv_brend = :boja WHERE id_brend = :id";
    $stm1 = $konekcija->prepare($upit);
    $stm1->bindParam(":id", $id);
    $stm1->bindParam(":boja", $label);
    $result = $stm1->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageBrands");
    }
}

?>
<div class="container-fluid p-0">
<h2 class="mb-4">Update brand</h2>
<form method="post" action="?page=admin&adminPage=updateBrand&id=<?=$_GET["id"];?>">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">New brand name:</label>

```

```

<input type="text" class="form-control" value= "<?=$proizvod->naziv_brend?" id="label"
name="label">
<?php
if(isset($greske['label'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
}
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-success">Update brand</button>
<?php //var_dump($proizvod);
//var_dump($id);?>
</form>
</div>

```

updateCategory.php

```

<?php
$greske = [];
if(isset($_GET["id"])){
    $id = $_GET["id"];
}
else{
    header("Location: admin.php");
}

$id = $_GET["id"];
$upitBoja ="SELECT naziv_kategorija FROM kategorija WHERE id_kategorija = :id";

$stm = $konekcija->prepare($upitBoja);
$stm->bindParam(":id", $id);
$stm->execute();
$proizvod = $stm->fetch();

if(isset($_POST["potvrdi"]))
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {

```

```

$label = $_POST["label"];

$upit="UPDATE kategorija SET naziv_kategorija = :boja WHERE id_kategorija = :id";
$stmt1 = $konekcija->prepare($upit);
$stmt1->bindParam(":id", $id);
$stmt1->bindParam(":boja", $label);
$result = $stmt1->execute();

if(!$result) {
    $errors["greske"] = "An error has occurred.";
} else {
    $errors["success"] = "Successful entry.";
    header("Location: ?page=admin&adminPage=manageCategories");
}

}

}

?>
<div class="container-fluid p-0">
<h2 class="mb-4">Update category</h2>
<form method="post" action="?page=admin&adminPage=updateCategory&id=<?=$_GET["id"];?>">
enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">New category name:</label>
        <input type="text" class="form-control" value="<?=$proizvod->naziv_kategorija?>" id="label" name="label">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        ?>
    </div>

    <button type="submit" name="potvrdi" class="btn btn-success">Update category</button>
    <?php //var_dump($proizvod);
        //var_dump($id);?>
</form>
</div>

```

updateColor.php

```

<?php
$greske = [];

```

```

if(isset($_GET["id"])) {
    $id = $_GET["id"];
}

$id = $_GET["id"];
$upitBoja ="SELECT boja FROM boja WHERE id_boja = :id";

$stm = $konekcija->prepare($upitBoja);
$stm->bindParam(":id", $id);
$stm->execute();
$proizvod = $stm->fetch();

if(isset($_POST["potvrdi"])){
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {

    $label = $_POST["label"];

    $upit="UPDATE boja SET boja = :boja WHERE id_boja = :id";
    $stm1 = $konekcija->prepare($upit);
    $stm1->bindParam(":id", $id);
    $stm1->bindParam(":boja", $label);
    $result = $stm1->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageColors");
    }
}
}
?>
<div class="container-fluid p-0">
<h2 class="mb-4">Update color</h2>
<form method="post" action="?page=admin&adminPage=updateColor&id=<?=$_GET['id'];?>">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">New color name:</label>

```

```

<input type="text" class="form-control" value= "<?=$proizvod->boja?" id="label" name="label">
<?php
if(isset($greske['label'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
}
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-success">Update color</button>
<?php //var_dump($proizvod);
//var_dump($id);?>
</form>
</div>

```

updateGallery.php

```

<?php
$greske = [];
$naziv = "";
$id = "";
if(isset($_GET["id"])){
    $id = $_GET["id"];
    $upitNaziv = "SELECT naziv FROM galerija WHERE id_galerija = :id";
    $stmt = $konekcija -> prepare($upitNaziv);
    $stmt -> bindParam(":id", $id);
    $stmt -> execute();
    $res = $stmt -> fetch();
    $naziv = $res -> naziv;
}
if(isset($_POST["potvrdi"])) {

    $greske = [];

    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST["label"]) {
            $greske['label'] = "Name is required!";
        }
    }

    if($_FILES["slika"]["error"] == UPLOAD_ERR_NO_FILE) {
        $greske["slika"] = "Image is required!";
    }else {

        $dozvoljeniTipovi = ["image/jpeg", "image/png", "image/jpg"];
        $slikaFajl = $_FILES["slika"];

```

```

$tipSlike = $slikaFajl["type"];
$velicina = $slikaFajl["size"];
$tmpPutanja = $slikaFajl["tmp_name"];

if(in_array($tipSlike, $dozvoljeniTipovi)) {
    $greske[] = "File type not allowed. Allowed types are: jpg, jpeg, png.";
}

if($velicina > 2000000) {
    $greske[] = "The file must not exceed 2mb.";
}

$tipFajla = explode(".", $slikaFajl["name"])[1];

$noviNazivSlike = time() . uniqid() . "." . $tipFajla;

$novaPutanjaSlike = "images/gallery/" . $noviNazivSlike;

$premestaj = move_uploaded_file($tmpPutanja, $novaPutanjaSlike);

if(!$premestaj) {
    $greske[] = "Error uploading image.";
}
}

if(!count($greske)) {

    $label = $_POST["label"];

    $upitProizvod = "UPDATE galerija SET src = :noviNazivSlike, naziv = :label WHERE id_galerija = :id";

    $stmt = $konekcija->prepare($upitProizvod);
    $stmt->bindParam(":label", $label);
    $stmt->bindParam(":noviNazivSlike", $noviNazivSlike);
    $stmt->bindParam(":id", $id);

    if(!$stmt->execute()) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: index.php?page=admin&adminPage=gallery");
        exit;
    }
}

var_dump($errors);

}

```

```

?>

<div class="container-fluid p-0">
    <h2 class="mb-4">Edit image</h2>
    <form method="post" action="index.php?page=admin&adminPage=updateGallery&id=<?= $id ?>">
        <div class="form-group mb-3">
            <label for="exampleFormControlInput1">New label for product:</label>
            <input type="text" class="form-control" id="label" name="label" value="<?=$naziv?>">
            <?php
                if(isset($greske['label'])){
                    echo "<p class = 'alert-danger p-2 mt-3'> . $greske['label'] . "</p>";
                }
            ?>
        </div>

        <div class="form-group">
            <label for="exampleFormControlFile1">Select new image for gallery:</label><br/>
            <input type="file" name="slika" class="form-control-file mb-3" id="exampleFormControlFile1">
            <?php
                if(isset($greske['slika'])){
                    echo "<p class = 'alert-danger p-2 mt-3'> . $greske['slika'] . "</p>";
                }
            ?>
        </div>
        <button type="submit" name="potvrdi" class="btn btn-success">Edit picture</button>
    </form>
</div>

```

updateNavigation.php

```

<?php
$greske = [];

if(isset($_GET["id"])){
    $id = $_GET["id"];
}
else{
    header("Location: ?page=admin&adminPage=manageNavigation");
}

$id = $_GET["id"];
$upitBoja ="SELECT * FROM navigacija WHERE id_nav = :id";

$stm = $konekcija->prepare($upitBoja);

```

```

$stm->bindParam(":id", $id);
$stm->execute();
$proizvod = $stm->fetch();

if(isset($_POST["potvrdi"]))
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
    if(!isset($_POST['text'])) {
        $greske['text'] = "Text is required!";
    }else {
        if(!$POST['text']) {
            $greske['text'] = "Text is required!";
        }
    }
}

if(!count($greske)) {

    $label = $_POST["label"];
    $text = $_POST["text"];

    $upit="UPDATE navigacija SET link = :link, text = :text WHERE id_nav = :id";
    $stmt1 = $konekcija->prepare($upit);
    $stmt1->bindParam(":id", $id);
    $stmt1->bindParam(":link", $text);
    $stmt1->bindParam(":text", $label);
    $result = $stmt1->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
        header("Location: ?page=admin&adminPage=manageNavigation");
    }
}

?>
<div class="container-fluid p-0">
    <h2 class="mb-4">Update link</h2>
    <form method="post" action="?page=admin&adminPage=updateNavigation&id=<?=$_GET['id'];?>">
        <input type="hidden" name="potvrda" value="1" />
        <input type="text" name="label" value="{$label}" />
        <input type="text" name="text" value="{$text}" />
        <input type="submit" value="Update" />
    </form>
</div>

```

```

<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Link name:</label>
    <input type="text" value= "<?=$proizvod->text?>" class="form-control" id="color" name="label">
    <?php
        if(isset($greske['label'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
        }
    ?>

    <label class="mt-3" for="exampleFormControlInput1">Text name:</label>
    <input type="text" value= "<?=$proizvod->link?>" class="form-control" id="text" name="text">
    <?php
        if(isset($greske['text'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['text'] . "</p>";
        }
    ?>

</div>

<button type="submit" name="potvrdi" class="btn btn-success">Update link</button>
<?php //var_dump($proizvod);
//var_dump($id);?>
</form>
</div>

```

updatePool.php

```

<?php
$greske = [];

if(isset($_GET["id"])){
    $id = $_GET["id"];
    $odgovorUpit = "SELECT * FROM odgovor WHERE id_odgovor = :id";
    $stm = $konekcija -> prepare($odgovorUpit);
    $stm -> bindParam(":id", $id);
    $stm -> execute();
    $odgovor = $stm -> fetch();
}

?>
<div class="container-fluid p-0">
    <h2 class="mb-4">Update pool</h2>
    <form method="post" action="models/updatePool.php?id=<?=$_GET["id"];?>" enctype="multipart/form-data">
        <div class="form-group mb-3">
            <label for="exampleFormControlInput1">New pool name:</label>
            <input type="text" class="form-control" value= "<?=$odgovor -> odgovor?>" id="label" name="label">
        </div>
    </form>
</div>

```

```

<?php
if(isset($_SESSION['greskaUpdate'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $_SESSION['greskaUpdate'] . "</p>";
    unset($_SESSION['greskaUpdate']);
}
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-success">Update color</button>
</form>
</div>

```

updateProduct.php

```

<?php
$greske = [];
if(isset($_GET["id"])){
    $id = $_GET["id"];
}
else{
    header("Location: index.php?page=admin&adminPage=products");
}
$id = $_GET["id"];
$upitProizvod ="SELECT p.id_promocija, c.cena, p.id_kategorija, p.id_proizvod, opis, naziv, slika,
naziv_brend, boja, naziv_kategorija
FROM proizvod p
JOIN brend b ON p.id_brend = b.id_brend
JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod
JOIN boja bo ON pb.id_boja = bo.id_boja
JOIN kategorija k ON p.id_kategorija = k.id_kategorija
JOIN cena c ON c.id_proizvod=p.id_proizvod
WHERE p.id_proizvod = :id_proizvod
ORDER BY c.datum DESC limit 0,1";

$stmt = $konekcija->prepare($upitProizvod);
$stmt->bindParam(":id_proizvod", $id);
$stmt->execute();
$proizvod = $stmt->fetch();

$upitPopust ="SELECT procenat FROM popust WHERE id_proizvod = :id_proizvod ORDER BY
datum_popust DESC limit 0,1";

$stmt1 = $konekcija->prepare($upitPopust);
$stmt1->bindParam(":id_proizvod", $id);
$stmt1->execute();
$popust = $stmt1->fetch();

$upitBoje ="SELECT id_boja FROM proizvod_boja WHERE id_proizvod = :id_proizvod";

```

```

$stm2 = $konekcija->prepare($upitBoje);
$stm2->bindParam(":id_proizvod", $id);
$stm2->execute();
$boje = $stm2->fetch();

if(isset($_POST["potvrdi"]))
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST["label"]) {
            $greske['label'] = "Name is required!";
        }
    }

    if($_POST["brand"] == "0") {
        $greske["brand"] = "Brand is required!";
    }

    // if($_POST["prom"] == "-1") {
    //     $greske["prom"] = "Promotion is required!";
    // }

    if($_POST["cat"] == "0") {
        $greske["cat"] = "Brand is required!";
    }

    if($_POST["boja"] == "0") {
        $greske["boja"] = "Color is required!";
    }

    if(!isset($_POST["price"])) {
        $greske["price"] = "Price is required!";
    }else {
        if(!$_POST["price"]) {
            $greske["price"] = "Price is required!";
        }
    }

    if(!isset($_POST["opis"])) {
        $greske["opis"] = "Description is required!";
    }else {
        if(!$_POST["opis"]) {
            $greske["opis"] = "Description is required!";
        }
    }
}

```

```

if($_FILES["slika"]["error"] == UPLOAD_ERR_NO_FILE) {
    $greske["slika"] = "Image is required!";
} else {

    $dozvoljeniTIPovi = ["image/jpeg", "image/png", "image/jpg"];
    $slikaFajl = $_FILES["slika"];

    $tipSlike = $slikaFajl["type"];
    $velicina = $slikaFajl["size"];
    $tmpPutanja = $slikaFajl["tmp_name"];

    if(!in_array($tipSlike, $dozvoljeniTIPovi)) {
        $greske[] = "File type not allowed. Allowed types are: jpg, jpeg, png.";
    }

    if($velicina > 2000000) {
        $greske[] = "The file must not exceed 2mb.";
    }

    $tipFajla = explode(".", $slikaFajl["name"])[1];

    $noviNazivSlike = time() . uniqid() . "." . $tipFajla;

    $novaPutanjaSlike = "images/" . $noviNazivSlike;

    $premestaj = move_uploaded_file($tmpPutanja, $novaPutanjaSlike);

    if(!$premestaj) {
        $greske[] = "Error uploading image.";
    }
}

if(!count($greske)) {

    $label = $_POST["label"];
    $opis = $_POST["opis"];
    $idKat = $_POST["cat"];
    $idBoje = $_POST["boja"];
    $idBrand = $_POST["brand"];
    $scena=$_POST["price"];
    $popust = $_POST["discount"];
    $promocija=$_POST["prom"];

    $upitProizvod="";
    if($promocija>0){
}

```

```

$upitProizvod = "UPDATE proizvod SET naziv = :naziv, opis = :opis, id_brend = :id_brend, slika =
:slika, id_kategorija = :id_kategorija, id_promocija = :id_promocija WHERE id_proizvod = :id_proizvod";
}
else{
    $promocija = null;
    $upitProizvod = "UPDATE proizvod SET naziv = :naziv, opis = :opis, id_brend = :id_brend, slika =
:slika, id_kategorija = :id_kategorija, id_promocija = :id_promocija WHERE id_proizvod = :id_proizvod";
}

$stmt = $konekcija->prepare($upitProizvod);
$stmt->bindParam(":naziv", $label);
$stmt->bindParam(":opis", $opis);
$stmt->bindParam(":id_brend", $idBrand);
$stmt->bindParam(":slika", $noviNazivSlike);
$stmt->bindParam(":id_kategorija", $idKat);
$stmt->bindParam(":id_promocija", $promocija);
$stmt->bindParam(":id_proizvod", $id);
$result = $stmt->execute();

echo("sdas");

$upitSnizenje="UPDATE popust SET procenat = :procenat WHERE id_proizvod = :id_proizvod";
$stmt1 = $konekcija->prepare($upitSnizenje);
$stmt1->bindParam(":procenat", $popust);
$stmt1->bindParam(":id_proizvod", $id);
$result1 = $stmt1->execute();

$upitCena="INSERT INTO cena(cena, id_proizvod) VALUES (:cena, :id_proizvod)";
$stmt2 = $konekcija->prepare($upitCena);
$stmt2->bindParam(":cena", $cena);
$stmt2->bindParam(":id_proizvod", $id);
$result2 = $stmt2->execute();

$upitProizvodBoja="UPDATE proizvod_boja SET id_boja =:id_boja,id_proizvod=:id_proizvod WHERE
id_proizvod = :id_proizvod";
$stmt3 = $konekcija->prepare($upitProizvodBoja);
$stmt3->bindParam(":id_proizvod", $id);
$stmt3->bindParam(":id_boja", $idBoje);
$result3 = $stmt3->execute();

if(!$result) {
    $errors["greske"] = "An error has occurred, try later.";
} else {
    $errors["success"] = "Successful.";
    header("Location: ?page=admin&adminPage=products");
}
}

global $proizvod

?>

```

```

<div class="container-fluid p-0">
<h2 class="mb-4">Update product</h2>
<form method="post" action="?page=admin&adminPage=updateProduct&id=<?=$_GET["id"];?>">
enctype="multipart/form-data">
<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Label for product:</label>
    <input type="text" class="form-control" value="<?=$proizvod->naziv ?>" id="label" name="label">
    <?php
        if(isset($greske['label'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
        }
    ?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select brand:</label>
    <select class="form-control" id="brand" name="brand">
        <?php
            $upitBrend = "SELECT * FROM brend";
            $rez = $konekcija->query($upitBrend);
            $brendovi = $rez->fetchAll();
            echo "<option hidden value='0'>Select brand</option>";
            foreach($brendovi as $b){
                if($b->id_brand == $proizvod->id_brand){
                    echo "<option selected value='".$b->id_brend.'>$b->naziv_brend</option>";
                }else{
                    echo "<option value='".$b->id_brend.'>$b->naziv_brend</option>";
                }
            }
        ?>
    </select>
    <?php
        if(isset($greske['brand'])){
            echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['brand'] . "</p>";
        }
    ?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select category:</label>
    <select class="form-control" id="cat" name="cat">
        <?php
            $upitBrend = "SELECT * FROM kategorija";
            $rez = $konekcija->query($upitBrend);
            $brendovi = $rez->fetchAll();
            echo "<option hidden value='0'>Select category</option>";
            foreach($brendovi as $b){
                if($b->id_kategorija == $proizvod->id_kategorija){
                    echo "<option selected value='".$b->id_kategorija.'>$b->naziv_kategorija</option>";
                }else{

```

```

        echo "<option value='".$b->id_kategorija'>$b->naziv_kategorija</option>";
    }
}
?>
</select>
<?php
if(isset($greske['cat'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['cat'] . "</p>";
}
?>
</div>
<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select promotion:</label>
    <select class="form-control" id="prom" name="prom">
<?php
$upitBrend ="SELECT * FROM promocija";
$rez = $konekcija->query($upitBrend);
$brendovi = $rez->fetchAll();
echo "<option hidden value='-1'>Select promotion</option>";
echo "<option value='0'>Without promotion</option>";
foreach($brendovi as $b){
    if($b->id_promocija == $proizvod->id_promocija){
        echo "<option selected value='".$b->id_promocija'>$b->promocija</option>";
    }else{
        echo "<option value='".$b->id_promocija'>$b->promocija</option>";
    }
}
?>
</select>
<?php
if(isset($greske['prom'])){
    echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['prom'] . "</p>";
}
?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlSelect1">Select color:</label>
    <select class="form-control" id="boja" name="boja">
<?php
$upitBrend ="SELECT * FROM boja";
$rez = $konekcija->query($upitBrend);
$brendovi = $rez->fetchAll();
echo "<option hidden value='0'>Select color</option>";
foreach($brendovi as $b){
    if($b->id_boja == $boje->id_boja){
        echo "<option selected value='".$b->id_boja'>$b->boja</option>";
    }else{
        echo "<option value='".$b->id_boja'>$b->boja</option>";
    }
}
?>
```

```

?>
</select>
<?php
    if(isset($greske['boja'])){
        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['boja'] . "</p>";
    }
?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Insert price of product:</label>
    <input type="text" value=<?= $proizvod->cena ?>" class="form-control" id="price"
name="price">
<?php
    if(isset($greske['price'])){
        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['price'] . "</p>";
    }
?>
</div>

<div class="form-group mb-3">
    <label for="exampleFormControlInput1">Insert discount for product:</label>
    <input type="text" value=<?= $popust->procenat ?>" class="form-control" id="discount"
name="discount">

</div>

<div class="form-group">
    <label for="exampleFormControlFile1">Select image for product:</label><br/>
    <input type="file" name="slika" class="form-control-file mb-3" id="exampleFormControlFile1">
<?php
    if(isset($greske['slika'])){
        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['slika'] . "</p>";
    }
?>
</div>

<div class="form-group mb-5">
    <label for="exampleFormControlTextarea1">Product description:</label>
    <textarea name="opis" class="form-control" id="exampleFormControlTextarea1" rows="3"><?=
$proizvod->opis ?></textarea>
<?php
    if(isset($greske['opis'])){
        echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['opis'] . "</p>";
    }
?>
</div>

<button type="submit" name="potvrdi" class="btn btn-success">Update product</button>

```

```

<?php //var_dump($proizvod);
//var_dump($id);?>
</form>
</div>

```

updatePromotion.php

```

<?php
$greske = [];

if(isset($_GET["id"])) {
    $id = $_GET["id"];
} else{
    header("Location: index.php?page=admin&adminPage=managePromotions");
}

$id = $_GET["id"];

$promocija = getByld("promocija", "id_promocija", $id);

if(isset($_POST["potvrdi"]))
{
    if(!isset($_POST['label'])) {
        $greske['label'] = "Name is required!";
    }else {
        if(!$_POST['label']) {
            $greske['label'] = "Name is required!";
        }
    }
}

if(!count($greske)) {

    $label = $_POST["label"];

    $upit="UPDATE promocija SET promocija = :promocija WHERE id_promocija = :id";
    $stm1 = $konekcija->prepare($upit);
    $stm1->bindParam(":id", $id);
    $stm1->bindParam(":promocija", $label);
    $result = $stm1->execute();

    if(!$result) {
        $errors["greske"] = "An error has occurred.";
    } else {
        $errors["success"] = "Successful entry.";
    }
}

```

```

        header("Location: ?page=admin&adminPage=managePromotions");
    }

}

?>

<div class="container-fluid p-0">
<h2 class="mb-4">Update color</h2>
<form method="post" action="?page=admin&adminPage=updatePromotion&id=<?=$_GET["id"];?>">
enctype="multipart/form-data">
    <div class="form-group mb-3">
        <label for="exampleFormControlInput1">New promotion name:</label>
        <input type="text" class="form-control" value="<?=$promocija->promocija?>" id="label"
name="label">
        <?php
            if(isset($greske['label'])){
                echo "<p class = 'alert-danger p-2 mt-3'>" . $greske['label'] . "</p>";
            }
        ?>
    </div>

    <button type="submit" name="potvrди" class="btn btn-success">Update color</button>
</form>
</div>

```

users.php

```

<?php
    $korisnici = getAll("korisnik");
?>

<div class="container-fluid p-0">
    <div class="row g-4">
        <div class="col-sm-12 col-xl-12">
            <div class="bg-light rounded h-100 p-4">
                <h6 class="mb-4">Users:</h6>
                <table class="table">
                    <thead>
                        <tr>
                            <th scope="col">Id</th>
                            <th scope="col">Email</th>
                            <th scope="col">Name</th>
                            <th scope="col">Surname</th>
                            <th scope="col">Status</th>
                            <th scope="col"></th>

```

```

<tr>
<?php
foreach($korisnici as $k){
    $status = "";
    $klasa = "danger";
    $tekst = "Block";
    $link = "blockUser";

    if($k -> aktivan == 1){
        $status = "Active";
        $klasa = "danger";
        $tekst = "Block";
        $link = "blockUser";
    }else{
        $status = "Blocked";
        $klasa = "success";
        $tekst = "Unblock";
        $link = "unblockUser";
    }
    if($k->id_uloga ==1){
        continue;
    }

    ?>
<tr>
<td scope="row"><?= $k->id_korisnik ?></td>
<td><?= $k->mail ?></td>
<td><?= $k->ime ?></td>
<td><?= $k->prezime ?></td>
<td><?= $status ?></td>

<td><a href="models/<?= $link ?>.php?id=<?=$k->id_korisnik?>"><button
type="button" class="btn obrisi btn-<?= $klasa?>"><?= $tekst?></button></a></td>
</tr>
<?php } ?>
</tr>

</tbody>
</table>
</div>
</div>
</div>

```

index.php

```

<?php
    @session_start();

```

```

$page = isset($_GET["page"]) ? $_GET["page"] : 0;
include("const/const.php");
if($page != "admin"){
    include("views/fixed/header.php");
}
if($page){
    if(in_array($_GET["page"], stranice)){
        include "views/pages/" . $_GET["page"] . ".php";
    }
}
else{
    include "views/pages/home.php";
}
if($page != "admin"){
    include("views/fixed/footer.php");
}

?>

```

addMorePool.php

```

<?php
if(isset($_POST["potvrdi"])){
    session_start();
    include("../config/konekcija.php");

    $odgovori = $_POST["odgovori"];
    $id = $_GET['id'];

    $greske = [];

    foreach($odgovori as $o){
        if(!strlen($o)){
            array_push($greske, "Some of the questions were not entered!");
        }
    }

    if(!count($greske)){
        foreach($odgovori as $o){
            $upit = "INSERT INTO odgovor(odgovor, id_anketa) VALUES(:o, :id)";
            $stmt1 = $konekcija -> prepare($upit);
            $stmt1 -> bindParam(":o", $o);
            $stmt1 -> bindParam(":id", $id);
            $stmt1 -> execute();
        }
        $greske = [];
    }
}

```

```

        http_response_code(200);
        header("Location: ../index.php?page=admin&adminPage=survey");
    }else{
        array_push($greske, "An error has occurred!");
        $_SESSION['greskeUnos'] = $greske;
        http_response_code(400);
        header("Location: ../index.php?page=admin&adminPage=addMorePool&id=$id");

    }
}

?>

```

addSurvey.php

```

<?php
if(isset($_POST["potvrdi"])){
    session_start();
    include("../config/konekcija.php");
    $pitanje = $_POST["pitanje"];
    $odgovori = $_POST["odgovori"];

    $greske = [];

    if(!strlen($pitanje)){
        array_push($greske, "Enter question!");
    }
    foreach($odgovori as $o){
        if(!strlen($o)){
            array_push($greske, "Some of the questions were not entered!");
        }
    }

    if(!count($greske)){$unosPitanje = "INSERT INTO anketa(pitanje) VALUES(:pitanje)";
        $stm = $konekcija -> prepare($unosPitanje);
        $stm -> bindParam(":pitanje", $pitanje);
        $stm -> execute();

        $lastId = $konekcija -> lastInsertId();

        foreach($odgovori as $o){
            $upit = "INSERT INTO odgovor(odgovor, id_anketa) VALUES(:o, $lastId)";
            $stm1 = $konekcija -> prepare($upit);
            $stm1 -> bindParam(":o", $o);
            $stm1 -> execute();
        }
        $greske = [];
        http_response_code(200);
        header("Location: ../index.php?page=admin&adminPage=survey");
    }else{

```

```

array_push($greske, "An error has occurred!");
$_SESSION['greskeUnos'] = $greske;
header("Location: ../index.php?page=admin&adminPage=addSurvey");
http_response_code(400);
}

}
?>

```

anketaOdgovor.php

```

<?php
@session_start();
include "../config/konekcija.php";

if(isset($_POST['odgovor'])){
    $odgovor = $_POST['odgovor'];
    $id = $_POST['id'];
    $idk = $_SESSION['korisnik']->id_korisnik;

    $upitNadji = "SELECT * from pitanje_odgovor WHERE id_korisnik = :idk AND id_anketa = :id";
    $stm = $konekcija->prepare($upitNadji);
    $stm->bindParam(":idk" , $idk);
    $stm->bindParam(":id" , $id);
    $stm->execute();
    $brojRedova = $stm->rowCount();

    $upitPitanje = "SELECT pitanje FROM anketa WHERE id_anketa = :id";
    $stmPitanje = $konekcija -> prepare($upitPitanje);
    $stmPitanje -> bindParam(":id" , $id);
    $stmPitanje -> execute();
    $pitanjeUnos = $stmPitanje -> fetch();

    $upitO = "SELECT odgovor FROM odgovor WHERE id_odgovor = :id";
    $stmO = $konekcija -> prepare($upitO);
    $stmO -> bindParam(":id" , $odgovor);
    $stmO -> execute();
    $odgovorUnos = $stmO -> fetch();

    if($brojRedova==0){
        $insertUpit = "INSERT INTO pitanje_odgovor(id_odgovor, id_korisnik, id_anketa, pitanje, odgovor)
VALUES (:idO,:idk,:id, :pitanje, :odgovor)";
        $stm = $konekcija->prepare($insertUpit);
        $stm->bindParam(":idO" , $odgovor);
        $stm->bindParam(":idk" , $idk);
        $stm->bindParam(":id" , $id);
        $stm->bindParam(":pitanje" , $pitanjeUnos -> pitanje);
        $stm->bindParam(":odgovor" , $odgovorUnos -> odgovor);
        $stm->execute();
    }
}
?>

```

```

        echo "You have successfully answered the question";
        http_response_code(200);
    }
    else{
        echo "You have already answered this poll, when the administrator posts a new poll then you can vote again";
        http_response_code(200);
    }
}
?>

```

artikliZaKorpu.php

```

<?php
include ("../config/konekcija.php");

$upit = "SELECT * FROM proizvod";
$rez = $konekcija->query($upit);
$result = $rez->fetchAll();

$niz = [];

foreach($result as $r){
    $upitPojedinacni = "SELECT p.id_proizvod, p.naziv, p.slika, c.cena from proizvod p inner join cena c ON
    p.id_proizvod = c.id_proizvod WHERE c.id_proizvod = $r->id_proizvod ORDER BY c.datum DESC";
    $r = $konekcija -> query($upitPojedinacni);
    $rz = $r->fetch();
    array_push($niz, $rz);
}

echo json_encode($niz);

?>

```

blockUser.php

```

<?php
if(isset($_GET['id'])){
    include("../config/konekcija.php");
    $id = $_GET['id'];

    $upit = "UPDATE korisnik SET aktivan = 0 WHERE id_korisnik = :id";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> bindParam(":id", $id);

    if($stmt -> execute()){

```

```

        http_response_code(200);
        header("Location: ../index.php?page=admin&adminPage=users");
    }else{
        http_response_code(500);
        header("Location: ../index.php?page=admin&adminPage=users");
    }
}

?>

```

filteri.php

```

<?php
include("../config/konekcija.php");

$uslov = "";
$marke="";
$boje="";
$kategorije = "";

if(isset($_POST['marke'])){
    $marke = $_POST['marke'];
    $uslov .= " AND br.id_brend IN (" . implode(", ", $marke) . ")";
}
if(isset($_POST['boje'])){
    $boje = $_POST['boje'];
    $uslov .= " AND b.id_boja IN (" . implode(", ", $boje) . ")";
}
if(isset($_POST['kategorije'])){
    $kategorije = $_POST['kategorije'];
    $uslov .= " AND k.id_kategorija IN (" . implode(", ", $kategorije) . ")";
}
if(isset($_POST['unos'])){
    $unos = $_POST['unos'];
    $uslov .= " AND p.naziv LIKE '%" . $unos . "%'";
}
if(isset($_POST['sort'])){
    if($_POST['sort']=='1'){
        $uslov .= " ORDER BY naziv ASC";
    }
    if($_POST['sort']=='2'){
        $uslov .= " ORDER BY naziv DESC";
    }
}

if(!is_numeric(intval($marke)) || !is_numeric(intval($boje)) || !is_numeric(intval($kategorije))){
    header("Location: ../index.php");
    die();
}

```

```

$upit = "SELECT DISTINCT p.*  

        FROM proizvod p  

        INNER JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod  

        INNER JOIN boja b ON b.id_boja = pb.id_boja  

        INNER JOIN brend br ON br.id_brend = p.id_brend  

        INNER JOIN kategorija k ON p.id_kategorija = k.id_kategorija WHERE 1=1".$uslov;  

$res=$konekcija->query($upit);  

$result=$res->fetchAll();  

$stareCene = [];  

$popusti = [];  

$id = [];  

$promocije = [];  

foreach($result as $r){  

    $scena = "SELECT cena FROM cena c JOIN proizvod p on c.id_proizvod = p.id_proizvod WHERE  

p.id_proizvod = $r->id_proizvod ORDER BY datum desc LIMIT 0,1";  

    $result2 = $konekcija->query($scena);  

    $trenutna = $result2->fetch();  

    array_push($stareCene, $trenutna);  

}  

foreach($result as $r){  

    $upitPopust = "SELECT procenat FROM popust po JOIN proizvod p on po.id_proizvod = p.id_proizvod  

WHERE p.id_proizvod = $r->id_proizvod ORDER BY datum_popust desc LIMIT 0,1";  

    $popust = $konekcija->query($upitPopust);  

    $pop = $popust->fetch();  

    array_push($popusti, $pop);  

}  

foreach($result as $r){  

    $upitProm = "SELECT promocija, boja FROM promocija pr JOIN proizvod p on pr.id_promocija =  

p.id_promocija WHERE p.id_proizvod = $r->id_proizvod";  

    $prom = $konekcija->query($upitProm);  

    $promocija = $prom->fetch();  

    if($promocija){  

        array_push($promocije, $promocija);  

    }  

    else{  

        array_push($promocije, null);  

    }  

}  

foreach($result as $r){  

    array_push($id, $r->id_proizvod);  

}

```

```
$izlaz = array(
    'proizvodi' => $result,
    'staraCena' => $stareCene,
    'popusti' => $popusti,
    'promocije'=>$promocije,
    'id' => $id
);
```

```
echo json_encode($izlaz);
```

```
?>
```

functionAdmin.php

```
<?php

function getAll($tabela){
    global $konekcija;
    $upit = "SELECT * FROM $tabela";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> execute();
    return $stmt -> fetchAll();
}

function getById($tabela, $idTabela, $id){
    global $konekcija;

    $upit ="SELECT * FROM $tabela WHERE $idTabela = :id";
    $stm = $konekcija->prepare($upit);
    $stm->bindParam(":id", $id);
    $stm->execute();
    $result = $stm->fetch();
    return $result;
}

?>
```

functions.php

```
<?php
include("config/konekcija.php");
```

```

function getAll($tabela){
    global $konekcija;
    $upit = "SELECT * FROM $tabela";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> execute();
    return $stmt -> fetchAll();
}

function ispisNavigacije(){
    global $konekcija;
    if(isset($_SESSION["korisnik"])){
        if($_SESSION["korisnik"]->uloga=="korisnik"){
            $upit = "SELECT * from navigacija WHERE text <> 'Admin panel'";
        }
        else if($_SESSION["korisnik"]->uloga=="admin"){
            $upit = "SELECT * from navigacija";
        }
    }
    else{
        $upit = "SELECT * from navigacija WHERE text <> 'Shop' AND text <> 'Admin panel' AND text <> 'Survey'";
    }

    $rez = $konekcija -> query($upit);
    $result = $rez -> fetchAll();
    return $result;
}

function ispisChcBrend($tabela){
    global $konekcija;
    $upit = "SELECT * from $tabela";

    $rez = $konekcija->query($upit);
    $result = $rez->fetchAll();

    foreach($result as $r){
        echo "<input class='ml-2 chc' name='marka' type='checkbox' value='".$r->id_brend'> $r->naziv_brend<br/>";
    }
}

function ispisChcBoja($tabela){
    global $konekcija;
    $upit = "SELECT * from $tabela";

    $rez = $konekcija->query($upit);
    $result = $rez->fetchAll();

    foreach($result as $r){
        echo "<input class='ml-2 chc' name='boja' type='checkbox' value='".$r->id_boja'> $r->boja<br/>";
    }
}

```

```

}

function ispisChcKategorija($tabela){
    global $konekcija;
    $upit = "SELECT * from $tabela";

    $rez = $konekcija->query($upit);
    $result = $rez->fetchAll();

    foreach($result as $r){
        echo "<input class='ml-2 chc' name='kat' type='checkbox' value='".$r->id_kategorija' /> $r-
>naziv_kategorija<br/>";
    }
}

function getFirstImage(){
    global $konekcija;

    $upit = "SELECT * FROM galerija ORDER BY naziv DESC LIMIT 0,1";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> execute();
    return $stmt -> fetch();
}

?>

```

islogIn.php

```

<?php
@session_start();

if(isset($_GET['logovanje'])){
    if(isset($_SESSION["korisnik"])){
        echo true;
        http_response_code(200);
    }else{
        echo false;
        http_response_code(200);
    }
}
?>

```

kontakt.php

```
<?php
```

```

include("config/konekcija.php");
if(isset($_POST["imePrezime"])){
    $imePrezime = $_POST["imePrezime"];
    $mail = $_POST["mail"];
    $adresa = $_POST["adresa"];
    $telefon = $_POST["telefon"];
    $tip = $_POST["tip"];
    $poruka = $_POST["poruka"];

    $upit = "INSERT INTO kontakt(ime_prezime, k_mail, telefon, tip_korisnika, poruka, adresa) VALUES
(:imePrezime, :mail, :telefon, :tip, :poruka, :adresa)";
    $stm = $konekcija ->prepare($upit);
    $stm->bindParam(":imePrezime",$imePrezime);
    $stm->bindParam(":mail",$mail);
    $stm->bindParam(":telefon",$telefon);
    $stm->bindParam(":tip",$tip);
    $stm->bindParam(":poruka",$poruka);
    $stm->bindParam(":adresa",$adresa);

    $result = $stm->execute();
    http_response_code(200);
}
?>

```

logout.php

```

<?php
@session_start();

if(isset($_SESSION["korisnik"])){
    session_destroy();
    header("Location: ../index.php?page=login");
}

?>

```

logovanje.php

```

<?php
@session_start();
include("../config/konekcija.php");

if(isset($_POST['mail'])){
    $mejl = $_POST["mail"];

```

```

$lozinka = $_POST["password"];

$upit = "SELECT * FROM korisnik k JOIN uloga u ON k.id_uloga = u.id_uloga where mail = :mejl";
$stmt = $konekcija -> prepare($upit);
$stmt -> bindParam(":mejl", $mejl);
$stmt->execute();
$resultat = $stmt->fetch();

//var_dump($resultat);

$criptovana = sha1($lozinka);
if($resultat->aktivan == "1"){
    if(!$resultat) {
        $greska = "The user is not found, try again.";
        echo($greska);
    } else {
        if($resultat->lozinka != $criptovana) {
            $greska = "Passwords do not match, try again.";
            echo($greska);
        }else{
            $_SESSION['korisnik'] = $resultat;
            echo("redirect");
        }
    }
}else{
    $greska = "The user account has been blocked by the administrator.";
    echo($greska);
}

}

?>
```

narudzbina.php

```

<?php
@session_start();
include("../config/konekcija.php");

if(isset($_POST['porudzbina'])){
    $kor = $_POST['porudzbina'];

    $korpa = json_decode($kor, true);

    foreach ($korpa as $k){

        $idd = $k['id'];
        $qt = $k['quantity'];
```

```

$cena = "SELECT cena FROM cena c JOIN proizvod p ON c.id_proizvod = p.id_proizvod WHERE
p.id_proizvod = $idd ORDER BY datum desc LIMIT 0,1";
$result2 = $konekcija->query($cena);
$trenutna = $result2->fetch();

$id = $_SESSION['korisnik']->id_korisnik;
$upit = "INSERT INTO kupovina(id_proizvod, id_korisnik, kolicina, cena_komad, ukupna_cena) VALUES
(" . intval($idd) . ", " . intval($id) . ", " . intval($qt) . ", " . sprintf("%.2f", $trenutna->cena) . ", " . sprintf("%.2f",
$trenutna->cena*$qt) . ")";
$rez = $konekcija->query($upit);
$result = $rez->fetch();

if($rez){
    http_response_code(200);
    echo("You have successfully placed an order, one of the employees will contact you soon");
}
else{
    http_response_code(500);
    echo("An error occurred, please try again");
}

}

}

?>
```

newsletter.php

```

<?php
@session_start();
include("config/konekcija.php");
if(isset($_POST["mejl"])){
    $mejl = $_POST["mejl"];
    $id = $_SESSION['korisnik']->id_korisnik;

$upit = "INSERT INTO novosti (id_korisnik,mail) VALUES ($id, :mejl)";

$stm = $konekcija->prepare($upit);
$stm -> bindParam(":mejl", $mejl);
$result = $stm->execute();
http_response_code(200);
}
?>
```

registracija.php

```
<?php
    @session_start();
    include("../config/konekcija.php");

    if(isset($_POST["ime"])){
        $ime = $_POST["ime"];
        $prezime = $_POST["prezime"];
        $mejl = $_POST["mail"];
        $lozinka=$_POST['password'];
        $lozinka2 = $_POST['password2'];

        $regImePrezime = "/[A-Z][a-z]{2,30}"/;
        $regMejl="^([a-zA-Z0-9_\.\-]+)@(([0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.)|(([a-zA-Z0-9\-\_]+\.)+))([a-zA-Z]{2,4})[0-9]{1,3}\)$/";
        $regPsswd = "/^(?=.*\d).{8,}$/";

        $greske =[];

        if(!filter_var($mejl, FILTER_VALIDATE_EMAIL)){
            $greske["mejlGreska"] = "Mail is not in good format!<br/>";
        }
        if(!preg_match($regImePrezime,$ime)){
            $greske["greskalme"]="Incorect user name!<br/>";
        }
        if(!preg_match($regImePrezime,$prezime)){
            $greske["greskaPreime"]="Incorect user lastname!<br/>";
        }
        if(!preg_match($regPsswd, $lozinka)){
            $greske["greskaLozinka"]="Password is not in good format!<br/>";
        }
        if($lozinka != $lozinka2){
            $greske["greskaLozinka2"]="Password do not match!<br/>";
        }

        if(!$greske){
            $upit = "SELECT * FROM korisnik WHERE mail ='$mejl'";
            $rezultat = $konekcija->query($upit)->fetch();

            if($rezultat){
                $greske["greskaPostoji"] = "User already exists with this email!";
                echo $greske["greskaPostoji"];
            }
        }
    }
}
```

```

        else{
            $kriptovana = sha1($lozinka);

            $upitInsert = "INSERT INTO korisnik(mail, ime, prezime, id_uloga, lozinka, aktiviran) VALUES (:mejl,:ime,:prezime,:kriptovana, 1)";

            $stm = $konekcija->prepare($upitInsert);
            $stm->bindParam(":mejl", $mejl);
            $stm->bindParam(":ime", $ime);
            $stm->bindParam(":prezime", $prezime);
            $stm->bindParam(":kriptovana", $kriptovana);
            $rez = $stm->execute();
            http_response_code(200);
            echo "Successful registration, go to the page <a href='?page=login'>Signin</a>";
        }

    }

?>

```

removeAnswer.php

```

<?php
include "../config/konekcija.php";
if(isset($_POST["id"])){
    $id = $_POST["id"];

    $upit = "DELETE from pitanje_odgovor where id_po = :id";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id", $id);
    $result = $stmt->execute();

    if(!$result){
        http_response_code(500);
    }
    else{
        http_response_code(200);
    }

} else {
    http_response_code(500);
}

```

```
?>
```

removeBrand.php

```
<?php
include "../config/konekcija.php";
if(isset($_POST["id"])){
    $id_brend = $_POST["id"];

    $upit = "DELETE from brend where id_brend = :id_brend";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_brend", $id_brend);
    $result = $stmt->execute();

    if(!$result){
        http_response_code(500);
    }
    else{
        http_response_code(200);
    }

} else {
    http_response_code(500);
}

?>
```

removeCategory.php

```
<?php
include "../config/konekcija.php";

if(isset($_POST["id"])){
    $id_boje = $_POST["id"];

    $upit = "DELETE from kategorija where id_kategorija = :id_boja";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_boja", $id_boje);
    $result = $stmt->execute();
```

```

if(!$result){
    http_response_code(500);
}
else{
    http_response_code(200);
}

} else {
    http_response_code(500);
}

?>

```

removeContact.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $upit = "DELETE from kontakt WHERE id_kontakt = :id";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> bindParam(":id", $id);

    if($stmt -> execute()){
        http_response_code(200);
    }else{
        http_response_code(500);
    }
}
?>

```

removeNavigation.php

```

<?php

include "../config/konekcija.php";

if(isset($_POST["id"])){
    $id = $_POST["id"];

    $upit = "DELETE from navigacija where id_nav = :id";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id", $id);
}

```

```

$result = $stmt->execute();

if(!$result){
    http_response_code(500);
}
else{
    http_response_code(200);
}

} else {
    http_response_code(500);
}

?>

```

remoweNewsletter.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $upit = "DELETE from novosti WHERE id_novosti = :id";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":id", $id);

    if($stm -> execute()){
        http_response_code(200);
    }else{
        http_response_code(500);
    }
}
?>

```

removeOrder.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $upit = "DELETE FROM kupovina WHERE id_kupovina = :id";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":id", $id);
}

```

```

if($stm -> execute()){
    http_response_code(200);
}else{
    http_response_code(500);
}
?>

```

removePicture.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $upit = "DELETE from galerija WHERE id_galerija = :id";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":id", $id);

    if($stm -> execute()){
        http_response_code(200);
    }else{
        http_response_code(500);
    }
}
?>

```

removePool.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $upit = "DELETE from odgovor WHERE id_odgovor = :id";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":id", $id);

    if($stm -> execute()){
        http_response_code(200);
    }else{
        http_response_code(500);
    }
}
?>

```

removeProduct.php

```
<?php

include "../config/konekcija.php";

if(isset($_POST["id"])) {
    $id_proizvod = $_POST["id"];

    $slikaUpit = "SELECT slika FROM proizvod WHERE id_proizvod = :id_proizvod";
    $uuu = $konekcija->prepare($slikaUpit);
    $uuu ->bindParam(":id_proizvod", $id_proizvod);
    $uuu -> execute();
    $slikaLink = $uuu->fetch();

    unlink($slikaLink->slika);

    $upitCena="DELETE from cena where id_proizvod=:id_proizvod";
    $stmt = $konekcija->prepare($upitCena);
    $stmt->bindParam(":id_proizvod", $id_proizvod);
    $result = $stmt->execute();

    $upitPopust="DELETE from popust where id_proizvod=:id_proizvod";
    $stmt1 = $konekcija->prepare($upitPopust);
    $stmt1->bindParam(":id_proizvod", $id_proizvod);
    $result1 = $stmt1->execute();

    $upitProizvodBoja="DELETE from proizvod_boja where id_proizvod=:id_proizvod";
    $stmt2 = $konekcija->prepare($upitProizvodBoja);
    $stmt2->bindParam(":id_proizvod", $id_proizvod);
    $result2 = $stmt2->execute();

    $UpitProizvod = "DELETE FROM proizvod WHERE id_proizvod = :id_proizvod";
    $stmt3 = $konekcija->prepare($UpitProizvod);
    $stmt3->bindParam(":id_proizvod", $id_proizvod);
    $result3 = $stmt3->execute();

    if(!$result3){
        http_response_code(500);
    }
    else{
        http_response_code(200);
    }
}
```

```

} else {
    http_response_code(500);
}

?>

```

removePromotion.php

```

<?php
if(isset($_POST["id"])){
    include("../config/konekcija.php");
    $id = $_POST["id"];

    $konekcija->query("ALTER TABLE proizvod
        ADD FOREIGN KEY (id_promocija) REFERENCES promocija(id_promocija)
        ON DELETE SET NULL
        ON UPDATE CASCADE");

    $upit = "DELETE from promocija WHERE id_promocija = :id";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":id", $id);

    if($stm -> execute()){
        http_response_code(200);
    }else{
        http_response_code(500);
    }
}
?>

```

removeSurvey.php

```

<?php
if(isset($_GET['id'])){
    include("../config/konekcija.php");

    $id = $_GET['id'];

    $konekcija->query("ALTER TABLE pitanje_odgovor
        ADD FOREIGN KEY (id_anketa) REFERENCES anketa(id_anketa)
        ON DELETE SET NULL
        ON UPDATE CASCADE");

    $konekcija->query("ALTER TABLE pitanje_odgovor

```

```

        ADD FOREIGN KEY (id_ogovor) REFERENCES odgovor(id_ogovor)
        ON DELETE SET NULL
        ON UPDATE CASCADE");

$upitAnkete = "DELETE from anketa WHERE id_anketa = :id";
$stmt = $konekcija -> prepare($upitAnkete);
$stmt -> bindParam(":id", $id);

$upitOdgovori = "DELETE from odgovor WHERE id_anketa = :id2";
$stmt1 = $konekcija -> prepare($upitOdgovori);
$stmt1 -> bindParam(":id2", $id);

if($stmt1 -> execute() && $stmt -> execute()){
    http_response_code(200);
} else{
    http_response_code(500);
}

header("Location: ./index.php?page=admin&adminPage=survey");
}

?>

```

unblockUser.php

```

<?php
if(isset($_GET['id'])){
    include("../config/konekcija.php");
    $id = $_GET['id'];

    $upit = "UPDATE korisnik SET aktivan = 1 WHERE id_korisnik = :id";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> bindParam(":id", $id);

    if($stmt -> execute()){
        http_response_code(200);
        header("Location: ./index.php?page=admin&adminPage=users");
    } else{
        http_response_code(500);
        header("Location: ./index.php?page=admin&adminPage=users");
    }
}

?>

```

updatePool.php

```
<?php
session_start();
if(isset($_POST["potvrdi"])){
    include("../config/konekcija.php");
    $id = $_GET['id'];
    $newPool = $_POST['label'];

    $greska = "";

    if(strlen($newPool)){
        $greska = "Enter pool!";
        $_SESSION['greskaUpdate'] = $greska;
        header("Location: ../index.php?page=admin&adminPage=updatePool&id=$id");
        exit;
    }

    $upit = "UPDATE odgovor SET odgovor = :newPool WHERE id_odgovor = :id";
    $stmt = $konekcija -> prepare($upit);
    $stmt -> bindParam("id", $id);
    $stmt -> bindParam("newPool", $newPool);

    if($stmt -> execute()){
        http_response_code(200);
        header("Location: ../index.php?page=admin&adminPage=survey");
    }else{
        http_response_code(500);
        header("Location: ../index.php?page=admin&adminPage=updatePool&id=$id");
    }
}
?>
```