

Smer: Internet tehnologije

Modul: Web programiranje

Student: Aleksandar Kandic 10/21

Predmet: Praktikum iz web programiranja PHP

Uvod

Korišćeni programski jezici

- HTML
- CSS
- Bootstrap
- Java Script
- PHP
- XML(sitemap)

Opis funkcionalnosti

Projekat je napravljen u skladu sa mvc arhitekturom.

Projekat je realizovan kao sajt za web prodavnicu, odnosno web prodavnicu za torbe.

Ispisivanje celokupnog sadrzaja na sajtu iz baze.

Upotreba ajaxa na svim bitnim mestima, gde se ajax zahtev salje na neku stranicu da bi se dohvatili neki podaci, uneli u bazu ili apdejtovali.

Filtriranje, sortiranje putem ajax ana serverskoj strani.

Registracija i logovanje putem ajaxa, provera I na klijentskoj i na serverskoj strani.

Zastita od neovlascenog pristupa, samo registrovani korisnici mogu pristupiti stranici shop, samo administrator moze pristupiti admin panelu.

Sajt prilagodjava izgled u zavisnosti koji korisnik je ulogovan.

Prijava na newsletter putem ajaxa, prover ana klijentskoj I serverskoj strain I upis u bazu.

Dinamicki ispis navigacionog menija.

Slanje poruke administratorima putem kontakt forme, prover ana klijentskoj I serverskoj strain I upis u bazu.

Realizacija kupovine, korisnik proizvode dodaje u korpu, u korpi mu se automatski izracunava suma svih proizvoda, klimom da dugme checkout izvrsava se kupovina, korisnik se obavestava da li je kupovina uspesno realizovana, i podaci se upisuju u bazu, tj. Narudzbina, koja se ispisuje administrator na admin panelu.

Anketa i odgovori za tu anketu, svaki korisnik moze da glasa samo jednom na jednu anketu, ukoliko pokusa vise puta, bice obavesten da je vec glasao.

Paginacija realizovana na serverskoj strain.

Klikom na sliku proizvoda otvara se stranica sa tim kliknutim proizvodom I sa svim njegovim podacima.

Na admin panelu administrator moze upravljati celokupnim sadrzajem sajta, dodavanjem, izmenom I brisanjem proizvoda, takodje i za katogorija, boje, brendove, navigacioni meni.

Prikaz narudzbina, poruka, svih registrovanih korisnika, newsletter.

Upis pristupa stranicama, vreme, ip adresa i prikaz na pocetnoj stranici admin panela.

Statistika za broj ulogovanih registrovanih korisnika u proteklih 24 sata, broj pristupa svakoj stranici u poslednjih 24 sata I ukupan pristup svim stranicama izrazen u procentima.


Resize slike prilikom unosa, prave se dve verzije slike, jedna sa manjom rezolucijom, druga sa vecom rezolucijom, koja se koristi na stranici single za proizvod.

Za izradu sajta korišćeno je gotovo rešenje:

Za izradu sajta korišćeno je gotovo rešenje: https://w3layouts.com/template/baggage-an-ecommerce-category-bootstrap-responsive-web-template/, uz modifikaciju HTML I CSS, što se nalazi u posebnom fajlu. JavaScript kod je pisan u posebnom fajlu.

Organizacija sajta

Sema baze podataka




Organizacija fordera

➤ PRAKTIKUMSAJT > assets > config > const > data > models > views mindex.php

∨ PRAKTIKUMSAJT
✓ assets
∨ css
∨ css
bootstrap.min.css
style.css
bootstrap.css
font-awesome.css
style.css
> fonts
✓ images
> product-images
> template-images
> js
✓ config
.env
💏 configuration.php
💏 konekcija.php
> const
> data
> models


> config ✓ const enst.php ✓ data **≡** log.txt ✓ models 💏 adds.php 💏 anketaOdgovor.php 💏 artikliZaKorpu.php 💏 filteri.php 👫 functions.php 💏 functionsAdmin.php kontakt.php 😭 log.php nogout.php 👫 logovanje.php narudzbina.php newsletter.php 💏 registracija.php

PRAKTIKUMSAJT 💏 artikliZaKorpu.php filteri.php functions.php functionsAdmin.php kontakt.php 💏 log.php logout.php logovanje.php narudzbina.php newsletter.php m registracija.php removeBrand.php removeCategory.php removeColor.php m removeLog.php removeNavigation.php removeProduct.php > views ndex.php



PRAKTIKUMSAJT

- > models
- ✓ views
 - > fixed
 - ✓ pages
 - ✓ adminPages
 - 💏 addBrand.php
 - addCategory.php
 - addColor.php
 - 💏 addNavigation.php
 - addProducts.php
 - 👫 logs.php
 - manageBrands.php
 - manageCategories.php
 - manageColors.php
 - manageNavigation.php
 - messages.php
 - newsletter.php
 - er orders.php
 - 💏 products.php
 - statistics.php



Opis funkcionalnosti

Meni



Prikaz menija ukoliko niko nije ulogovan.




Prikaz ako je korisnik ulogovan, prikaz I korpe.




Prikaz ukoliko je administrator ulogovan, ima pristup admin stranici.


Registracija



Ispis gresaka ukoliko dodje do njih, ukoliko ne dodje do gresaka, unosi se novi korisnik u bazu.




Ispis gresaka, na klijentskoj strani




Prikaz gresaka sa serverske strane, ukoliko se pogresi lozinka ili mejl

Shop



Dinamicki ispis proizvoda iz baze, sa cenama, popustima I promocija ukoliko ih proizvod ima.

Filters: SHOP NOW




Filtriranje na serverskoj strain I prikaz proizvoda

Sort by


Sort by name A-Z

Sortirnje po nazivu, opadajuce I rastuce




Paginacija, sa pamcenjem prethodnih izabranih filtera.

Korpa



Korpa sa proizvodima, sa mogucnoscu povecavanja I smanjenja kolicine proizvoda u korpi, dugme za proznjenje korpe I dugme checkout kojim se porudzbina salje u bazu I korisnik se obavestava da li je sve proteklo u redu.



Poruka ukoliko je porudzbina uspesno realizovana.

Single



Brand:

Gucci

Color:

Brown

Intended for:

Woman

Price:

900-€ 855 €


Add to cart

Description:

Gucci bag for woman

Stranica single za prikaz detelja izabranog proizvoda.

Kontakt



Klijentska I serverska provera unetih podataka, ako ne dodje do greske, podaci se unose u bazu.




You have successfully sent a message, one of the employees will contact you soon

Prikaz poruke ukoliko je poruka uspesno poslata.

Anketa








u like our site?

Poruka ukoliko je korisnik vec glasao za anketu


Anketa na koju korisnik moze odgovoriti samo jednom, ukoliko je pokusa da odgovori vise puta bice obavesten da je vec glasao.

Author

About Me



Stranica o autoru, sa osnovnim informacijama o autoru.




Prijava za newsletter, klijenska I serverska provera maila.




You have successfully subscribe to the Handbags Store mailing list

Poruka ukoliko ste se uspesno prijavili za newsletter.

Admin panel




Na pocetnoj stranici ispisuje se evidencija pristupa svim stranicama, koja je upisana u tekstualni fajl I cita se iz njega, omoguceno je I pojedinacno brisanje svakog prostupa. Ma osnovu ovog fajla se izracunava statistika.




Statistika koja izracunava broj korisnika registrovanih tekuceg dana, broj poseta stranicama u protekla 24 sata, ukupan broj poseta svakoj stranici izrazen u procentima.


Celekupna statistika se izracunava na osnovu tekstualnog fajla za pristup stranicama.




Prikaz poruka koje su korisnici poslali.




Prikaz narudzbina koje su korisnici kupili



Prikaz svih registrovanih korisnika




Prikaz korisnika koji su se prijavili za newsletter.



Prikaz unetih proizvoda sa njihovom markom, kategorijom, bojom, opisom, popustom I cenom.


Omoguceno je brisanje, dodavanje i apdejtovanje proizvoda.

Klikom na remove brise se proizvod, na change otvara se forma za izmenu porizvoda, a na dugme add new product otvara se forma za unos novig proizvoda.




Forma za unos novog proizvoda, serveerska provera podataka, ukliko dadje da greske, greske se ispisuju ispod forme.







Forma za izmenu proizvoda sa bind-ovanim podacima, klijentska provera podataka, klikom na dugme update product, ukoliko dodje do greske, greske se ispisuju ispod forme, ukoliko ne dodje proizvod se uspesno izmenjuje.



Prikaz gresaka ukoliko dodje do njih.




Klikom na dugme Remove, brise se proizvod iz baze




Stranica za prikaz podataka navigacije, administrator moze promeniti naziv stranice ili link ili obrisati ili dodati novi link za navigacioni meni.


Klikom na dugme add new link, otvara se forma za unos novog linka, na dugme remove brise se link , a dugme change otvara se forma za izmenu linka.




Forma za izmenu linka, tekst I link se serverski proveravaju, ukoliko dadje da greske, ispisuje se, u suprotnom link se unosi u bazu.



Forma za izmenu linka sa bind-ovanom formom, takodje postoji provera, ukoliko dodje do greske, ispisuju se, u suprotnom link se menja.




Stranica za prikaz boja, dugme za dodavanje nove boje, dugme za izmenu I dugme za brisanje



Forma za dodavanje nove boje, sa serverskom proverom I ispisom mogucih gresaka.



Forma za izmenu boje sa bind-ovanom vrednoscu, serverskom proverom I ispisom mogucih gresaka.




Stranica za prikaz kategorija, dodavanje novih, izmenu postojecuh I brisanje postojecih kategorija.

Klikom na dugme add new categoru otvara se forma za unos nove kategorije, na dugme change, otvara se forma za izmenu proizvoda, a na dugme remove se brise kategorija.




Forma za unos nove kategorije, sa serverskom proverom I ispisom mogucih gresaka.




Forma za izmenu kategorije, sa bind-ovanom vrednoscu, serverskom proverom I ispisom mogucih gresaka.


Stranica za prikaz brendova, dodavanje novih, izmenu I brisanje postojecih.



Klikom na dugme add new brand dodaje se novi brend, na dugme remove brise se, a na dugme change otvara se forma za izmenu brenda.



Forma za izmenu brenda, ispis mogucih gresaka, I izmene brenda ako je sve u redu.



Forma za izmenu brenda sa bind-ovanom vrednoscu, prikazom mogucih gresaka, serverskom proverom i izmenom u bazi ako nije doslo do greske.

Kodovi

Index.php

```
<?php
   @session_start();
    include("const/const.php");
    if(isset($_GET["page"])){
        if($_GET["page"]!="admin"){
            include("views/fixed/header.php");
   else{
        include("views/fixed/header.php");
    if(isset($_GET["page"])){
        if(in_array($_GET["page"], stranice)){
            include "views/pages/" . $_GET["page"] . ".php";
   else{
        include "views/pages/home.php";
    if(isset($_GET["page"])){
        if($_GET["page"]!="admin"){
            include("views/fixed/footer.php");
    }
   else{
        include("views/fixed/footer.php");
```

Footer.php

```
<!--/newsletter -->
<!php
if(isset($_SESSION['korisnik'])){?>
```

```
<section class="newsletter-w3pvt py-5">
        <div class="container py-md-5">
           <form method="post" action="#">
               Subscribe to the Handbags Store mailing
list to receive updates on new arrivals, special offers and other discount
information.
               <div class="row subscribe-sec">
                   <div class="col-md-9">
                       <input type="email" class="form-control" id="email"</pre>
placeholder="Enter Your Email.." name="email" >
                   </div>
                   <div class="col-md-3">
                       <button type="button" class="btn submit"</pre>
id="su">Subscribe</button>
                   </div>
               </div>
               <div class="row p-3">
                   </div>
            </form>
       </div>
    </section>
    <?php } ?>
    <!--//newsletter -->
    <!--/shipping-->
    <section class="shipping-wthree">
        <div class="shiopping-grids d-lg-flex">
            <div class="col-lg-4 shiopping-w3pvt-gd text-center">
               <div class="icon-gd"><span class="fa fa-truck" aria-</pre>
hidden="true"></span>
               </div>
               <div class="icon-gd-info">
                   <h3>FREE SHIPPING</h3>
                   On all order over 500€
               </div>
            </div>
            <div class="col-lg-4 shiopping-w3pvt-gd sec text-center">
               <div class="icon-gd"><span class="fa fa-bullhorn" aria-</pre>
hidden="true"></span></div>
               <div class="icon-gd-info">
                   <h3>FREE RETURN</h3>
```

```
On 1st exchange in 10 days
               </div>
           </div>
           <div class="col-lg-4 shiopping-w3pvt-gd text-center">
               <div class="icon-gd"> <span class="fa fa-gift" aria-</pre>
hidden="true"></span></div>
               <div class="icon-gd-info">
                   <h3>MEMBER DISCOUNT</h3>
                   Register to receive notifications
               </div>
           </div>
       </div>
    </section>
    <!--//shipping-->
    <!-- footer -->
   <div class="footer_agileinfo_topf py-5">
       <div class="container py-md-5">
           <div class="row" id="fot">
               <div class="col-lg-5 col-sm-12 footer_wthree_gridf mt-md-0 mt-4"</pre>
                   <?php
                           ispisNavigacije();
                   </div>
           </div>
           <div class="move-top text-center mt-lg-4 mt-3">
               <a href="#home"><span class="fa fa-angle-double-up" aria-</pre>
hidden="true"></span></a>
           </div>
       </div>
    </div>
    <!-- //footer -->
   <!-- copyright -->
```

```
<div class="cpy-right text-center py-2 foot">
        <div class="mt-3"><a id="doc" target=" blank"</pre>
href="dokumentacija.docx">Documentation</a></div>
        0 2019 Baggage. All rights reserved | Design by
            <a href="?page=home"> Aleksandar Kandic</a>
        <div id="raz" class="col-lg-3 footer wthree gridf pl-5">
                   <h2><a href="?page=home"><span>B</span>aggage
                       </a> </h2>
        </div>
    </div>
    <!-- //copyright -->
    <script
        src="https://code.jquery.com/jquery-3.6.1.js"
        integrity="sha256-3zlB5s2uwoUzrXK3BT7AX3FyvojsraNFxCc2vC/7pNI="
        crossorigin="anonymous">
    </script>
    <script src="assets/js/main.js" type="text/javaScript"></script>
</body>
</html>
```

footerAdmin.php

```
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i</pre>
class="bi bi-arrow-up"></i></a>
    </div>
    <!-- JavaScript Libraries -->
    <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
'></script>
    <!-- <script src="lib/chart/chart.min.js"></script> -->
    <!-- <script src="lib/easing/easing.min.js"></script> -->
    <!-- <script src="lib/waypoints/waypoints.min.js"></script> -->
    <!-- <script src="lib/owlcarousel/owl.carousel.min.js"></script> -->
    <!-- <script src="lib/tempusdominus/js/moment.min.js"></script> -->
    <!-- <script src="lib/tempusdominus/js/moment-timezone.min.js"></script> -->
    <!-- <script src="lib/tempusdominus/js/tempusdominus-bootstrap-
4.min.js"></script> -->
    <!-- Template Javascript -->
    <!-- <script src="assets/js/main.js"></script> -->
</body>
</html>
<script>
    $(".obrisi").click(function(){
                    $(this).closest("tr").remove()
    })
    function obrisi(id, link) {
        $.ajax({
            url : "models/"+link,
            method: "POST",
            data: { id: id },
            success: function(x) {
                //console.log(x)
            },
            error: function(x){
       })
```

```
</script>
```

headAdmin.php

```
<div class="content col-12">
        <nav class="navbar navbar-expand bg-light navbar-light sticky-top px-4</pre>
py-0">
                <a href="index.html" class="navbar-brand d-flex d-lg-none me-4">
                     <h2 class="text-primary mb-0"><i class="fa fa-</pre>
hashtag"></i></h2>
                </a>
                <div class="navbar-nav align-items-center ms-auto">
                     <div class="nav-item dropdown">
                         <a href="#" class="nav-link dropdown-toggle" data-bs-
toggle="dropdown">
                             <i class="zmdi zmdi-account-circle "></i>
                             <span class="d-none d-lg-inline-flex"><?php echo</pre>
$ SESSION['korisnik']->ime;?></span>
                         <div class="dropdown-menu dropdown-menu-end bg-light</pre>
border-0 rounded-0 rounded-bottom m-0">
                             <a href="models/logout.php" class="dropdown-item">Log
Out</a>
                         </div>
                    </div>
                </div>
            </nav>
```

Header.php

```
<?php
   ob_start();
   include("models/functions.php");
   include("models/log.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
        <title>Baggage Ecommerce | Home</title>
```

```
<meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="author" content="Aleksandar Kandić"/>
    <meta name="language" content="english"/>
    <meta name="copyright" content="gags store"/>
    <meta name="description" content="bags store, all bags in our stole"/>
    <meta name="viewport" content="width=device-width, initial-scale=1"/>
    <meta name="keywords" content="Baggage Responsive web template, Bootstrap Web</pre>
Templates, Flat Web Templates, Android Compatible web template, Smartphone
Compatible web template, free webdesigns for Nokia, Samsung, LG, SonyEricsson,
Motorola web design, bags,adidas,nike,versace,dior,gucci,dolce and gabana" />
    <link rel="stylesheet" href="assets/css/bootstrap.css"/>
    <link rel="stylesheet" href="assets/css/bootstrap.css"/>
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"</pre>
media="all"/>
    <link href="assets/css/font-awesome.css" rel="stylesheet"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-</pre>
design-iconic-font/2.2.0/css/material-design-iconic-font.min.css"/>
    <link href="//fonts.googleapis.com/css?family=Hind:300,400,500,600,700"</pre>
rel="stylesheet"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-</pre>
design-iconic-font/2.2.0/css/material-design-iconic-font.min.css"/>
    <link rel="icon" type="image/x-icon" href="assets/images/template-</pre>
images/favicon.ico"/>
</head>
<body>
    <div id="modalCart">
        <div class="row2">
            <h4 class="ml-2">Your cart</h4>
            <div id="closeModal">X</div>
        <div id="modalContent">
        </div>
        <div class="row3">
            <div class="tot">
                <h3>Total price:&nbsp;</h3>
                <h3 id="total"></h3>
            </div>
            <div id="izlaz">
                <a id="preusmeri"><div id="naruci">Checkout</div></a>
```

```
<div id="obrisi">Empty the cart</div>
           </div>
       </div>
   </div>
   <div id="modalError" >
       <div class="row2">
           <h4 class="m1-2"></h4>
           <div id="closeModal4">X</div>
           <div id="cont"></div>
       </div>
   <div id="modalMail" >
       <div class="row2">
           <h4 class="m1-2"></h4>
           <div id="closeModal3">X</div>
       </div>
       </div>
   <div class="main-sec">
       <header class="py-sm-3 pt-3 pb-2" id="home">
           <div class="container">
              <div class="top-w3pvt d-flex navv">
                  <div id="logo">
                      <h1> <a href="index.html"><span class="log-
w3pvt">B</span>aggage</a> <label class="sub-des">Online Store</label></h1>
                  </div>
                      <?php
                      if(isset($ SESSION["korisnik"])){?>
                          HELLO <?=$_SESSION["korisnik"]-</pre>
>ime?>!
                  <?php }?>
                      <?php
                          if(!isset($_SESSION["korisnik"])){?>
                             <div class="forms ml-auto">
                                 <a href="?page=login" class="btn"><span</pre>
class="fa fa-user-circle-o"></span> Sign In</a>
                                 <a href="?page=register" class="btn"><span</pre>
class="fa fa-pencil-square-o"></span> Sign Up</a>
                             </div>
```

```
<?php }
                           else{?>
                               <div class="forms ml-auto">
                                   <a href="models/logout.php" class="btn"><span</pre>
class="fa fa-user-circle-o"></span> Logout</a>
                               </div>
                       <?php } ?>
               </div>
               <div class="nav-top-wthree navv">
                    <nav id="navg">
                       <label for="drop" class="toggle"><span class="fa fa-</pre>
bars"></span></label>
                       <input type="checkbox" id="drop" />
                       $result = ispisNavigacije();
                              foreach($result as $r): ?>
                                   <a class='d-flex justify-content-center'</pre>
href='?page=<?=$r->page?>'><?=$r->text?></a>
                           <?php endforeach ?>
                       </nav>
                   <div id="pretraga">
                       <?php
                               if(strpos($_SERVER['PHP_SELF'], 'shop.php')){?>
                                   <form id="tt" action="#" method="post"</pre>
class="newsletter">
                                       <input class="search" id="trazi"</pre>
type="search" placeholder="Search here..." required="">
                                   </form>
                       <?php }?>
                       <?php
                               if(isset($ SESSION["korisnik"])):?>
                                   <div class="forms ml-auto" id="cart">
                                   <i class="zmdi zmdi-shopping-cart"></i><div</pre>
id="krug">0</div>
                                   </div>
```

headerAdmin.php

```
<?php
    @session_start();
    ob_start();
    if($_SESSION["korisnik"]->uloga != "admin"){
        header("Location: index.php?page=home");
        exit;
    include("models/functionsAdmin.php");
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Admin Panel Baggage</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">
    <!-- Favicon -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-</pre>
design-iconic-font/2.2.0/css/material-design-iconic-font.min.css"/>
    <link rel="icon" type="image/x-icon" href="assets/images/template-</pre>
images/favicon.ico"/>
    <!-- Google Web Fonts -->
    <!-- <link rel="preconnect" href="https://fonts.googleapis.com"> -->
    <!-- <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<!-- <link
href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600;700&display
=swap" rel="stylesheet"> -->
    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
    <!-- Libraries Stylesheet -->
    <!-- <li>href="lib/owlcarousel/assets/owl.carousel.min.css"
rel="stylesheet"> -->
    <!-- <link href="lib/tempusdominus/css/tempusdominus-bootstrap-4.min.css"
rel="stylesheet" /> -->
    <!-- Customized Bootstrap Stylesheet -->
    <link href="assets/css/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/material-</pre>
design-iconic-font/2.2.0/css/material-design-iconic-font.min.css">
    <!-- Template Stylesheet -->
    <link href="assets/css/css/style.css" rel="stylesheet">
</head>
<body>
    <div class="position-relative bg-white d-flex p-0">
        <!-- Spinner Start -->
        <!-- <div id="spinner" class="show bg-white position-fixed translate-
middle w-100 vh-100 top-50 start-50 d-flex align-items-center justify-content-
center">
            <div class="spinner-border text-primary" style="width: 3rem; height:</pre>
3rem;" role="status">
                <span class="sr-only">Loading...</span>
            </div>
        </div> -->
        <!-- Sidebar Start -->
        <div class="sidebar pe-4 pb-3">
            <nav class="navbar bg-light navbar-light">
                <a href="index.html" class="navbar-brand mx-4 mb-3">
                    <h3 class="text-primary"><i class="fa fa-hashtag me-
2"></i>ADMIN PANEL</h3>
```

```
<div class="d-flex align-items-center ms-4 mb-4">
                 </div>
                 <div class="navbar-nav w-100">
                     <a href="?page=admin&adminPage=logs" class="nav-item nav-</pre>
link">Log file</a>
                     <a href="?page=admin&adminPage=statistics" class="nav-item"</pre>
nav-link">Statistics</a>
                     <a href="?page=admin&adminPage=products" class="nav-item nav-</pre>
link">Products</a>
                     <a href="?page=admin&adminPage=messages" class="nav-item nav-</pre>
link">Messages</a>
                     <a href="?page=admin&adminPage=orders" class="nav-item nav-</pre>
link">Orders</a>
                     <a href="?page=admin&adminPage=users" class="nav-item nav-</pre>
link">Users</a>
                     <a href="?page=admin&adminPage=newsletter" class="nav-item"</pre>
nav-link">Newsletter</a>
                     <a href="?page=admin&adminPage=manageNavigation" class="nav-</pre>
item nav-link">Manage navigation</a>
                     <a href="?page=admin&adminPage=manageColors" class="nav-item"</pre>
nav-link">Manage colors</a>
                     <a href="?page=admin&adminPage=manageCategories" class="nav-</pre>
item nav-link">Manage categories</a>
                     <a href="?page=admin&adminPage=manageBrands" class="nav-item"</pre>
nav-link">Manage brands</a>
                 </div>
             </nav>
         </div>
```

Admin.php

```
$proizvodi = $rez->fetchAll();
      <?php
           include("views/fixed/headAdmin.php");
      <div class="container-fluid pt-4 px-4">
               if(isset($_GET["adminPage"])){
                   if(in_array($_GET["adminPage"], straniceAdmin)){
                       include "views/pages/adminPages/" . $_GET["adminPage"] .
.php";
                       //echo("views/pages/adminPages/" . $ GET["adminPage"] .
.php");
                   }else{
                       include "views/pages/adminPages/products.php";
               }else{
                   include "views/pages/adminPages/logs.php";
               }
       </div>
      <?php
           include("views/fixed/footerAdmin.php");
```

Author.php

```
</div>
                  <div class="col-lg-7 col-sm-12 col-12 pt-5 pl-5 pr-5 pb-2</pre>
radl bg-light">
                   <h1 class="mb-4">Something about me</h1>
                   <h3>Name:</h3>
                   <h5 class="mb-4 text-black-50">Aleksandar</h5>
                   <h3>Lastname:</h3>
                   <h5 class="mb-4 text-black-50">Kandic</h5>
                   <h3>Adress:</h3>
                   <h5 class="mb-4 text-black-50">Kosmajska 123, Sopot</h5>
                   <h3 class="mb-2">Social</h3>
                   Here you can check out my <span id="portfolio"><a
target="_blank" href="https://aleksandar1021.github.io/portfolio/"
class="txtt">portfolio.</a></span>
                     </div>
              </div>
          </div>
       </div>
   </section>
```

Contach.php

```
</div>
    <div id="modalKontakt">
        <div class="row2">
            <div id="closeModal2">X</div><br/>
        </div>
        </div>
    <section class="banner-bottom py-5">
        <div class="container py-md-5">
            <h5 class="title-wthree mb-lg-5 mb-4 text-center">Fill in the form
information</h5>
            <div class="row contact information">
                <div class="col-md-6">
                    <div class="contact right p-lg-5 p-4">
                        <form action="#" method="post" name="forma"</pre>
id="formaNova">
                           <div class="field-group">
                               <div class="content-input-field">
```

```
<input class="in" name="text1" id="text1"</pre>
type="text" value="" placeholder="Name and surname"/>
                                     <span class="err"></span>
                                 </div>
                             </div>
                             <div class="field-group">
                                 <div class="content-input-field">
                                     <input class="in" name="text2" id="text2"</pre>
type="email" value="" placeholder="Enter ypur e-mail"/>
                                     <span class="err"></span>
                                 </div>
                             </div>
                             <div class="field-group">
                                 <div class="content-input-field">
                                     <input class="in" name="text5" id="text5"</pre>
type="text" value="" placeholder="Enter your address and number"/>
                                     <span class="err"></span>
                                 </div>
                            </div>
                             <div class="field-group">
                                 <div class="content-input-field">
                                     <input class="in" name="text3" id="text3"</pre>
type="text" value="" placeholder="Enter your Phone"/>
                                     <span class="err"></span>
                                 </div>
                             </div>
                            <div id="rad" class="field-group">
                                 <input type="radio" name="rbtn" class="rbtn"</pre>
id="rbtn1" value="Physical person">  <label for="rbtn1">Physical
person</label><br/>
                                 <input type="radio" name="rbtn" class="rbtn"</pre>
id="rbtn2" value="Company">  <label for="rbtn2"></label>Company
                             </div>
                             <span class="err"></span>
                             <div class="field-group mt-3">
                                 <div class="content-input-field" >
                                     <textarea id="ta" placeholder="Your Message</pre>
Here..."></textarea>
                                 </div>
                             remaining letters: <span id="slova">20</span>
                             <div class="content-input-field">
                                 <button type="button" class="btn"</pre>
id="dugme">Submit</button>
```

```
</div>
                      </form>
                  </div>
              </div>
              <div class="col-md-6 contact left p-4">
src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d181140.1199807135!2d20
.282512941325635!3d44.81515972783491!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!
1m2!1s0x475a7aa3d7b53fbd%3A0x1db8645cf2177ee4!2sBelgrade!5e0!3m2!1sen!2srs!4v1676
498894245!5m2!1sen!2srs" allowfullscreen="" loading="lazy" referrerpolicy="no-
referrer-when-downgrade"></iframe>
              </div>
              <div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
                  <div class="mt-5 information-wthree">
                      <h4 class="text-uppercase mb-4"><span class="fa fa-
comments"></span> Communication</h4>
                      for
general queries, including property Sales and constructions, please email us at
<a href="mailto:info@example.com">info@example.com</a>
                  </div>
              </div>
              <div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
                  <div class="mt-5 information-wthree">
                      <h4 class="text-uppercase mb-4"><span class="fa fa-life-
ring"></span> Technical Support</h4>
                      we are
ready to help! if you have any queries or issues, contact us for support
<label>+12 388 455 6789</label>.
                  </div>
              </div>
              <div class="col-lg-4 col-md-6 mt-lg-4 contact-inn-w3pvt">
                  <div class="mt-5 information-wthree">
                      <h4 class="text-uppercase mb-4"><span class="fa fa-
map"></span> Others</h4>
                      we are
ready to help! if you have any queries or issues, contact us for support
<label>+12 388 455 6789</label>.
                  </div>
              </div>
           </div>
       </div>
   </section>
```

```
<div class="banner-wthree-info container-fluid plavo">
            <div class="row">
                <div class="col-lg-5 banner-left-info">
                    <h3>The Largest Range <span>of HandBags</span></h3>
                    <a href="?page=shop" class="btn shop">Shop Now</a>
                </div>
                <div class="col-lg-7 banner-img">
                    <img src="assets/images/template-images/bag.png" alt="part</pre>
image" class="img-fluid">
                </div>
            </div>
        </div>
    </div>
    <!-- //banner-->
    <!--/banner-bottom -->
    <!-- /banner-bottom -->
    <!--/banner-bottom -->
    <!-- /banner-bottom -->
    <!--/collections -->
    <section class="banner-bottom py-5">
        <div class="container py-md-5">
            <h3 class="title-wthree mb-lg-5 mb-4 text-center">Safety Meets Style
</h3>
            <div class="row text-center">
                <div class="col-md-4 content-gd-wthree">
                    <img src="assets/images/template-images/c1.jpg" class="img-</pre>
fluid" alt="" />
                </div>
                <div class="col-md-4 content-gd-wthree ab-content py-lg-5 my-lg-</pre>
5">
                    <h4>Need Extra Space ?</h4>
                    Our cords are designed for your every situation,
everything fits in them comfortably, without overcrowding.
                    <a href="?page=shop" class="btn shop mt-3">Shop Now</a>
```

```
</div>
                <div class="col-md-4 content-gd-wthree">
                    <img src="assets/images/template-images/c2.jpg" class="img-</pre>
fluid" alt="" />
                </div>
            </div>
        </div>
    </section>
    <section class="banner-bottom py-5 bg-light mt-5">
        <div class="container py-md-3">
            <div class="row grids-wthree-info text-center">
                <div class="col-lg-4 ab-content">
                    <div class="ab-info-con">
                        <h4>Fast & Free Delivery</h4>
                        We provide you with faster and safe delivery to your
home by a verified courier service.
                    </div>
                </div>
                <div class="col-lg-4 ab-content">
                    <div class="ab-info-con">
                        <h4>Safe & Secure Payments</h4>
                        Payment is safe, it takes place on the site's
platform.
                    </div>
                </div>
                <div class="col-lg-4 ab-content">
                    <div class="ab-info-con">
                        <h4>100% Money Back Guarantee</h4>
                        If you are not satisfied with the product, you can
exchange it within 10 days or get your money back.
                    </div>
                </div>
            </div>
        </div>
    </section>
    <section class="mid-section mt-5 pt-5 mb-5 pb-5">
        <div class="d-lg-flex p-0">
            <div class="col-lg-6 bottom-w3pvt-left p-lg-0">
                <img src="assets/images/template-images/ab1.jpg" class="img-</pre>
fluid" alt="" />
                <div class="pos-wthree">
                    <h4 class="text-wthree">Every Friday, 50% Off Any <br>
Women's Bags</h4>
```

Login.php

```
</div>
    <!-- //banner-->
    <!--/login -->
    <section class="banner-bottom py-5">
        <div class="container">
            <div class="content-grid bg-light p-3">
                <div class="text-center icon">
                    <span class="fa fa-unlock-alt"></span>
                </div>
                <div class="content-bottom">
                    <form action="#" method="post">
                    <div id="prijava" class="alert-success my-5 "></div>
                        <div class="field-group">
                             <div class="content-input-field">
                                 <input name="mail" id="mail" type="text" value=""</pre>
placeholder="User Email"/>
                                 <span class="err"></span>
                             </div>
                         </div>
                         <div class="field-group">
                             <div class="content-input-field">
                                 <input name="password" id="password"</pre>
type="Password" placeholder="Password">
                                 <span class="err"></span>
                             </div>
```

```
</div>
                     <div class="content-input-field">
                        <button id="signin" type="button" class="btn">Sign
In</button>
                     </div>
                     class="mb-5 mt-3">
                            <a href="index.php?page=register" class="text-</pre>
danger">Don't have an Account?</a>
                        </form>
              </div>
          </div>
      </div>
   </section>
```

Register.php

```
</div>
    <!-- //banner-->
    <!--/login -->
    <section class="banner-bottom py-5">
        <div class="container">
            <div class="content-grid bg-light pb-5 pt-5">
                <div class="text-center icon">
                    <span class="fa fa-user-circle-o"></span>
                </div>
                <div class="content-bottom">
                    <form action="#" method="post" id="formaRegister">
                        <div id="prijava" class="alert-success my-5"></div>
                        <div class="field-group">
                            <div class="content-input-field">
                                <input name="ime" id="ime"</pre>
type="text" placeholder="User Name"/>
                                <span class="err"></span>
                            </div>
                        </div>
```

```
<div class="field-group">
                             <div class="content-input-field">
                                 <input name="prezime" id="prezime"</pre>
type="text" placeholder="User Lastname"/>
                                 <span class="err"></span>
                             </div>
                         </div>
                         <div class="field-group">
                             <div class="content-input-field">
                                 <input name="mail" id="mail"</pre>
type="text"placeholder="User Email"/>
                                 <span class="err"></span>
                             </div>
                         </div>
                         <div class="field-group">
                             <div class="content-input-field">
                                 <input name="pass" id="pass" type="Password"</pre>
placeholder="Password">
                                 <span class="err"></span>
                             </div>
                         </div>
                         <div class="field-group">
                             <div class="content-input-field">
                                 <input name="pass2" id="pass2" type="Password"</pre>
placeholder="Confirm Password">
                                 <span class="err"></span>
                             </div>
                         </div>
                         <div class="content-input-field" id="registruj">
                             <button type="button" class="btn">Sign Up</button>
                         </div>
                         <div class="list-login-bottom text-center mt-lg-5 mt-4">
                             <a href="#" class="">By clicking Signup, I agree to
vour terms</a>
                         </div>
                    </form>
                </div>
            </div>
        </div>
    </section>
```

Shop.php

```
<?php
    @session_start();
    if(!isset($_SESSION['korisnik'])){
        header("Location: ?page=home");
</div>
<div id="modalKontakt">
        <div class="row2">
            <div id="closeModal2">X</div><br/>
        </div>
        </div>
    <section class="banner-bottom py-2">
        <div class="row col-12" id="ban">
            <div id="sort" class="row col-lg-3 col-sm-12 my-0">
                <h1 id="nas">Filters:</h1>
                <div class="red border py-2 px-2 mt-4">
                    <h2 class="ml-2 mt-2 mb-2">Brand</h2>
                    <?php
                        ispisChcBrend("brend");
                    <h2 class="ml-2 mt-2 mb-2">Color</h2>
                    <?php
                        ispisChcBoja("boja");
                    <h2 class="m1-2 mt-2 mb-2">Category</h2>
                    <?php
                        ispisChcKategorija("kategorija");
                </div>
               <div class="red">
                    <h2>Sort by</h2>
                    <select name="sort" id="sor" class="wid ddl">
                    </select>
               </div>
        </div>
```

```
<div class="container pt-5 col-lg-9 col-sm-12" id="baner">
      </div>
      <nav aria-label="..." class="mx-auto mt-3 nav3 mb-5">
         <?php
             $broj strana = brojStrana();
             for($i = 0; $i< $broj_strana; $i++):?>
                <?php
                   if(!$i){?>
                      <a class="page-link strana</pre>
active2" data-limit="<?= $i ?>"><?= $i+1?></a>
                   <?php }else{?>
                      <a class="page-link strana"</pre>
data-limit="<?= $i ?>"><?= $i+1?></a>
                   <?php } ?>
             <?php endfor?>
         </nav>
   </div>
      <div id="dodato">
         The product has been added to the cart
      </div>
   </section>
```

Single.php

```
    @session_start();
    $id = $_GET["id"];
    $proizvod = getProduct($id);
    $trenutna = getPrice($id);
    $pop = getDiscount($id);

?>
    </div>
    </div>

    /banner-->
    <!--/banner-bottom -->
    <div id="modalKontakt">
```

```
<div class="row2">
            <div id="closeModal2">X</div><br/>
        </div>
        </div>
    <section class="banner-bottom py-5">
        <div class="container py-md-5">
            <!-- product right -->
           <div class="left-ads-display wthree">
               <div class="row">
                   <div class="desc1-left col-md-6" >
                        <img id="slika" src="assets/images/product-images/big-</pre>
images/<?=$proizvod->slika?>" class="img-fluid" alt="<?=$proizvod->naziv?>">
                   </div>
                   <div class="desc1-right col-md-6 pl-lg-3">
                       <h1 id="naziv"></h1>
                        <h2 class="mt-2">Brand:</h2>
                       <h3 class="mt-1 dodatak" id="brand"><?=$proizvod-</pre>
>naziv_brend?></h3>
                       <h2 class="mt-2 ">Color:</h2>
                       <h3 class="mt-1 dodatak" id="color"><?=$proizvod-</pre>
>boja?></h3>
                       <h2 class="mt-2">Intended for:</h2>
                       <h3 class="mt-1 dodatak" id="za"><?=$proizvod-</pre>
>naziv kategorija?></h3>
                       <h2 class="mt-2 ">Price:</h2>
                       <div id="cene">
                           <?php
                               price($pop, $trenutna)
                       </div>
                        <button id="add-to-cart-button">Add to cart
                   </div>
                   <div id="dodato">
                        The product has been added to the cart
                   </div>
               </div>
               <div class="sub-para-w3pvt my-5">
                   <h2 class="shop-sing mb-4 mb-3">Description:</h2>
                   <?=$proizvod->opis?>
```

```
</div>
</section>
```

Survey.php

```
<?php
   @session_start();
   if(!isset($_SESSION['korisnik'])){
       header("Location: index.php");
</div>
<div class="row col-12 my-5">
    <div class=" mx-auto p-5 col-10 my-5 bg-light anketa">
        <div id="modalKontakt">
           <div class="row2">
               <div id="closeModal2">X</div><br/>
            </div>
            </div>
        <h3 class="mb-3"><?=anketaPitanje()->pitanje;?></h3>
        <?php
           $idAnkete = anketaPitanje()->id_anketa;
           $resultOdgovori = anketaOdgovori($idAnkete);
           printAnketa($idAnkete, $resultOdgovori);
    </div>
```

addBrand.php

```
$greske['label'] = "Name is required!";
         if(!count($greske)) {
            $brand = $ POST["label"];
            $upitBrand="INSERT INTO brend(naziv brend) VALUES (:brand)";
            $stmt = $konekcija->prepare($upitBrand);
            $stmt->bindParam(":brand", $brand);
            $result = $stmt->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred.";
            } else {
               $errors["success"] = "Successful entry.";
               header("Location: ?page=admin&adminPage=manageBrands");
            }
            <div class="container-fluid p-0">
            <h2 class="mb-4">Insert new brand</h2>
                <form method="post" action="?page=admin&adminPage=addBrand"</pre>
enctype="multipart/form-data">
                    <div class="form-group mb-3">
                        <label for="exampleFormControlInput1">Brand name:</label>
                        <input type="text" class="form-control" id="color"</pre>
name="label" placeholder="Brand name">
                        <?php
                            if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                    </div>
                    <button type="submit" name="potvrdi" class="btn btn-</pre>
danger">Insert Brand</button>
                </form>
            </div>
```

addCategory.php

```
<?php
    $greske = [];
    if(isset($_POST["potvrdi"])) {
        if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
        }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
            }
         if(!count($greske)) {
            $brand = $_POST["label"];
            $upitBrand="INSERT INTO kategorija(naziv_kategorija) VALUES
(:brand)";
            $stmt = $konekcija->prepare($upitBrand);
            $stmt->bindParam(":brand", $brand);
            $result = $stmt->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred.";
            } else {
                $errors["success"] = "Successful entry.";
                header("Location: ?page=admin&adminPage=manageCategories");
            }
            <div class="container-fluid p-0">
            <h2 class="mb-4">Insert new category</h2>
                <form method="post" action="?page=admin&adminPage=addCategory"</pre>
enctype="multipart/form-data">
                    <div class="form-group mb-3">
                        <label for="exampleFormControlInput1">Category
name:</label>
                        <input type="text" class="form-control" id="color"</pre>
name="label" placeholder="Category name">
                        <?php
```

addColor.php

```
<?php
    $greske = [];
    if(isset($_POST["potvrdi"])) {
        if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
        }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
        if(!count($greske)) {
            $color = $_POST["label"];
            $upitBoja="INSERT INTO boja(boja) VALUES (:boja)";
            $stmt = $konekcija->prepare($upitBoja);
            $stmt->bindParam(":boja", $color);
            $result = $stmt->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred.";
            } else {
                $errors["success"] = "Successful entry.";
                header("Location: ?page=admin&adminPage=manageColors");
```

```
<div class="container-fluid p-0">
           <h2 class="mb-4">Insert new color</h2>
               <form method="post"</pre>
action="index.php?page=admin&adminPage=addColor" enctype="multipart/form-data">
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">Color name:</label>
                       <input type="text" class="form-control" id="color"</pre>
name="label" placeholder="Color name">
                       <?php
                           if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                           }
                   </div>
                   <button type="submit" name="potvrdi" class="btn btn-</pre>
danger">Insert color</button>
               </form>
           </div>
```

addNavigation.php

```
}else {
           if(!$_POST["text"]) {
               $greske['text'] = "Text is required!";
         if(!count($greske)) {
            $href = $ POST["label"];
           $text = $_POST["text"];
           $upitBoja="INSERT INTO navigacija(text, link) VALUES (:text, :link)";
           $stmt = $konekcija->prepare($upitBoja);
           $stmt->bindParam(":link", $href);
           $stmt->bindParam(":text", $text);
           $result = $stmt->execute();
            if(!$result) {
               $errors["greske"] = "An error has occurred.";
               $errors["success"] = "Successful entry.";
               header("Location: ?page=admin&adminPage=manageNavigation");
           <div class="container-fluid p-0">
            <h2 class="mb-4">Insert new link</h2>
                <form method="post" action="?page=admin&adminPage=addNavigation"</pre>
enctype="multipart/form-data">
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">Link name:</label>
                       <input type="text" class="form-control" id="color"</pre>
name="label" placeholder="Link name">
                       <?php
                           if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                       <label class="mt-3" for="exampleFormControlInput1">Text
name:</label>
```

addProducts.php

```
<div class="container-fluid p-0">
           <h2 class="mb-4">Insert new product</h2>
               <form method="post" action="models/adds.php"</pre>
enctype="multipart/form-data">
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">Label for
product:</label>
                       <input type="text" class="form-control" id="label"</pre>
name="label" placeholder="Product label">
                           if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                   </div>
                   <div class="form-group mb-3">
                       <label for="exampleFormControlSelect1">Select
brand:</label>
```

```
<select class="form-control" id="brand" name="brand">
                          <?php
                              $upitBrend ="SELECT * FROM brend";
                              $rez = $konekcija->query($upitBrend);
                              $brendovi = $rez->fetchAll();
                              echo "<option hidden value='0'>Select
brand</option>";
                              foreach($brendovi as $b){
                                  echo "<option value='$b->id brend'>$b-
>naziv_brend</option>";
                      </select>
                      <?php
                          if(isset($greske['brand'])){
                              echo "" .
$greske['brand'] . "";
                  </div>
                  <div class="form-group mb-3">
                      <label for="exampleFormControlSelect1">Select
category:</label>
                      <select class="form-control" id="cat" name="cat">
                      <?php
                              $upitBrend ="SELECT * FROM kategorija";
                              $rez = $konekcija->query($upitBrend);
                              $brendovi = $rez->fetchAll();
                              echo "<option hidden value='0'>Select
category</option>";
                              foreach($brendovi as $b){
                                  echo "<option value='$b->id kategorija'>$b-
>naziv kategorija</option>";
                      </select>
                      <?php
                          if(isset($greske['cat'])){
                              echo "" .
$greske['cat'] . "";
                  </div>
                  <div class="form-group mb-3">
```

```
<label for="exampleFormControlSelect1">Select
promotion:</label>
                      <select class="form-control" id="prom" name="prom">
                      <?php
                              $upitBrend ="SELECT * FROM promocija";
                              $rez = $konekcija->query($upitBrend);
                              $brendovi = $rez->fetchAll();
                              echo "<option hidden value='-1'>Select
promotion</option>";
                              echo "<option value='0'>Without
promotion</option>";
                              foreach($brendovi as $b){
                                  echo "<option value='$b->id promocija'>$b-
>promocija</option>";
                      </select>
                      <?php
                          if(isset($greske['prom'])){
                              echo "" .
$greske['prom'] . "";
                          }
                   </div>
                   <div class="form-group mb-3">
                      <label for="exampleFormControlSelect1">Select
color:</label>
                      <select class="form-control" id="boja" name="boja">
                      <?php
                              $upitBrend ="SELECT * FROM boja";
                              $rez = $konekcija->query($upitBrend);
                              $brendovi = $rez->fetchAll();
                              echo "<option hidden value='0'>Select
color</option>";
                              foreach($brendovi as $b){
                                  echo "<option value='$b->id_boja'>$b-
>boja</option>";
                      </select>
                      <?php
                          if(isset($greske['boja'])){
                              echo "" .
$greske['boja'] . "";
```

```
</div>
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">Insert price of
product:</label>
                       <input type="text" class="form-control" id="price"</pre>
name="price" placeholder="Product price">
                      <?php
                          if(isset($greske['price'])){
                              echo "" .
$greske['price'] . "";
                   </div>
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">Insert discount for
product:</label>
                       <input type="text" class="form-control" id="discount"</pre>
name="discount" placeholder="Product discount">
                   </div>
                   <div class="form-group">
                       <label for="exampleFormControlFile1">Select image for
product:</label><br/>>
                       <input type="file" name="slika" class="form-control-file</pre>
mb-3" id="slika">
                       <?php
                          if(isset($greske['slika'])){
                              echo "" .
$greske['slika'] . "";
                   </div>
                   <div class="form-group mb-5">
                       <label for="exampleFormControlTextarea1">Product
description:</label>
                      <textarea name="opis" class="form-control" id="opis"
rows="7"></textarea>
```

Logs.php

```
<div class="container-fluid p-0">
            <div class="row g-4">
               <div class="col-sm-12 col-x1-12">
                   <div class="bg-light rounded h-100 p-4">
                      <h6 class="mb-4">Brands:</h6>
                      <a href="?page=admin&adminPage=addBrand"><button</pre>
type="button" class="btn btn-primary mb-4">Add new brand</button></a>
                      <thead>
                            >
                               Id
                               Brand
                               </thead>
                         <?php
                                  //var dump($proizvodi);
                                  foreach(dohvatiSve("brend") as $p){?>
                                      <?= $p-
<?= $p->naziv brend
?>
                                         <a onclick="obrisi(<?=
$p->id_brend ?>, 'removeBrand.php')"><button type="button" class="btn obrisi btn-</pre>
danger">Remove</button></a>
                                         <a
href="?page=admin&adminPage=updateBrand&id=<?= $p->id_brend ?>"><button</pre>
type="button" class="btn btn-success">Change</button></a>
                                      <?php } ?>
                            </div>
```

```
</div>
</div>
</div>
```

manageCategories.php

```
<div class="container-fluid p-0">
             <div class="row g-4">
                <div class="col-sm-12 col-xl-12">
                    <div class="bg-light rounded h-100 p-4">
                       <h6 class="mb-4">Colors:</h6>
                       <a href="?page=admin&adminPage=addCategory"><button</pre>
type="button" class="btn btn-primary mb-4">Add new category</button></a>
                       Id
                                 Category
                                 </thead>
                          <?php
                                     //var dump($proizvodi);
                                    foreach(dohvatiSve("kategorija") as
$p){?>
                                        <?= $p-
<?= $p->naziv_kategorija
?>
                                           <a onclick="obrisi(<?=
$p->id_kategorija ?>, 'removeCategory.php')"><button type="button" class="btn"</pre>
obrisi btn-danger">Remove</button></a>
href="?page=admin&adminPage=updateCategory&id=<?= $p->id_kategorija ?>"><button</pre>
type="button" class="btn btn-success">Change</button></a>
```

manageColors.php

```
<div class="container-fluid p-0">
             <div class="row g-4">
                <div class="col-sm-12 col-x1-12">
                   <div class="bg-light rounded h-100 p-4">
                       <h6 class="mb-4">Colors:</h6>
                       <a href="?page=admin&adminPage=addColor"><button</pre>
type="button" class="btn btn-primary mb-4">Add new color</button></a>
                       <thead>
                             Id
                                Color
                                </thead>
                          <?php
                                    //var dump($proizvodi);
                                    foreach(dohvatiSve("boja") as $p){?>
                                       <?= $p-
>id_boja ?></rr>
                                          <?= $p->boja ?>
                                          <a onclick="obrisi(<?=
$p->id_boja ?>, 'removeColor.php')"><button type="button" class="btn obrisi btn-</pre>
danger">Remove</button></a>
```

manageNavigation.php

```
<div class="container-fluid p-0">
            <div class="row g-4">
               <div class="col-sm-12 col-x1-12">
                  <div class="bg-light rounded h-100 p-4">
                     <h6 class="mb-4">Navigation:</h6>
                    <a href="?page=admin&adminPage=addNavigation"><button</pre>
type="button" class="btn btn-primary mb-4">Add new link</button></a>
                    <thead>
                           Id
                             Text
                             Href
                             </thead>
                        <?php
                                 //var_dump($proizvodi);
                                 foreach(dohvatiSve("navigacija") as
```

```
<?= $p-
>id_nav ?>
                                            <?= $p->text ?>
                                            <?= $p->link ?>
                                            <a onclick="obrisi(<?=
$p->id nav ?>, 'removeNavigation.php')"><button type="button" class="btn obrisi</pre>
btn-danger">Remove</button></a>
                                            <a
href="?page=admin&adminPage=updateNavigation&id=<?= $p->id_nav ?>"><button</pre>
type="button" class="btn btn-success">Change</button></a>
                                        <?php } ?>
                              </div>
                </div>
             </div>
          </div>
```

Messages.php

```
<div class="col-sm-12 col-x1-12">
 <div class="bg-light rounded h-100 p-4">
   <h6 class="mb-4">Messages:</h6>
   Id
         Name and lastname
         Mail
         Phone
         Type
         Message
         Adress
       </thead>
```

```
<?php
                               //var dump($proizvodi);
                               foreach(dohvatiSve("kontakt") as
$p){?>
                               <?= $p-
>id kontakt ?>
                                 <?= $p->ime_prezime ?>
                                 <?= $p->k mail ?>
                                 <?= $p->telefon ?>
                                 <?= $p->tip korisnika ?>
                                 <?= $p->poruka ?>
                                 <?= $p->adresa?>
                              <?php } ?>
                         </div>
             </div>
```

Newsletter.php

```
<div class="container-fluid p-0">
  <div class="row g-4">
     <div class="col-sm-12 col-x1-12">
       <div class="bg-light rounded h-100 p-4">
          <h6 class="mb-4">Subscribed to the newsletter:</h6>
          Id
                  Name
                 Lastname
                  Mail
               </thead>
            <?php
```

```
//var_dump($proizvodi);
                              foreach(getNewsletter() as $p){?>
                              <?= $p-
>id_novosti ?>
                                 <?= $p->ime ?>
                                 <?= $p->prezime ?>
                                 <?= $p->mail ?>
                              <?php } ?>
                        </div>
             </div>
          </div>
        </div>
```

Orders.php

```
Date
                       </thead>
                     <?php
                             //var dump($proizvodi);
                             foreach(dohvatiSve("kupovina") as
$p){?>
                             <?= $p->id_kupovina?>
                               <?= $p-
>id_proizvod ?>
                               <?= $p->id korisnik ?>
                               <?= $p->kolicina ?>
                               <?= $p->cena_komad
?>€
                               <?= $p->ukupna_cena
?>€
                               <?= $p->datum ?>
                             <?php } ?>
                       </div>
             </div>
          </div>
        </div>
                             </div>
```

Products.php

```
<h6 class="mb-4">Products:</h6>
href="index.php?page=admin&adminPage=addProducts"><button type="button"</pre>
class="btn btn-primary mb-4">Add new product</button></a>
                     <thead>
                           Id
                              Image
                              Label
                              Brand
                              Category
                              Color
                              Description
                              Discount
                              Price
                              </thead>
                        <?php
                                 //var dump($proizvodi);
                                 foreach($proizvodi as $p){
                                    $cena = "SELECT cena FROM cena c
JOIN proizvod p on c.id_proizvod = p.id_proizvod WHERE p.id_proizvod = $p-
>id_proizvod ORDER BY datum desc LIMIT 0,1";
                                    $result2 = $konekcija-
>query($cena);
                                    $trenutna = $result2->fetch();
                                    $upitPopust = "SELECT procenat
FROM popust po JOIN proizvod p on po.id proizvod = p.id proizvod WHERE
p.id_proizvod = $p->id_proizvod ORDER BY datum_popust desc LIMIT 0,1";
                                    $popust = $konekcija-
>query($upitPopust);
                                    $pop = $popust->fetch();
                                 <?= $p-
>id proizvod ?>
                                    <img class="slika"
src="assets/images/product-images/thumbnail/<?= $p->slika ?>"/>
```

```
<?= $p->naziv ?>
                                       <?= $p->naziv brend ?>
                                       <?= $p->naziv_kategorija
?>
                                       <?= $p->boja ?>
                                       <?= $p->opis ?>
                                       <?= $pop->procenat?> %
                                       <?= $trenutna->cena?>
€
                                       <a onclick="obrisi(<?= $p-
>id_proizvod ?>,'removeProduct.php')"><button type="button" class="btn obrisi</pre>
btn-danger">Remove</button></a>
                                       <a
href="index.php?page=admin&adminPage=updateProduct&id=<?= $p->id proizvod
?>"><button type="button" class="btn btn-success">Change</button></a>
                                    <?php } ?>
                             </div>
                </div>
             </div>
```

Statistics.php

updateBrand.php

```
<?php
   $greske = [];
   if(isset($_GET["id"])) {
       $id = $_GET["id"];
   else{
       header("Location: ?page=admin&adminPage=manageBrands");
       $id = $_GET["id"];
       $upitBoja ="SELECT naziv_brend FROM brend WHERE id_brend = :id";
       $stm = $konekcija->prepare($upitBoja);
       $stm->bindParam(":id", $id);
       $stm->execute();
       $proizvod = $stm->fetch();
   if(isset($_POST["potvrdi"]))
       if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
        }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
```

```
if(!count($greske)) {
            $label = $ POST["label"];
            $upit="UPDATE brend SET naziv_brend = :boja WHERE id_brend = :id";
            $stm1 = $konekcija->prepare($upit);
            $stm1->bindParam(":id", $id);
            $stm1->bindParam(":boja", $label);
            $result = $stm1->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred.";
            } else {
                $errors["success"] = "Successful entry.";
                header("Location: ?page=admin&adminPage=manageBrands");
            <div class="container-fluid p-0">
            <h2 class="mb-4">Update brand</h2>
            <form method="post"</pre>
action="?page=admin&adminPage=updateBrand&id=<?=$_GET["id"];?>"
enctype="multipart/form-data">
                    <div class="form-group mb-3">
                        <label for="exampleFormControlInput1">New brand
name:</label>
                        <input type="text" class="form-control" value=</pre>
"<?=$proizvod->naziv_brend?>" id="label" name="label">
                        <?php
                            if(isset($greske['label'])){
                                echo "" .
$greske['label'] . "";
                        ?>
                    </div>
                    <button type="submit" name="potvrdi" class="btn btn-</pre>
success">Update brand</putton>
                    <?php //var_dump($proizvod);</pre>
                          //var dump($id);?>
```

```
</form>
</div>
```

updateCategory.php

```
<?php
    $greske = [];
    if(isset($_GET["id"])) {
        $id = $_GET["id"];
    else{
        header("Location: admin.php");
    $id = $ GET["id"];
        $upitBoja ="SELECT naziv_kategorija FROM kategorija WHERE id_kategorija =
:id";
        $stm = $konekcija->prepare($upitBoja);
        $stm->bindParam(":id", $id);
        $stm->execute();
        $proizvod = $stm->fetch();
    if(isset($_POST["potvrdi"]))
        if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
        }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
            }
        if(!count($greske)) {
            $label = $_POST["label"];
            $upit="UPDATE kategorija SET naziv_kategorija = :boja WHERE
id kategorija = :id";
            $stm1 = $konekcija->prepare($upit);
```

```
$stm1->bindParam(":id", $id);
            $stm1->bindParam(":boja", $label);
            $result = $stm1->execute();
            if(!$result) {
               $errors["greske"] = "An error has occurred.";
            } else {
               $errors["success"] = "Successful entry.";
               header("Location: ?page=admin&adminPage=manageCategories");
       }
?>
            <div class="container-fluid p-0">
            <h2 class="mb-4">Update category</h2>
            <form method="post"</pre>
action="?page=admin&adminPage=updateCategory&id=<?=$_GET["id"];?>"
enctype="multipart/form-data">
                    <div class="form-group mb-3">
                        <label for="exampleFormControlInput1">New category
name:</label>
                        <input type="text" class="form-control" value=</pre>
"<?=$proizvod->naziv kategorija?>" id="label" name="label">
                        <?php
                            if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                    </div>
                    <button type="submit" name="potvrdi" class="btn btn-
success">Update category</button>
                    <?php //var_dump($proizvod);</pre>
                           //var_dump($id);?>
               </form>
            </div>
```

```
<?php
   $greske = [];
   if(isset($_GET["id"])) {
       $id = $_GET["id"];
   else{
       //header("Location: admin.php");
   $id = $_GET["id"];
       $upitBoja ="SELECT boja FROM boja WHERE id boja = :id";
       $stm = $konekcija->prepare($upitBoja);
       $stm->bindParam(":id", $id);
       $stm->execute();
       $proizvod = $stm->fetch();
   if(isset($_POST["potvrdi"]))
        if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
       }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
        if(!count($greske)) {
            $label = $_POST["label"];
            $upit="UPDATE boja SET boja = :boja WHERE id boja = :id";
            $stm1 = $konekcija->prepare($upit);
            $stm1->bindParam(":id", $id);
            $stm1->bindParam(":boja", $label);
            $result = $stm1->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred.";
```

```
} else {
               $errors["success"] = "Successful entry.";
               header("Location: ?page=admin&adminPage=manageColors");
?>
           <div class="container-fluid p-0">
           <h2 class="mb-4">Update color</h2>
           <form method="post"</pre>
action="?page=admin&adminPage=updateColor&id=<?=$ GET["id"];?>"
enctype="multipart/form-data">
                   <div class="form-group mb-3">
                       <label for="exampleFormControlInput1">New color
name:</label>
                       <input type="text" class="form-control" value=</pre>
"<?=$proizvod->boja?>" id="label" name="label">
                       <?php
                           if(isset($greske['label'])){
                               echo "" .
$greske['label'] . "";
                   </div>
                   <button type="submit" name="potvrdi" class="btn btn-
success">Update color</button>
                   <?php //var_dump($proizvod);</pre>
                           //var_dump($id);?>
               </form>
            </div>
```

updateNavigation.php

```
<?php
    $greske = [];

if(isset($_GET["id"])) {
    $id = $_GET["id"];
}</pre>
```

```
else{
       header("Location: ?page=admin&adminPage=manageNavigation");
       $id = $ GET["id"];
       $upitBoja ="SELECT * FROM navigacija WHERE id nav = :id";
       $stm = $konekcija->prepare($upitBoja);
       $stm->bindParam(":id", $id);
       $stm->execute();
        $proizvod = $stm->fetch();
   if(isset($_POST["potvrdi"]))
        if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
        }else {
            if(!$_POST["label"]) {
                $greske['label'] = "Name is required!";
       if(!isset($_POST['text'])) {
            $greske['text'] = "Text is required!";
        }else {
            if(!$_POST["text"]) {
                $greske['text'] = "Text is required!";
       if(!count($greske)) {
            $label = $ POST["label"];
            $text = $_POST["text"];
            $upit="UPDATE navigacija SET link = :link, text = :text WHERE id_nav
= :id";
            $stm1 = $konekcija->prepare($upit);
            $stm1->bindParam(":id", $id);
            $stm1->bindParam(":link", $text);
            $stm1->bindParam(":text", $label);
            $result = $stm1->execute();
```

```
if(!$result) {
               $errors["greske"] = "An error has occurred.";
           } else {
               $errors["success"] = "Successful entry.";
               header("Location: ?page=admin&adminPage=manageNavigation");
           <div class="container-fluid p-0">
           <h2 class="mb-4">Update link</h2>
           <form method="post"</pre>
action="?page=admin&adminPage=updateNavigation&id=<?=$ GET["id"];?>"
enctype="multipart/form-data">
           <div class="form-group mb-3">
                      <label for="exampleFormControlInput1">Link name:</label>
                      <input type="text" value= "<?=$proizvod->text?>"
class="form-control" id="color" name="label">
                      <?php
                          if(isset($greske['label'])){
                              echo "" .
$greske['label'] . "";
                      <label class="mt-3" for="exampleFormControlInput1">Text
name:</label>
                      <input type="text" value= "<?=$proizvod->link?>"
class="form-control" id="text" name="text">
                      <?php
                          if(isset($greske['text'])){
                              echo "" .
$greske['text'] . "";
                   </div>
                   <button type="submit" name="potvrdi" class="btn btn-
success">Update link</button>
                  <?php //var dump($proizvod);</pre>
```

```
//var_dump($id);?>
</form>
</div>
```

updateProduct.php

```
<?php
    $greske = [];
    if(isset($_GET["id"])) {
        $id = $ GET["id"];
    }
    else{
        header("Location: index.php?page=admin&adminPage=products");
   $id = $ GET["id"];
        $upitProizvod ="SELECT p.id_promocija, p.id_brend, c.cena,
p.id_kategorija, p.id_proizvod, opis, naziv, slika, naziv_brend, boja,
naziv_kategorija
                        FROM proizvod p
                        JOIN brend b on p.id_brend = b.id_brend
                        JOIN proizvod boja pb ON p.id proizvod = pb.id proizvod
                        JOIN boja bo ON pb.id boja = bo.id boja
                        JOIN kategorija k ON p.id_kategorija = k.id_kategorija
                        JOIN cena c on c.id proizvod=p.id proizvod
                        WHERE p.id_proizvod = :id_proizvod
                        ORDER BY c.datum DESC limit 0,1";
        $stm = $konekcija->prepare($upitProizvod);
        $stm->bindParam(":id proizvod", $id);
        $stm->execute();
        $proizvod = $stm->fetch();
        $upitPopust ="SELECT procenat FROM popust WHERE id proizvod =
:id_proizvod ORDER BY datum_popust DESC limit 0,1";
        $stm1 = $konekcija->prepare($upitPopust);
        $stm1->bindParam(":id_proizvod", $id);
       $stm1->execute();
        $popust = $stm1->fetch();
```

```
$upitBoje ="SELECT id_boja FROM proizvod_boja WHERE id_proizvod =
:id proizvod";
       $stm2 = $konekcija->prepare($upitBoje);
       $stm2->bindParam(":id_proizvod", $id);
       $stm2->execute();
        $boje = $stm2->fetch();
   if(isset($ POST["potvrdi"]))
       if(!isset($_POST['label'])) {
            $greske['label'] = "Name is required!";
       }else {
            if(!$ POST["label"]) {
                $greske['label'] = "Name is required!";
            }
        if($ POST["brand"] =="0") {
            $greske["brand"] = "Brand is required!";
        if($_POST["cat"] == "0") {
            $greske["cat"] = "Brand is required!";
       if($_POST["boja"] == "0") {
            $greske["boja"] = "Color is required!";
       if(!isset($_POST["price"])) {
            $greske["price"] = "Price is required!";
        }else {
            if(!$ POST["price"]) {
                $greske["price"] = "Price is required!";
            }
        if(!isset($_POST["opis"])) {
            $greske["opis"] = "Description is required!";
        }else {
```

```
if(!$ POST["opis"]) {
                $greske["opis"] = "Description is required!";
        if(!isset($ FILES["slika"])){
            $greske["slika"] = "Image is required!";
        }else{
            if(!$ FILES["slika"]){
                $greske["slika"] = "Image is required!";
            }else{
            $dozvoljeniTipovi = ["image/jpeg", "image/jpg"];
            $slikaFajl = $ FILES["slika"];
            $tipSlike = $slikaFajl["type"];
            $velicina = $slikaFajl["size"];
            $tmpPutanja = $slikaFajl["tmp_name"];
            $name = $slikaFajl["name"];
            if(!in array($tipSlike, $dozvoljeniTipovi)) {
                $greske[] = "An error occurred while entering the image or due to
illegal image types, allowed image types are jpg and jpeg";
            if($velicina > 4000000) {
                $greske[] = "The file must be smoler then 3mb.";
            $noviNazivSlike = "image--" . uniqid() . "--" . $name;
            $path = "assets/images/product-images/big-images/";
            $inputPath = "assets/images/product-images/thumbnail/";
            $novaPutanjaSlike = $path . $noviNazivSlike;
            $premestaj = move uploaded file($tmpPutanja, $novaPutanjaSlike);
            greska = 0;
            if($premestaj){
                list($sirina, $visina) = getimagesize($novaPutanjaSlike);
                $novaSirina = $sirina/2;
                $novaVisina = $visina/2;
                $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
                $uzetaSlika = imagecreatefromjpeg($novaPutanjaSlike);
                imagecopyresampled($novaSlika, $uzetaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
```

```
$premestaj = imagejpeg($novaSlika, $inputPath.$noviNazivSlike);
            else{
                $greska++;
            if(!$premestaj){
                $greska++;
        }}
        //var dump($greske);
        if(!count($greske)) {
            $label = $ POST["label"];
            $opis = $ POST["opis"];
            $idKat = $_POST["cat"];
            $idBoje = $ POST["boja"];
            $idBrand = $ POST["brand"];
            $cena=$ POST["price"];
            $popust = $_POST["discount"];
            $promocija=$_POST["prom"];
            $upitProizvod="";
            if($promocija>0){
                $upitProizvod = "UPDATE proizvod SET naziv = :naziv, opis =
:opis, id_brend = :id_brend, slika = :slika, id_kategorija = :id_kategorija,
id promocija = :id promocija WHERE id proizvod = :id proizvod";
            else{
                $promocija = null;
                $upitProizvod = "UPDATE proizvod SET naziv = :naziv, opis =
:opis, id brend = :id brend, slika = :slika, id kategorija = :id kategorija,
id promocija = :id promocija WHERE id proizvod = :id proizvod";
            $stmt = $konekcija->prepare($upitProizvod);
            $stmt->bindParam(":naziv", $label);
            $stmt->bindParam(":opis", $opis);
            $stmt->bindParam(":id_brend", $idBrand);
            $stmt->bindParam(":slika", $noviNazivSlike);
            $stmt->bindParam(":id kategorija", $idKat);
            $stmt->bindParam(":id_promocija", $promocija);
            $stmt->bindParam(":id proizvod", $id);
```

```
$result = $stmt->execute();
            echo("sdas");
            $upitSnizenje="UPDATE popust SET procenat = :procenat WHERE
id proizvod = :id proizvod";
            $stmt1 = $konekcija->prepare($upitSnizenje);
            $stmt1->bindParam(":procenat", $popust);
            $stmt1->bindParam(":id proizvod", $id);
            $result1 = $stmt1->execute();
            $upitCena="INSERT INTO cena(cena, id proizvod) VALUES (:cena,
:id proizvod)";
            $stmt2 = $konekcija->prepare($upitCena);
            $stmt2->bindParam(":cena", $cena);
            $stmt2->bindParam(":id proizvod", $id);
            $result2 = $stmt2->execute();
            $upitProizvodBoja="UPDATE proizvod boja SET id boja
=:id boja,id proizvod=:id proizvod WHERE id proizvod = :id proizvod";
            $stmt3 = $konekcija->prepare($upitProizvodBoja);
            $stmt3->bindParam(":id_proizvod", $id);
            $stmt3->bindParam(":id_boja", $idBoje);
            $result3 = $stmt3->execute();
            if(!$result) {
                $errors["greske"] = "An error has occurred, try later.";
            } else {
                $errors["success"] = "Successful.";
                header("Location: ?page=admin&adminPage=products");
        }}
        global $proizvod
            <div class="container-fluid p-0">
            <h2 class="mb-4">Update product</h2>
            <form method="post"</pre>
action="?page=admin&adminPage=updateProduct&id=<?=$ GET["id"];?>"
enctype="multipart/form-data">
                    <div class="form-group mb-3">
                        <label for="exampleFormControlInput1">Label for
product:</label>
```

```
<input type="text" class="form-control" value=</pre>
"<?=$proizvod->naziv ?>" id="label" name="label">
                      <?php
                          if(isset($greske['label'])){
                              echo "" .
$greske['label'] . "";
                   </div>
                   <div class="form-group mb-3">
                      <label for="exampleFormControlSelect1">Select
brand:</label>
                      <select class="form-control" id="brand" name="brand">
                          <?php
                              $upitBrend ="SELECT * FROM brend";
                              $rez = $konekcija->query($upitBrend);
                              $brendovi = $rez->fetchAll();
                              echo "<option hidden value='0'>Select
brand</option>";
                              foreach($brendovi as $b){
                                  if($b->id brend == $proizvod->id brend){
                                     echo "<option selected value='$b-
>id brend'>$b->naziv brend</option>";
                                  }else{
                                     echo "<option value='$b->id brend'>$b-
>naziv brend</option>";
                                  }
                      </select>
                      <?php
                          if(isset($greske['brand'])){
                              echo "" .
$greske['brand'] . "";
                  </div>
                   <div class="form-group mb-3">
                      <label for="exampleFormControlSelect1">Select
category:</label>
```

```
<select class="form-control" id="cat" name="cat">
                       <?php
                               $upitBrend ="SELECT * FROM kategorija";
                               $rez = $konekcija->query($upitBrend);
                               $brendovi = $rez->fetchAll();
                               echo "<option hidden value='0'>Select
category</option>";
                               foreach($brendovi as $b){
                                   if($b->id kategorija == $proizvod-
>id_kategorija){
                                       echo "<option selected value='$b-
>id kategorija'>$b->naziv kategorija</option>";
                                   }else{
                                       echo "<option value='$b-
>id kategorija'>$b->naziv_kategorija</option>";
                       </select>
                       <?php
                           if(isset($greske['cat'])){
                               echo "" .
$greske['cat'] . "";
                   </div>
                   <div class="form-group mb-3">
                       <label for="exampleFormControlSelect1">Select
promotion:</label>
                       <select class="form-control" id="prom" name="prom">
                       <?php
                               $upitBrend ="SELECT * FROM promocija";
                               $rez = $konekcija->query($upitBrend);
                               $brendovi = $rez->fetchAll();
                               echo "<option hidden value='-1'>Select
promotion</option>";
                               echo "<option value='0'>Without
promotion</option>";
                               foreach($brendovi as $b){
                                   if($b->id promocija == $proizvod-
>id promocija){
                                       echo "<option selected value='$b-
>id promocija'>$b->promocija</option>";
                                   }else{
```

```
echo "<option value='$b-
>id promocija'>$b->promocija</option>";
                      </select>
                      <?php
                          if(isset($greske['prom'])){
                             echo "" .
$greske['prom'] . "";
                  </div>
                  <div class="form-group mb-3">
                      <label for="exampleFormControlSelect1">Select
color:</label>
                      <select class="form-control" id="boja" name="boja">
                      <?php
                             $upitBrend ="SELECT * FROM boja";
                             $rez = $konekcija->query($upitBrend);
                             $brendovi = $rez->fetchAll();
                             echo "<option hidden value='0'>Select
color</option>";
                             foreach($brendovi as $b){
                                 if($b->id boja == $boje->id boja){
                                     echo "<option selected value='$b-
>id_boja'>$b->boja</option>";
                                 }else{
                                     echo "<option value='$b->id_boja'>$b-
>boja</option>";
                                 }
                      </select>
                      <?php
                          if(isset($greske['boja'])){
                             echo "" .
$greske['boja'] . "";
                  </div>
                  <div class="form-group mb-3">
```

```
<label for="exampleFormControlInput1">Insert price of
product:</label>
                      <input type="text" value="<?= $proizvod->cena ?>"
class="form-control" id="price" name="price"">
                      <?php
                         if(isset($greske['price'])){
                             echo "" .
$greske['price'] . "";
                  </div>
                  <div class="form-group mb-3">
                      <label for="exampleFormControlInput1">Insert discount for
product:</label>
                      <input type="text" value="<?= $popust->procenat ?>"
class="form-control" id="discount" name="discount">
                  </div>
                  <div class="form-group">
                      <label for="exampleFormControlFile1">Select image for
product:</label><br/>>
                      <input type="file" name="slika" class="form-control-file</pre>
mb-3" id="exampleFormControlFile1">
                      <?php
                         if(isset($greske['slika'])){
                             echo "" .
$greske['slika'] . "";
                  </div>
                  <div class="form-group mb-5">
                      <label for="exampleFormControlTextarea1">Product
description:</label>
                      <textarea name="opis" class="form-control"</pre>
id="exampleFormControlTextarea1" rows="3"><?= $proizvod->opis ?></textarea>
                      <?php
                         if(isset($greske['opis'])){
                             echo "" .
$greske['opis'] . "";
```

Users.php

```
</thead>
             <?php
                     foreach(dohvatiSve("korisnik") as $p){?>
                        <?= $p->id korisnik?>
                        <?= $p->ime ?>
                        <?= $p->prezime ?>
                        <?= $p->mail ?>
                        <?= $p->datum ?>
                     <?php } ?>
                </div>
     </div>
  </div>
</div>
                     </div>
```

Adds.php

```
if($_POST["brand"] == "undefined") {
        $greske['brand'] = "Brand is required!";
if(!isset($_POST['prom'])) {
    $greske["prom"] = "Promotion is required!";
}else {
    if($_POST["prom"] == "undefined") {
        $greske["prom"] = "Promotion is required!";
    }
if(!isset($_POST['cat'])) {
    $greske["cat"] = "Category is required!";
}else {
    if($_POST["cat"] == "undefined") {
        $greske["cat"] = "Category is required!";
if(!isset($_POST['boja'])) {
    $greske["boja"] = "Color is required!";
}else {
    if($_POST["boja"] == "undefined") {
        $greske["boja"] = "Color is required!";
if(!isset($_POST["price"])) {
    $greske["price"] = "Price is required!";
}else {
    if(!is_numeric($_POST["price"])) {
        $greske["price"] = "Price is must be numeric!";
    }
if(!isset($_POST["opis"])) {
```

```
$greske["opis"] = "Description is required!";
        }else {
            if(ctype_alpha($_POST["opis"])) {
                $greske["opis"] = "Description is must be alpha!";
        if(!isset($ FILES["slika"])){
            $greske["slika"] = "Image is required!";
        }else{
            $dozvoljeniTipovi = ["image/jpeg", "image/jpg"];
            $slikaFajl = $ FILES["slika"];
            $tipSlike = $slikaFajl["type"];
            $velicina = $slikaFajl["size"];
            $tmpPutanja = $slikaFajl["tmp_name"];
            $name = $slikaFajl["name"];
            if(!in array($tipSlike, $dozvoljeniTipovi)) {
                $greske[] = "An error occurred while entering the image or due to
illegal image types, allowed image types are jpg and jpeg";
            if($velicina > 3000000) {
                $greske[] = "The file must not exceed 2mb.";
            $noviNazivSlike = "image--" . uniqid() . "--" . $name;
            $path = "../assets/images/product-images/big-images/";
            $inputPath = "../assets/images/product-images/thumbnail/";
            $novaPutanjaSlike = $path . $noviNazivSlike;
            $premestaj = move uploaded file($tmpPutanja, $novaPutanjaSlike);
            greska = 0;
            if($premestaj){
                list($sirina, $visina) = getimagesize($novaPutanjaSlike);
                $novaSirina = $sirina/2;
                $novaVisina = $visina/2;
                $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);
                $uzetaSlika = imagecreatefromjpeg($novaPutanjaSlike);
                imagecopyresampled($novaSlika, $uzetaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);
```

```
$premestaj = imagejpeg($novaSlika, $inputPath.$noviNazivSlike);
            else{
                $greska++;
            if(!$premestaj){
                $greska++;
         if(!count($greske)) {
            $label = $_POST["label"];
            $opis = $ POST["opis"];
            $idKat = $ POST["cat"];
            $idBoje = $_POST["boja"];
            $idBrand = $ POST["brand"];
            $cena=$ POST["price"];
            $popust = $ POST["discount"];
            $promocija=$_POST["prom"];
            //echo $idBrand;
            $upitProizvod="";
            if($promocija>0){
                $upitProizvod = "INSERT INTO proizvod (naziv, opis, id brend,
slika, id_kategorija, id_promocija) VALUES (:naziv, :opis, :id_brend, :slika,
:id kategorija, :id promocija)";
            else{
                $upitProizvod = "INSERT INTO proizvod (naziv, opis, id brend,
slika, id_kategorija) VALUES (:naziv, :opis, :id_brend, :slika, :id_kategorija)";
            $stmt = $konekcija->prepare($upitProizvod);
            $stmt->bindParam(":naziv", $label);
            $stmt->bindParam(":opis", $opis);
            $stmt->bindParam(":id_brend", $idBrand);
            $stmt->bindParam(":slika", $noviNazivSlike);
            $stmt->bindParam(":id_kategorija", $idKat);
            if($promocija>0){
                $stmt->bindParam(":id promocija", $promocija);
            $result = $stmt->execute();
```

```
$lastInsertedId=$konekcija->lastInsertId();
            $upitSnizenje="INSERT INTO popust(procenat,id_proizvod) VALUES
(:procenat, :id_proizvod)";
            $stmt1 = $konekcija->prepare($upitSnizenje);
            $stmt1->bindParam(":procenat", $popust);
            $stmt1->bindParam(":id proizvod", $lastInsertedId);
            $result1 = $stmt1->execute();
            $upitCena="INSERT INTO cena(cena, id proizvod) VALUES (:cena,
:id proizvod)";
            $stmt2 = $konekcija->prepare($upitCena);
            $stmt2->bindParam(":cena", $cena);
            $stmt2->bindParam(":id_proizvod", $lastInsertedId);
            $result2 = $stmt2->execute();
            $upitProizvodBoja="INSERT INTO proizvod boja(id proizvod ,id boja)
VALUES (:id_proizvod, :id_boja)";
            $stmt3 = $konekcija->prepare($upitProizvodBoja);
            $stmt3->bindParam(":id_proizvod", $lastInsertedId);
            $stmt3->bindParam(":id_boja", $idBoje);
            $result3 = $stmt3->execute();
            if($result) {
                http_response_code(200);
                echo ("redirect");
        }else{
            echo json_encode($greske);
```

```
<?php
   @session start();
    include "../config/konekcija.php";
    if(isset($ POST['odgovor'])){
        $odgovor = $_POST['odgovor'];
        $id = $ POST['id'];
        $idk = $_SESSION['korisnik']->id_korisnik;
        $upitNadji = "SELECT * from pitanje odgovor WHERE id korisnik = :idk AND
id_anketa = :id";
        $stm = $konekcija->prepare($upitNadji);
        $stm->bindParam(":idk" ,$idk);
        $stm->bindParam(":id" ,$id);
        $stm->execute();
        $brojRedova = $stm->rowCount();
        $upitIdOdgovor = "SELECT id odgovor FROM odgovor WHERE odgovor = :odgovor
AND id anketa = :id";
        $rezz = $konekcija -> prepare($upitIdOdgovor);
        $rezz->bindParam(":odgovor", $odgovor);
        $rezz->bindParam(":id", $id);
        $rezz->execute();
        $idOdgovor = $rezz -> fetchColumn();
        if($brojRedova==0){
            $insertUpit = "INSERT INTO pitanje odgovor(id odgovor, id korisnik,
id_anketa) VALUES (:id0,:idk,:id)";
            $stm = $konekcija->prepare($insertUpit);
            $stm->bindParam(":idO" ,$idOdgovor);
            $stm->bindParam(":idk" ,$idk);
            $stm->bindParam(":id" ,$id);
            $stm->execute();
            echo "You have successfully answered the question";
                http_response_code(200);
            else{
                http response code(500);
        else{
```

```
echo "You have already answered this poll, when the administrator
posts a new poll then you can vote again";
     }
}
```

artikliZaKorpu.php

```
<?php
    include ("../config/konekcija.php");
    $upit = "SELECT * FROM proizvod";
   $rez = $konekcija->query($upit);
    $result = $rez->fetchAll();
   $niz = [];
    foreach($result as $r){
        $upitPojedinacni = "SELECT p.id_proizvod, p.naziv, p.slika, c.cena from
proizvod p inner join cena c ON
        p.id_proizvod = c.id_proizvod WHERE c.id_proizvod = $r->id_proizvod ORDER
BY c.datum DESC";
        $r = $konekcija -> query($upitPojedinacni);
       $rz = $r->fetch();
        array_push($niz, $rz);
    if($result){
        echo json_encode($niz);
        http_response_code(200);
   else{
        http_response_code(500);
```

Filteri.php

```
<?php
    include("../config/konekcija.php");
    include("../const/const.php");
   $uslov = "";
    $marke="";
   $boje="";
   $kategorije = "";
   $limit = 0;
   $perPage = perPage;
    if(isset($ POST["limit"])){
        $limit = $_POST["limit"];
        $limit = $perPage * $limit;
    if(isset($_POST['marke'])){
        $marke = $_POST['marke'];
        $uslov .= " AND br.id_brend IN ('".implode("','", $marke)."')";
    if(isset($_POST['boje'])){
        $boje = $_POST['boje'];
        $uslov .= " AND b.id_boja IN ('".implode("','",$boje)."')";
    if(isset($_POST['kategorije'])){
        $kategorije = $_POST['kategorije'];
        $uslov .= " AND k.id_kategorija IN ('".implode("','",$kategorije)."')";
   if(isset($_POST['sort'])){
        if($ POST['sort']=='1'){
            $uslov .= " ORDER BY naziv ASC";
        if($ POST['sort']=='2'){
            $uslov .= " ORDER BY naziv DESC";
    }
    if(!is numeric(intval($marke)) || !is numeric(intval($boje)) ||
!is_numeric(intval($kategorije))){
        header("Location: ../index.php");
        die();
```

```
$upit = "SELECT DISTINCT p.*
                FROM proizvod p
                INNER JOIN proizvod boja pb ON p.id proizvod = pb.id proizvod
                INNER JOIN boja b ON b.id boja = pb.id boja
                INNER JOIN brend br ON br.id brend = p.id brend
                INNER JOIN kategorija k ON p.id kategorija = k.id kategorija
WHERE 1=1 $uslov LIMIT $limit, $perPage";
    $res=$konekcija->prepare($upit);
    $result=$res->execute();
    $result = $res -> fetchAll();
    $stareCene = [];
    $popusti = [];
    $id = [];
    $promocije = [];
    $upitInicijalni = "SELECT COUNT(*) as broj
    FROM proizvod p
    INNER JOIN proizvod boja pb ON p.id proizvod = pb.id proizvod
    INNER JOIN boja b ON b.id boja = pb.id boja
    INNER JOIN brend br ON br.id brend = p.id_brend
    INNER JOIN kategorija k ON p.id_kategorija = k.id_kategorija WHERE 1=1
$uslov";
    $rezUkupno = $konekcija->prepare($upitInicijalni);
    $resultUkupno = $rezUkupno->execute();
    $broj = $rezUkupno->fetch() ->broj;
    foreach($result as $r){
        $cena = "SELECT cena FROM cena c JOIN proizvod p on c.id proizvod =
p.id proizvod WHERE p.id proizvod = $r->id proizvod ORDER BY datum desc LIMIT
0,1";
        $result2 = $konekcija->query($cena);
        $trenutna = $result2->fetch();
        array push($stareCene, $trenutna);
    foreach($result as $r){
        $upitPopust = "SELECT procenat FROM popust po JOIN proizvod p on
po.id_proizvod = p.id_proizvod WHERE p.id_proizvod = $r->id_proizvod ORDER BY
datum popust desc LIMIT 0,1";
        $popust = $konekcija->query($upitPopust);
        $pop = $popust->fetch();
```

```
array_push($popusti, $pop);
    foreach($result as $r){
        $upitProm = "SELECT promocija, boja FROM promocija pr JOIN proizvod p on
pr.id_promocija = p.id_promocija WHERE p.id_proizvod = $r->id_proizvod";
        $prom = $konekcija->query($upitProm);
        $promocija = $prom->fetch();
        if($promocija){
            array_push($promocije, $promocija);
        else{
            array_push($promocije, null);
    }
    foreach($result as $r){
        array_push($id, $r->id_proizvod);
    $izlaz = array(
        'proizvodi' => $result,
        'staraCena' => $stareCene,
        'popusti' => $popusti,
        'promocije'=>$promocije,
        'id' => $id,
        'ukupno' => $broj
    );
    if($result){
        echo json_encode($izlaz);
        http_response_code(200);
    else{
        echo json_encode($izlaz);
        http_response_code(200);
    }
```

Functions.php

```
<?php
    include("config/konekcija.php");
    //include("const/const.php");
    function ispisNavigacije(){
        global $konekcija;
        if(isset($ SESSION["korisnik"])){
            if($_SESSION["korisnik"]->uloga=="korisnik"){
                $upit = "SELECT * from navigacija WHERE text <> 'Admin panel'";
            else if($ SESSION["korisnik"]->uloga=="admin"){
                $upit = "SELECT * from navigacija";
        else{
            $upit = "SELECT * from navigacija WHERE text <> 'Shop' AND text <>
 Admin panel' AND text <> 'Survey'";
        $rez = $konekcija -> query($upit);
        $result = $rez -> fetchAll();
        return $result;
    function ispisChcBrend($tabela){
        global $konekcija;
        $upit = "SELECT * from $tabela";
        $rez = $konekcija->query($upit);
        $result = $rez->fetchAll();
        foreach($result as $r){
            echo"<input class='ml-2 chc' id='$r->id brend-brend' name='marka'
type='checkbox' value='$r->id_brend'/> <label for='$r->id_brend-brend'>&nbsp;$r-
>naziv brend</label><br/>";
    function ispisChcBoja($tabela){
        global $konekcija;
        $upit = "SELECT * from $tabela";
        $rez = $konekcija->query($upit);
        $result = $rez->fetchAll();
```

```
foreach($result as $r){
            echo"<input class='ml-2 chc' id='$r->id boja-boja' name='boja'
type='checkbox' value='$r->id_boja'/> <label for='$r->id_boja-boja'>&nbsp;$r-
>boja</label><br/>";
    function ispisChcKategorija($tabela){
        global $konekcija;
        $upit = "SELECT * from $tabela";
        $rez = $konekcija->query($upit);
        $result = $rez->fetchAll();
        foreach($result as $r){
            echo"<input class='ml-2 chc' id='$r->id kategorija-kat' name='kat'
type='checkbox' value='$r->id_kategorija'/><label for='$r->id_kategorija-
kat'> $r->naziv kategorija</label><br/>";
    function getProduct($id){
        global $konekcija;
        $upitProizvod = "SELECT opis, naziv, slika, naziv brend, boja,
naziv_kategorija
                     FROM proizvod p
                     JOIN brend b on p.id brend = b.id brend
                     JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod
                     JOIN boja bo ON pb.id boja = bo.id boja
                     JOIN kategorija k ON p.id_kategorija = k.id kategorija
                     WHERE p.id proizvod = :id";
        $stm = $konekcija->prepare($upitProizvod);
        $stm -> bindParam(":id", $id);
        $stm ->execute();
        return $stm -> fetch();
    function getPrice($id){
        global $konekcija;
        $cena = "SELECT cena FROM cena c JOIN proizvod p on c.id_proizvod =
p.id proizvod WHERE p.id proizvod = :id ORDER BY datum desc LIMIT 0,1";
        $stm = $konekcija->prepare($cena);
        $stm -> bindParam(":id", $id);
        $stm ->execute();
        return $stm -> fetch();
```

```
function getDiscount($id){
       global $konekcija;
        $upitPopust = "SELECT procenat FROM popust po JOIN proizvod p on
po.id_proizvod = p.id_proizvod WHERE p.id_proizvod = :id ORDER BY datum_popust
desc LIMIT 0,1";
       $stm = $konekcija->prepare($upitPopust);
       $stm -> bindParam(":id", $id);
       $stm ->execute();
       return $stm -> fetch();
    function anketaPitanje(){
       global $konekcija;
       $upitAnketa = "SELECT * FROM anketa ORDER BY datum DESC LIMIT 0,1";
       $rez = $konekcija->query($upitAnketa);
       return $rez->fetch();
    function anketaOdgovori($idAnkete){
        global $konekcija;
        $odgovoriUpit = "SELECT odgovor FROM odgovor WHERE id_anketa =
$idAnkete";
       $rezOdgovori = $konekcija->query($odgovoriUpit);
        return $rezOdgovori->fetchAll();
    function printAnketa($idAnkete, $resultOdgovori){
       global $konekcija;
       echo"<input id='skriven' type='hidden' value='$idAnkete'/>";
       foreach($resultOdgovori as $0){
            echo "<input type='radio' class='ank' name='odgovor' value ='$o-
>odgovor'/> $o->odgovor";
    function price($pop, $trenutna){
       global $konekcija;
       if($pop->procenat>0){
            $saPopustomCena = round($trenutna->cena - ($trenutna->cena * ($pop-
>procenat/100)));
           echo "<del class='mt-2 dodatak' id='stara'>$trenutna->cena
€</del>";
            echo "<h3 class='mt-2 dodatak' id='nova'>$saPopustomCena
€</h3>";
```

```
    else{
        echo "<span class='mt-2 dodatak' id='stara'>$trenutna->cena
&euro;</span>";
    }
}

function brojStrana(){
    global $konekcija;
    $upit = "SELECT DISTINCT p.*
    FROM proizvod p
    INNER JOIN proizvod_boja pb ON p.id_proizvod = pb.id_proizvod
    INNER JOIN boja b ON b.id_boja = pb.id_boja
    INNER JOIN brend br ON br.id_brend = p.id_brend
    INNER JOIN kategorija k ON p.id_kategorija = k.id_kategorija";
    $result = $konekcija->query($upit);
    $rezultati = $result->fetchAll();
    return ceil(count($rezultati)/4);
}

?>
```

functionsAdmin.php

```
list($time, $ip, $page) = explode("__", $f);
              echo("
                  $index
                  $time
                  $ip
                  $page
                  <a href='models/removeLog.php?id=$index'><button
type='button' class='btn obrisi btn-danger'>Remove</button></a>
               ");
           echo('');
   echo('');
function newUsersStatistic(){
   $upit = "SELECT COUNT(*) AS broj
           FROM korisnik
           WHERE datum = CURDATE()";
   global $konekcija;
   $res = $konekcija->query($upit);
   $result = $res -> fetch();
   return $result->broj;
function numberOfVisitedPerPage(){
   $logFile = 'data/log.txt';
   $pristupi = array();
   if (file exists($logFile)) {
       $linije = file($logFile);
       foreach ($linije as $linija) {
           list($datum, $ip, $strana) = explode(separator, $linija);
           $vremePristupa = strtotime($datum);
           if ($vremePristupa >= strtotime('-24 hours')) {
              if (isset($pristupi[$strana])) {
                  $pristupi[$strana]++;
               } else {
                  $pristupi[$strana] = 1;
   return $pristupi;
```

```
function procenatPoStranama(){
    $file = 'data/log.txt';
    $kolicinaPristupa = 0;
    $ulazak = array();
    if (file_exists($file)) {
        $red = file($file);
        foreach ($red as $r) {
            list($datum, $ip, $strana) = explode(separator, $r);
            if (isset($ulazak[$strana])) {
                $ulazak[$strana]++;
            } else {
                $ulazak[$strana] = 1;
            $kolicinaPristupa++;
    $statistika = array();
    foreach ($pristupi as $strana => $brojPristupa) {
        $procenat = ($brojPristupa / $ukupnoPristupa) * 100;
        $statistika[$strana] = $procenat;
    return $statistika;
function dohvatiSve($tabela){
    global $konekcija;
    $upit = "SELECT * FROM $tabela";
   $stm = $konekcija->prepare($upit);
    $stm->execute();
    $rez = $stm->fetchAll();
    return $rez;
function getNewsletter(){
    global $konekcija;
    $upitPoruke = "SELECT n.mail, n.id novosti, k.ime, k.prezime FROM novosti n
JOIN korisnik k on k.id korisnik = n.id korisnik";
    $stm = $konekcija->prepare($upitPoruke);
    $stm->execute();
    $poruke = $stm->fetchAll();
```

```
return $poruke;
}
?>
```

Kontakt.php

```
<?php
    include("config/konekcija.php");
    if(isset($_POST["imePrezime"])){
        $imePrezime = $ POST["imePrezime"];
        $mail = $_POST["mail"];
        $adresa = $_POST["adresa"];
        $telefon = $_POST["telefon"];
        $tip = $_POST["tip"];
        $poruka = $_POST["poruka"];
        $upit = "INSERT INTO kontakt(ime_prezime, k_mail, telefon, tip_korisnika,
poruka, adresa) VALUES (:imePrezime, :mail, :telefon, :tip, :poruka, :adresa)";
        $stm = $konekcija ->prepare($upit);
        $stm->bindParam(":imePrezime",$imePrezime);
        $stm->bindParam(":mail",$mail);
        $stm->bindParam(":telefon",$telefon);
        $stm->bindParam(":tip",$tip);
        $stm->bindParam(":poruka",$poruka);
        $stm->bindParam(":adresa",$adresa);
        $result = $stm->execute();
        if($result){
            echo json_encode($izlaz);
            http_response_code(200);
        else{
            http_response_code(500);
```

Log.php

```
if(isset($_GET["page"])){
    $ipAdresa = $_SERVER['REMOTE_ADDR'];
    $page = $_GET['page'];
    $vreme = date('Y-m-d H:i:s');
    //echo($ipAdresa);
    $upis = $vreme . separator . $ipAdresa . separator . $page . "\n";
    file_put_contents('data/log.txt', $upis, FILE_APPEND);
}
```

Logout.php

```
<?php
    @session_start();
    if(isset($_SESSION["korisnik"])){
        session_destroy();
        header("Location: ../index.php?page=login");
    }
}
</pre>
```

Logovanje.php

```
    @session_start();
    include("../config/konekcija.php");

if(isset($_POST['mail'])){
    $mejl = $_POST["mail"];
    $lozinka = $_POST["password"];

    $upit = "SELECT * FROM korisnik k JOIN uloga u ON k.id_uloga = u.id_uloga
where mail = :mejl";
    $stm = $konekcija -> prepare($upit);
    $stm -> bindParam(":mejl", $mejl);
    $stm->execute();
```

```
$rezultat = $stm->fetch();
$kriptovana = sha1($lozinka);
//echo($kriptovana);
if(!$rezultat) {
    $greska = "The user is not found, try again.";
    echo($greska);
    http_response_code(401);
} else {
    if($rezultat->lozinka != $kriptovana) {
        $greska = "Passwords do not match, try again.";
        echo($greska);
        http_response_code(200);
    }else{
        $_SESSION['korisnik'] = $rezultat;
        echo("redirect");
        http_response_code(200);
```

Narudzbina.php

```
    @session_start();
include("../config/konekcija.php");

if (isset($_POST['porudzbina'])) {
    $kor = $_POST['porudzbina'];
    $korpa = json_decode($kor, true);
    $greske = 0;
    foreach ($korpa as $k) {
        $idd = $k['id'];
        $qt = $k['quantity'];
    }
}
```

```
$cena = "SELECT cena FROM cena c JOIN proizvod p on c.id proizvod =
p.id proizvod WHERE p.id proizvod = $idd ORDER BY datum desc LIMIT 0,1";
        $result2 = $konekcija->query($cena);
        $trenutna = $result2->fetch();
        $id = $ SESSION['korisnik']->id korisnik;
        $upit = "INSERT INTO kupovina(id proizvod, id korisnik, kolicina,
cena_komad, ukupna_cena)
                 VALUES (" . intval($idd) . ", " . intval($id) . ", " .
intval($qt) . ", " . sprintf('%.2f', $trenutna->cena) . ", " . sprintf('%.2f',
$trenutna->cena*$qt) . ")";
        $rez = $konekcija->query($upit);
        if (!$rez) {
            $greske++;
    if (!$greske) {
        http response code(200);
        echo("You have successfully placed an order, one of the employees will
contact you soon");
    } else {
        http response code(500);
        echo("An error occurred, please try again");
```

Newsletter.php

```
    @session_start();
    include("../config/konekcija.php");
    if(isset($_POST["mejl"])){
        $mejl = $_POST["mejl"];
        $id = $_SESSION['korisnik']->id_korisnik;

        $upit = "INSERT INTO novosti (id_korisnik,mail) VALUES ($id, :mejl)";

        $stm = $konekcija->prepare($upit);
        $stm -> bindParam(":mejl",$mejl);
```

```
$result = $stm->execute();

if($result){
    echo json_encode($izlaz);
    http_response_code(200);
}
else{
    http_response_code(500);
}
}
}
```

Registracija.php

```
<?php
                              @session start();
                               include("../config/konekcija.php");
                              if(isset($_POST["ime"])){
                                                            $ime = $_POST["ime"];
                                                            $prezime = $_POST["prezime"];
                                                            $mejl = $ POST["mail"];
                                                            $lozinka=$_POST['password'];
                                                            $lozinka2 = $_POST['password2'];
                                                            $regImePrezime = "/[A-Z][a-z]{2,30}$/";
                                                            pregMejl="/^([a-zA-Z0-9_\-\.]+)@((\[[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9
9]{1,3}\.)|(([a-zA-Z0-9\-]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)$/";
                                                            $greske =[];
                                                            if(!filter_var($mejl, FILTER_VALIDATE_EMAIL)){
                                                                                           $greske["mejlGreska"] = "Mail is not in good
format!<br/>";
                                                             if(!preg_match($regImePrezime,$ime)){
                                                                                           $greske["greskaIme"]="Incorect user name!<br/>";
                                                             if(!preg match($regImePrezime,$prezime)){
                                                                                           $greske["greskaPreime"]="Incorect user lastname!<br/>";
                                                             if(strlen($lozinka)<8){</pre>
```

```
$greske["greskaLozinka"]="Password is not in good
format!<br/>";
                if($lozinka != $lozinka2){
                        $greske["greskaLozinka2"]="Password do not match!<br/>";
                if(!$greske){
                        $upit = "SELECT * FROM korisnik WHERE mail ='$mejl'";
                        $rezultat = $konekcija->query($upit)->fetch();
                        if($rezultat){
                                $greske["greskaPostoji"] = "User already exists
with this email!";
                                echo $greske["greskaPostoji"];
                        else{
                                $kriptovana = sha1($lozinka);
                                $upitInsert = "INSERT INTO korisnik(mail, ime,
prezime, id_uloga, lozinka) VALUES (:mejl,:ime,:prezime,2,:kriptovana)";
                                $stm = $konekcija->prepare($upitInsert);
                                $stm->bindParam(":mejl", $mejl);
                                $stm->bindParam(":ime", $ime);
                                $stm->bindParam(":prezime", $prezime);
                                $stm->bindParam(":kriptovana", $kriptovana);
                                $rez = $stm->execute();
                                http_response_code(200);
                                echo "Successful registration, go to the page <a
href='?page=login'>Signin</a>";
                }
        }
```

removeBrand.php

```
include "../config/konekcija.php";
if(isset($_POST["id"])) {
    $id_brend = $_POST["id"];

    $upit = "DELETE from brend where id_brend = :id_brend";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_brend", $id_brend);
    $result = $stmt->execute();

if(!$result){
    http_response_code(500);
    }
    else{
        http_response_code(200);
    }
} else {
        http_response_code(500);
}
```

removeCategory.php

```
include "../config/konekcija.php";

if(isset($_POST["id"])) {
    $id_boje = $_POST["id"];

$upit = "DELETE from kategorija where id_kategorija = :id_boja";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_boja", $id_boje);
    $result = $stmt->execute();
```

```
if(!$result){
    http_response_code(500);
}
else{
    http_response_code(200);
}
} else {
    http_response_code(500);
}
```

removeColor.php

```
include "../config/konekcija.php";

if(isset($_POST["id"])) {
    $id_boje = $_POST["id"];

    $upit = "DELETE from boja where id_boja = :id_boja";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id_boja", $id_boje);
    $result = $stmt->execute();

    if(!$result){
        http_response_code(500);
    }
    else{
        http_response_code(200);
    }
} else {
        http_response_code(500);
}
```

removeLog.php

```
if(isset($_GET["id"])){
    $Id = $_GET["id"];
    $fajl = file_get_contents("../data/log.txt");
    $linije = explode("\n", $fajl);
    unset($linije[$Id]);

    $noviUnos = implode("\n", $linije);
    $result = file_put_contents("../data/log.txt", $noviUnos);
    if($result){
        echo json_encode($izlaz);
        http_response_code(200);
    }
    else{
        http_response_code(500);
    }
    header("Location: ../index.php?page=admin&adminPage=logs");
}
```

removeNavigation.php

```
include "../config/konekcija.php";

if(isset($_POST["id"])) {
    $id = $_POST["id"];

$upit = "DELETE from navigacija where id_nav = :id";
    $stmt = $konekcija->prepare($upit);
    $stmt->bindParam(":id", $id);
    $result = $stmt->execute();
```

```
if(!$result){
    http_response_code(500);
}
else{
    http_response_code(200);
}
} else {
    http_response_code(500);
}
```

removeProduct.php

```
<?php
    include "../config/konekcija.php";
   if(isset($ POST["id"])) {
        $id_proizvod = $_POST["id"];
       $slikaUpit = "SELECT slika FROM proizvod WHERE id_proizvod =
:id_proizvod";
       $uuu = $konekcija->prepare($slikaUpit);
       $uuu ->bindParam(":id_proizvod", $id_proizvod);
       $uuu -> execute();
       $slikaLink = $uuu->fetch();
       $upitCena="DELETE from cena where id_proizvod=:id_proizvod";
       $stmt = $konekcija->prepare($upitCena);
       $stmt->bindParam(":id proizvod", $id proizvod);
       $result = $stmt->execute();
       $upitPopust="DELETE from popust where id_proizvod=:id_proizvod";
       $stmt1 = $konekcija->prepare($upitPopust);
       $stmt1->bindParam(":id_proizvod", $id_proizvod);
       $result1 = $stmt1->execute();
        $upitProizvodBoja="DELETE from proizvod_boja where
id proizvod=:id proizvod";
```

```
$stmt2 = $konekcija->prepare($upitProizvodBoja);
        $stmt2->bindParam(":id_proizvod", $id_proizvod);
        $result2 = $stmt2->execute();
        $UpitProizvod = "DELETE FROM proizvod WHERE id_proizvod = :id_proizvod";
        $stmt3 = $konekcija->prepare($UpitProizvod);
        $stmt3->bindParam(":id proizvod", $id proizvod);
        $result3 = $stmt3->execute();
        if(!$result3){
            http_response_code(500);
        else{
            http_response_code(200);
            unlink("../assets/images/product-images/big-images/".$slikaLink-
>slika);
            unlink("../assets/images/product-images/thumbnail//".$slikaLink-
>slika);
    } else {
        http_response_code(500);
```

Izgled tekstualnog fajla za evidenciju pristupa

```
data > ≡ log.txt
      2023-05-31 21:45:55 ::1 home
      2023-05-31 21:45:56 ::1 home
      2023-05-31 21:45:56 ::1 shop
      2023-05-31 21:45:56 ::1 contact
      2023-05-31 21:45:57 ::1 author
      2023-05-31 21:45:58 ::1 survey
      2023-05-31 21:45:59
                           ::1
                                home
      2023-05-31 21:45:59
                           ::1
                                shop
      2023-05-31 21:45:59
                           ::1
                                contact
      2023-05-31 21:45:59
 10
                                author
                           ::1
      2023-05-31 21:46:00
 11
                          ::1
                                survey
 12
      2023-05-31 21:46:13
                           ::1
                                home
```

Const.php

```
    define("stranice",["home","contact", "author", "shop", "surwey", "admin",

"register", "login", "survey", "single"]);
    define("straniceAdmin",["products", "messages", "orders", "newsletter",

"addProducts","updateProduct", "manageColors", "addColor", "updateColor",

"manageCategories", "addCategory", "updateCategory", "manageBrands", "addBrand",

"updateBrand", "manageNavigation", "addNavigation", "updateNavigation", "logs",

"statistics", "users"]);
    define("separator", "__");
    define("perPage", 4);

?>
```

Configuration.php

```
<?php
function get_environment_variable($point){
   if (!file_exists(ENV_PATH)) {
      throw new Exception('Environment file not found: ' . ENV_PATH);</pre>
```

Konekcija.php

```
<?php
include ("configuration.php");
try {
    $konekcija = new
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
```

```
SERVER=localhost

DATABASE=baggage_store

USERNAME=root

PASSWORD=
```

Main.js

```
const BASEURL = "data/";
var url = window.location.search;
console.log(url)
let buttonCloseModal = document.getElementById("closeModal");
let modalCart = document.getElementById("modalCart");
let buttonCart = document.getElementById("cart");
if(buttonCart!=null){
    buttonCart.addEventListener("click",function(){
        if(modalCart.hasAttribute("class")){
            modalCart.classList.remove("block");
            modalCart.removeAttribute("class");
        else {
            modalCart.classList.add("block");
            $("#modalContent").html( showProducts)
    });
if(buttonCloseModal!=null){
    buttonCloseModal.addEventListener("click",function(){
        modalCart.classList.remove("block");
        modalCart.removeAttribute("class");
    });
//callback funkcija
function ajaxCallBack(url,method,result){
    $.ajax({
        url: url,
        method: method,
        dataTyte: "json",
        success: result,
        error: function(x){
            let buttonCloseModalError = document.getElementById("closeModal4");
```

```
let modalError = document.getElementById("modalError");
                buttonCloseModalError.addEventListener("click", function(){
                modalError.classList.add("block")
                $("#cont").html(x)
            })
    });
function ajaxCallBackPHP(url,method,data,result){
    $.ajax({
        url: url,
        method: method,
        dataTyte: "json",
        data: data,
        success: result,
        error: function(x){
            let buttonCloseModalError = document.getElementById("closeModal4");
            let modalError = document.getElementById("modalError");
                buttonCloseModalError.addEventListener("click", function(){
                modalError.classList.add("block")
                $("#cont").html(x)
            })
    });
//local storage
function saveToLocalStorage(naziv, vrednost){
    localStorage.setItem(naziv, JSON.stringify(vrednost));
function getFromLocalStorage(naziv){
    return JSON.parse(localStorage.getItem(naziv));
// ajaxCallBack(BASEURL+"navigation.json", "get", function(result){
       //printNavigation(result, "#navigation");
       //printNavigation(result, "#list");
// });
// ajaxCallBack(BASEURL+"social.json", "get", function(result){
let productsCart = getFromLocalStorage("cart")
if(productsCart!=null){
    let number = productsCart.length
    $("#broj").html(`${number}`)
```

```
else{
    $("#broj").html(`0`)
//funkcija za ispis navigacije
 / function printNavigation(x, id){
       let ispis = "";
       for(let el of x){
           ispis+=`<a class="d-flex justify-content-center"
href="${el.href}">${el.text}</a>`;
      //$(id).html(ispis);
//funkcija za ispis socijalnih mreza u futeru
function printSocialNetwork(x){
    let ispis = "";
    for(el of x){
        ispis+=`<a href="${el.href}"><span class="${el.className}"></span>
${el.name}</a>`
    $("#social").html(ispis);
//single stranica
if(url.indexOf("single")!=-1 || url=="single"){
    let urlParametar = new URLSearchParams(window.location.search)
    let productId = urlParametar.get("id")
    var brands = []
    var products= []
    var colors = []
    var types = []
    window.onload = function(){
    let dugme = document.getElementById("add-to-cart-button");
    dugme.setAttribute("data-id", productId);
    dugme.addEventListener("click",addToCart)
    dugme.addEventListener("click",addToCartAnimation)
    dugme.addEventListener("click", showProducts)
    function nadji(data){
        let products = data;
        var trazeniProizvod = products.find(function(p) {
            return p.id == productId;
        });
        $("#slika").attr("src", trazeniProizvod.image.src)
```

```
$("#naziv").html(trazeniProizvod.name)
        $("#opis").html(trazeniProizvod.description)
        $("#nova").html(trazeniProizvod.price.current+" €")
        $("#stara").html(trazeniProizvod.price.old!=null?trazeniProizvod.price.ol
d+" €":"")
        $("#add-to-cart-button").attr("data-id",trazeniProizvod.id);
    dugme.addEventListener("click",addToCart)
    dugme.addEventListener("click",addToCartAnimation)
    dugme.addEventListener("click", showProducts)
    setInterval(function(){
        if(getFromLocalStorage("cart")!=null){
            $("#preusmeri").addClass("block")
        }else{
            $("#preusmeri").removeClass("block")
    },100)
    setInterval(function(){
        if(getFromLocalStorage("cart")!=null){
            $("#obrisi").addClass("block")
        }else{
            $("#obrisi").removeClass("block")
    },100)
if(url.indexOf("home")!=-1 || url=="/index.php" || url=="/"){
    // window.onload = function(){
           ajaxCallBack(BASEURL+"products.json", "get", function(result){
               top6Products(result, "#trend")
    function top6Products(x, id){
        let ispis =""
        let sortiran = []
        sortiran = x.sort(function(a,b){
            return b.stars - a.stars
        })
        let prvih6 = sortiran.slice(0,6)
        for(let e of prvih6){
            ispis+=`
                    <div class="col-md-4 col-sm-6 gal-img">
```

```
<a class="link" href="single.php?id=${e.id}">
                       <img src="${e.image.src}" alt="${e.image.alt}"</pre>
class="img-fluid mt-4"><br/>>
                       ${countOfStars(e.stars)}
                       </a>
                   </div>
       $(id).html(ispis)
   function countOfStars(x){
       let ispis=""
       for(let i=1; i<=5;i++){
           if(i<=x){
               ispis+=`<span class="fa fa-star" aria-</pre>
hidden="true"></span>
           else if(i > x && parseInt(x) == i-1 && x%(i-1)!=0){
               ispis+=`<span class="fa fa-star-half-o" aria-</pre>
hidden="true"></span>
           else{
               ispis+=`<span class="fa fa-star-o" aria-
hidden="true"></span>
       return ispis
//stranica za shop
if(url.indexOf("shop")!=-1 || url=="?page=shop"){
   window.onload = function(){
      localStorage.setItem("active",0)
      console.log(localStorage.getItem("active"))
      $.ajax({
           url:"models/artikliZaKorpu.php",
           method:"POST",
           type:"JSON",
           success:function(result){
              saveToLocalStorage("artikli", result)
              //console.log(getFromLocalStorage("artikli"))
```

```
error:function(x){
            console.log(x);
  })
    $.ajax({
        url:"models/filteri.php",
        method:"POST",
        type:"JSON",
        data:{
                vrati : 1
            },
        success:function(result){
            let p = JSON.parse(result)
            printProducts(p.proizvodi, p.promocije, p.staraCena, p.popusti)
            localStorage.setItem("brojProizvoda", p.ukupno)
        },
        error:function(x){
            console.log(x);
   })
  $(".strana").click(strane)
function ajaxCallBack(url, method, data, result) {
    $.ajax({
      url: url,
      method: method,
      data: data,
      dataType: "json",
      success: result,
      error: function (error) {
      },
   });
        var selBrend
        $("#brand").change(function() {
            selBrend = $(this).val();
        });
```

```
var selProm
           $("#prom").change(function() {
               selProm = $(this).val();
           });
           var selCat
           $("#cat").change(function() {
               selCat = $(this).val();
           });
           var selColor
           $("#boja").change(function() {
               selColor = $(this).val();
           });
           $("#potvrdi").click(function(){
               var formData = new FormData();
               formData.append('slika', $('#slika')[0].files[0]);
               formData.append('label', $('#label').val());
               formData.append('opis', $('#opis').val());
               formData.append('cat', selCat);
               formData.append('boja', selColor);
               formData.append('brand', selBrend);
               formData.append('prom', selProm);
               formData.append('price', $('#price').val());
               formData.append('discount', $('#discount').val());
               $.ajax({
               url: 'models/adds.php',
               type: 'POST',
               data: formData,
               contentType: false,
               processData: false,
               success: function(result) { //6478acde5ab09--slika
                   console.log(result)
                   if(result == "redirect"){
                       window.location.href =
"index.php?page=admin&adminPage=products";
                   }else{
                       result = JSON.parse(result)
                       console.log(result)
```

```
let greska = ``
                   let errorMessages = Object.values(result);
                   let ispis = ""
                   for(e of errorMessages){
                       ispis += e+"</br>"
                   $("#greske").html(greska + ispis + "")
           },
           error: function(xhr, status, error) {
               console.log(error);
           });
       })
$('ul li a').click(function() {
   $('ul li a.active2').removeClass('active2');
   $(this).addClass('active2');
});
let chcBoxs = document.getElementsByClassName("chc");
for(let i=0;i<chcBoxs.length;i++){</pre>
    chcBoxs[i].addEventListener("change", filteri);
$("#trazi").keyup(filteri)
$("#sor").change(filteri)
function strane(e){
    e.preventDefault();
    let marke = $('input[type=checkbox][name=marka]:checked').map(function()
        return $(this).val();
    }).get();
```

```
let boje = $('input[type=checkbox][name=boja]:checked').map(function() {
            return $(this).val();
        }).get();
        let kategorije =
$('input[type=checkbox][name=kat]:checked').map(function() {
            return $(this).val();
        }).get();
        limit = $(this).data("limit")
        localStorage.setItem("active",limit)
        let brojProizvoda = 0
        ajaxCallBack("models/filteri.php", "post", {limit, marke, boje,
kategorije}, function(result){
            let p = result
            printProducts(p.proizvodi, p.promocije, p.staraCena, p.popusti)
            brojProizvoda = result.length
        })
    function filteri(){
        let marke = $('input[type=checkbox][name=marka]:checked').map(function()
            return $(this).val();
        }).get();
        let boje = $('input[type=checkbox][name=boja]:checked').map(function() {
            return $(this).val();
        }).get();
        let kategorije =
$('input[type=checkbox][name=kat]:checked').map(function() {
            return $(this).val();
        }).get();
        let unos = $("#trazi").val()
        var sort = $("#sor").val()
        $.ajax({
```

```
url:"models/filteri.php",
           method:"POST",
           type:"JSON",
           data:{
                   marke : marke,
                   boje : boje,
                   kategorije : kategorije,
                   unos : unos,
                   sort : sort
               },
           success:function(result){
               let p = JSON.parse(result)
               printProducts(p.proizvodi, p.promocije, p.staraCena, p.popusti)
               localStorage.setItem("brojProizvoda", p.ukupno)
               let ukupno = localStorage.getItem("brojProizvoda")
               ukupno = Math.ceil(ukupno/4)
               console.log(ukupno)
               if(ukupno !=1){
                   let ispisPaginacija = ""
                   for(let i=0 ; i<ukupno ; i++){</pre>
                       if(!i){
                           ispisPaginacija += `<a</pre>
class="page-link strana active2" data-limit="${i}">${i+1}</a>`
                       }else{
                           ispisPaginacija += `<a</pre>
class="page-link strana" data-limit="${i}">${i+1}</a>`
                   $(".pagination").html(ispisPaginacija)
                   $(".strana").click(strane)
                   $('ul li a').click(function() {
                       $('ul li a.active2').removeClass('active2');
                       $(this).addClass('active2');
                   });
               }else{
                   $(".pagination").html("")
           },
           error:function(x){
               console.log(x);
```

```
};
    //funkcija za stampanje proizvoda
    function printProducts(x, prom, cena, popust){
       let redObj = document.getElementById("baner");
       let z=0
       let b = 0
       if(x.length==0){
           redObj.innerHTML = `<div class="row">
                                   <div class="col-12">
                                        There is currently no product for the
selected category
                                   </div>
                               </div>`
       else{
       let ispis=`
                  <h3 class="title-wthree mb-lg-2 mb-1 mt-4">Shop Now</h3>
                  <div class="row shop-wthree-info text-center">
        for(let element of x){
           ispis += `<div class="col-lg-3 col-sm-6 shop-info-grid text-center</pre>
mt-4 art" >
                       <div class="col product-shoe-info shoe"><div class="aki">
                       <a class="link"
href="index.php?page=single&id=${element.id proizvod}">
                           <div class="men-thumb-item blk">
                           ${badge(prom[z])}
                               <img src="assets/images/product-</pre>
images/thumbnail/${element.slika}" class="img-fluid" alt="${element.naziv}">
                           </div>
                           <div class="item-info-product gore">
                               <div class="nas">
                                   <h4>
                                      ${element.naziv}
```

```
</h4>
                                </div>
                                <div class="product price">
                                     <div class="grid-price">
                                         ${getPrice(cena[z].cena,
popust[z].procenat)}
                                     </div>
                                </div>
                                <h6 class="mt-
4">${isFreeShipping(cena[z].cena,popust[z].procenat)}</h6>
                            </div>
                            </a>
                            </div>
                            <button class="add-to-cart-button" data-</pre>
id="${element.id_proizvod}">Add to cart</button>
                    </div>`
                    Z++
                    if(!(++b%4 && b!=0)) {ispis += \c^d/div><div class="row shop-
wthree-info text-center">`}
            redObj.innerHTML=ispis+="</div>";
            $(".add-to-cart-button").click(addToCart);
            $(".add-to-cart-button").click(addToCartAnimation);
            $(".add-to-cart-button").click(showProducts);
        }}
   //funkcija za vracanje trendinga, sta je novo, poslednji model
   function badge(x){
            if(x!=null){
                return `<div class="new ${x.boja}">${x.promocija}</div>`
            else{
                return ""
   //funkcija koja vraca cene
```

```
function getPrice(cena, popust){
        //console.log(popust)
        let ispis =""
        if(popust>0){
            ispis+=`<span class="line">${cena}&euro;</span>&nbsp;&nbsp;<span</pre>
class="money">${Math.round(cena * (1- (popust/100)),0)}€</span><br/>
                   <span class="save">Save ${Math.round(cena - cena * (1-
(popust/100)))}€</span>`
        else{
            ispis+=`<span class="money">${cena}&euro;</span>`
        return ispis
  //funkcija za proveru da li je dostava besplatna
   function isFreeShipping(x,y){
   let cena = x * (1-(y/100))
        let ispis="";
            if(cena>500){
                ispis = `Free shipping`
        return ispis
    //funkcija za ispis liste za sort
    function sortPrint(array, id){
        let ispis =""
        for(let i=0; i<array.length;i++){</pre>
            if(i==0){
                ispis+=`<option value="${i}" hidden>${array[i]}</option>`
            else{
                ispis+=`<option value="${i}">${array[i]}</option>`
        $(id).html(ispis);
    let nizSort = ["Select sort type", "Sort by name A-Z", "Sort by name Z-A"]
    sortPrint(nizSort, "#sor");
    let resetFilterObj = document.getElementById("reset")
    function resetFilters(){
        let proizvodi = getFromLocalStorage("sviProizvodi");
        let ddlObj = document.getElementsByClassName("ddl")
```

```
for(let d of ddlObj){
            d.selectedIndex=0
        let chcObj = document.getElementsByClassName("chc")
        for(let c of chcObj){
            c.checked=false
        let rangeValue = document.getElementById("rangeValue");
        rangeValue.value = findMaxPrice(getFromLocalStorage("sviProizvodi"))
        var slider = document.getElementById("range");
        slider.value = slider.max;
        //printProducts(proizvodi)
if(url.indexOf("contact")!=-1 || url=="?page=contact"){
    window.onload=function(){
        // ajaxCallBack(BASEURL+"cities.json", "get", function(result){
               printCities(result, "#sel5");
        let dugme = document.getElementById("dugme")
        dugme.addEventListener("click", obradaForme)
    function printCities(x, id){
        let ispis=`<option value="0">Select your city</option>`
        for(let e of x){
            ispis+=`<option value="${e.id}">${e.name}</option>`
        $(id).html(ispis)
    let greskaTA = false
    let objTA = document.getElementById("ta")
    let brojSlova = document.getElementById("slova").textContent
    let brojObj = document.getElementById("slova")
    let broj = Number(brojSlova)
    let konacno = 0
    let brojac = 20
    objTA.addEventListener("keydown", function(){
        let taValue = document.getElementById("ta").value.length
        let taNum = Number(taValue)
        if(taNum==0){taNum+=1}
        konacno = brojac - (taNum)
        brojObj.innerHTML=konacno
        if(taValue>20){
            brojObj.innerHTML=0
            greskaTA = true
```

```
objTA.parentElement.parentElement.classList.add("okvirTA")
                  else{
                           objTA.parentElement.parentElement.classList.remove("okvirTA")
                           greskaTA = false
         })
         function obradaForme(){
                  //elementi forme koji se proveravaju
                  let objImePrezime = document.getElementById("text1");
                  let objMail = document.getElementById("text2");
                  let objRadio = document.getElementsByName("rbtn");
                  let objTel = document.getElementById("text3");
                  let objAdresa = document.getElementById("text5")
                  //regularni izrazi za sve elemente forme
                  let regIzrazImePrezime = /^[A-ZŠĐŽČĆ][a-zšđčćž]{2,19}(\s[A-ZŠĐŽČĆ][a-
zšđčćž]{2,19}){1,3}$/;
                  let regBrojTelefona = /^(+381|0)(6[0-9])([0-9]\{6,8\})$/;
                  let regAdresa = /^{A-Z}[a-z]+(s[A-Z][a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*(s[a-z]+)*
z]?)?$/;
                  let greskaImePrez = false;
                  let greskaBroj = false;
                  let greskaRadio = false;
                  let greskaSelect = false;
                  let greskaMejl = false;
                  let greskaAdresa = false;
                           if(!regIzrazImePrezime.test(objImePrezime.value)){
                                    objImePrezime.nextElementSibling.classList.add("display-block");
                                    objImePrezime.nextElementSibling.innerHTML = "The first and last
name must start with a capital letter and contain at least three characters,
example:<br/>Aleksandar Kandic";
                                    objImePrezime.classList.add("okvir-greska");
                                    greskaImePrez=true;
                           else{
                                    objImePrezime.nextElementSibling.classList.remove("display-
block");
                                    objImePrezime.nextElementSibling.innerHTML = "";
                                    objImePrezime.classList.remove("okvir-greska");
                                    greskaImePrez=false;
                           //provera broja telefona
                           if(!regBrojTelefona.test(objTel.value)){
                                    objTel.nextElementSibling.classList.add("display-block");
```

```
objTel.nextElementSibling.innerHTML = "The phone number must be
in the format::<br/> +381658255131 or 0658255131";
                objTel.classList.add("okvir-greska");
                greskaBroj=true;
            else{
                objTel.nextElementSibling.classList.remove("display-block");
                objTel.nextElementSibling.innerHTML = "";
                objTel.classList.remove("okvir-greska");
                greskaBroj=false;
            //prevera adrese
            if(!regAdresa.test(objAdresa.value)){
                objAdresa.nextElementSibling.classList.add("display-block");
                objAdresa.nextElementSibling.innerHTML = "The address must be in
the format:<br/>Oxford Street 32B";
                objAdresa.classList.add("okvir-greska");
                greskaAdresa=true;
            else{
                objAdresa.nextElementSibling.classList.remove("display-block");
                objAdresa.nextElementSibling.innerHTML = "";
                objAdresa.classList.remove("okvir-greska");
                greskaAdresa=false;
            //provera mejla
            if(!regMail.test(objMail.value)){
                objMail.nextElementSibling.classList.add("display-block");
                objMail.nextElementSibling.innerHTML = "Email must be in the
format: user@gmail.com";
                objMail.classList.add("okvir-greska");
                greskaMejl=true;
            else{
                objMail.nextElementSibling.classList.remove("display-block");
                objMail.nextElementSibling.innerHTML = "";
                objMail.classList.remove("okvir-greska");
                greskaMejl=false;
            //radio kupljenje vrednosti
            let radioValue = "";
            for(let i=0;i<objRadio.length;i++){</pre>
                if(objRadio[i].checked){
                    radioValue = objRadio[i].value;
                    break:
```

```
//provera radio buttona
            if(radioValue == ""){
                objRadio[0].parentElement.nextElementSibling.classList.add("displ
ay-block");
                objRadio[0].parentElement.classList.add("okvir");
                objRadio[0].parentElement.nextElementSibling.innerHTML = "Select
a status"
                greskaRadio = true;
            else{
                objRadio[0].parentElement.nextElementSibling.classList.remove("di
splay-block");
                objRadio[0].parentElement.nextElementSibling.innerHTML = "";
                objRadio[0].parentElement.classList.remove("okvir");
                greskaRadio=false;
            //console.log(radioValue)
            if(!greskaImePrez && !greskaBroj && !greskaMejl && !greskaSelect &&
!greskaRadio && !greskaTA &&
                              !greskaAdresa){
                let brojSlova = document.getElementById("slova")
                brojSlova.innerHTML=20
                let modal = document.getElementById("modalKontakt")
                modal.classList.add("block")
                $("#ispis").html("You have successfully sent a message, one of
the employees will contact you soon")
                let buttonCloseModal2 = document.getElementById("closeModal2")
                buttonCloseModal2.addEventListener("click",function(){
                    modal.classList.remove("block");
                });
                $.ajax({
                    url:"logic/kontakt.php",
                    method:"post",
                    type:"json",
                    data:{
                        imePrezime : objImePrezime.value,
                        mail : objMail.value,
                        adresa : objAdresa.value,
                        telefon : objTel.value,
                        tip : radioValue,
                        poruka : objTA.value
```

```
},
                    success:function(x){
                        console.log(x)
                    },
                    error:function(){
                })
                document.getElementById("formaNova").reset();
if(url.indexOf("author.php")!=-1 || url=="/author.php"){
    console.log("aa")
    window.onload = function(){
        let listaObj = document.getElementById("mrz")
        let nizMreza = ["instagram mreze", "facebook-box mreze ml-3", "twitter-box
mreze ml-3","linkedin mreze ml-3"]
        let ispis = ""
        for(let x of nizMreza){
            ispis+=`<a href="#"><i class="zmdi zmdi-${x}"></i></a>`
        listaObj.innerHTML=ispis
    }
let regMail = /^([a-zA-Z0-9_{-}.]+)@(([[0-9]{1,3}.[0-9]{1,3}.[0-9])
9]{1,3}\.)|(([a-zA-Z0-9\-]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)$/;
let mailobj = document.getElementById("email");
//if(url != "?page=admin"){
    let buttonCloseModal3 = document.getElementById("closeModal3");
    let modalCart2 = document.getElementById("modalMail");
    let upis = document.getElementById("suc")
    buttonCloseModal3.addEventListener("click",function(){
    modalCart2.classList.remove("block");
```

```
$("#suc").removeClass("err");
});
$("#su").click(function(){
    if(regMail.test(mailobj.value)){
        modalCart2.classList.add("block")
        upis.innerHTML="You have successfully subscribe to the Handbags Store
mailing list"
        $.ajax({
            url: "models/newsletter.php",
            method:"POST",
            type:"json",
            data:{
                    mejl : mailobj.value
                },
            success:function(x){
                console.log(x)
            error:function(x){
                console.log(x);
       })
    else{
        $("#suc").addClass("err");
        modalCart2.classList.add("block")
        upis.innerHTML="You made a mistake when entering your email address, the
address must be in the following format: user@gmail.com"
function cartEmpty(){
    return modalContent.innerHTML = `Your cart is empty`
function showProducts(){
    let products = getFromLocalStorage("cart");
    let modalContent = document.getElementById("modalContent")
    if(products==null){
        $("#total").html("0 €")
        return cartEmpty()
    else{
        ispis=""
        let allProduct = getFromLocalStorage("artikli")
```

```
let filtrirani=[]
        allProduct = JSON.parse(allProduct)
        console.log(allProduct)
        for(let pa of allProduct){
            for(let pc of products){
                if(pa.id proizvod ==pc.id){
                    filtrirani.push(pa)
        function quantity(id){
            for(let p of products){
                if(p.id == id){
                    return p.quantity
        let suma=0
        for(p of filtrirani){
            ispis+=`<div class="kup">
                        <div class="cartSlika">
                            <img src="assets/images/product-</pre>
images/thumbnail/${p.slika}"/>
                        </div>
                        ${p.naziv}
                        <div>
                               Price per piece: ${p.cena} €
                            <br/>
                                Total price for quantity: ${p.cena *
quantity(p.id_proizvod)} €
                            </div>
                        <div class="brojac">
                            <button class="minus kol" data-</pre>
id="${p.id_proizvod}">-</button>
                            <div class="broj">${quantity(p.id_proizvod)}</div>
                           <button class="pluss kol" data-</pre>
id="${p.id_proizvod}">+</button>
                        </div>
                        <button class="obrisi" data-id="${p.id_proizvod}">
```

```
Remove item
                    </button>
                </div>`
                suma +=p.cena * quantity(p.id_proizvod)
                $("#total").html(suma+" €")
   modalContent.innerHTML = ispis
   let buttonsObrisi = document.getElementsByClassName('obrisi');
   let obrisi = Array.from(buttonsObrisi)
   obrisi.forEach(function(button) {
    button.addEventListener('click', removeItemFromCart);
   });
   let buttonsPlus = document.getElementsByClassName('pluss');
   let niz1 = Array.from(buttonsPlus)
   niz1.forEach(function(button) {
   button.addEventListener('click', plus);
   });
   let buttonsMinus = document.getElementsByClassName('minus');
   let niz2 = Array.from(buttonsMinus)
   niz2.forEach(function(button) {
    button.addEventListener('click', minus);
    });
function removeItemFromCart(){
   let id = $(this).data("id")
   let svi = getFromLocalStorage("cart")
   let fil = svi.filter(x=> x.id != id)
    saveToLocalStorage("cart",fil)
   $("#broj").html(fil.length)
   if(fil.length==0){
        $("#total").html("0 €")
        localStorage.removeItem("cart")
        return cartEmpty()
     showProducts()
function plus(){
   let id = $(this).data("id")
   let svi = getFromLocalStorage("cart")
   let fil = svi.filter(x=>x.id == id)
   fil[0] = {
```

```
id:id.
            quantity: fil[0].quantity++
        saveToLocalStorage("cart", svi)
        showProducts()
    function minus(){
        let id = $(this).data("id")
        let svi = getFromLocalStorage("cart")
        let fil = svi.filter(x=>x.id == id)
        if(fil[0].quantity>1){
            fil[0] = {
                id:id,
                quantity: fil[0].quantity--
        if(fil[0].quantity<2){</pre>
            let fil2 = svi.filter(x=>x.id != id)
            saveToLocalStorage("cart", fil2)
             showProducts()
            if(fil2.length==0){
                $("#total").html("0 €")
                localStorage.removeItem("cart")
                cartEmpty()
            $("#broj").html(fil2.length)
        else{
            saveToLocalStorage("cart", svi)
             showProducts()
setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#preusmeri").addClass("block")
    }else{
        $("#preusmeri").removeClass("block")
},100)
setInterval(function(){
    if(getFromLocalStorage("cart")!=null){
        $("#obrisi").addClass("block")
    }else{
        $("#obrisi").removeClass("block")
```

```
},100)
$("#obrisi").click(function(){
    localStorage.removeItem("cart")
     showProducts()
    $("#total").html("0 €")
    $("#broj").html("0")
})
function addToCart(){
    let prouctId = $(this).data("id");
    let cart = getFromLocalStorage("cart");
    if(cart == null){
        firstItem();
        numberOfProducts();
    else{
        if(productIsInCart()){
            update();
        else{
            addItemToCart();
            numberOfProducts();
    function firstItem(){
        let products = [
                id: prouctId,
                quantity: 1
        ];
        saveToLocalStorage("cart", products);
    function productIsInCart(){
        return cart.filter(el => el.id == prouctId).length;
    function update(){
        let productsLS = getFromLocalStorage("cart");
        for(let p of productsLS){
           if(p.id == prouctId){
```

```
p.quantity++;
                break;
        saveToLocalStorage("cart", productsLS);
    function addItemToCart(){
        let productLS = getFromLocalStorage("cart");
        productLS.push({
            id: prouctId,
            quantity: 1
        });
        saveToLocalStorage("cart", productLS);
function numberOfProducts(){
    let productsCart = getFromLocalStorage("cart");
    console.log(productsCart)
    if(productsCart == null){
        $("#broj").html(`0`);
    else{
        let numberOfProducts = productsCart.length;
        $("#broj").html(`${numberOfProducts}`)
        console.log(numberOfProducts)
var dodato = document.getElementById("dodato");
function addToCartAnimation() {
    dodato.classList.add("block");
    setTimeout(function() {
        dodato.classList.remove("block");
    }, 1000);
let buttonCloseModalError = document.getElementById("closeModal4");
let modalError = document.getElementById("modalError");
if(url.indexOf("admin")==-1){
    buttonCloseModalError.addEventListener("click", function(){
        modalError.classList.remove("block")
    })
if(url.indexOf("register")!=-1 || url=="?page=register"){
```

```
$("#registruj").click(function(){
        let objIme = document.getElementById("ime");
        let objPrezime = document.getElementById("prezime");
        let objMail = document.getElementById("mail");
        let objPass = document.getElementById("pass");
        let objRePass = document.getElementById("pass2");
        let regIzrazIme = /^[A-Z][a-z]{2,19}$/;
        let regMail = /^([a-zA-Z0-9_{-}]+)@(([[0-9]{1,3}.[0-9]{1,3}.[0-9]{1,3}).[0-9]
9]{1,3}\.)|(([a-zA-Z0-9\-]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)$/;
        let greskaIme = false;
        let greskaPrezime = false;
        let greskaMejl = false;
        let greskaPass = false;
        let greskaPass2 = false;
            //provera imena i prezimena
            if(!regIzrazIme.test(objIme.value)){
                objIme.nextElementSibling.classList.add("display-block");
                objIme.classList.add("okvir-greska");
                objIme.nextElementSibling.innerHTML = "The first and last name
must start with a capital letter and contain at least three characters,
example:<br/>Aleksandar";
                greskaIme=true;
            else{
                objIme.nextElementSibling.classList.remove("display-block");
                objIme.classList.remove("okvir-greska");
                objIme.nextElementSibling.innerHTML = "";
                greskaIme=false;
            if(!regIzrazIme.test(objPrezime.value)){
                objPrezime.nextElementSibling.classList.add("display-block");
                objPrezime.classList.add("okvir-greska");
                objPrezime.nextElementSibling.innerHTML = "The first and last
name must start with a capital letter and contain at least three characters,
example:<br/>Kandic";
               greskaPrezime=true;
```

```
else{
                objPrezime.nextElementSibling.classList.remove("display-block");
                objPrezime.classList.remove("okvir-greska");
                objPrezime.nextElementSibling.innerHTML = "";
                greskaPrezime=false;
            if(!regMail.test(objMail.value)){
                objMail.nextElementSibling.classList.add("display-block");
                objMail.nextElementSibling.innerHTML = "Email must be in the
format: user@gmail.com";
                objMail.classList.add("okvir-greska");
                greskaMejl=true;
            else{
                objMail.nextElementSibling.classList.remove("display-block");
                objMail.nextElementSibling.innerHTML = "";
                objMail.classList.remove("okvir-greska");
                greskaMejl=false;
            if(objPass.value.length<8){</pre>
                objPass.nextElementSibling.classList.add("display-block");
                objPass.nextElementSibling.innerHTML = "The password must contain
at least 8 characters";
                objPass.classList.add("okvir-greska");
                greskaPass=true;
            else{
                objPass.nextElementSibling.classList.remove("display-block");
                objPass.nextElementSibling.innerHTML = "";
                objPass.classList.remove("okvir-greska");
                greskaPass=false;
            if(objPass.value != objRePass.value){
                objRePass.nextElementSibling.classList.add("display-block");
                objRePass.nextElementSibling.innerHTML = "Passwords do not
match";
                objRePass.classList.add("okvir-greska");
                greskaPass2=true;
            else{
                objRePass.nextElementSibling.classList.remove("display-block");
```

```
objRePass.nextElementSibling.innerHTML = "";
                objRePass.classList.remove("okvir-greska");
                greskaPass2=false;
            if(!greskaIme && !greskaPrezime && !greskaMejl && !greskaPass &&
!greskaPass2){
                let imee = objIme.value
                let prezimee = objPrezime.value
                let maill = objMail.value
                let passwordd = objPass.value
                let passwordd2 = objRePass.value
                console.log(imee)
                 $.ajax({
                    url:"models/registracija.php",
                    method:"POST",
                    type:"json",
                    data:{
                            ime:imee,
                            prezime:prezimee,
                            mail:maill,
                            password:passwordd,
                            password2:passwordd2
                        },
                    success:function(x){
                        $("#prijava").html(x)
                        $("#prijava").addClass("display-block")
                    },
                    error:function(x){
                        console.log(x);
               })
               document.getElementById("formaRegister").reset();
            else{
                $("#prijava").html('')
                $("#prijava").removeClass("display-block")
```

```
})
if(url.indexOf("login")!=-1 || url=="?page=login"){
             $("#signin").click(function(){
                          let objMail = document.getElementById("mail");
                          let objPass = document.getElementById("password");
                          let regMail = /([a-zA-Z0-9 \cdot \cdot]+)@((\cdot [[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[0-9]{1,3}\cdot.[
9]{1,3}\.)|(([a-zA-Z0-9\-]+\.)+))([a-zA-Z]{2,4}|[0-9]{1,3})(\]?)$/;
                          let greskaMejl = false;
                          let greskaPass = false;
                                        if(!regMail.test(objMail.value)){
                                                     objMail.nextElementSibling.classList.add("display-block");
                                                     objMail.nextElementSibling.innerHTML = "Email must be in the
format: user@gmail.com";
                                                    objMail.classList.add("okvir-greska");
                                                    greskaMejl=true;
                                       else{
                                                    objMail.nextElementSibling.classList.remove("display-block");
                                                     objMail.nextElementSibling.innerHTML = "";
                                                    objMail.classList.remove("okvir-greska");
                                                     greskaMejl=false;
                                       if(objPass.value.length<8){</pre>
                                                     objPass.nextElementSibling.classList.add("display-block");
                                                    objPass.nextElementSibling.innerHTML = "The password must contain
at least 8 characters";
                                                    objPass.classList.add("okvir-greska");
                                                    greskaPass=true;
                                        else{
                                                     objPass.nextElementSibling.classList.remove("display-block");
                                                    objPass.nextElementSibling.innerHTML = "";
                                                    objPass.classList.remove("okvir-greska");
```

```
greskaPass=false;
            if(!greskaMejl && !greskaPass){
                let maill = objMail.value
                let passwordd = objPass.value
               $.ajax({
                url:"models/logovanje.php",
                method:"POST",
                type:"json",
                data:{
                        mail:maill,
                        password:passwordd,
                    },
                success:function(x){
                    if(x=="redirect"){
                        window.location.href = "index.php?page=shop";
                    else{
                        $("#prijava").html(x)
                        $("#prijava").addClass("display-block")
                },
                error:function(x){
                    console.log(x);
               })
               //document.getElementById("formaRegister").reset();
            else{
                $("#prijava").html('')
                $("#prijava").removeClass("display-block")
    })
if(url.indexOf("survay")!=-1 || url=="?page=survey"){
    $(".ank").change(function(){
```

```
let idAnkete = $("#skriven").val()
        let izabran = $(".ank:checked").val()
        $.ajax({
            url:"models/anketaOdgovor.php",
            method:"POST",
            type:"json",
            data:{
                    odgovor:izabran,
                    id:idAnkete
                },
            success:function(x){
                let modal = document.getElementById("modalKontakt")
                modal.classList.add("block")
                $("#ispis").html(x)
                let buttonCloseModal2 = document.getElementById("closeModal2")
                buttonCloseModal2.addEventListener("click",function(){
                    modal.classList.remove("block");
                });
            },
            error:function(x){
                console.log(x);
           })
    })
$("#preusmeri").click(function(event){
    event.stopPropagation()
    let porudzbina = JSON.stringify(getFromLocalStorage("cart"))
    $.ajax({
        url:"models/narudzbina.php",
        method:"POST",
        type:"JSON",
        data:{
                porudzbina : porudzbina
            },
        success:function(result){
            let modal = document.getElementById("modalKontakt")
            modal.classList.add("block")
            $("#ispis").html(result)
            let buttonCloseModal2 = document.getElementById("closeModal2")
            buttonCloseModal2.addEventListener("click",function(){
                modal.classList.remove("block");
```

Style.css

```
Author: W31ayouts
    Author URL: http://w3layouts.com
    License: Creative Commons Attribution 3.0 Unported
    License URL: http://creativecommons.org/licenses/by/3.0/
html,
body {
   margin: 0;
    font-size: 100%;
    background: #fff;
    font-family: 'Hind', sans-serif;
    scroll-behavior: smooth;
body a {
   text-decoration: none;
    transition: 0.5s all;
   -webkit-transition: 0.5s all;
    -moz-transition: 0.5s all;
```

```
-o-transition: 0.5s all;
    -ms-transition: 0.5s all;
a:hover {
   text-decoration: none;
input[type="button"],
input[type="submit"],
input[type="text"],
input[type="email"],
input[type="search"] {
   transition: 0.5s all;
    -webkit-transition: 0.5s all;
   -moz-transition: 0.5s all;
   -o-transition: 0.5s all;
   -ms-transition: 0.5s all;
   font-family: 'Hind', sans-serif;
h1,
h2,
h3,
h4,
h5,
h6 {
   margin: 0;
   letter-spacing: 1px;
    font-family: 'Hind', sans-serif;
p {
   font-size: 0.9em;
    color: #777;
   line-height: 1.9em;
   letter-spacing: 1px;
   margin-bottom: 0;
ul {
   margin: 0;
   padding: 0;
```

```
.breadcrumb,
ol {
   margin-bottom: 0 !important;
.forms {
   margin-top: 1.4em;
.top-w3pvt {
   border-bottom: 1px solid #8bb4df;
    padding-bottom: 0.5em;
.nav-top-wthree {
   margin: 1em 0;
header a.btn {
   border-radius: 4px;
   color: #4d6171;
   letter-spacing: 1px;
   border: none;
   outline: none;
header a.btn span {
   color: #fff;
.search-form {
   width: 30%;
form.newsletter {
   background: #fff;
    padding: 0.3em;
   display: flex;
header .search {
   outline: none;
   padding: 6px 20px;
```

```
font-size: 14px;
    color: #000;
    width: 85%;
    background: transparent;
    text-transform: capitalize;
    border: none;
    letter-spacing: 2px;
    float: left;
header button.btn {
   color: #fff;
   border: none;
    padding: 7px 0px;
    text-transform: uppercase;
    text-decoration: none;
    background: transparent;
    -webkit-transition: 0.5s all;
    -moz-transition: 0.5s all;
    -o-transition: 0.5s all;
    -ms-transition: 0.5s all;
    transition: 0.5s all;
   float: right;
    cursor: pointer;
    width: 15%;
    font-size: 14px;
    text-align: center;
    background: #ec1c24;
.toggle,
[id^=drop] {
    display: none;
/* Giving a background-color to the nav container. */
nav {
   margin: 0;
   padding: 0;
   margin-top: 10px;
   float: left;
#logo a {
```

```
float: left;
    font-size: .8em;
    display: initial;
    margin: 0;
    letter-spacing: 0px;
    color: #333;
    font-weight: 300;
    padding: 3px 0;
    border: none;
#logo a span {
   color: #fff;
    font-size: 1.4em;
    font-weight: 700;
    text-shadow: 3px 1px 3px rgba(19, 18, 18, 0.19);
.sub-des {
   text-transform: uppercase;
   display: block;
   font-size: 0.3em;
   margin: 0;
   color: #5b7a9a;
    letter-spacing: 4px;
   font-weight: 600;
   text-shadow: 3px 1px 3px rgba(78, 73, 73, 0.21);
/* Since we'll have the "ul li" "float:left"
 * we need to add a clear after the container. */
nav:after {
   content: "";
   display: table;
    clear: both;
/* Removing padding, margin and "list-style" from the "ul",
* and adding "position:reltive" */
nav ul {
   padding: 0;
   margin: 0;
   list-style: none;
    position: relative;
```

```
/* Positioning the navigation items inline */
nav ul li {
   margin: 0px;
   display: inline-block;
/* Styling the links */
nav a {
   letter-spacing: 2px;
    padding-left: 0;
    padding-right: 0;
    padding: 10px 0;
    font-weight: 400;
   font-size: 0.9em;
   margin: 0 1em;
   color: #515152;
    text-transform: uppercase;
nav ul li ul li:hover {
    background: #f8f9fa;
/* Background color change on Hover */
nav a:hover {
   color: #ec1c24;
.menu li.active a {
    color: #ec1c24;
    font-weight: 600;
/* Hide Dropdowns by Default
* and giving it a position of absolute */
nav ul ul {
   display: none;
   position: absolute;
    top: 30px;
    background: #fff;
   padding: 10px;
```

```
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
/* Display Dropdowns on Hover */
nav ul li:hover > ul {
   display: inherit;
/* Fisrt Tier Dropdown */
nav ul ul li {
   width: 200px;
   float: none;
   display: list-item;
    position: relative;
nav ul ul li a {
   color: #333;
   padding: 5px 10px;
   display: block;
ul.menu li span {
    color: #fff;
/* Second, Third and more Tiers
* We move the 2nd and 3rd etc tier dropdowns to the left
 * by the amount of the width of the first tier.
nav ul ul ul li {
   position: relative;
   top: -60px;
   /* has to be the same number as the "width" of "nav ul ul li" */
   left: 170px;
/* Change ' +' in order to change the Dropdown symbol */
li > a:only-child:after {
   content: '';
```

```
* Media Queries
@media all and (max-width : 992px) {
    .foot{
        flex-direction: column !important;
    .naziv{
       text-align: center;
    .cene{
        text-align: center;
    .row3{
        flex-direction: column !important;
       height: fit-content !important;
        padding: 20px;
    #modalCart{
       width: 90% !important;
       left: 5% !important;
    .obrisi{
       margin-top: 20px;
    .kup{
        flex-direction: column !important;
    .menu li.active a {
       color: #3369e7;
   nav {
       margin: 0;
    nav a {
       color: #333;
    .toggle + a,
    .menu {
     display: none;
```

```
/* Stylinf the toggle lable */
.toggle {
    display: inline-block;
    padding: 9px 15px;
    font-size: 20px;
    text-decoration: none;
    border: none;
    float: none;
    background-color: rgba(22, 21, 21, 0.43137254901960786);
    color: #fff;
    margin-bottom: 0;
    cursor: pointer !important;
.menu .toggle {
   float: none;
   text-align: center;
   margin: auto;
   width: 90%;
    padding: 5px;
    font-weight: normal;
    font-size: 15px;
    letter-spacing: 1px;
.toggle:hover {
    color: #fff;
    background-color: #3369e7;
.nav-top-w3pvt {
   margin: 1em 0;
    position: absolute;
   width: 71%;
/* Display Dropdown when clicked on Parent Lable */
[id^=drop]:checked + ul {
    display: block;
    background: #fff;
    padding: 15px 0;
   width: 100%;
    text-align: center;
```

```
border: 1px solid #ddd;
/* Change menu item's width to 100% */
nav ul li {
   display: block;
   width: 100%;
   padding: 7px 0;
nav a {
    padding: 5px 0;
nav a:hover {
   color: #3369e7;
.login-icon {
    text-align: center;
nav ul ul .toggle,
nav ul ul a {
    padding: 0 40px;
nav ul ul ul a {
   padding: 0 80px;
nav a:hover,
nav ul ul ul a {
    background-color: transparent;
nav ul li ul li .toggle,
nav ul ul a,
nav ul ul ul a {
    padding: 14px 20px;
    color: #FFF;
   font-size: 17px;
```

```
nav ul li ul li .toggle,
nav ul ul a {
    background-color: #fff;
nav ul ul li a {
    font-size: 15px;
ul.inner-ul {
    padding: 0 !important;
/* Hide Dropdowns by Default */
nav ul ul {
   float: none;
    position: static;
    color: #ffffff;
   /* has to be the same number as the "line-height" of "nav a" */
/* Hide menus on hover */
nav ul ul li:hover > ul,
nav ul li:hover > ul {
    display: none;
/* Fisrt Tier Dropdown */
nav ul ul li {
   display: block;
   width: 100%;
    padding: 0;
nav ul ul ul li {
    position: static;
nav {
    margin: 0;
    padding: 0;
    margin-top: 0;
    float: left;
```

```
width: 48%;
        position: absolute;
        z-index: 99;
@media all and (max-width : 330px) {
   nav ul li {
        display: block;
        width: 94%;
.user span.fa {
   font-size: 25px;
   color: #fff;
.main-sec {
   background: #74d2e7;
   position: relative;
.main-sec.inner-page {
   background: #74d2e7;
   min-height: 10em;
   position: relative;
.banner-left-info {
   margin-top: 14em;
.banner-wthree-info h3 {
   font-size: 2.5em;
   text-transform: uppercase;
   color: #333;
   margin-bottom: 0.7em;
```

```
.banner-wthree-info h3 span {
   color: #fff;
.btn.shop {
   background: #ec1c24;
   -moz-transition: all 0.25s ease;
   -o-transition: all 0.25s ease;
   -webkit-transition: all 0.25s ease;
   transition: all 0.25s ease;
   color: #fff;
   padding: 0.6em 2.5em;
   text-transform: uppercase;
   font-size: 0.9em;
   letter-spacing: 2px;
   font-weight: 600;
   -moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
   -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
   box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
/*--//banner--*/
.ab-content-img {
   background: url(../images/template-images/banner1.jpg) no-repeat center;
   background-size: cover;
   -webkit-background-size: cover;
   -o-background-size: cover;
   -moz-background-size: cover;
   -ms-background-size: cover;
   min-height: 27em;
.title-wthree,
.title-wthree.two {
   font-size: 2.5em;
   text-transform: uppercase;
   color: #333;
   margin-bottom: 0.7em;
   font-weight: 600;
```

```
.title-wthree.two {
    color: #fff;
.ab-content h4 {
   font-size: 1.2em;
   color: #4c4d4e;
   margin: 2em 0 1em 0;
   text-transform: uppercase;
    font-weight: 600;
.ab-info-con {
    padding: 0 0.5em;
.ab-info-con.ab-inf-page h4 {
   font-size: 1.4em;
   color: #4c4d4e;
   margin: 0em 0 1.2em 0;
   text-transform: uppercase;
   font-weight: 600;
.ab-info-con.ab-inf-page {
    margin-top: 7em;
/*--blogs--*/
/*--//blogs--*/
.bottom-w3pvt-left {
    position: relative;
h4.text-wthree {
   font-size: 2em;
   color: #fff;
    font-weight: 300;
.pos-wthree {
```

```
position: absolute;
    bottom: 20%;
   left: 10%;
.pos-w3pvt {
   right: 10%;
   position: absolute;
   bottom: 20%;
h4.text-w3pvt {
   font-size: 2em;
    color: #fff;
   font-weight: 300;
/*--/collection--*/
/*--//collection--*/
/* gallery page */
.gal-img img,
.popup img {
   width: 100%;
/* popup */
.popup-effect {
   position: fixed;
   top: 0;
   bottom: 0;
   left: 0;
   right: 0;
   background: rgba(0, 0, 0, 0.7);
   transition: opacity Oms;
   visibility: hidden;
   opacity: 0;
    z-index: 99;
.popup-effect:target {
```

```
visibility: visible;
   opacity: 1;
.popup {
   background: #fff;
   border-radius: 4px;
   max-width: 430px;
   position: relative;
   margin: 8em auto;
   padding: 3em 2em;
   z-index: 999;
   text-align: center;
.popup .close {
   position: absolute;
   top: 5px;
   right: 15px;
   transition: all 200ms;
   font-size: 30px;
   font-weight: bold;
   text-decoration: none;
   color: #000;
/* //popup */
* //gallery page */
/*--/shipping-grids--*/
.shiopping-w3pvt-gd {
   background: #080808;
   padding: 2em;
.shiopping-w3pvt-gd.sec {
   background: #333;
.shiopping-w3pvt-gd:hover {
   background: #74d2e7;
   -moz-transition: all 0.25s ease;
   -o-transition: all 0.25s ease;
   -webkit-transition: all 0.25s ease;
   transition: all 0.25s ease;
```

```
.shiopping-w3pvt-gd h3 {
   font-size: 1.2em;
   color: #fff;
   margin: 0.5em 0;
   text-transform: uppercase;
   font-weight: 600;
.icon-gd span {
   font-size: 2em;
   text-align: center;
   color: #ec1c24;
   margin-bottom: 0.3em;
/*--//shipping-grids--*/
/*--/newsletter--*/
.newsletter-w3pvt,
.collections {
   background: #f7f7f7;
.newsletter-w3pvt form {
   margin: 0 auto;
   width: 60%;
.newsletter-w3pvt p {
   font-size: 1.2em;
   margin-bottom: 2em;
   color: #777;
   font-weight: 600;
.subscribe-sec input {
   padding: 0.85em 1em;
   color: #495057;
   border-radius: 0.25rem;
   font-size: 0.9em;
   border: none;
   outline: none;
    letter-spacing: 2px;
```

```
-moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
   box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
   box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
.btn.submit {
   background: #74d2e7;
   -moz-transition: all 0.25s ease;
    -o-transition: all 0.25s ease;
   -webkit-transition: all 0.25s ease;
   transition: all 0.25s ease;
   color: #fff;
   padding: 0.8em 3em;
   text-transform: uppercase;
   font-size: 0.9em;
   letter-spacing: 2px;
   font-weight: 600;
   -moz-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
    -webkit-box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
   box-shadow: 1px 3px 8px 0 rgba(0, 0, 0, 0.15);
.btn.submit:hover,
.btn.shop:hover {
   opacity: 0.9;
/*--//newsletter--*/
.content-grid {
   max-width: 500px;
   margin: 6em auto;
ul.links-unordered-list li.active a {
   background: rgba(255, 255, 255, 0.05);
   padding: 5px 20px;
   color: #fff;
.icon span.fa {
   font-size: 3em;
```

```
color: #555;
.icon {
   margin-bottom: 3em;
.content-bottom {
   padding: 0em 4em;
   margin: 0 1em;
   position: relative;
   z-index: 1;
.logo h1 a {
   font-size: 25px;
   color: #fff;
   text-transform: capitalize;
   font-weight: 600;
    letter-spacing: 1px;
.content-grid ul li {
    display: inline-block;
li.switch-slide {
    float: left;
ul.list-login li:nth-child(2) {
   float: right;
ul.list-login-bottom li:nth-child(2) {
    float: right;
.field-group label {
    font-size: 15px;
.check {
   margin: .5em 0;
```

```
.checkbox input,
.radio input {
   position: absolute;
   left: -9999px;
.checkbox i {
   position: absolute;
   bottom: 5px;
   left: 2px;
   display: block;
   width: 14px;
   height: 14px;
   outline: none;
   border: none;
   background: #fff;
.check label {
   margin: 0;
   font-size: 1em;
   text-transform: capitalize;
   color: #fff;
   letter-spacing: 1px;
   font-weight: 300;
.checkbox {
   position: relative;
   padding-left: 28px !important;
   cursor: pointer;
.checkbox input:checked + i:after,
.radio input:checked + i:after {
   opacity: 1;
.checkbox input + i:after,
.radio input + i:after {
   position: absolute;
   opacity: 0;
   transition: opacity 0.1s;
```

```
-o-transition: opacity 0.1s;
    -ms-transition: opacity 0.1s;
    -moz-transition: opacity 0.1s;
    -webkit-transition: opacity 0.1s;
ul.list-login {
   margin-top: 1.5em;
   margin-bottom: 1em;
.content-input-field button.btn {
    background: #ec1c24;
   border: none;
    color: #fff;
    padding: 15px 15px;
   text-transform: uppercase;
    font-size: 16px;
   width: 100%;
   margin-top: 10px;
    letter-spacing: 2px;
    cursor: pointer;
   transition: 0.5s all;
    -webkit-transition: 0.5s all;
    -moz-transition: 0.5s all;
    -o-transition: 0.5s all;
    -ms-transition: 0.5s all;
    border-radius: 0px;
.bottom-grid,
.bottom-grid1 {
   display: flex;
   display: -webkit-box;
    display: -moz-box;
   display: -ms-flexbox;
   display: -webkit-flex;
    justify-content: space-between;
   margin: 0em 10em;
ul.links-unordered-list li {
   display: inline-block;
```

```
margin-right: 10px;
ul.links-unordered-list li a {
    font-size: 16px;
    color: #ccc;
   font-weight: normal;
    letter-spacing: 1px;
    padding: 0 5px;
    text-transform: capitalize;
.content-input-field input {
    font-size: 16px;
    font-weight: 300;
    color: #888;
    letter-spacing: 1px;
    border: none;
   box-sizing: border-box;
   width: 100%;
   outline: none;
    background: rgba(0, 123, 255, 0.06);
   margin-bottom: 20px;
    padding: 15px 20px;
    border-radius: 0px;
::-webkit-input-placeholder {
    /* Chrome/Opera/Safari */
    color: #888;
::-moz-placeholder {
    /* Firefox 19+ */
    color: #888;
::-ms-input-placeholder {
    color: #888;
::-moz-placeholder {
   color: #888;
```

```
/* switch */
label.switch {
    position: relative;
   display: inline-block;
   height: 18px;
    padding-left: 3em;
    cursor: pointer;
    color: #ccc;
    font-weight: 300;
.content-bottom li:nth-child(2) a,
label.switch {
   font-size: 15px;
    letter-spacing: 1px;
   font-weight: 300;
    color: #999 !important;
   text-transform: capitalize;
ul.list-login-bottom li:nth-child(1) a,
ul.list-login-bottom li:nth-child(2) a,
.list-login-bottom a {
   font-size: 12px;
    letter-spacing: 2px;
    font-weight: normal;
    text-transform: uppercase;
    color: #333;
.content-bottom li:nth-child(2) a,
.content-bottom li:nth-child(1) a {
    color: #333;
.switch input {
    display: none;
.slider {
    position: absolute;
   cursor: pointer;
```

```
top: 2px;
    left: 0;
    right: 0;
   bottom: 0;
   width: 21%;
   background-color: #cfd7d9;
   -webkit-transition: .4s;
    transition: .4s;
.slider:before {
    position: absolute;
   content: "";
   height: 10px;
   width: 10px;
   left: 4px;
   bottom: 3px;
   background-color: #555;
    -webkit-transition: .4s;
    transition: .4s;
input:checked + .slider {
    background-color: #cfd7d9;
input:focus + .slider {
    box-shadow: 0 0 1px #555;
input:checked + .slider:before {
    -webkit-transform: translateX(14px);
   -ms-transform: translateX(14px);
   transform: translateX(14px);
/* Rounded sliders */
.slider.round {
    border-radius: 34px;
.slider.round:before {
    border-radius: 50%;
```

```
/* //switch */
/*--/shop-page--*/
.item-info-product h4 a {
    color: #080808;
   font-size: 15px;
   letter-spacing: 1px;
    text-transform: uppercase;
    font-weight: 700;
span.money {
   font-size: 1em;
   font-weight: 800;
    color: #ff4c4c;
    letter-spacing: 2px;
ul.stars li {
    display: inline-block;
ul.stars li a span {
   font-size: 0.7em;
   color: #6a6c6d;
   margin: 0 0.2em;
ul.stars li a span:hover {
    opacity: 0.8;
.product_price {
   margin: 1em 0 0 0;
   padding: 1em 0 0 0;
   border-top: 1px solid #ddd;
.product-shoe-info {
    background: #f7f7f7;
    padding: 1em;
```

```
.item-info-product {
    padding: 1em 0 1em 0;
span.line {
   text-decoration: line-through;
    color: #999;
   font-weight: 300;
.men-thumb-item {
    padding: 1em;
ul.pagination li a {
   color: #555;
/*--/single--*/
h3.shop-sing {
   text-transform: uppercase;
   font-size: 1.2em;
   letter-spacing: 2px;
   margin: 1.5em 0 2em 0;
    color: #323a40;
p.italic-blue {
   font-style: italic;
    color: #89bff3;
    font-weight: 500;
.available span a {
   margin: 4% 0;
   display: block;
   color: #555555;
   font-size: 0.8725em;
   text-transform: uppercase;
   text-shadow: 0 1px 0 #ffffff;
    text-decoration: underline;
.desc1-right h3 {
```

```
text-shadow: 0 1px 0 #ffffff;
    color: #1e272e;
    font-size: 1.1em;
    margin-bottom: 15px;
.desc1-right h5 {
   font-size: 1.3em;
   color: #62676b;
   line-height: 1.5em;
    -webkit-text-stroke: 0.2px;
    font-weight: 400;
.desc1-right h5 a {
   margin-left: 5px;
   color: #555555;
   text-transform: capitalize;
   font-size: 14px;
    -webkit-text-stroke: 0px;
    letter-spacing: 0px;
.share h4 {
    font-size: 0.9em;
   color: #555555;
   margin-bottom: 10px;
   text-transform: uppercase;
   text-shadow: 0 1px 0 #ffffff;
    font-weight: 400;
h3.title-wthree-single {
   font-size: 1.8em;
    text-transform: uppercase;
   color: #333;
   margin-bottom: 0.7em;
   font-weight: 600;
.desc1-right h5 span {
    text-decoration: line-through;
.newsletter-w3pvt p.get-inf {
```

```
font-weight: 300;
    font-size: 1em;
/*--//single--*/
/*--//shop-page--*/
/*--/contact--*/
.contact_right,
.contact left {
    border: 2px solid #f7f7f7;
.contact_left iframe {
    width: 100%;
    outline: none;
    border: none;
    height: 100%;
.information-wthree h4 {
    font-size: 1.2em;
    font-weight: 600;
    letter-spacing: 1px;
    color: #333;
.information-wthree label {
    font-size: 1.2em;
    color: #ec1c24;
    margin-bottom: 0;
    margin-top: 1em;
textarea {
    min-height: 120px;
    resize: none;
    font-size: 16px;
    font-weight: 300;
    color: #888;
    letter-spacing: 1px;
    border: none;
    box-sizing: border-box;
    width: 100%;
    outline: none;
    background: rgba(0, 123, 255, 0.06);
```

```
padding: 15px 20px;
    border-radius: 0px;
p.cont-wthree-para a {
   font-size: 1.1em;
    color: #ec1c24;
    line-height: 3em;
/*--//contact--*/
.footer wthree gridf h2 a {
   display: inline-block;
   font-weight: 300;
   font-size: 1em;
    letter-spacing: 1px;
    color: #333;
    text-shadow: 2px 5px 3px rgba(0, 0, 0, 0.06);
    padding: 0;
.footer_wthree_gridf h2 a span {
    font-weight: 700;
    color: #74d2e7;
    font-size: 1.4em;
.sub-des2 {
   text-transform: uppercase;
   display: block;
   font-size: 0.7em;
   margin: 0;
   color: #999;
    letter-spacing: 7px;
    font-weight: 600;
    text-shadow: 3px 1px 3px rgba(78, 73, 73, 0.21);
/* //footer logo */
.cpy-right {
    background: #eff1f1;
```

```
.footer_wthree_gridf_list{
   display: flex;
   justify-content: space-between;
   flex-direction: row;
.footer wthree gridf list li {
   list-style: none;
   margin-right: 20px;
.footer_wthree_gridf_list li span.fa {
   color: #ee4f4f;
   padding-right: 1em;
.footer_wthree_gridf_list li a {
   color: #555;
   text-decoration: none;
   text-transform: uppercase;
   letter-spacing: 1px;
   font-size: 0.75em;
   display: block;
   font-weight: 600;
   margin: 1.8em 0;
.footer_wthree_gridf_list li a:hover {
   color: #EA4335;
.footer_wthree_gridf_list li:last-child {
   margin-bottom: 0;
.addressf-agileits-wthree p span.fa {
   margin-right: .2em;
   color: #ee4f4f;
   display: inline-block;
   text-align: center;
   font-size: 3em;
   vertical-align: middle;
```

```
h3.sub-w3ls-headf {
    color: #3a3a3a;
    font-size: 1.5em;
    font-weight: 600;
    letter-spacing: 1.5px;
   margin-bottom: .7em;
    line-height: 30px;
    text-shadow: 0 1px 2px rgba(0, 0, 0, 0.29);
/* //footer navigation */
.move-top span {
   color: #212529;
   text-align: center;
    border: none;
    line-height: 2em;
/* social icons */
.w3ls-fsocial-grid {
   padding: 2em 0;
   border-top: 1px solid #edeff1;
   margin: 3em 0 0 0;
   text-align: center;
    border-bottom: 1px solid #edeff1;
.social-ficons ul {
   padding: 0;
    margin: 0;
.social-ficons ul li {
    display: inline-block;
   margin: 0 1em;
.social-ficons ul li a {
   color: #333;
    text-align: center;
    font-size: 15px;
.social-ficons ul li a span.fa.fa-facebook {
   height: 32px;
```

```
width: 32px;
   line-height: 32px;
   background: transparent;
   margin-right: 4px;
   color: #3b5998;
   transition: 0.5s all;
   -webkit-transition: 0.5s all;
   -moz-transition: 0.5s all;
   -o-transition: 0.5s all;
   -ms-transition: 0.5s all;
.social-ficons ul li a:hover span.fa.fa-facebook {
   height: 32px;
   width: 32px;
   line-height: 32px;
   background: #3b5998;
   color: #FFFFFF;
.social-ficons ul li a span.fa.fa-twitter {
   height: 32px;
   width: 32px;
   line-height: 32px;
   background: transparent;
   margin-right: 4px;
   color: #1da1f2;
   transition: 0.5s all;
   -webkit-transition: 0.5s all;
   -moz-transition: 0.5s all;
   -o-transition: 0.5s all;
   -ms-transition: 0.5s all;
.social-ficons ul li a:hover span.fa.fa-twitter {
   height: 32px;
   width: 32px;
   line-height: 32px;
   background: #1da1f2;
   color: #FFFFFF;
.social-ficons ul li a span.fa.fa-google {
   height: 32px;
   width: 32px;
```

```
line-height: 32px;
    background: transparent;
    margin-right: 4px;
    color: #ea4335;
    transition: 0.5s all;
    -webkit-transition: 0.5s all;
   -moz-transition: 0.5s all;
    -o-transition: 0.5s all;
    -ms-transition: 0.5s all;
.social-ficons ul li a:hover span.fa.fa-google {
   height: 32px;
   width: 32px;
    line-height: 32px;
    background: #ea4335;
    color: #FFFFFF;
.cpy-right a {
    color: #888;
/* //social icons */
/*--//footer --*/
/*--responsive--*/
@media(max-width:1450px) {
    .title-wthree,
    .title-wthree.two {
        font-size: 2.3em;
   h4.text-w3pvt,
   h4.text-wthree {
        font-size: 1.6em;
@media(max-width:1366px) {
    .banner-left-info {
       margin-top: 12em;
```

```
.main-sec.inner-page {
        min-height: 16em;
@media(max-width:1280px) {
    .banner-wthree-info h3 {
        font-size: 2.3em;
        margin-bottom: 0.7em;
    .ab-content h4 {
        font-size: 1em;
        margin: 2em 0 1em 0;
@media(max-width:1080px) {
    .newsletter-w3pvt form {
        margin: 0 auto;
        width: 90%;
@media(max-width:1050px) {
    .social-ficons ul li {
        margin: 0 0.5em;
@media(max-width:1024px) {}
@media(max-width:992px) {
    .banner-left-info {
        margin: 3em 0;
    .banner-img img {
        width: 70%;
    .banner-wthree-info h3 {
        font-size: 2.5em;
```

```
padding: 0 2em 0 0em;
    .ab-content-img {
        min-height: 20em;
    .bottom-w3pvt-left img {
        width: 100%;
    .social-ficons ul li {
        margin: 0 0.3em;
    .shop-info-grid {
        float: left;
        width: 50%;
@media(max-width:900px) {
    .title-wthree,
    .title-wthree.two {
        font-size: 2em;
    h4.text-wthree {
        font-size: 1.6em;
@media(max-width:800px) {
    .search-form {
        width: 40%;
        float: right;
    .item-info-product h4 a {
        font-size: 12px;
@media(max-width:768px) {}
```

```
@media(max-width:767px) {
    .content-gd-wthree {
        margin: 2em 0;
    .contact_left.p-4 {
        margin-top: 2em;
    .newsletter-w3pvt p {
        font-size: 1em;
    .subscribe-sec input {
        margin-bottom: 1em;
@media(max-width:736px) {
    .banner-wthree-info h3 {
        font-size: 2.3em;
        padding: 0 2em 0 0em;
@media(max-width:600px) {
    .banner-wthree-info h3 {
        font-size: 2em;
        padding: 0 2em 0 0em;
    .title-wthree,
    .title-wthree.two {
        font-size: 1.8em;
    .btn.shop {
        padding: 0.6em 2em;
    .content-grid {
        max-width: 500px;
        margin: 3em auto;
```

```
nav a {
        font-size: 0.8em;
    .content-bottom {
        padding: 0em 0em;
        margin: 0 1em;
    .btn.shop {
        padding: 0.6em 1.5em;
        font-size: 0.8em;
    .ab-content-img {
       min-height: 15em;
@media(max-width:568px) {
    .main-sec.inner-page {
        min-height: 13em;
    #logo a {
       float: left;
        font-size: .7em;
    .shop-info-grid {
       float: left;
       width: 80%;
       margin: 0 auto;
    .page-link {
        padding: 0.5rem 0.5rem;
        margin-left: -1px;
   header .search {
        padding: 6px 10px;
        font-size: 12px;
       width: 85%;
```

```
@media(max-width:480px) {
    .sub-des {
        font-size: 0.27em;
        letter-spacing: 4px;
   header a.btn {
       font-size: 0.85em;
@media(max-width:440px) {
    .banner-wthree-info h3 {
        font-size: 1.8em;
        padding: 0 2em 0 0em;
    .banner-left-info {
        margin: 2em 0 1.5em 0;
   h4.text-w3pvt,
   h4.text-wthree {
        font-size: 1.2em;
@media(max-width:414px) {
    .title-wthree,
    .title-wthree.two {
        font-size: 1.6em;
    .banner-wthree-info h3 {
        font-size: 1.6em;
        padding: 0 2em 0 0em;
    .search-form {
        width: 55%;
        float: right;
```

```
@media(max-width:384px) {}
@media(max-width:375px) {}
@media(max-width:320px) {
    .title-wthree,
    .title-wthree.two {
        font-size: 1.4em;
    .banner-wthree-info h3 {
        font-size: 1.4em;
        padding: 0 2em 0 0em;
/*--//responsive--*/
/*--MOJ CSS--*/
#modalCart{
    width: 60%;
    height: fit-content;
    background-color: rgb(236, 236, 236);
    position: fixed;
    top: 100px;
    left: 20%;
    height: 500px;
    z-index: 100;
    display: none;
    box-shadow: 0 0 20px #8e8989;
#modalError{
    width: 50%;
    height: fit-content;
    background-color: rgb(236, 236, 236);
    position: fixed;
    top: 100px;
    left: 25%;
    height: 150px;
```

```
z-index: 100;
    display: none;
    box-shadow: 0 0 20px #8e8989;
#modalMail{
    width: 50%;
    height: fit-content;
    background-color: rgb(236, 236, 236);
    position: fixed;
    top: 100px;
    left: 25%;
    z-index: 100;
    display: none;
    box-shadow: 0 0 20px #8e8989;
    font-size: 20px;
    padding-bottom: 30px;
.row2{
    width: 100%;
    height: 50px;
    background-color: white;
    margin-left: 0px;
    display: flex !important;
    justify-content: space-between !important;
    align-items: center;
#closeModal{
    width: 60px;
    height: 100%;
    background-color: red;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
#closeModal2{
    width: 60px;
    height: 100%;
    background-color: red;
    display: flex;
```

```
justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
#closeModal3{
   width: 60px;
   height: 100%;
    background-color: red;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    font-size: 25px;
    cursor: pointer;
    float: right;
#closeModal4{
   width: 60px;
   height: 100%;
    background-color: red;
    display: flex;
   justify-content: center;
    align-items: center;
    color: white;
   font-size: 25px;
    cursor: pointer;
   float: right;
.block{
   display: block !important;
#cart{
   cursor: pointer;
   display: flex;
    justify-content: center;
    align-items: start;
#cart>i{
    font-size: 40px;
#sort{
```

```
width: 100%;
    margin: 0px auto;
    display: flex;
    flex-direction: column;
    margin-top: 70px !important;
.wid{
    width: 100%;
    display: flex;
    justify-content: center;
#fot{
    display: flex;
    justify-content: space-between;
    align-items: center;
#list{
    margin-top: 70px;
    font-size: 25px;
    flex-wrap: wrap;
#broj{
    position: relative;
    font-weight: 700;
    color: black;
    font-size: 15px;
#krug{
    position: relative;
    right: 5px;
    width: 25px;
    height: 25px;
    border-radius: 50%;
    background-color: yellow;
    display: flex;
    justify-content: center;
    align-items: center;
#krug>p{
    margin-top: 2px;
#plus{
    width: 30px;
```

```
height: 30px;
    margin: 0px auto;
    background-color: red;
    cursor: pointer;
#poruka{
    margin: 0px auto;
.err{
    color: red !important;
.save{
    color: green;
.col{
    height: 100% !important;
.red{
    margin: 10px auto;
    width: 80%;
#izlaz{
    display: flex;
    flex-direction: row;
output{
    margin-left: 20px;
.cena{
    font-size: 15px;
    color: black;
    font-weight: 600;
#rangeValue{
    margin-top: 4px;
#range{
    margin-left: 15px;
.new{
    width: 100px;
    opacity: 0.7;
    color: white;
    font-weight: 600;
```

```
position: absolute;
.dodatak{
    color: #767b94 !important;
    font-size: 20px !important;
    font-weight: 600;
    font-style: italic;
#opis{
    font-size: 18px !important;
.nas{
    min-height: 70px;
.blk{
    display: flex;
    justify-content: center;
.crvena{
    background-color: red;
.plava{
    background-color: rgb(110, 110, 255);
.zelena{
    background-color: rgb(110, 177, 10);
.red>h2{
    font-size: 20px;
.display-block{
    display: block;
.okvir-greska{
    background-color: rgb(255, 97, 97) !important;
.in{
    color: #000 !important;
    font-weight: 600;
.err{
    margin-bottom: 10px;
    font-weight: 600;
input[type=radio] {
```

```
border: 3px;
    width: 15px;
    height: 15px;
    accent-color: red !important;
#sel5{
    background-color: rgba(0, 123, 255, 0.06);
.okvir{
    border: 2px solid red;
    padding: 20px;
.okvirTA{
    border: 2px solid red;
#modalKontakt{
    width: 50%;
    height: fit-content;
    background-color: rgb(236, 236, 236);
    position: fixed;
    top: 100px;
    left: 25%;
    z-index: 100;
    display: none;
    box-shadow: 0 0 20px #8e8989;
    font-size: 20px;
    text-align: center;
    padding-bottom: 30px;
#ispis{
    margin-top: 20px;
.ja{
    background-image: url("../images/template-images/ja.jpg");
    background-size: cover;
    min-height: 400px;
.mreze{
    color: #74d2e7 !important;
    font-size: 35px !important;
.txtt{
    color: #74d2e7 !important;
.block-none{
```

```
display: none !important;
#ban{
    min-height: 500px !important;
    margin: 0px auto;
#nas{
    margin-left: 11% !important;
#brend{
    margin-top: 10px;
#reset{
    width: 80%;
    margin: 0px auto !important;
    margin-top: 20px;
    height: 40px;
    background-color: #74d2e7;
    cursor: pointer;
    transition: 0.1s;
    color: rgb(255, 255, 255);
    font-size: 20px;
    font-weight: 500;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    border: 0px;
#reset:hover{
    scale: 1.01;
.link{
    text-decoration: none !important;
    color: #000;
.link:hover{
    text-decoration: none !important;
    color: #000;
.art{
    transition: 0.2s;
.art:hover{
    transform: scale(1.01);
.shoe:hover{
```

```
background-color: #ececec;
.shoe{
    transition: 0.2s;
    box-shadow: 0px 4px 10px rgba(121, 121, 121, 0.25);
#cene{
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    width: 130px;
#modalContent{
    overflow-y: auto;
    word-break: break-all;
    height: 85%;
.aa{
    height: 100px;
    background-color: #000;
    margin-top: 10px;
.add-to-cart-button {
    background-color: #74d2e7;
    border: none;
    color: white;
    width: 100px;
    height: 50px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 14px;
    cursor: pointer;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    position: static;
    margin-top: 20px;
#add-to-cart-button {
    background-color: #74d2e7;
    border: none;
    color: white;
```

```
width: 100px;
    height: 50px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 14px;
    cursor: pointer;
    box-shadow: 0px 2px 4px rgba(0, 0, 0, 0.25);
    position: static;
    margin-top: 20px;
.aki{
    min-height: 500px;
.kup{
    width: 100%;
    padding: 10px 20px;
    min-height: 100px;
    border-top: 1px solid rgb(177, 177, 177);
    border-bottom: 1px solid rgb(177, 177, 177);
    margin: 0px auto;
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    align-items: center;
.cartSlika>img{
    width: 100px !important;
.row3{
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    height: 50px;
    background-color: rgb(201, 201, 201);
   align-items: center;
#obrisi{
    padding-top: 12px !important;
    height: 100%;
    background-color: red;
    padding: 0px 20px;
    display: flex;
    justify-content: center;
```

```
align-items: center !important;
    cursor: pointer;
    color: white;
#naruci{
    height: 100%;
    background-color: green;
    padding: 0px 20px;
    display: flex;
    justify-content: center;
    align-items: center;
    cursor: pointer;
    color: white;
#em{
    text-align: center;
    margin-top: 10%;
    font-size: 30px;
.kocka{
    width: 30px;
    height: 30px;
    background-color: #000;
#dodato{
    padding: 20px;
    background-color: rgb(41, 255, 41);
    position: fixed;
    right: 2%;
    bottom: 2%;
    display: none;
#dodato > p{
    color: white !important;
.brojac{
    display: flex;
    flex-direction: row;
    width: 100px;
    justify-content: space-between;
    background-color: #f9f9f9;
.kol{
    border: 0px !important;
```

```
cursor: pointer;
    background-color: #ced8e0;
    width: 30px;
    height: 30px;
.broj{
    display: flex;
    justify-content: center;
    align-items: center;
.tot{
    display: flex;
    flex-direction: row;
    margin-left: 10px;
.obrisi{
    border: 0px !important;
    cursor: pointer;
    height: 30px;
    background-color: #ced8e0;
#izlaz{
    display: flex;
    flex-direction: row;
    height: 100%;
.naziv{
    width: 100px;
    word-break: keep-all !important;
.foot{
    display: flex;
    justify-content: space-between;
    padding: 0% 5%;
#doc{
    color: red;
    font-size: 20px;
#raz{
    width: 120px;
.navv{
    display: flex !important;
    justify-content: space-between !important;
```

```
flex-direction: row !important;
    align-items: center !important;
#osoba{
    margin-left: 60%;
    margin-top: 25px;
.menu{
    width: 100% !important;
#navigation{
    width: 450px !important;
#pretraga{
    width: 100%;
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    align-items: center;
#tt{
    width: 300px !important;
    height: 40px;
    float: right;
#trazi{
    width: 300px;
    height: 40px;
#preusmeri{
    display: none;
#obrisi{
    display: none;
.plavo{
    background-color: #74d2e7;
    padding: 0px 200px !important;
.active2{
    background-color: #74d2e7 !important;
.page-link{
```

```
margin-right: 0px;
}
.nav3{
   margin-left: 26% !important;
}
```