



DETALJ D — ZUB (GRANIČNIK)

presjek kroz kraj poz. 3, uvećano, bez mjerila



Pozicija presjeka D na sklopu (pogled odozgo):



NOSAČ KUGLIČNOG ZGLOBA — F450

Detalj D — zub (graničnik) na POZ. 3, uz ivicu POZ. 2

Materijal lim 1 mm (Al / čelik)	Mjerilo bez mjerila	Format A3
Crtež br. F450-NOS-001	List 2 / 3	Datum 21.09.2026
Izradio	Pregledao	Tolerancije ISO 2768-m

redosljed i položaj pozicija; geometrija prema listovima 1 i 2 (bez mjerila)



3 zub (graničnik) — oba kraja

A 3D exploded view of a mechanical assembly. The assembly consists of a central yellow rectangular plate (callout 2) and two gray rectangular plates (callout 1) positioned above and below it. The bottom gray plate is supported by a blue V-shaped bracket (callout 3). A dashed circle labeled 'E' is located at the bottom right corner of the bottom gray plate, indicating a specific feature or assembly point.

POZ. 1 — ploča R

POZ. 2 — ploča F450

krilo POZ. 3

zub POZ. 3

zazor ≈ 0.35 mm

NOSAČ KUGLIČNOG ZGLOBA – F450

Materijal lim 1 mm (Al / čelik)	Mjerilo bez mjerila	Format A3
Crtež br. F450-NOS-001	List 3 / 3	Datum 21.09.2026
Izradio	Pregledao	Tolerancije ISO 2768-m