

This document is used to assist with the Algebra in Appendix A.2

Note that  $\nabla$  has been replaced with '\Delta' to ensure the code works okay.

> restart;

We normalise the velocity coefficients by  $u_0$  and the field components by  $(B_0 * u_0 / v_{A+})$ .

We start by solving the Matrix equation given by Equation (57).

> eqn1 :=  $a_{11} \cdot x_1 + a_{12} \cdot x_2 + a_{13} \cdot x_3 + a_{14} \cdot x_4 = y_1$

$$eqn1 := a_{11} x_1 + a_{12} x_2 + a_{13} x_3 + a_{14} x_4 = y_1 \quad (1)$$

> eqn2 :=  $a_{21} \cdot x_1 + a_{22} \cdot x_2 + a_{23} \cdot x_3 + a_{24} \cdot x_4 = y_2$

$$eqn2 := a_{21} x_1 + a_{22} x_2 + a_{23} x_3 + a_{24} x_4 = y_2 \quad (2)$$

> eqn3 :=  $a_{31} \cdot x_1 + a_{32} \cdot x_2 + a_{33} \cdot x_3 + a_{34} \cdot x_4 = y_3$

$$eqn3 := a_{31} x_1 + a_{32} x_2 + a_{33} x_3 + a_{34} x_4 = y_3 \quad (3)$$

> eqn4 :=  $a_{41} \cdot x_1 + a_{42} \cdot x_2 + a_{43} \cdot x_3 + a_{44} \cdot x_4 = y_4$

$$eqn4 := a_{41} x_1 + a_{42} x_2 + a_{43} x_3 + a_{44} x_4 = y_4 \quad (4)$$

> solns := solve({eqn1, eqn2, eqn3, eqn4}, {x1, x2, x3, x4}) :

> sol1 := rhs(solns[1])

$$sol1 := - \left( a_{12} a_{23} a_{34} y_4 - a_{12} a_{23} a_{44} y_3 - a_{12} a_{24} a_{33} y_4 + a_{12} a_{24} a_{43} y_3 + a_{12} a_{33} a_{44} y_2 - a_{12} a_{34} a_{43} y_2 - a_{13} a_{22} a_{34} y_4 + a_{13} a_{22} a_{44} y_3 + a_{13} a_{24} a_{32} y_4 - a_{13} a_{24} a_{42} y_3 - a_{13} a_{32} a_{44} y_2 + a_{13} a_{34} a_{42} y_2 + a_{14} a_{22} a_{33} y_4 - a_{14} a_{22} a_{43} y_3 - a_{14} a_{23} a_{32} y_4 + a_{14} a_{23} a_{42} y_3 + a_{14} a_{32} a_{43} y_2 - a_{14} a_{33} a_{42} y_2 - a_{22} a_{33} a_{44} y_1 + a_{22} a_{34} a_{43} y_1 + a_{23} a_{32} a_{44} y_1 - a_{23} a_{34} a_{42} y_1 - a_{24} a_{32} a_{43} y_1 + a_{24} a_{33} a_{42} y_1 \right) / \left( a_{11} a_{22} a_{33} a_{44} - a_{11} a_{22} a_{34} a_{43} - a_{11} a_{23} a_{32} a_{44} + a_{11} a_{23} a_{34} a_{42} + a_{11} a_{24} a_{32} a_{43} - a_{11} a_{24} a_{33} a_{42} - a_{12} a_{21} a_{33} a_{44} + a_{12} a_{21} a_{34} a_{43} + a_{12} a_{23} a_{31} a_{44} - a_{12} a_{23} a_{34} a_{41} - a_{12} a_{24} a_{31} a_{43} + a_{12} a_{24} a_{33} a_{41} + a_{13} a_{21} a_{32} a_{44} - a_{13} a_{21} a_{34} a_{42} - a_{13} a_{22} a_{31} a_{44} + a_{13} a_{22} a_{34} a_{41} + a_{13} a_{24} a_{31} a_{42} - a_{13} a_{24} a_{32} a_{41} - a_{14} a_{21} a_{32} a_{43} + a_{14} a_{21} a_{33} a_{42} + a_{14} a_{22} a_{31} a_{43} - a_{14} a_{22} a_{33} a_{41} - a_{14} a_{23} a_{31} a_{42} + a_{14} a_{23} a_{32} a_{41} \right) \quad (5)$$

> sol2 := rhs(solns[2])

$$sol2 := \left( a_{11} a_{23} a_{34} y_4 - a_{11} a_{23} a_{44} y_3 - a_{11} a_{24} a_{33} y_4 + a_{11} a_{24} a_{43} y_3 + a_{11} a_{33} a_{44} y_2 - a_{11} a_{34} a_{43} y_2 - a_{13} a_{21} a_{34} y_4 + a_{13} a_{21} a_{44} y_3 + a_{13} a_{24} a_{31} y_4 - a_{13} a_{24} a_{41} y_3 - a_{13} a_{31} a_{44} y_2 + a_{13} a_{34} a_{41} y_2 + a_{14} a_{21} a_{33} y_4 - a_{14} a_{21} a_{43} y_3 - a_{14} a_{23} a_{31} y_4 + a_{14} a_{23} a_{41} y_3 + a_{14} a_{31} a_{43} y_2 - a_{14} a_{33} a_{41} y_2 - a_{21} a_{33} a_{44} y_1 + a_{21} a_{34} a_{43} y_1 + a_{23} a_{31} a_{44} y_1 - a_{23} a_{34} a_{41} y_1 - a_{24} a_{31} a_{43} y_1 + a_{24} a_{33} a_{41} y_1 \right) / \left( a_{11} a_{22} a_{33} a_{44} - a_{11} a_{22} a_{34} a_{43} - a_{11} a_{23} a_{32} a_{44} + a_{11} a_{23} a_{34} a_{42} + a_{11} a_{24} a_{32} a_{43} - a_{11} a_{24} a_{33} a_{42} - a_{12} a_{21} a_{33} a_{44} + a_{12} a_{21} a_{34} a_{43} + a_{12} a_{23} a_{31} a_{44} - a_{12} a_{23} a_{34} a_{41} - a_{12} a_{24} a_{31} a_{43} + a_{12} a_{24} a_{33} a_{41} + a_{13} a_{21} a_{32} a_{44} - a_{13} a_{21} a_{34} a_{42} - a_{13} a_{22} a_{31} a_{44} + a_{13} a_{22} a_{34} a_{41} \right) \quad (6)$$

$$+ a_{13} a_{24} a_{31} a_{42} - a_{13} a_{24} a_{32} a_{41} - a_{14} a_{21} a_{32} a_{43} + a_{14} a_{21} a_{33} a_{42} + a_{14} a_{22} a_{31} a_{43} - a_{14} a_{22} a_{33} a_{41} - a_{14} a_{23} a_{31} a_{42} + a_{14} a_{23} a_{32} a_{41})$$

> sol3 := rhs(solns[3])

$$\begin{aligned} \text{sol3} := & - \left( a_{11} a_{22} a_{34} y_4 - a_{11} a_{22} a_{44} y_3 - a_{11} a_{24} a_{32} y_4 + a_{11} a_{24} a_{42} y_3 + a_{11} a_{32} a_{44} y_2 \right. \\ & - a_{11} a_{34} a_{42} y_2 - a_{12} a_{21} a_{34} y_4 + a_{12} a_{21} a_{44} y_3 + a_{12} a_{24} a_{31} y_4 - a_{12} a_{24} a_{41} y_3 \\ & - a_{12} a_{31} a_{44} y_2 + a_{12} a_{34} a_{41} y_2 + a_{14} a_{21} a_{32} y_4 - a_{14} a_{21} a_{42} y_3 - a_{14} a_{22} a_{31} y_4 \\ & + a_{14} a_{22} a_{41} y_3 + a_{14} a_{31} a_{42} y_2 - a_{14} a_{32} a_{41} y_2 - a_{21} a_{32} a_{44} y_1 + a_{21} a_{34} a_{42} y_1 \\ & + a_{22} a_{31} a_{44} y_1 - a_{22} a_{34} a_{41} y_1 - a_{24} a_{31} a_{42} y_1 + a_{24} a_{32} a_{41} y_1 \Big) / \left( a_{11} a_{22} a_{33} a_{44} \right. \\ & - a_{11} a_{22} a_{34} a_{43} - a_{11} a_{23} a_{32} a_{44} + a_{11} a_{23} a_{34} a_{42} + a_{11} a_{24} a_{32} a_{43} - a_{11} a_{24} a_{33} a_{42} \\ & - a_{12} a_{21} a_{33} a_{44} + a_{12} a_{21} a_{34} a_{43} + a_{12} a_{23} a_{31} a_{44} - a_{12} a_{23} a_{34} a_{41} - a_{12} a_{24} a_{31} a_{43} \\ & + a_{12} a_{24} a_{33} a_{41} + a_{13} a_{21} a_{32} a_{44} - a_{13} a_{21} a_{34} a_{42} - a_{13} a_{22} a_{31} a_{44} + a_{13} a_{22} a_{34} a_{41} \\ & + a_{13} a_{24} a_{31} a_{42} - a_{13} a_{24} a_{32} a_{41} - a_{14} a_{21} a_{32} a_{43} + a_{14} a_{21} a_{33} a_{42} + a_{14} a_{22} a_{31} a_{43} \\ & \left. - a_{14} a_{22} a_{33} a_{41} - a_{14} a_{23} a_{31} a_{42} + a_{14} a_{23} a_{32} a_{41} \right) \end{aligned} \quad (7)$$

> sol4 := rhs(solns[4])

$$\begin{aligned} \text{sol4} := & \left( a_{11} a_{22} a_{33} y_4 - a_{11} a_{22} a_{43} y_3 - a_{11} a_{23} a_{32} y_4 + a_{11} a_{23} a_{42} y_3 + a_{11} a_{32} a_{43} y_2 \right. \\ & - a_{11} a_{33} a_{42} y_2 - a_{12} a_{21} a_{33} y_4 + a_{12} a_{21} a_{43} y_3 + a_{12} a_{23} a_{31} y_4 - a_{12} a_{23} a_{41} y_3 \\ & - a_{12} a_{31} a_{43} y_2 + a_{12} a_{33} a_{41} y_2 + a_{13} a_{21} a_{32} y_4 - a_{13} a_{21} a_{42} y_3 - a_{13} a_{22} a_{31} y_4 \\ & + a_{13} a_{22} a_{41} y_3 + a_{13} a_{31} a_{42} y_2 - a_{13} a_{32} a_{41} y_2 - a_{21} a_{32} a_{43} y_1 + a_{21} a_{33} a_{42} y_1 \\ & + a_{22} a_{31} a_{43} y_1 - a_{22} a_{33} a_{41} y_1 - a_{23} a_{31} a_{42} y_1 + a_{23} a_{32} a_{41} y_1 \Big) / \left( a_{11} a_{22} a_{33} a_{44} \right. \\ & - a_{11} a_{22} a_{34} a_{43} - a_{11} a_{23} a_{32} a_{44} + a_{11} a_{23} a_{34} a_{42} + a_{11} a_{24} a_{32} a_{43} - a_{11} a_{24} a_{33} a_{42} \\ & - a_{12} a_{21} a_{33} a_{44} + a_{12} a_{21} a_{34} a_{43} + a_{12} a_{23} a_{31} a_{44} - a_{12} a_{23} a_{34} a_{41} - a_{12} a_{24} a_{31} a_{43} \\ & + a_{12} a_{24} a_{33} a_{41} + a_{13} a_{21} a_{32} a_{44} - a_{13} a_{21} a_{34} a_{42} - a_{13} a_{22} a_{31} a_{44} + a_{13} a_{22} a_{34} a_{41} \\ & + a_{13} a_{24} a_{31} a_{42} - a_{13} a_{24} a_{32} a_{41} - a_{14} a_{21} a_{32} a_{43} + a_{14} a_{21} a_{33} a_{42} + a_{14} a_{22} a_{31} a_{43} \\ & \left. - a_{14} a_{22} a_{33} a_{41} - a_{14} a_{23} a_{31} a_{42} + a_{14} a_{23} a_{32} a_{41} \right) \end{aligned} \quad (8)$$

> a<sub>11</sub> := u<sub>x10</sub>-

$$a_{11} := u_{x10} - \quad (9)$$

> a<sub>12</sub> := u<sub>x40</sub>-

$$a_{12} := u_{x40} - \quad (10)$$

> a<sub>13</sub> := -u<sub>x20</sub>+

$$a_{13} := -u_{x20} + \quad (11)$$

> a<sub>14</sub> := -u<sub>x30</sub>+

$$a_{14} := -u_{x30} + \quad (12)$$

> a<sub>21</sub> := k<sub>z1</sub>-·u<sub>x10</sub>-

	$a_{21} := k_{z1-} u_{x10-}$	(13)
>	$a_{22} := k_{z4-} u_{x40-}$	
	$a_{22} := k_{z4-} u_{x40-}$	(14)
>	$a_{23} := -k_{z2+} u_{x20+}$	
	$a_{23} := -k_{z2+} u_{x20+}$	(15)
>	$a_{24} := -k_{z3+} u_{x30+}$	
	$a_{24} := -k_{z3+} u_{x30+}$	(16)
>	$a_{31} := 1$	
	$a_{31} := 1$	(17)
>	$a_{32} := 1$	
	$a_{32} := 1$	(18)
>	$a_{33} := -1$	
	$a_{33} := -1$	(19)
>	$a_{34} := -1$	
	$a_{34} := -1$	(20)
>	$a_{41} := k_{z1-}$	
	$a_{41} := k_{z1-}$	(21)
>	$a_{42} := k_{z4-}$	
	$a_{42} := k_{z4-}$	(22)
>	$a_{43} := -k_{z2+}$	
	$a_{43} := -k_{z2+}$	(23)
>	$a_{44} := -k_{z3+}$	
	$a_{44} := -k_{z3+}$	(24)
>	$y_1 := u_{x10+}$	
	$y_1 := u_{x10+}$	(25)
>	$y_2 := k_{z1+} u_{x10+}$	
	$y_2 := k_{z1+} u_{x10+}$	(26)
>	$y_3 := 1$	
	$y_3 := 1$	(27)
>	$y_4 := k_{z1+}$	
	$y_4 := k_{z1+}$	(28)

[Note that  $u_{x0}[n]$  denotes  $\hat{u}_{\{x\}n}$  and  $u_{x[n\pm]}$  denotes  $u_{\{x\}n\pm}$ ].

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x10-} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 1-}}{L_{1-} - k_x^2} \\
& \quad \quad \quad u_{x10-} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 1-}}{-k_x^2 + L_{1-}} \tag{29}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x10+} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 1+}}{L_{1+} - k_x^2} \\
& \quad \quad \quad u_{x10+} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 1+}}{-k_x^2 + L_{1+}} \tag{30}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x20-} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 2-}}{L_{2-} - k_x^2} \\
& \quad \quad \quad u_{x20-} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 2-}}{-k_x^2 + L_{2-}} \tag{31}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x20+} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 2+}}{L_{2+} - k_x^2} \\
& \quad \quad \quad u_{x20+} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 2+}}{-k_x^2 + L_{2+}} \tag{32}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x30-} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 3-}}{L_{3-} - k_x^2} \\
& \quad \quad \quad u_{x30-} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 3-}}{-k_x^2 + L_{3-}} \tag{33}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x30+} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 3+}}{L_{3+} - k_x^2} \\
& \quad \quad \quad u_{x30+} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 3+}}{-k_x^2 + L_{3+}} \tag{34}
\end{aligned}$$

$$\begin{aligned}
& \textcolor{red}{>} \quad u_{x40-} := - \frac{\textcolor{black}{i} \cdot k_x \cdot \Delta_{\perp 4-}}{L_{4-} - k_x^2} \\
& \quad \quad \quad u_{x40-} := \frac{-\textcolor{blue}{I} k_x \Delta_{\perp 4-}}{-k_x^2 + L_{4-}} \tag{35}
\end{aligned}$$

$$\begin{aligned} & \textcolor{red}{>} \quad u_{x40+} := -\frac{i \cdot k_x \cdot \Delta_{\perp 4+}}{L_{4+} - k_x^2} \\ & \quad \quad \quad u_{x40+} := \frac{-i k_x \Delta_{\perp 4+}}{-k_x^2 + L_{4+}} \end{aligned} \tag{36}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{I-} := \Delta_{\parallel I-}^2 + k_{\parallel-}^2 \\ & \quad \quad \quad L_{I-} := k_{\parallel-}^2 + \Delta_{\parallel I-}^2 \end{aligned} \tag{37}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{I+} := \Delta_{\parallel I+}^2 + k_{\parallel+}^2 \\ & \quad \quad \quad L_{I+} := k_{\parallel+}^2 + \Delta_{\parallel I+}^2 \end{aligned} \tag{38}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{2-} := \Delta_{\parallel 2-}^2 + k_{\parallel-}^2 \\ & \quad \quad \quad L_{2-} := k_{\parallel-}^2 + \Delta_{\parallel 2-}^2 \end{aligned} \tag{39}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{2+} := \Delta_{\parallel 2+}^2 + k_{\parallel+}^2 \\ & \quad \quad \quad L_{2+} := k_{\parallel+}^2 + \Delta_{\parallel 2+}^2 \end{aligned} \tag{40}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{3-} := \Delta_{\parallel 3-}^2 + k_{\parallel-}^2 \\ & \quad \quad \quad L_{3-} := k_{\parallel-}^2 + \Delta_{\parallel 3-}^2 \end{aligned} \tag{41}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{3+} := \Delta_{\parallel 3+}^2 + k_{\parallel+}^2 \\ & \quad \quad \quad L_{3+} := k_{\parallel+}^2 + \Delta_{\parallel 3+}^2 \end{aligned} \tag{42}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{4-} := \Delta_{\parallel 4-}^2 + k_{\parallel-}^2 \\ & \quad \quad \quad L_{4-} := k_{\parallel-}^2 + \Delta_{\parallel 4-}^2 \end{aligned} \tag{43}$$

$$\begin{aligned} & \textcolor{red}{>} \quad L_{4+} := \Delta_{\parallel 4+}^2 + k_{\parallel+}^2 \\ & \quad \quad \quad L_{4+} := k_{\parallel+}^2 + \Delta_{\parallel 4+}^2 \end{aligned} \tag{44}$$

$$\begin{aligned} & \textcolor{red}{>} \quad \Delta_{\perp I-} := i \cdot (k_y \cdot \cos(\alpha) - k_{zI-} \cdot \sin(\alpha)) \\ & \quad \quad \quad \Delta_{\perp I-} := i (k_y \cos(\alpha) - k_{zI-} \sin(\alpha)) \end{aligned} \tag{45}$$

$$\begin{aligned} & \textcolor{red}{>} \quad \Delta_{\perp I+} := i \cdot (k_y \cdot \cos(\alpha) - k_{zI+} \cdot \sin(\alpha)) \\ & \quad \quad \quad \Delta_{\perp I+} := i (k_y \cos(\alpha) - k_{zI+} \sin(\alpha)) \end{aligned} \tag{46}$$

$$\begin{aligned} & \textcolor{red}{>} \quad \Delta_{\perp 2-} := i \cdot (k_y \cdot \cos(\alpha) - k_{z2-} \cdot \sin(\alpha)) \\ & \quad \quad \quad \Delta_{\perp 2-} := i (k_y \cos(\alpha) - k_{z2-} \sin(\alpha)) \end{aligned} \tag{47}$$

$$\begin{aligned} & \textcolor{red}{>} \quad \Delta_{\perp 2+} := i \cdot (k_y \cdot \cos(\alpha) - k_{z2+} \cdot \sin(\alpha)) \\ & \quad \quad \quad \Delta_{\perp 2+} := i (k_y \cos(\alpha) - k_{z2+} \sin(\alpha)) \end{aligned} \tag{48}$$

$$\Delta_{\perp 2+} := I \left( k_y \cos(\alpha) - k_{z2+} \sin(\alpha) \right) \quad (48)$$

$$\begin{aligned} &> \Delta_{\perp 3-} := i \cdot \left( k_y \cdot \cos(\alpha) - k_{z3-} \cdot \sin(\alpha) \right) \\ &\quad \Delta_{\perp 3-} := I \left( k_y \cos(\alpha) - k_{z3-} \sin(\alpha) \right) \end{aligned} \quad (49)$$

$$\begin{aligned} &> \Delta_{\perp 3+} := i \cdot \left( k_y \cdot \cos(\alpha) - k_{z3+} \cdot \sin(\alpha) \right) \\ &\quad \Delta_{\perp 3+} := I \left( k_y \cos(\alpha) - k_{z3+} \sin(\alpha) \right) \end{aligned} \quad (50)$$

$$\begin{aligned} &> \Delta_{\perp 4-} := i \cdot \left( k_y \cdot \cos(\alpha) - k_{z4-} \cdot \sin(\alpha) \right) \\ &\quad \Delta_{\perp 4-} := I \left( k_y \cos(\alpha) - k_{z4-} \sin(\alpha) \right) \end{aligned} \quad (51)$$

$$\begin{aligned} &> \Delta_{\perp 4+} := i \cdot \left( k_y \cdot \cos(\alpha) - k_{z4+} \cdot \sin(\alpha) \right) \\ &\quad \Delta_{\perp 4+} := I \left( k_y \cos(\alpha) - k_{z4+} \sin(\alpha) \right) \end{aligned} \quad (52)$$

$$\begin{aligned} &> \Delta_{\parallel 1-} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z1-} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 1-} := I \left( k_y \sin(\alpha) + k_{z1-} \cos(\alpha) \right) \end{aligned} \quad (53)$$

$$\begin{aligned} &> \Delta_{\parallel 1+} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z1+} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 1+} := I \left( k_y \sin(\alpha) + k_{z1+} \cos(\alpha) \right) \end{aligned} \quad (54)$$

$$\begin{aligned} &> \Delta_{\parallel 2-} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z2-} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 2-} := I \left( k_y \sin(\alpha) + k_{z2-} \cos(\alpha) \right) \end{aligned} \quad (55)$$

$$\begin{aligned} &> \Delta_{\parallel 2+} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z2+} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 2+} := I \left( k_y \sin(\alpha) + k_{z2+} \cos(\alpha) \right) \end{aligned} \quad (56)$$

$$\begin{aligned} &> \Delta_{\parallel 3-} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z3-} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 3-} := I \left( k_y \sin(\alpha) + k_{z3-} \cos(\alpha) \right) \end{aligned} \quad (57)$$

$$\begin{aligned} &> \Delta_{\parallel 3+} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z3+} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 3+} := I \left( k_y \sin(\alpha) + k_{z3+} \cos(\alpha) \right) \end{aligned} \quad (58)$$

$$\begin{aligned} &> \Delta_{\parallel 4-} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z4-} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 4-} := I \left( k_y \sin(\alpha) + k_{z4-} \cos(\alpha) \right) \end{aligned} \quad (59)$$

$$\begin{aligned} &> \Delta_{\parallel 4+} := i \cdot \left( k_y \cdot \sin(\alpha) + k_{z4+} \cdot \cos(\alpha) \right) \\ &\quad \Delta_{\parallel 4+} := I \left( k_y \sin(\alpha) + k_{z4+} \cos(\alpha) \right) \end{aligned} \quad (60)$$

$$\begin{aligned} &> k_{z1-} := \frac{k_{\parallel-}}{\cos(\alpha)} - k_y \cdot \tan(\alpha) \\ &\quad k_{z1-} := \frac{k_{\parallel-}}{\cos(\alpha)} - k_y \tan(\alpha) \end{aligned} \quad (61)$$

$$> k_{z1+} := \frac{k_{\parallel+}}{\cos(\alpha)} - k_y \cdot \tan(\alpha)$$

$$k_{z1+} := \frac{k_{||+}}{\cos(\alpha)} - k_y \tan(\alpha) \quad (62)$$

$$> k_{z2-} := -\frac{k_{||-}}{\cos(\alpha)} - k_y \cdot \tan(\alpha)$$

$$k_{z2-} := -\frac{k_{||-}}{\cos(\alpha)} - k_y \tan(\alpha) \quad (63)$$

$$> k_{z2+} := -\frac{k_{||+}}{\cos(\alpha)} - k_y \cdot \tan(\alpha)$$

$$k_{z2+} := -\frac{k_{||+}}{\cos(\alpha)} - k_y \tan(\alpha) \quad (64)$$

$$> k_{z3-} := i \cdot \sqrt{k_x^2 + k_y^2 - k_{||-}^2}$$

$$k_{z3-} := I \sqrt{k_x^2 + k_y^2 - k_{||-}^2} \quad (65)$$

$$> k_{z3+} := i \cdot \sqrt{k_x^2 + k_y^2 - k_{||+}^2}$$

$$k_{z3+} := I \sqrt{k_x^2 + k_y^2 - k_{||+}^2} \quad (66)$$

$$> k_{z4-} := -i \cdot \sqrt{k_x^2 + k_y^2 - k_{||-}^2}$$

$$k_{z4-} := -I \sqrt{k_x^2 + k_y^2 - k_{||-}^2} \quad (67)$$

$$> k_{z4+} := -i \cdot \sqrt{k_x^2 + k_y^2 - k_{||+}^2}$$

$$k_{z4+} := -I \sqrt{k_x^2 + k_y^2 - k_{||+}^2} \quad (68)$$

>

$$> k_{||+} := r \cdot k_{||-}$$

$$k_{||+} := r k_{||-} \quad (69)$$

$$> k_y := a_y \cdot k_{||+}$$

$$k_y := a_y r k_{||-} \quad (70)$$

$$> k_x := \frac{k_{||-}}{\epsilon}$$

$$k_x := \frac{k_{||-}}{\epsilon} \quad (71)$$

ux leading order terms

$$> u_{x1-} := u_{x10-} \cdot sol1 :$$

$$> u_{x4-} := u_{x40-} \cdot sol2 :$$

$$> u_{x1+} := u_{x10+} :$$

$$\begin{aligned}
& \text{> } u_{x2+} := u_{x20+} \cdot \text{sol3} : \\
& \text{> } u_{x3+} := u_{x30+} \cdot \text{sol4} : \\
& \text{> } \text{simplify}(\text{series}(u_{x1-}, \epsilon, 2)) \\
& \quad \frac{2 r (-a_y r + \sin(\alpha))}{\cos(\alpha) (r+1)} \epsilon + O(\epsilon^2) \tag{72}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(u_{x4-}, \epsilon, 3)) \\
& \quad \frac{I \sin(\alpha) r (r-1) \operatorname{csign}\left(\frac{k_{||-}}{\epsilon}\right)}{\cos(\alpha)^2} \epsilon^2 + O(\epsilon^3) \tag{73}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(u_{x1+}, \epsilon, 3)) \\
& \quad \frac{r (-a_y + \sin(\alpha))}{\cos(\alpha)} \epsilon + O(\epsilon^3) \tag{74}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(u_{x2+}, \epsilon, 3)) \\
& \quad - \frac{r (r-1) (a_y + \sin(\alpha))}{\cos(\alpha) (r+1)} \epsilon + O(\epsilon^3) \tag{75}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(u_{x3+}, \epsilon, 3)) \\
& \quad \frac{I \sin(\alpha) r (r-1) \operatorname{csign}\left(\frac{k_{||-}}{\epsilon}\right)}{\cos(\alpha)^2} \epsilon^2 + O(\epsilon^3) \tag{76}
\end{aligned}$$

u\_perp leading order terms

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(\text{sol1}, \epsilon, 3)) \\
& \quad \frac{2 r}{r+1} + 2 \frac{r^2 (r-1) (\cos(\alpha) - 1) (\cos(\alpha) + 1) (a_y - \sin(\alpha))}{\cos(\alpha)^2 \sin(\alpha) (r+1)} \epsilon^2 + O(\epsilon^3) \tag{77}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(\text{sol2}, \epsilon, 3)) \\
& \quad \frac{(\cos(\alpha) - 1) (\cos(\alpha) + 1) (r-1) r}{\cos(\alpha)^2} \epsilon^2 + O(\epsilon^3) \tag{78}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(\text{sol3}, \epsilon, 2)) \\
& \quad \frac{r-1}{r+1} + O(\epsilon^2) \tag{79}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(\text{sol4}, \epsilon, 4)) \\
& \quad - \frac{(\cos(\alpha) - 1) (\cos(\alpha) + 1) (r-1) r}{\cos(\alpha)^2} \epsilon^2 \\
& \quad + \frac{I r^2 a_y (\cos(\alpha)^4 - 3 \cos(\alpha)^2 + 2) (r-1) \operatorname{csign}\left(\frac{k_{||-}}{\epsilon}\right)}{\sin(\alpha) \cos(\alpha)^3} \epsilon^3 + O(\epsilon^4) \tag{80}
\end{aligned}$$



bx leading order terms

$$> b_{x1-} := \frac{\Delta_{||1-} \cdot u_{x1-}}{i \cdot k_{||+}} :$$

$$> b_{x4-} := \frac{\Delta_{||4-} \cdot u_{x4-}}{i \cdot k_{||+}} :$$

$$> b_{x1+} := \frac{\Delta_{||1+} \cdot u_{x1+}}{i \cdot k_{||+}} :$$

$$> b_{x2+} := \frac{\Delta_{||2+} \cdot u_{x2+}}{i \cdot k_{||+}} :$$

$$> b_{x3+} := \frac{\Delta_{||3+} \cdot u_{x3+}}{i \cdot k_{||+}} :$$

$$> \text{simplify}(\text{series}(b_{x1-}, \epsilon, 2))$$

$$\frac{-2 a_y r + 2 \sin(\alpha)}{\cos(\alpha) (r + 1)} \epsilon + O(\epsilon^2) \quad (81)$$

$$> \text{simplify}(\text{series}(b_{x4-}, \epsilon, 2))$$

$$\frac{\sin(\alpha) (r - 1)}{\cos(\alpha)} \epsilon + O(\epsilon^2) \quad (82)$$

$$> \text{simplify}(\text{series}(b_{x1+}, \epsilon, 2))$$

$$\frac{r (-a_y + \sin(\alpha))}{\cos(\alpha)} \epsilon + O(\epsilon^3) \quad (83)$$

$$> \text{simplify}(\text{series}(b_{x2+}, \epsilon, 2))$$

$$\frac{r (r - 1) (a_y + \sin(\alpha))}{\cos(\alpha) (r + 1)} \epsilon + O(\epsilon^2) \quad (84)$$

$$> \text{simplify}(\text{series}(b_{x3+}, \epsilon, 2))$$

$$- \frac{\sin(\alpha) (r - 1)}{\cos(\alpha)} \epsilon + O(\epsilon^2) \quad (85)$$

b\_perp leading order terms

$$> b_{\perp 1-} := \frac{\Delta_{||1-} \cdot sol1}{i \cdot k_{||+}} :$$

$$> b_{\perp 4-} := \frac{\Delta_{||4-} \cdot sol2}{i \cdot k_{||+}} :$$

$$> b_{\perp 1+} := \frac{\Delta_{||1+} \cdot 1}{i \cdot k_{||+}} :$$

$$\begin{aligned}
& \text{> } b_{\perp 2+} := \frac{\Delta_{\parallel 2+} \cdot \text{sol3}}{i \cdot k_{\parallel+}} : \\
& \text{> } b_{\perp 3+} := \frac{\Delta_{\parallel 3+} \cdot \text{sol4}}{i \cdot k_{\parallel+}} : \\
& \text{> } \text{simplify}(\text{series}(b_{\perp 1-}, \epsilon, 2)) \\
& \qquad \qquad \qquad \frac{2}{r+1} + O(\epsilon^2) \tag{86}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(b_{\perp 4-}, \epsilon, 2)) \\
& \qquad \qquad \qquad \frac{-I \operatorname{csgn}\left(\frac{k_{\parallel-}}{\epsilon}\right) (\cos(\alpha) - 1) (r - 1) (\cos(\alpha) + 1)}{\cos(\alpha)} \epsilon + O(\epsilon^2) \tag{87}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(b_{\perp 1+}, \epsilon, 2)) \\
& \qquad \qquad \qquad 1 \tag{88}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(b_{\perp 2+}, \epsilon, 2)) \\
& \qquad \qquad \qquad \frac{-r+1}{r+1} + O(\epsilon^2) \tag{89}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(b_{\perp 3+}, \epsilon, 2)) \\
& \qquad \qquad \qquad O(\epsilon) \tag{90}
\end{aligned}$$

b\_par leading order terms

$$\begin{aligned}
& \text{> } b_{\parallel 1-} := -\frac{i \cdot k_x \cdot u_{x1-} + \Delta_{\perp 1-} \cdot \text{sol1}}{i \cdot k_{\parallel+}} : \\
& \text{> } b_{\parallel 4-} := -\frac{i \cdot k_x \cdot u_{x4-} + \Delta_{\perp 4-} \cdot \text{sol2}}{i \cdot k_{\parallel+}} : \\
& \text{> } b_{\parallel 1+} := -\frac{i \cdot k_x \cdot u_{x1+} + \Delta_{\perp 1+}}{i \cdot k_{\parallel+}} : \\
& \text{> } b_{\parallel 2+} := -\frac{i \cdot k_x \cdot u_{x2+} + \Delta_{\perp 2+} \cdot \text{sol3}}{i \cdot k_{\parallel+}} : \\
& \text{> } b_{\parallel 3+} := -\frac{i \cdot k_x \cdot u_{x3+} + \Delta_{\perp 3+} \cdot \text{sol4}}{i \cdot k_{\parallel+}} : \\
& \text{> } \text{simplify}(b_{\parallel 1-}) \\
& \qquad \qquad \qquad 0 \tag{91}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(\text{series}(\text{expand}(b_{\parallel 4-}), \epsilon, 3)) \\
& \qquad \qquad \qquad -I (r - 1) \sin(\alpha) \operatorname{csgn}\left(\frac{k_{\parallel-}}{\epsilon}\right) \epsilon + O(\epsilon^2) \tag{92}
\end{aligned}$$

$$\begin{aligned}
& \text{> } \text{simplify}(b_{\parallel 1+}) \\
& \qquad \qquad \qquad 0 \tag{93}
\end{aligned}$$

$$\left[ \begin{array}{l} \textcolor{red}{>} \textit{simplify}(b_{\parallel 2}+) \\ \textcolor{blue}{0} \end{array} \right] \qquad \qquad \qquad \textbf{(94)}$$

$$\left[ \begin{array}{l} \textcolor{red}{>} \textit{simplify}(\textit{series}(\textit{expand}(b_{\parallel 3}+), \epsilon, 3) ) \\ \textcolor{blue}{-I \, (r-1) \, \sin(\alpha) \, \text{csgn}\left(\frac{k_{\parallel -}}{\epsilon}\right) \, \epsilon + O(\epsilon^2)} \end{array} \right] \qquad \qquad \qquad \textbf{(95)}$$